

## DAFTAR PUSTAKA

- Abdul-Wahed, A., Guilmeau, S., & Postic, C. (2017). Sweet Sixteenth for ChREBP: Established Roles and Future Goals. *Cell Metabolism*, 26(2), 324–341. <https://doi.org/10.1016/j.cmet.2017.07.004>
- Abu-Farha, M., Abubaker, J., Al-Khairi, I., Cherian, P., Noronha, F., Kavalakatt, S., Khadir, A., Behbehani, K., Alarouj, M., Bennakhi, A., & Elkum, N. (2016). Circulating angiopoietin-like protein 8 (betatrophin) association with HsCRP and metabolic syndrome. *Cardiovascular Diabetology* 2016 15:1, 15(1), 1–8. <https://doi.org/10.1186/S12933-016-0346-0>
- Abu-Farha, M., Ghosh, A., Al-Khairi, I., Madiraju, S. R. M., Abubaker, J., & Prentki, M. (2020). The multi-faces of Angptl8 in health and disease: Novel functions beyond lipoprotein lipase modulation. *Progress in Lipid Research*, 80(September), 101067. <https://doi.org/10.1016/j.plipres.2020.101067>
- Agius, L., Chachra, S. S., Ford, B. E., Leclerc, I., McCommis, K. S., & Fang, P. (2020). The Protective Role of the Carbohydrate Response Element Binding Protein in the Liver: The Metabolite Perspective. *Frontiers in Endocrinology*. <https://doi.org/10.3389/fendo.2020.594041>
- Alenad, A., Alenezi, M. M., Alokail, M. S., Wani, K., Mohammed, A. K., Alnaami, A. M., Sulimani, M., Zargar, S., Clerici, M., & Al-Daghri, N. M. (2020). Association of ANGPTL8 (Betatrophin) Gene Variants with Components of Metabolic Syndrome in Arab Adults. *Scientific Reports*, 10(1), 1–10. <https://doi.org/10.1038/s41598-020-63850-7>
- Basu, D., & Bornfeldt, K. E. (2020). Hypertriglyceridemia and Atherosclerosis: Using Human Research to Guide Mechanistic Studies in Animal Models. *Frontiers in Endocrinology / Www.Frontiersin.Org*, 1, 504. <https://doi.org/10.3389/fendo.2020.00504>
- Bojarczuk, A., Skapska, S., Mousavi Khaneghah, A., & Marszałek, K. (2022). Health benefits of resistant starch: A review of the literature. *Journal of Functional Foods*, 93, 105094. <https://doi.org/10.1016/J.JFF.2022.105094>
- Brahe, L. K., Ängquist, L., Larsen, L. H., Vimalaswaran, K. S., Hager, J., Viguerie, N., Loos, R. J. F., Handjieva-Darlenska, T., Jebb, S. A., Hlavaty, P., Larsen, T. M., Martinez, J. A., Papadaki, A., Pfeiffer, A. F. H., van Baak, M. A., Sorensen, T. I. A., Holst, C., Langin, D., Astrup, A., & Saris, W. H. M. (2013). Influence of SNPs in nutrient-sensitive candidate genes and gene-diet interactions on blood lipids: The DiOGenes study. *British Journal of Nutrition*, 110(5), 790–796. <https://doi.org/10.1017/S0007114512006058>
- Crichton, G. E., & Alkerwi, A. (2015). Physical activity, sedentary behavior time and lipid levels in the Observation of Cardiovascular Risk Factors in Luxembourg study. *Lipids in Health and Disease*, 14(1). <https://doi.org/10.1186/S12944-015-0085-3>

- Crujeiras, A. B., Zulet, M. A., Abete, I., Amil, M., Carreira, M. C., Martínez, J. A., & Casanueva, F. F. (2015). Interplay of atherogenic factors, protein intake and betatrophin levels in obese–metabolic syndrome patients treated with hypocaloric diets. *International Journal of Obesity* 2016 40:3, 40(3), 403–410. <https://doi.org/10.1038/ijo.2015.206>
- Dorairaj, S., & Allen, T. W. (2007). On the thermodynamic stability of a charged arginine side chain in a transmembrane helix. *Proceedings of the National Academy of Sciences of the United States of America*, 104(12), 4943–4948. [https://doi.org/10.1073/PNAS.0610470104/SUPPL\\_FILE/10470SUPTEXT.PDF](https://doi.org/10.1073/PNAS.0610470104/SUPPL_FILE/10470SUPTEXT.PDF)
- Eckel, R. H. (2011). The complex metabolic mechanisms relating obesity to hypertriglyceridemia. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 31(9), 1946–1948. <https://doi.org/10.1161/ATVBAHA.111.233049>
- Eleftheriadou, I., Grigoropoulou, P., Katsilambros, N., & Tentolouris, N. (2008). The Effects of Medications Used for the Management of Diabetes and Obesity on Postprandial Lipid Metabolism. *Current Diabetes Reviews*, 4(4), 340–356. <https://doi.org/10.2174/157339908786241133>
- Feingold, K. R. (2020). Obesity and Dyslipidemia. *Endotext*. <https://www.ncbi.nlm.nih.gov/books/NBK305895/>
- Feingold, K. R., & Grunfeld, C. (2021). Introduction to Lipids and Lipoproteins. *Endotext*. <https://www.ncbi.nlm.nih.gov/books/NBK305896/>
- Frampton, J., Murphy, K. G., Frost, G., & Chambers, E. S. (2020). Short-chain fatty acids as potential regulators of skeletal muscle metabolism and function. *Nature Metabolism*, 2, 840–848. <https://www.nature.com/articles/s42255-020-0188-7>
- Ghasemi, A., Aghajani, H., Fallah, S., Assadi, M., & Seifi, M. (2015). C771g (His241Gln) polymorphism of MLXIPL Gene, TG levels and coronary artery disease: A case control study. *Anadolu Kardiyoloji Dergisi*, 15(1), 8–12. <https://doi.org/10.5152/akd.2014.5135>
- Ghasemi, H., Karimi, J., Khodadadi, I., Saidijam, M., & Tavalani, H. (2018). Association between rs2278426 (C/T) and rs892066 (C/G) variants of ANGPTL8 (betatrophin) and susceptibility to type2 diabetes mellitus. *Journal of Clinical Laboratory Analysis*, 33(1). <https://doi.org/10.1002/jcla.22649>
- Gourineni, V., Stewart, M. L., Icoz, D., & Zimmer, J. P. (2018). Gastrointestinal Tolerance and Glycemic Response of Isomaltooligosaccharides in Healthy Adults. *Nutrients*, 10(3). <https://doi.org/10.3390/NU10030301>
- Grubic, T. J., Sowinski, R. J., Nevares, B. E., Jenkins, V. M., Williamson, S. L., Reyes, A. G., Rasmussen, C., Greenwood, M., Murano, P. S., Earnest, C. P., & Kreider, R. B. (2019). Comparison of ingesting a food bar containing whey protein and isomalto-oligosaccharides to carbohydrate on performance and recovery from an acute bout of resistance-exercise and sprint conditioning: an open label, randomized, counterbalanced, crossover pilot study. *Journal of the International Society of Sports Nutrition* 2019 16:1, 16(1), 1–17. <https://doi.org/10.1186/S12970-019-0301-Z>

- Gunness, P., & Gidley, M. J. (2010). Mechanisms underlying the cholesterol-lowering properties of soluble dietary fibre polysaccharides. In *Food and Function* (Vol. 1, Issue 2, pp. 149–155). <https://doi.org/10.1039/c0fo00080a>
- Guo, C., Wang, C., Deng, X., He, J., Yang, L., & Yuan, G. (2021). ANGPTL8 in metabolic homeostasis: More friend than foe? In *Open Biology* (Vol. 11, Issue 9). Royal Society Publishing. <https://doi.org/10.1098/rsob.210106>
- Guo, C., Zhao, L., Ding, Y., Zhao, Z., Wang, C., Li, L., Cai, Z., Li, Y., Xia, H., Zhu, Z., Yu, F., Dai, M., Deng, X., & Yuan, G. (2020). ANGPTL8 Gene Polymorphism rs2278426 Is Related to Carotid Intima Media Thickness in T2DM. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 13, 4519–4528. <https://doi.org/10.2147/DMSO.S274759>
- Guo, S., Zheng, F., Qiu, X., & Yang, N. (2011). ChREBP gene polymorphisms are associated with coronary artery disease in Han population of Hubei province. *Clinica Chimica Acta*, 412(19–20), 1854–1860. <https://doi.org/10.1016/j.cca.2011.06.024>
- Guo, T., Yin, R. X., Wu, J., Lin, Q. Z., Shi, G. Y., Shen, S. W., Sun, J. Q., Li, H., Lin, W. X., & Yang, D. Z. (2015). Association of the angiopoietin-like protein 8 rs2278426 polymorphism and several environmental factors with serum lipid levels. *Molecular Medicine Reports*, 12(3), 3285–3296. <https://doi.org/10.3892/mmr.2015.3825>
- Hannon, B. A., Edwards, C. G., Thompson, S. v., Burke, S. K., Burd, N. A., Holscher, H. D., Teran-Garcia, M., & Khan, N. A. (2020). Genetic Variants in Lipid Metabolism Pathways Interact with Diet to Influence Blood Lipid Concentrations in Adults with Overweight and Obesity. *Lifestyle Genomics*, 13(6), 155–163. <https://doi.org/10.1159/000507021>
- Hannon, B. A., Khan, N. A., & Teran-Garcia, M. (2018). Nutrigenetic contributions to dyslipidemia: A focus on physiologically relevant pathways of lipid and lipoprotein metabolism. *Nutrients*, 10(10). <https://doi.org/10.3390/nu10101404>
- Hannon, B. A., Thompson, S. v., Edwards, C. G., Skinner, S. K., Niemiro, G. M., Burd, N. A., Holscher, H. D., Teran-Garcia, M., & Khan, N. A. (2019). Dietary Fiber Is Independently Related to Blood Triglycerides Among Adults with Overweight and Obesity. *Current Developments in Nutrition*, 3(2). <https://doi.org/10.1093/CDN/NZY094>
- Iizuka, K. (2017). The transcription factor carbohydrate-response element-binding protein (ChREBP): A possible link between metabolic disease and cancer. *Biochimica et Biophysica Acta - Molecular Basis of Disease*, 1863(2), 474–485. <https://doi.org/10.1016/j.bbadis.2016.11.029>
- Iizuka, K., Miller, B., & Uyeda, K. (2006). Deficiency of carbohydrate-activated transcription factor ChREBP prevents obesity and improves plasma glucose control in leptin-deficient (ob/ob) mice. *American Journal of Physiology. Endocrinology and Metabolism*, 291(2). <https://doi.org/10.1152/AJPENDO.00027.2006>

- Iizuka, K., Takao, K., & Yabe, D. (2020). ChREBP-Mediated Regulation of Lipid Metabolism: Involvement of the Gut Microbiota, Liver, and Adipose Tissue. *Frontiers in Endocrinology*, 11(December), 1–10. <https://doi.org/10.3389/fendo.2020.587189>
- Kadam, P., & Bhalerao, S. (2010). Sample size calculation. *International Journal of Ayurveda Research*, 1(1), 55. <https://doi.org/10.4103/0974-7788.59946>
- Keathley, J., Garneau, V., Marcil, V., Mutch, D. M., Robitaille, J., Rudkowska, I., Sofian, G. M., Desroches, S., & Vohl, M. C. (2022). Nutrigenetics, omega-3 and plasma lipids/lipoproteins/apolipoproteins with evidence evaluation using the GRADE approach: A systematic review. In *BMJ Open* (Vol. 12, Issue 2). BMJ Publishing Group. <https://doi.org/10.1136/bmjopen-2021-054417>
- Klop, B., Willem, J., Elte, F., & Cabezas, M. C. (2013). Dyslipidemia in Obesity: Mechanisms and Potential Targets. *Nutrients*, 5, 1218–1240. <https://doi.org/10.3390/nu5041218>
- Kooner, J. S., Chambers, J. C., Aguilar-Salinas, C. A., Hinds, D. A., Hyde, C. L., Warnes, G. R., Gómez Pérez, F. J., Frazer, K. A., Elliott, P., Scott, J., Milos, P. M., Cox, D. R., & Thompson, J. F. (2008). Genome-wide scan identifies variation in MLXIPL associated with plasma triglycerides. *Nature Genetics* 2008 40:2, 40(2), 149–151. <https://doi.org/10.1038/ng.2007.61>
- Kumari, A., Kristensen, K. K., Ploug, M., & Lund Winther, A. M. (2021). The importance of lipoprotein lipase regulation in atherosclerosis. *Biomedicines*, 9(7). <https://doi.org/10.3390/biomedicines9070782>
- Lattimer, J. M., & Haub, M. D. (2010). Effects of Dietary Fiber and Its Components on Metabolic Health. *Nutrients*, 2(12), 1266. <https://doi.org/10.3390/NU2121266>
- Liao, S. M., Du, Q. S., Meng, J. Z., Pang, Z. W., & Huang, R. B. (2013). The multiple roles of histidine in protein interactions. *Chemistry Central Journal*, 7(1), 1–12. <https://doi.org/10.1186/1752-153X-7-44/FIGURES/5>
- Liu, S.-H., Chiu, C.-Y., Huang, L.-H., & Chiang, M.-T. (2019). Resistant Maltodextrin Ameliorates Altered Hepatic Lipid Homeostasis via Activation of AMP-Activated Protein Kinase in a High-Fat Diet-Fed Rat Model. *Nutrients* 2019, Vol. 11, Page 291, 11(2), 291. <https://doi.org/10.3390/NU11020291>
- Lopez-Alvarenga, J. C., Ebbesson, S. O. E., Ebbesson, L. O. E., Tejero, M. E., Voruganti, V. S., & Comuzzie, A. G. (2010). Polyunsaturated fatty acids effect on serum triglycerides concentration in presence of metabolic syndrome components. The Alaska-Siberia Project. *Metabolism: Clinical and Experimental*, 59(1), 86. <https://doi.org/10.1016/J.METABOL.2009.07.010>
- Luna-Castillo, K. P., Olivares-Ochoa, X. C., Hernández-Ruiz, R. G., Llamas-Covarrubias, I. M., Rodríguez-Reyes, S. C., Betancourt-Núñez, A., Vizmanos, B., Martínez-López, E., Muñoz-Valle, J. F., Márquez-Sandoval, F., & López-Quintero, A. (2022). The Effect of Dietary Interventions on Hypertriglyceridemia: From Public Health to Molecular Nutrition Evidence. In *Nutrients* (Vol. 14, Issue 5). MDPI. <https://doi.org/10.3390/nu14051104>

- Luo, M., & Peng, D. (2018). ANGPTL8: An Important Regulator in Metabolic Disorders. *Frontiers in Endocrinology*, 0(APR), 169.  
<https://doi.org/10.3389/FENDO.2018.00169>
- Mao, T., Huang, F., Zhu, X., Wei, D., & Chen, L. (2021). Effects of dietary fiber on glycemic control and insulin sensitivity in patients with type 2 diabetes: A systematic review and meta-analysis. *Journal of Functional Foods*, 82, 104500.  
<https://doi.org/10.1016/J.JFF.2021.104500>
- Marsono, Y., Putri, R. G., & Arianti, E. D. (2020a). The Effects of Replacement of Dietary Fiber with FiberCreme™ on Lowering Serum Glucose and Improvement of Lipid Profile in Hypercholesterolemia-Diabetic Rats and Its Mechanism. *Pakistan Journal of Nutrition*, 19(4), 204–211.  
<https://doi.org/10.3923/pjn.2020.204.211>
- Marsono, Y., Putri, R. G., & Arianti, E. D. (2020b). The Effects of Replacement of Dietary Fiber with FiberCreme™ on Lowering Serum Glucose and Improvement of Lipid Profile in Hypercholesterolemia-Diabetic Rats and Its Mechanism. *Pakistan Journal of Nutrition*, 19(4), 204–211.  
<https://doi.org/10.3923/pjn.2020.204.211>
- Mattei, J., Parnell, L. D., Lai, C. Q., Garcia-Bailo, B., Adiconis, X., Shen, J., Arnett, D., Demissie, S., Tucker, K. L., & Ordovas, J. M. (2009). Disparities in allele frequencies and population differentiation for 101 disease-associated single nucleotide polymorphisms between Puerto Ricans and non-Hispanic whites. *BMC Genetics*, 10. <https://doi.org/10.1186/1471-2156-10-45>
- Mohamed, R. E., Gadour, M. O., & Adam, I. (2015). The lowering effect of Gum Arabic on hyperlipidemia in Sudanese patients. *Frontiers in Physiology*, 6(MAY), 160. <https://doi.org/10.3389/FPHYS.2015.00160>
- Nagasawa, T., Kimura, T., Yoshida, A., Tsunekawa, K., Araki, O., Ushiki, K., Ishigaki, H., Shoho, Y., Suda, I., Hiramoto, S., & Murakami, M. (2021). Konjac Glucomannan Attenuated Triglyceride Metabolism during Rice Gruel Tolerance Test. *Nutrients*, 13(7). <https://doi.org/10.3390/NU13072191>
- Ortega-Azorín, C., Sorlí, J. v., Estruch, R., Asensio, E. M., Coltell, O., González, J. I., Martínez-González, M. Á., Ros, E., Salas-Salvadó, J., Fitó, M., Arós, F., Lapetra, J., Serra-Majem, L., Ruiz-Gutiérrez, V., Gómez-Gracia, E., Fiol, M., Flores, G., Pintó, X., Saiz, C., ... Corella, D. (2014). Amino acid change in the carbohydrate response element binding protein is associated with lower triglycerides and myocardial infarction incidence depending on level of adherence to the mediterranean diet in the PREDIMED trial. *Circulation: Cardiovascular Genetics*, 7(1), 49–58.  
<https://doi.org/10.1161/CIRCGENETICS.113.000301>
- Ortega-Prieto, P., & Postic, C. (2019). Carbohydrate sensing through the transcription factor ChREBP. *Frontiers in Genetics*, 10(JUN), 1–9.  
<https://doi.org/10.3389/fgene.2019.00472>



- Packard, C. J., Boren, J., & Taskinen, M.-R. (2020). Causes and Consequences of Hypertriglyceridemia. *Frontiers in Endocrinology*, 0, 252. <https://doi.org/10.3389/FENDO.2020.00252>
- Quagliarini, F., Wang, Y., Kozlitina, J., Grishin, N., Hyde, R., Boerwinkle, E., Valenzuela, D., Murphy, A., Cohen, J., & Hobbs, H. (2012). Atypical angiopoietin-like protein that regulates ANGPTL3. *Proceedings of the National Academy of Sciences of the United States of America*, 109(48), 19751–19756. <https://doi.org/10.1073/PNAS.1217552109>
- Rahman, S., Lee, P., Ireen, S., Khan, M. U. R., & Ahmed, F. (2021). Validation of an interviewer-administered seven-day semi-quantitative food frequency questionnaire for the dietary assessment of preschool children in rural Bangladesh. *Journal of Nutritional Science*, 10, 1–12. <https://doi.org/10.1017/JNS.2021.19>
- Ren, G., Kim, J. Y., & Smas, C. M. (2012). Identification of RIFL, a novel adipocyte-enriched insulin target gene with a role in lipid metabolism. *American Journal of Physiology - Endocrinology and Metabolism*, 303(3), E334. <https://doi.org/10.1152/AJPENDO.00084.2012>
- Siddiqi, A., Cirillo, E., Tareen, S. H. K., Ali, A., Kutmon, M., Eijssen, L. M. T., Ahmad, J., Evelo, C. T., & Coort, S. L. (2017). Visualizing the regulatory role of Angiopoietin-like protein 8 (ANGPTL8) in glucose and lipid metabolic pathways. *Genomics*, 109(5–6), 408–418. <https://doi.org/10.1016/J.YGENO.2017.06.006>
- Siri-Tarino, P. W., Sun, Q., Hu, F. B., & Krauss, R. M. (2010). Saturated Fatty Acids and Risk of Coronary Heart Disease: Modulation by Replacement Nutrients. *Current Atherosclerosis Reports*, 12(6), 384. <https://doi.org/10.1007/S11883-010-0131-6>
- Soliman, G. A. (2019). Dietary Fiber, Atherosclerosis, and Cardiovascular Disease. *Nutrients*, 11(5). <https://doi.org/10.3390/NU11051155>
- Song, Z., Xiaoli, A. M., & Yang, F. (2018). Regulation and Metabolic Significance of De Novo Lipogenesis in Adipose Tissues. *Nutrients* 2018, Vol. 10, Page 1383, 10(10), 1383. <https://doi.org/10.3390/NU10101383>
- Su, X., Cheng, Y., & Wang, B. (2021). ANGPTL8 in cardio-metabolic diseases. In *Clinica Chimica Acta* (Vol. 519, pp. 260–266). Elsevier B.V. <https://doi.org/10.1016/j.cca.2021.05.017>
- Sunarti, S., Rini, S. L. S., Rubi, D. S., Miftakhussolikhah, M., Ariani, D., & Sinorita, H. (2019). Fiber Increases Endogenous Insulin and Reduces Insulin Resistance in Diabetes. *Pakistan Journal of Nutrition*, 18(9), 895–899. <https://doi.org/10.3923/pjn.2019.895.899>
- Sunarti, S., Santoso, U., Pramana, A. A. C., Huriyati, E., & Rubi, D. S. (2020). High fiber and beta carotene from sweet potatoes and pumpkin improve insulin resistance by inhibition of sterol regulatory binding protein 1c in liver of hypertriglyceridemic rats. *Open Access Macedonian Journal of Medical Sciences*, 8(A), 898–903. <https://doi.org/10.3889/oamjms.2020.5354>

- Sylvers-Davie, K. L., Segura-Roman, A., Salvi, A. M., Schache, K. J., & Davies, B. S. J. (2021). Angiopoietin-like 3 inhibition of endothelial lipase is not modulated by angiopoietin-like 8. *Journal of Lipid Research*, 62. <https://doi.org/10.1016/J.JLR.2021.100112>
- Tatematsu, K., Miyazawa, D., Saito, Y., Okuyama, H., & Ohara, N. (2021). Fully hydrogenated canola oil extends lifespan in stroke-prone spontaneously hypertensive rats. *Lipids in Health and Disease*, 20(1), 1–12. <https://doi.org/10.1186/S12944-021-01540-7/TABLES/4>
- Teng, S., Srivastava, A. K., Schwartz, C. E., Alexov, E., & Wang, L. (2010). Structural Assessment of the Effects of Amino Acid Substitutions on Protein Stability and Protein-Protein Interaction. *International Journal of Computational Biology and Drug Design*, 3(4), 334. <https://doi.org/10.1504/IJCDD.2010.038396>
- Uchida, A., Whitsitt, M. C., Eustaquio, T., Slipchenko, M. N., Leary, J. F., Cheng, J. X., & Buhman, K. K. (2012). Reduced triglyceride secretion in response to an acute dietary fat challenge in obese compared to lean mice. *Frontiers in Physiology*, 3 FEB, 26. <https://doi.org/10.3389/FPHYS.2012.00026/BIBTEX>
- Wang, Y., Quagliarini, F., Gusarova, V., Gromada, J., Valenzuela, D. M., Cohen, J. C., & Hobbs, H. H. (2013). Mice lacking ANGPTL8 (Betatrophin) manifest disrupted triglyceride metabolism without impaired glucose homeostasis. *Proceedings of the National Academy of Sciences*, 110(40), 16109–16114. <https://doi.org/10.1073/PNAS.1315292110>
- Wiegand, T., Malär, A. A., Cadalbert, R., Ernst, M., Böckmann, A., & Meier, B. H. (2020). Asparagine and Glutamine Side-Chains and Ladders in HET-s(218–289) Amyloid Fibrils Studied by Fast Magic-Angle Spinning NMR. *Frontiers in Molecular Biosciences*, 7, 261. <https://doi.org/10.3389/FMOLB.2020.582033/BIBTEX>
- Wu, K., Bowman, R., Welch, A. A., Luben, R. N., Wareham, N., Khaw, K. T., & Bingham, S. A. (2007). Apolipoprotein E polymorphisms, dietary fat and fibre, and serum lipids: the EPIC Norfolk study. *European Heart Journal*, 28(23), 2930–2936. <https://doi.org/10.1093/EURHEARTJ/EHM482>
- Wu, W., Tsuchida, H., Kato, T., Niwa, H., Horikawa, Y., Takeda, J., & Iizuka, K. (2015). Fat and carbohydrate in western diet contribute differently to hepatic lipid accumulation. *Biochemical and Biophysical Research Communications*, 461(4), 681–686. <https://doi.org/10.1016/J.BBRC.2015.04.092>
- Yamada, H., Yamada, H., Kusaka, I., Saikawa, R., Hara, K., Kakei, M., & Ishikawa, S. (2017). Relationship Between Angiopoietin-Like Protein 8 and Fasting Serum Triglyceride Level. *Journal of Clinical Medicine Research*, 10(2), 134–136. <https://doi.org/10.14740/jocmr.v10i2.3286>
- Yen, C. H., Tseng, Y. H., Kuo, Y. W., Lee, M. C., & Chen, H. L. (2011). Long-term supplementation of isomalto-oligosaccharides improved colonic microflora profile, bowel function, and blood cholesterol levels in constipated elderly

- people-A placebo-controlled, diet-controlled trial. *Nutrition*, 27(4), 445–450. <https://doi.org/10.1016/j.nut.2010.05.012>
- Yi, P., Park, J.-S., & Melton, D. A. (2013). Betatrophin: a hormone that controls pancreatic  $\beta$  cell proliferation. *Cell*, 153(4), 747. <https://doi.org/10.1016/J.CELL.2013.04.008>
- Zeng, H., Lazarova, D. L., & Bordonaro, M. (2014). Mechanisms linking dietary fiber, gut microbiota and colon cancer prevention. *World Journal of Gastrointestinal Oncology*, 6(2), 41. <https://doi.org/10.4251/WJGO.V6.I2.41>
- Zhang, R. (2012). Lipasin, a novel nutritionally-regulated liver-enriched factor that regulates serum triglyceride levels. *Biochemical and Biophysical Research Communications*, 424(4), 786–792. <https://doi.org/10.1016/J.BBRC.2012.07.038>
- Zhang, Y., Li, S., Donelan, W., Xie, C., Wang, H., Wu, Q., Purich, D. L., Reeves, W. H., Tang, D., & Yang, L. J. (2016). Angiopoietin-like protein 8 (betatrophin) is a stress-response protein that down-regulates expression of adipocyte triglyceride lipase. *Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids*, 1861(2), 130–137. <https://doi.org/10.1016/J.BBALIP.2015.11.003>