

DAFTAR PUSTAKA

- [1] Kementrian ESDM, “Hingga Juni 2020, Kapasitas Pembangkit di Indonesia 71 GW,” *Siaran Pers No: 286/04/SJI/2020*, 2020. <https://www.esdm.go.id/id/media-center/arsip-berita/hingga-juni-2020-kapasitas-pembangkit-di-indonesia-71-gw> (accessed Aug. 09, 2021).
- [2] PT Bukit Energi Servis Terpadu, “PLTU 3X10 MW Tanjung Enim,” 2018. <http://bestpower1.co.id/wilayah-kerja/> (accessed Aug. 09, 2021).
- [3] Y. M. Amin, M. Uddin Khandaker, A. K. S. Shyen, R. H. Mahat, R. M. Nor, and D. A. Bradley, “Radionuclide emissions from a coal-fired power plant,” *Appl. Radiat. Isot.*, vol. 80, pp. 109–116, 2013, doi: 10.1016/j.apradiso.2013.06.014.
- [4] M. Flues, V. Moraes, and B. P. Mazzilli, “The influence of a coal-fired power plant operation on radionuclide concentrations in soil,” *J. Environ. Radioact.*, vol. 63, no. 3, pp. 285–294, 2002, doi: 10.1016/S0265-931X(02)00035-8.
- [5] United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR), “Ionizing Radiations: Source and Biological Effects,” New York, 1998.
- [6] Z. Usmani and V. Kumar, “Characterization, partitioning, and potential ecological risk quantification of trace elements in coal fly ash,” *Environ. Sci. Pollut. Res.*, vol. 24, pp. pages15547–15566, 2017, [Online]. Available: <https://link.springer.com/article/10.1007%2Fs11356-017-9171-6>.
- [7] T. Magiera, B. Gołuchowska, and M. Jabłońska, “Technogenic Magnetic Particles in Alkaline Dusts from Power and Cement Plants,” *Water, Air, Soil Pollut.*, vol. 224, no. 1389, 2013, doi: <https://doi.org/10.1007/s11270-012-1389-9>.
- [8] D. El-mogazi, D. J. Lisk, and L. H. Weinstein, “A REVIEW OF PHYSICAL, CHEMICAL, AND BIOLOGICAL PROPERTIES OF FLY ASH AND EFFECTS ON AGRICULTURAL ECOSYSTEMS,” *Sci. Total Environ.*, vol. 74, pp. 1–37, 1988, doi: [https://doi.org/10.1016/0048-9697\(88\)90127-1](https://doi.org/10.1016/0048-9697(88)90127-1).
- [9] B. Gottlieb, S. G. Gilbert, and L. G. Evans, *Coal Ash: The toxic threat to our health and environment*. Washington, 2010.
- [10] Kepala Bapeten, *Intervensi terhadap Paparan yang Berasal dari Technologically Enhanced Naturally Occurring Radioactive Materials*. Indonesia, 2009.
- [11] A. A. Sabuti and C. A. R. Mohamed, “Activity levels of ^{210}Po in the coastal area of Kapar, Malaysia, Close to Coal-Fired Power Plant,” *Sains*



Malaysiana, no. 41, pp. 815–828, 2012.

- [12] United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR), “Ionizing Radiation: Sources and Biological Effects,” New York, 1982.
- [13] UNSCEAR, “Sources, Effects and Risk of Ionizing Radiation,” New York, 1998.
- [14] Badan Pengawas Tenaga Nuklir, “Peraturan Kepala Badan Pengawas Tenaga Nuklir Nomor 4 Tahun 2013 tentang Proteksi dan Keselamatan Radiasi dalam Pemanfaatan Tenaga Nuklir,” *Republik Indones.*, 2013.
- [15] J. Mellawati, “KAJIAN DAMPAK LEPASAN RADIONUKLIDA DARI PENGOPERASIAN PLTU BATUBARA DAN PLTN KE LINGKUNGAN,” *Iptek Nukl. Bunga Rampai Present. Ilmiah Peneliti Madya/Utama*, vol. 1, pp. 197–230, 2010.
- [16] M. Triwibawa, A. Muharini, and G. S. Wijaya, “RISK – VALUE MODELLING RADIASI EKSTERNAL TENORM UNTUK DAERAH PENAMPUNGAN FLY ASH DAN BOTTOM ASH DI PLTU TANJUNG JATI B,” 2016, [Online]. Available: <http://etd.repository.ugm.ac.id/penelitian/detail/94043>.
- [17] Sukirno, S. Murniasih, Rosidi, and S. W.W., “Radioaktivitas Alam Hasil Pembakaran Batubara dari PLTU Pacitan,” in *Prosiding Pertemuan dan Presentasi Ilmiah - Penelitian Dasar Ilmu Pengetahuan dan Teknologi Nuklir*, 2016, pp. 70–74, [Online]. Available: <http://repo-nkm.batan.go.id/4409/>.
- [18] M. F. Ramadhany, G. Sutresna, and A. Muharini, “Assessment of Natural Radioactivity Concentration and Radiological Risk in Tanjung Enim’s Coal Mine, South Sumatra Indonesia,” *Int. J. Cancer Res. Ther.*, vol. 7, no. 2, 2022, doi: 10.33140/ijcrt.07.02.03.
- [19] M. Wiyono, D. Iskandar, Wahyudi, Kusdiana, and Syarbaini, “Environmental Radiation dan Radioactivity Levels around the Coal-fired Power Plant in Banten Province,” in *2nd International Conference on the Sources, Effects and Risks of Ionizing Radiation (SERIR2) & 14th Biennial Conference of the South Pacific Environmental Radioactivity Association*, 2016, no. December, pp. 139–144.
- [20] N. H. Anggarini, D. Iskandar, and M. Stefanus, “Studi Peningkatan Radionuklida Alam Karena Lepas Abu Terbang Di Sekitar Pltu Labuan,” *J. Sains dan Teknol. Nukl. Indones.*, vol. 19, no. 1, p. 29, 2018, doi: 10.17146/jstni.2018.19.1.3758.
- [21] S. Murniasih and Sukirno, “DISTRIBUSI RADIONUKLIDA ALAM PADA SAMPEL TANAH, AIR DAN TANAMAN DI SEKITAR PLTU REMBANG,” *J. Iptek Nukl. Ganendra*, vol. 22, pp. 1–9, 2019, [Online].



Available: <http://ganendra.batan.go.id/>.

- [22] J. A. Corbacho and A. Baeza, "MEASUREMENT of NATURAL RADIONUCLIDES and EXTERNAL RADIATION EXPOSURE DUE to FLY ASH from A COAL-FIRED POWER PLANT (SPAIN) DEPOSITED on SOILS. COMPARISON USING TWO DIFFERENT MEASUREMENT TECHNIQUES," *Radiat. Prot. Dosimetry*, vol. 182, no. 4, pp. 419–426, 2018, doi: 10.1093/rpd/ncy083.
- [23] E. Charro, R. Pardo, and V. Peña, "Statistical analysis of the spatial distribution of radionuclides in soils around a coal-fired power plant in spain," *J. Environ. Radioact.*, vol. 124, pp. 84–92, 2013, doi: 10.1016/j.jenvrad.2013.04.011.
- [24] X. Lu, C. Zhao, C. Chen, and W. Liu, "Radioactivity level of soil around Baqiao coal-fired power plant in China," *Radiat. Phys. Chem.*, vol. 81, no. 12, pp. 1827–1832, 2012, doi: 10.1016/j.radphyschem.2012.07.013.
- [25] M. Dhingra, M. Kumar, R. Mehra, and N. Sharma, "Assessment of primordial radionuclide contents in soil samples and of impact of coal-based thermal power plant: A study in Tarn Taran district in Punjab, India," *Radiat. Prot. Environ.*, vol. 43, no. 1, p. 49, 2020, doi: 10.4103/rpe.rpe_11_20.
- [26] Argonne National Laboratory, "RESRAD-ONSITE is used to assess radiation exposures of a human receptor located on top of soils contaminated with radioactive materials.," *RESRAD-ONSITE*, 2016. <https://resrad.evs.anl.gov/codes/resrad-onsite/> (accessed Dec. 29, 2021).
- [27] F. Giacobbo, M. Da Ros, E. Macerata, and E. Mossini, "A case study of management and disposal of tenorms: Radiological risk estimation by tsd dose and resrad-onsite," *AIMS Environ. Sci.*, vol. 8, no. 5, pp. 465–480, 2021, doi: 10.3934/environsci.2021030.
- [28] R. L. Njinga and V. M. Tshivhase, "Use of RESRAD-Onsite 7.2 Code to Assess Environmental Risk around Tudor Shaft Mine Tailing Sites," *Environ. Nat. Resour. Res.*, vol. 8, no. 3, p. 138, 2018, doi: 10.5539/enrr.v8n3p138.
- [29] D. Kumar, A. Singh, and R. K. Jha, "Spatial distribution of uranium and basic water quality parameter in the capital of Bihar and consequent ingestion dose," *Environ. Sci. Pollut. Res.*, vol. 25, no. 18, pp. 17901–17914, 2018, doi: 10.1007/s11356-018-1922-5.
- [30] H. T. Abba, M. A. Saleh, W. M. S. W. Hassan, A. S. Aliyu, and A. T. Ramli, "Mapping of natural gamma radiation (NGR) dose rate distribution in tin mining areas of Jos Plateau, Nigeria," *Environ. Earth Sci.*, vol. 76, no. 5, pp. 1–9, 2017, doi: 10.1007/s12665-017-6534-8.
- [31] Y. Omori *et al.*, "Gamma dose rate distribution in the Unegt subbasin, a uranium deposit area in Dornogobi Province, southeastern Mongolia,"



- Environ. Sci. Pollut. Res.*, vol. 26, no. 32, pp. 33494–33506, 2019, doi: 10.1007/s11356-019-06420-3.
- [32] A. S. M, T. R. A, A. Y, D. M, Sadiq, and A. A, “Assessment of health hazard due to natural radioactivity in Kluang District, Johor, Malaysia,” *Isot Env. Heal. Study*, vol. 50, pp. 103–113, 2014.
- [33] N. Apriantoro, “Radiological study in perak state and its radiological health impact,” Universiti Teknologi Malaysia, 2008.
- [34] A. Hassan, B. Raji, W. Malgwi, and J. Agbenin, “The basaltic soils of Plateau State, Nigeria: properties, classification and management practices,” *J Soil Sci Env. Manag*, vol. 6, pp. 1–8, 2015.
- [35] World Nuclear Association, “Naturally-Occurring Radioactive Materials (NORM),” *Radiation and Health*, 2020. <http://www.world-nuclear.org/information-library/safety-and-security/radiation-and-health/naturally-occurring-radioactive-materials-norm.aspx> (accessed Jan. 01, 2022).
- [36] P. Calmon, S. Fesenko, G. Voigt, and G. Linsley, “Quantification of radionuclide transfer in terrestrial and freshwater environments,” *J. Environ. Radioact.*, vol. 100, no. 9, pp. 671–674, 2009, doi: 10.1016/j.jenvrad.2009.06.021.
- [37] The International Atomic Energy Agency (IAEA), *Application of the concepts of exclusion, exemption and clearance (IAEA RS-G-1.7)*. 2004.
- [38] International Commission on Radiological Protection, *Annals of the ICRP*, vol. 6, no. 1. 1981.
- [39] Presiden Republik Indonesia, “Peraturan Pemerintah Republik Indonesia Nomor 33 Tahun 2007 Tentang Keselamatan Radiasi Pengion dan Keamanan Sumber Radioaktif,” 2007.
- [40] US Environmental Protection Agency, “Technical Report on Technologically Enhanced Naturally Occurring Radioactive Materials from Uranium Mining Volume 2 : Investigation of Potential Health , Geographic , And Environmental Issues of Abandoned Uranium Mines Table of Contents,” *Uranium*, vol. 2, no. August 2007, 2008.
- [41] B. Bunawas and S. Syarbaini, “Penentuan Potensi Risiko Tenorm Pada Industri Non Nuklir,” *Bul. Al.*, vol. 6, no. 3, p. 241338, 2005.
- [42] D. S. Wisnubroto, “Studi NORM dan TENORM dari Kegiatan Industri Non Nuklir,” *J. Teknol. Pengelolaan Limbah*, vol. 6, no. 2, 2003.
- [43] United States Environmental Protection Agency, “TENORM: Fertilizer and Fertilizer Production Wastes,” *TENORM*, 2021. <https://www.epa.gov/radiation/tenorm-fertilizer-and-fertilizer-production-wastes> (accessed Jan. 03, 2022).



- [44] United States Environmental Protection Agency, “TENORM: Coal Combustion Residuals,” *TENORM*, 2021. <https://www.epa.gov/radiation/tenorm-coal-combustion-residuals> (accessed Jan. 03, 2022).
- [45] United States Environmental Protection Agency, “TENORM: Drinking Water Treatment Residuals,” *TENORM*, 2021. <https://www.epa.gov/radiation/tenorm-drinking-water-treatment-residuals> (accessed Jan. 03, 2022).
- [46] National Research Council, *No Evaluation of Guidelines for Exposures to Technologically Enhanced Naturally Occurring Radioactive Materials*. Washington DC: National Academic Press (US), 1999.
- [47] BAPETEN, “Peraturan Badan Pengawas Tenaga Nuklir Nomor 4 Tahun 2020 tentang keselamatan radiasi pada penggunaa pesawat sinar-X dalam radiologi diagnostik dan intervensioal,” pp. 42–44, 2020.
- [48] International Commission on Radiological Protection, *Annals of the ICRP*, no. 0. Elsevier, 2007.
- [49] K. H. Do, “General principles of radiation protection in fields of diagnostic medical exposure,” *J. Korean Med. Sci.*, vol. 31, pp. S6–S9, 2016, doi: 10.3346/jkms.2016.31.S1.S6.
- [50] Ministry of The Environment Government of Japan, *Various Forms of Exposure*, vol. 1. 2018.
- [51] ICRP, “Absorbed, Equivalent, and Effective Dose,” *ICRPaedia*, 2019. Absorbed, Equivalent, and Effective Dose.
- [52] W. L. Dunn, D. S. McGregor, and J. K. Shultis, *Handbook of Particle Detection and Imaging*. Springer, Cham, 2021.
- [53] W. Loveland, D. J. Morrissey, and G. T. Seaborg, *Modern Nuclear Chemistry*. New Jersey: John Wiley & Sons, Inc., 2006.
- [54] C. Yu *et al.*, “User’s manual for RESRAD version 6,” *Environ. Assess. Div. ANL*, p. 458, 2001, [Online]. Available: <http://resrad.evs.anl.gov/docs/resrad6.pdf>.
- [55] S. Kamboj, C. Yu, and D. J. LePoire, “External Exposure Model Used in the RESRAD Code for Various Geometries of Contaminated Soil. ANL/EAD/TM-84, Argonne National Laboratory,” 1984.
- [56] T. L. Gilbert *et al.*, “Pathways analysis and radiation-dose estimates for radioactive residues at formerly utilized MED/AEC sites,” 1983.
- [57] N. Nurhadiansyah, “What if the Batan Indah case had never been found?: A hypothetical modeling for dose estimation using the RESRAD Onsite,” *AIP Conf. Proc.*, vol. 2374, no. July, 2021, doi: 10.1063/5.0059159.



- [58] K. F. Eckerman and J. C. Ryman, "Federal Guidance Report No. 12 External Exposure To Radionuclides in Air, Water, and Soil U.S. Environmental Protection Agency," no. 12, p. 192, 1993.
- [59] S. Salwan Al-Hasnawi, J. S. Bash Almaliki, and Z. Fali Nazal, "Distribution modeling of hazardous airborne emissions from industrial campuses in Iraq via GIS techniques," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 227, no. 1, 2017, doi: 10.1088/1757-899X/227/1/012055.
- [60] Z. Wang and Y. Ye, "Assessment of soil radioactivity levels and radiation hazards in Guangyao Village, South China," *J. Radioanal. Nucl. Chem.*, vol. 329, no. 2, pp. 679–693, 2021, doi: 10.1007/s10967-021-07818-5.
- [61] R. A. Olea, *GEOSTATISTICS FOR ENGINEERS AND EARTH SCIENTISTS*. Kansas: Springer Science & Business Media, 1999.
- [62] M. A. Oliver, "The Variogram and Kriging," in *Fischer, M., Getis, A. (eds). Handbook of Applied Spatial Analysis*, Berlin, Heidelberg: Springer, 2009, pp. 319–352.
- [63] International Atomic Energy Agency, "Guidelines on soil and vegetation sampling for radiological monitoring," *Tech. Reports Ser. No. 486*, no. 486, 2019.
- [64] N. Tsoulfanidis and S. Landsberger, *Measurement & Detection of Radiation*, 4th ed. Northwest USA: CRC Press, 2015.
- [65] BATAN, *PEDOMAN Tentang Analisis sampel radioaktivitas lingkungan BADAN TENAGA NUKLIR NASIONAL*. BATAN, 2013.
- [66] D. A. Fungaro, D. A. Fungaro, P. S. Silva, F. Campello, C. S. Miranda, and J. Izidoro, "Evaluation of radionuclide contamination of soil, coal ash and zeolitic materials from Figueira Thermoelectric Power Plant," *Brazilian J. Radiat. Sci.*, vol. 7, no. 2A, 2019, doi: 10.15392/bjrs.v7i2a.606.
- [67] F. Alshahri and A. El-Taher, "Investigation of natural radioactivity levels and evaluation of radiation Hazards in residential-area soil near a Ras Tanura refinery, Saudi Arabia," *Polish J. Environ. Stud.*, vol. 28, no. 1, pp. 25–34, 2019, doi: 10.15244/pjoes/83611.
- [68] A. K. Ademola, M. A. Olaoye, and P. O. Abodunrin, "Radiological safety assessment and determination of heavy metals in soil samples from some waste dumpsites in Lagos and Ogun state, south-western, Nigeria," *J. Radiat. Res. Appl. Sci.*, vol. 8, no. 1, pp. 148–153, 2015, doi: 10.1016/j.jrras.2014.12.010.
- [69] H. Idriss, I. Salih, A. S. Alaamer, A. Saleh, and M. Y. Abdelgali, "Environmental-Impact Assessment of Natural Radioactivity Around a Traditional Mining Area in Al-Ibedia, Sudan," *Arch. Environ. Contam. Toxicol.*, vol. 70, no. 4, pp. 783–792, 2016, doi: 10.1007/s00244-016-0271-y.



- [70] R. S. Mohammed and R. S. Ahmed, "Estimation of excess lifetime cancer risk and radiation hazard indices in southern Iraq," *Environ. Earth Sci.*, vol. 76, no. 7, 2017, doi: 10.1007/s12665-017-6616-7.
- [71] S. S, R. D R, S. E, and S. J, "Measurement of radon concentration in drinking water and natural radioactivity in soil and their radiological hazards," *J. Radiat. Res. Appl. Sci.*, vol. 13, no. 1, pp. 12–26, 2020, doi: 10.1080/16878507.2019.1693175.
- [72] F. C. A. Ribeiro, J. I. R. Silva, E. S. A. Lima, N. M. B. do Amaral Sobrinho, D. V. Perez, and D. C. Lauria, "Natural radioactivity in soils of the state of Rio de Janeiro (Brazil): Radiological characterization and relationships to geological formation, soil types and soil properties," *J. Environ. Radioact.*, vol. 182, no. November 2017, pp. 34–43, 2018, doi: 10.1016/j.jenvrad.2017.11.017.
- [73] Haribala *et al.*, "Assessment of radioactive materials and heavy metals in the surface soil around uranium mining area of Tongliao, China," *Ecotoxicol. Environ. Saf.*, vol. 130, pp. 185–192, 2016, doi: 10.1016/j.ecoenv.2016.04.002.
- [74] UNSCEAR(United Nations Scientific Committee on the Effects of Atomic Radiation), *Sources and effects of ionizing radiation, Report to the General Assembly with Scientific Annexes, Annex B*. New York: UNSCEAR, 2000.
- [75] F. Lidman, "Isotopic Disequilibrium for Assessment of Radionuclide Transport in Peat Lands," *Earth*, no. April, 2005.
- [76] Noferiandani and B. A. Kironoto, "Kajian tingkat erosi lahan pada sub DAS Lengkokam sub DAS Lematang Kabupaten Muara Enim Provinsi Sumatera Selatan," Universitas Gadjah Mada, 2008.
- [77] R. B. Clapp and G. M. Hornberger, "Empirical Equations for Some Soil Hydraulic Properties," vol. 14, no. 4, 1978.
- [78] C. Yu *et al.*, "Data Collection Handbook to Support Modeling Impacts of Radioactive Material In Soil," no. April, p. 158, 1993, [Online]. Available: https://web.evs.anl.gov/resrad/documents/data_collection_1993.pdf.
- [79] M. Čujić, S. Dragović, M. Đorđević, R. Dragović, B. Gajić, and Š. Miljanić, "Radionuclides in the soil around the largest coal-fired power plant in Serbia: radiological hazard, relationship with soil characteristics and spatial distribution," *Environ. Sci. Pollut. Res.*, vol. 22, no. 13, pp. 10317–10330, 2015, doi: 10.1007/s11356-014-3888-2.

