

## DAFTAR PUSTAKA

- Anderson, J. D., 1995, *Computational Fluid Dynamics*, The McGraw-Hill Company, Inc, New York
- Anderson, J. D. (2011) *Fundamentals of Aerodynamics (6th edition)*. 6th ed, *PLoS Computational Biology*. 6th ed. McGraw-Hill Education.
- ANSYS, 2017, ANSYS Fluent Users Guide, SAS IP, Pennsylvania.
- Bangga, G. S. T. A. and Sasongko, H. (2012) “Simulasi Numerik Dynamic Stall pada Airfoil yang Berosilasi,” 1(1), pp. 1–5.
- Bramantya, M. A., Nugroho, G. and K, R. D. (2017) “Pengaruh Sudut Swept dan Sudut Incidence pada Sayap Pesawat Tanpa Awak dengan Simulasi Komputasi Dinamika Fluida,” pp. 9–13.
- Dwyer, L. 2009. *Wing Dihedral*. The Aviation History Online Museum, ([http://www.aviation-history.com/theory/wing\\_dihedral.htm](http://www.aviation-history.com/theory/wing_dihedral.htm) diakses 18 Maret 2021)
- Fahlstrom, P., dan Gleason, T., 2012, *Introduction to UAV Systems: Fourth Edition*. A John Wiley & Sons, Ltd, United Kingdom
- Gundlach, J., 2012, *Designing Unmanned Aircraft Systems: A Comprehensive Approach*. American Institute of Aeronautics and Astronautics. Virginia.
- Indomiliter (2022) *Produksi Dalam Negeri, Inilah Target Drone Len TD-120 dan TD-170*. Available at: <https://www.indomiliter.com/produksi-dalam-negeri-inilah-target-drone-len-td-120-dan-td-170/> (Accessed: July 23, 2022).
- Ko, A. *et al.* (2019) “CFD analysis of the sideslip angle effect around a BWB type configuration,” *International Journal of Aerospace Engineering*, 2019.
- McCormick, B. W., 1995, *Aerodynamics, aeronautics, and flight mechanics*, New York: Wiley.

- Mukaarim, M, A, D., (2021) “Perancangan *Unmanned Aerial Vehicle* Berjenis *Unmanned Aerial Target* dan Simulasi Numerik Variasi Sudut *Sweep* pada Sayap terhadap Performa Aerodinamika” Universitas Gadjah Mada
- Mulleners, K. and Raffel, M. (2013) “Dynamic stall development,” *Experiments in Fluids*, 54(2).
- QinetiQ (2021a) *Banshee Whirlwind™ Unmanned Aerial Target* by QinetiQ. Available at: <https://www.qinetiq.com/en/what-we-do/services-and-products/banshee-whirlwind> (Accessed: November 19, 2021).
- QinetiQ (2021b) *The Banshee NG New Generation Aerial Targets* by QinetiQ. Available at: <https://www.qinetiq.com/en/what-we-do/services-and-products/banshee-ng> (Accessed: November 19, 2021).
- Ramadhan, M, S., 2018, *Perancangan Pesawat Tanpa Awak Kecil (Small Tactical Unmanned Aerial Vehicle) untuk Misi Suveillance*, Universitas Gadjah Mada
- Raymer, D. P., 1989, *Aircraft Design: A Conceptual Approach*. California: American Institute of Aeronautics and Astronautics, Inc.
- Roskam, J., 1985. *Airplane Desain*, Part I. Kansas: Roskam Aviation & Engineering Corporation.
- Shim, H., Park, S.-O. and Oh, S.-Y. (2015) “An Experiment Study on Sideslip Angle Effect of Lambda Wing Configuration,” *Journal of the Korean Society for Aeronautical & Space Sciences*, 43(3), pp. 224–231.
- Versteeg, H. K. and W Malalasekera (2007) *An Introduction to Computational Fluid Dynamics*. 2nd ed, *Educational Building*. 2nd ed. England: Pearson Education Limited.
- Visbal, M. R. and Benton, S. I. (2018) “Exploration of high-frequency control of dynamic stall using large-eddy simulations,” *AIAA Journal*, 56(8), pp. 2974–2991.
- Wang, W. *et al.* (2021) “Study on dynamics of vortices in dynamic stall of a pitching airfoil using Lagrangian coherent structures,” *Aerospace Science*

*and Technology*, 113, p. 106706.

Wiratama, C. (2021) “Teori dan Best Practices Computational Fluid Dynamics (CFD).”

Yayla, S. *et al.* (2010) “Yaw angle effect on flow structure over the nonslender diamond wing,” *AIAA Journal*, 48(10), pp. 2457–2461.

Yen, S. C. and Hsu, C. M. (2007) “Influence of boundary layer behavior on aerodynamic coefficients of a swept-back wing,” *Journal of Fluids Engineering, Transactions of the ASME*, 129(6), pp. 674–681.

Yen, S. C. and Huang, L. C. (2009) “Flow patterns and aerodynamic performance of unswept and swept-back wings,” *Journal of Fluids Engineering, Transactions of the ASME*, 131(11), pp. 1111011–11110110.

Yen, S. C. and Huang, L. C. (2011) “Reynolds number effects on flow characteristics and aerodynamic performances of a swept-back wing,” *Aerospace Science and Technology*, 15(3), pp. 155–164.