

DAFTAR PUSTAKA

- Ali, A., Bhan, C., Malik, M.B., Ahmad, M.Q., Sami, S.A., 2018. The Prevention and Management of Contrast-induced Acute Kidney Injury: A Mini-review of the Literature. *Cureus* 10:.
- Almendarez, M., Gurm, H.S., Mariani, J., Montorfano, M., Brilakis, E.S., Mehran, R., Azzalini, L., 2019. Procedural Strategies to Reduce the Incidence of Contrast-Induced Acute Kidney Injury During Percutaneous Coronary Intervention. *JACC Cardiovasc. Interv.* 12:1877–1888.
- Andreucci, M., Faga, T., Pisani, A., Sabbatini, M., Michael, A., 2014. Acute Kidney Injury by Radiographic Contrast Media : Pathogenesis and Prevention. *Biomed Res. Int.* 2014:1–21.
- Azzalini, L., Vilca, L.M., Lombardo, F., Poletti, E., Laricchia, A., Beneduce, A., Maccagni, D., Demir, O.M., Slavich, M., Giannini, F., Carlino, M., Margonato, A., Cappelletti, A., Colombo, A., 2018. Incidence of contrast-induced acute kidney injury in a large cohort of all-comers undergoing percutaneous coronary intervention: Comparison of five contrast media. *Int. J. Cardiol.* 273:69–73.
- Badan POM RI, 2014. Informatorium Obat Nasional Indonesia. Sagung Seto, Jakarta.
- Baydar, O., Kilic, A., 2020. Acute hyperglycemia and contrast-induced nephropathy in patients with non-ST elevation myocardial infarction. *Cardiovasc. Endocrinol. Metab.* 9:24–29.
- Bucher, A.M., Cecco, C.N. De, Schoepf, U.J., Meinel, F.G., Krazinski, A.W., Spearman, J. V., McQuiston, A.D., Wang, R., Bucher, J., Vogl, T.J., Katzberg, R.W., 2014. Is Contrast Medium Osmolality a Causal Factor for Contrast-Induced Nephropathy? *Biomed Res. Int.* 1–8.
- Chandiramani, R., Cao, D., Nicolas, J., Mehran, R., 2020. Contrast-induced acute kidney injury. *Cardiovasc Interv Ther* 35:209–217.
- Chen, H., Yu, X., Ma, L., 2020. Risk factors of contrast-induced nephropathy in patients with STEMI and pump failure undergoing percutaneous coronary intervention. *Exp. Ther. Med.* 21:1–7.
- Chillo, P., Malaja, N., Kisenge, P., 2021. Magnitude and associated factors of contrast induced nephropathy among patients undergoing coronary angiography and interventions at a cardiac referral hospital in Tanzania - a cross-sectional study. *Pan Afr. Med. J.* 38:.
- Cigarroa, R.G., Lange, R.A., Williams, R.H., Hillis, D., 1989. Dosing of contrast material to prevent contrast nephropathy in patients with renal disease. *Am. J. Med.* 86:649–652.
- Du, M., Jiang, L., Tang, X., Gao, Z., Xu, B., Yuan, J., 2021. Contrast induced nephropathy and 2-year outcomes of iso-osmolar compared with low-osmolar contrast media after elective percutaneous coronary intervention. *Korean Circ. J.* 51:174–181.
- Freeman, R. V., O'Donnell, M., Share, D., Meengs, W.L., Kline-Rogers, E., Clark, V.L., DeFranco, A.C., Eagle, K.A., McGinnity, J.G., Patel, K., Maxwell-

- Eward, A., Bondie, D., Moscucci, M., 2002. Nephropathy requiring dialysis after percutaneous coronary intervention and the critical role of an adjusted contrast dose. *Am. J. Cardiol.* 90:1068–1073.
- From, A.M., Al Badarin, F.J., McDonald, F.S., Bartholmai, B.J., Cha, S.S., Rihal, C.S., 2010. Iodixanol versus low-osmolar contrast media for prevention of contrast induced nephropathy meta-analysis of randomized, controlled trials. *Circ. Cardiovasc. Interv.* 3:351–358.
- Fu, N., Yang, S., Chen, Y., Xu, J., Li, Q., Li, X., Liu, Y., Liu, X., Cong, H., 2012. Risk factors and scoring system in the prediction of contrast induced nephropathy in patients undergoing percutaneous coronary intervention. *Chin. Med. J.* 92:551–4.
- Giancarlo, M., Assanelli, E., Campodonico, J., Lauri, G., Marana, I., Metrio, M. De, Moltrasio, M., Grazi, M., Rubino, M., Veglia, F., Fabbicocchi, F., Bartorelli, A.L., 2009. Contrast Volume During Primary Percutaneous Coronary Intervention and Subsequent Contrast-Induced Nephropathy and Mortality. *Ann. Intern. Med.* 150:170–177.
- Gupta, R.K., Bang, T.J., 2010. Prevention of contrast-induced nephropathy (CIN) in interventional radiology practice. *Semin. Interv. Radiol.* 27:348–359.
- Györfi, I., Pál, K., Mănescu, I.B., Oprea, O.R., Dobreanu, M., 2021. Atellica CH 930 chemistry analyzer versus Cobas 6000 c501 and Architect ci4100 - a multi-analyte method comparison. *Rev. Rom. Med. Lab.* 29:421–438.
- Harselia, S., 2018. Tindakan Percutaneous Coronary Intervention Pada Pasien Stenosis Arteri Koroner Kanan. *ARKAVI [Arsip Kardiovask. Indones.* 3:186–191.
- Hossain, M.A., Costanzo, E., Cosentino, J., Patell, C., Qaisar, H., Singh, V., Khan, T., Cheng, J.S., Asif, A., Vachharajani, T.J., 2018. Contrast-Induced Nephropathy : Pathophysiology , Risk Factors , and Prevention. *Saudi J Kidney Dis Transpl* 29:1–9.
- Inker, L.A., Titan, S., 2021. Measurement and Estimation of GFR for Use in Clinical Practice: Core Curriculum 2021. *Am. J. Kidney Dis.* 78:736–749.
- Jain, T., Shah, S., Shah, J., Jacobsen, G., Khandelwal, A., 2018. Contrast-induced nephropathy in STEMI patients with and without chronic kidney disease. *Crit Pathw Cardiol* 17:25–31.
- Kabeer, M.A., Cross, J., Hamilton, G., Rashid, S.T., 2021. Obesity as a Risk Factor for Radiographic Contrast-Induced Nephropathy. *Angiology* 72:274–278.
- Kashani, K., Cheungpasitporn, W., Ronco, C., 2017. Biomarkers of acute kidney injury: The pathway from discovery to clinical adoption. *Clin. Chem. Lab. Med.* 55:1074–1089.
- Kellum, J., Lameire, N., Aspelin, P., Barsoum, R.S., Burdmann, E.A., Goldstein, S.L., Herzog, C.A., Joannidis, M., Kribben, A., Levey, A.S., MacLeod, A.M., Mehta, R.L., Murray, P.T., Naicker, S., Opal, S.M., Schaefer, F., Schetz, M., Uchino, S., 2012. Kidney disease: Improving global outcomes (KDIGO) acute kidney injury work group. KDIGO clinical practice guideline for acute kidney injury. *Kidney Int. Suppl.* 2:1–138.
- Kementerian Kesehatan RI, 2018. Epidemi Obesitas. *J. Kesehat.*
- Khalfallah, M., Allaithy, A., Maria, D.A., 2021. Incidence, predictors and outcomes

of contrast induced nephropathy in patients with ST elevation myocardial infarction undergoing primary percutaneous coronary intervention. *Glob. Heart* 16:3–10.

- Kiani, F., Hesabi, N., Arbabisarjou, A., 2016. Assessment of Risk Factors in Patients With Myocardial Infarction. *Glob. J. Heal. Sci.* 8:255–262.
- Kovesdy, C.P., Furth, S.L., Zoccali, C., Li, P.K.T., Garcia-Garcia, G., Benganem-Gharbi, M., Bollaert, R., Dupuis, S., Erk, T., Kalantar-Zadeh, K., Osafo, C., Riella, M.C., Zakharova, E., 2017. Obesity and kidney disease: Hidden consequences of the epidemic. *Can. J. Kidney Heal. Dis.* 27:85–92.
- Kuboyama, O., Tokunaga, T., 2016. The prevalence and prognosis of contrast-induced acute kidney injury according to the definition in patients with acute myocardial infarction who underwent primary percutaneous coronary intervention. *Clin. Trials Regul. Sci. Cardiol.* 13:29–33.
- Küme, T., Sağlam, B., Ergon, C., Sisman, A.R., 2018. Evaluation and comparison of Abbott Jaffe and enzymatic creatinine methods: Could the old method meet the new requirements? *J. Clin. Lab. Anal.* 32:1–8.
- Laskey, W.K., Jenkins, C., Selzer, F., Marroquin, O.C., Wilensky, R.L., Glaser, R., Cohen, H.A., Holmes, D.R., 2007. Volume-to-Creatinine Clearance Ratio. A Pharmacokinetically Based Risk Factor for Prediction of Early Creatinine Increase After Percutaneous Coronary Intervention. *J. Am. Coll. Cardiol.* 50:584–590.
- Levey, A.S., Coresh, J., Tighiouart, H., Greene, T., Inker, L.A., 2020. Measured and estimated glomerular filtration rate: current status and future directions. *Nat. Rev. Nephrol.* 16:51–64.
- Liang, W., Yu, C.J., Wang, Q.Y., Yu, J., 2021. Anemia is associated with increased risk of contrast-induced acute kidney injury: A Systematic Review and Meta-analysis. *Bioengineered* 12:648–661.
- Liu, Yuan hui, Liu, Yong, Chen, J. yan, Zhou, Y. ling, Chen, Z. jun, Yu, D. qing, Luo, J. fang, Li, H. long, He, Y. ting, Ye, P., Ran, P., Guo, W., Tan, N., 2014. LDL cholesterol as a novel risk factor for contrast-induced acute kidney injury in patients undergoing percutaneous coronary intervention. *Atherosclerosis* 237:453–459.
- Lohani, S., Rudnick, M.R., 2020. Contrast Media—Different Types of Contrast Media, Their History, Chemical Properties, and Relative Nephrotoxicity. *Interv. Cardiol. Clin.* 9:279–292.
- Marenzi, G., Cabiati, A., Cosentino, N., Assanelli, E., Milazzo, V., Rubino, M., Lauri, G., Morpurgo, M., Moltrasio, M., Marana, I., De Metrio, M., Bonomi, A., Veglia, F., Bartorelli, A., 2015. Prognostic significance of serum creatinine and its change patterns in patients with acute coronary syndromes. *Am. Heart J.* 169:363–370.
- McCullough, P.A., Bertrand, M.E., Brinker, J.A., Stacul, F., 2006. A Meta-Analysis of the Renal Safety of Isosmolar Iodixanol Compared With Low-Osmolar Contrast Media. *J. Am. Coll. Cardiol.* 48:692–699.
- McCullough, P.A., Choi, J.P., Feghali, G.A., Schussler, J.M., Stoler, R.M., Vallabahn, R.C., Mehta, A., 2016. Contrast-Induced Acute Kidney Injury. *J. Am. Coll. Cardiol.* 68:1465–1473.

- McCullough, P.A., Wolyn, R., Rocher, L.L., Levin, R.N., O'Neill, W.W., Oak, R., Michigan, 1997. Acute Renal Failure after Coronary Intervention: Incidence, Risk Factors, and Relationship to Mortality. *Am. J. Med.* 103:368–375.
- Mehdi, A., Taliercio J., J., Nakhoul, G., 2020. Contrast media in patients with kidney disease: An update. *Clevel. Clin. J. Med.* 87:683–694.
- Mehran, R., Nikolsky, E., 2006. Contrast-induced nephropathy: Definition, epidemiology, and patients at risk. *Kidney Int.* 69:11–15.
- Meinel, F.G., De Cecco, C.N., Schoepf, U.J., Katzberg, R., 2014. Contrast-induced acute kidney injury: Definition, epidemiology, and outcome. *Biomed Res. Int.* 2014:.
- Myers, G.L., Miller, W.G., Coresh, J., Fleming, J., Greenberg, N., Greene, T., Hostetter, T., Levey, A.S., Panteghini, M., Welch, M., Eckfeldt, J.H., 2006. Recommendations for improving serum creatinine measurement: A report from the Laboratory Working Group of the National Kidney Disease Education Program. *Clin. Chem.* 52:5–18.
- Narula, A., Mehran, R., Weisz, G., Dangas, G.D., Yu, J., G  n  reux, P., Nikolsky, E., Brener, S.J., Witzenbichler, B., Guagliumi, G., Clark, A.E., Fahy, M., Xu, K., Brodie, B.R., Stone, G.W., 2014. Contrast-induced acute kidney injury after primary percutaneous coronary intervention: Results from the HORIZONS-AMI substudy. *Eur. Hear. J.* 35:1533–1540.
- Nash, K., Hafeez, A., Hou, S., 2002. Hospital-acquired renal insufficiency. *Am. J. Kidney Dis.* 39:930–936.
- Nozue, T., Michishita, I., Iwaki, T., Mizuguchi, I., Miura, M., 2009. Contrast medium volume to estimated glomerular filtration rate ratio as a predictor of contrast-induced nephropathy developing after elective percutaneous coronary intervention. *J. Cardiol.* 54:214–220.
- Nyman, U., Bj  rk, J., Aspelin, P., Marenzi, G., 2008. Contrast medium dose-to-GFR ratio: A measure of systemic exposure to predict contrast-induced nephropathy after percutaneous coronary intervention. *Acta radiol.* 49:658–667.
- Ozcan, O.U., Er, H.A., Gulec, S., Ustun, E.E., 2015. Impact of Metabolic Syndrome on Development of Contrast-Induced Nephropathy After Elective Percutaneous Coronary Intervention Among Nondiabetic Patients. *Clin. Cardiol.* 156:150–156.
- Ozkok, S., Ozkok, A., 2017. Contrast-induced acute kidney injury: A review of practical points. *World J. Nephrol.* 6:86.
- Park, H.S., Kim, C.J., Hwang, B.H., Kim, T.H., Koh, Y.S., Park, H.J., Her, S.H., Jang, S.W., Park, C.S., Lee, J.M., Kim, H.Y., Jeon, D.S., Kim, P.J., Yoo, K.D., Chang, K., Jin, D.C., Seung, K.B., 2016. HDL Cholesterol Level Is Associated with Contrast Induced Acute Kidney Injury in Chronic Kidney Disease Patients Undergoing PCI. *Sci. Rep.* 6:2–7.
- Patel, P.R., 2007. Lecture Notes Radiologi. Penerbit Erlangga, Jakarta.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia, 2015. Pedoman Tatalaksana Sindrom Koroner Akut Edisi Ketiga 3:.
- Pistolesi, V., Regolisti, G., Morabito, S., Gandolfi, I., Corrado, S., Piotti, G., Fiaccadori, E., 2018. Contrast medium induced acute kidney injury: a narrative

- review. *J. Nephrol.* 31:797–812.
- Qin, Y.H., Yan, G.L., Ma, C. Le, Tang, C.C., Ma, G.S., 2018. Effects of hyperglycaemia and elevated glycosylated haemoglobin on contrast-induced nephropathy after coronary angiography. *Exp. Ther. Med.* 16:377–383.
- Rakowski, T., Dziewierz, A., Węgiel, M., Siudak, Z., Zasada, W., Jąkała, J., Dykła, D., Matysek, J., Surdacki, A., Bartuś, S., Dudek, D., Wojdyła, R., 2021. Risk factors of contrast induced nephropathy in patients with acute coronary syndromes. *Kardiol Pol.* 0–4.
- Rathore, V., 2018. Risk Factors of Acute Myocardial Infarction: A Review. *Eurasian J. Med. Investig.* 2:1–7.
- Rear, R., Bell, R.M., Hausenloy, D.J., 2016. Contrast-induced nephropathy following angiography and cardiac interventions. *Heart* 102:638–648.
- Reed, M., Meier, P., Tamhane, U.U., Welch, K.B., Moscucci, M., Gurm, H.S., 2009. The Relative Renal Safety of Iodixanol Compared With Low-Osmolar Contrast Media. A Meta-Analysis of Randomized Controlled Trials. *JACC Cardiovasc. Interv.* 2:645–654.
- Seeliger, E., Sendeski, M., Rihal, C.S., Persson, P.B., 2012. Contrast-induced kidney injury: Mechanisms, risk factors, and prevention. *Eur. Hear. J.* 33:2007–2015.
- Sendeski, M.M., 2011. Pathophysiology of renal tissue damage by iodinated contrast media. *Clin. Exp. Pharmacol* 38:292–299.
- Sequeiros, R.A.A., Roubin, S., Raposeiras, Abu-Assi, E., Salvado, V.G., Iglesias-Alvarez, D., Redondo-Dieguez, A., Ferreira, R.G., Ocaranza-Sanchez, R., Penagil, C., Garcia-Acuna, J.M., Juanatey, J.R.G., 2016. Mehran contrast nephropathy risk score : Is it still useful 10 years later ? *J. Cardiol.* 67:262–267.
- Sgura, F.A., Bertelli, L., Monopoli, D., Leuzzi, C., Guerri, E., Spartà, I., Politi, L., Aprile, A., Amato, A., Rossi, R., Biondi-Zoccai, G., Sangiorgi, G.M., Modena, M.G., 2010. Mehran contrast-induced nephropathy risk score predicts short- and long-term clinical outcomes in patients with ST-elevation-myocardial infarction. *Circ. Cardiovasc. Interv.* 3:491–498.
- Shacham, Y., Leshem-Rubinow, E., Gal-Oz, A., Ben-Assa, E., Steinvil, A., Keren, G., Roth, A., Arbel, Y., 2015. Relation of in-hospital serum creatinine change patterns and outcomes among ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention. *Clin. Cardiol.* 38:274–279.
- Shoukat, S., Gowani, S.A., Jafferani, A., Dhakam, S.H., 2010. Contrast-induced nephropathy in patients undergoing percutaneous coronary intervention. *Cardiol Res Pr.* 1:1–12.
- Sreenivasan, J., Zhuo, M., Khan, M.S., Li, H., Fugar, S., Desai, P., Yadav, N., 2018. Anemia (Hemoglobin \leq 13 g/dL) as a Risk Factor for Contrast-Induced Acute Kidney Injury Following Coronary Angiography. *Am. J. Cardiol.* 122:961–965.
- Tehrani, S., Laing, C., Yellon, D.M., Hausenloy, D.J., 2013. Contrast-induced acute kidney injury following PCI. *Eur. J. Clin. Invest.* 43:483–490.
- Tsai, T.T., Patel, U.D., Chang, T.I., Kennedy, K.F., Masoudi, F.A., Matheny, M.E.,

- Kosiborod, M., Amin, A.P., Messenger, J.C., Rumsfeld, J.S., Spertus, J.A., 2014. Contemporary incidence, predictors, and outcomes of acute kidney injury in patients undergoing percutaneous coronary interventions: Insights from the NCDR cath-PCI registry. *JACC Cardiovasc. Interv.* 7:1–9.
- Uemura, Y., Ishikawa, S., Takemoto, K., Negishi, Y., Tanaka, A., Takagi, K., Yoshioka, N., Tashiro, H., Umemoto, N., Inoue, Y., Morishima, I., Shimizu, K., Shibata, N., Asano, H., Ishii, H., Watarai, M., Murohara, T., 2021. Improved Renal Function After Percutaneous Coronary Intervention in Non-Dialysis Patients With Acute Coronary Syndrome and Advanced Renal Dysfunction. *Cardiovasc. Revascularization Med.* 24:26–30.
- Ward, D.B., Valentovic, M.A., 2019. Contrast induced acute kidney injury and direct cytotoxicity of iodinated radiocontrast media on renal proximal tubule cells. *J. Pharmacol. Exp. Ther.* 370:160–171.
- Wardhani, Y., Prasanto, R.H., Setianto, B.Y., 2021. Cystatin C Serum sebagai Biomarka Awal Kejadian Contrast Induced Acute Kidney Injury (CI-AKI) pada Pasien yang Dilakukan Intervensi Koroner Perkutan Primer. Universitas Gadjah Mada.
- Zahler, D., Rozenfeld, K.L., Merdler, I., Peri, Y., Shacham, Y., 2020. Contrast Volume to Glomerular Filtration Ratio and Acute Kidney Injury among ST-Segment Elevation Myocardial Infarction Patients Treated with Primary Percutaneous Coronary Intervention. *CardioRenal Med* 10:108–115.
- Zhang, H., Fu, H., Fu, X., Zhang, J., Zhang, P., Yang, S., Zeng, Z., Fu, N., Guo, Z., 2021. Glycosylated hemoglobin levels and the risk for contrast-induced nephropathy in diabetic patients undergoing coronary arteriography/percutaneous coronary intervention. *BMC Nephrol.* 22:1–7.