

DAFTAR PUSTAKA

- [1] R. R. Sigit, "Tahun 2020, Pemerintah Targetkan 20 juta Hektar Kawasan Konservasi Perairan dan Laut," *Mongabay*, 2013. <http://www.mongabay.co.id/2013/07/10/tahun-2020-pemerintah-targetkan-20-juta-hektar-kawasan-konservasi-perairan-dan-laut/> (accessed Apr. 07, 2021).
- [2] M. B. Gasim *et al.*, "Study on Selected Parameters of Groundwater Quality Based on Different Tides, East Coast of Terengganu, Malaysia," *Asian J. Appl. Sci.*, vol. 10, no. 1, pp. 18–24, 2016, doi: 10.3923/ajaps.2017.18.24.
- [3] C. Sivapragasam, V. Jegatheesan, V. M. Arun, and S. Vanitha, "Spatial Modeling of Electrical Conductivity with Neural Network," *Int. J. Eng. Sci. Technol.*, vol. 2, no. 7, pp. 3128–3136, 2010, [Online]. Available: https://www.researchgate.net/publication/50315394_Spatial_Modeling_of_Electrical_Conductivity_with_Neural_Network.
- [4] T. T. Putranto and T. R. Rde, "Hydrogeological model of an urban city in a coastal area, case study: Semarang, Indonesia," *Indones. J. Geosci.*, vol. 3, no. 1, pp. 17–27, 2016, doi: 10.17014/ijog.3.1.17-27.
- [5] J. A. Prakosa, B. H. Sirenden, D. Rustandi, B. Kartiwa, and T. Maftukhah, "Perbandingan Pengukuran Salinitas Air Antara Metode Daya," *Instrumentasi*, vol. 44, no. 2, pp. 199–211, 2020.
- [6] T. Ekemen Keskin and E. zler, "Heavy metal contamination in groundwater and surface water due to active pb-zn-cu mine tails and water-rock interactions: A case study from the kre mine area (Turkey)," *Turkish J. Earth Sci.*, vol. 29, no. 6, pp. 878–895, 2020, doi: 10.3906/yer-2001-3.
- [7] N. A. Memon, M. A. Unar, A. K. Ansari, G. B. Khaskheli, and B. A. Memon, "Predictive Potentiality of Artificial Neural Networks for predicting the Electrical Conductivity (EC) of drinking water of Hyderabad city," in *Proceedings of the 12Th Wseas International Conference on Computers, Pts 1-3: New Aspects of Computers*, 2008, pp. 487–490.
- [8] R. S. B. Waspodo, S. Kusumarini, and V. A. K. Dewi, "Prediksi Intrusi Air Laut Berdasarkan Nilai Daya Hantar Listrik dan Total Dissolved Solid di Kabupaten Tangerang Prediction," *J. Tek. Pertan. LAMPUNG*, vol. 8, pp. 234–303, 2019, [Online]. Available: http://jurnal.fp.unila.ac.id/index.php/JTP/article/view/3456/pdf_1.
- [9] T. Ekemen Keskin, E. zler, E. ander, M. Dğenci, and M. Y. Ahmed, "Prediction of electrical conductivity using ANN and MLR: a case study

- from Turkey,” *Acta Geophys.*, vol. 68, no. 3, pp. 811–820, 2020, doi: 10.1007/s11600-020-00424-1.
- [10] D. T. Bui *et al.*, “Enhancing nitrate and strontium concentration prediction in groundwater by using new data mining algorithm,” *Sci. Total Environ.*, vol. 715, pp. 1–13, 2020, doi: 10.1016/j.scitotenv.2020.136836.
 - [11] M. A. Ghorbani, M. T. Aalami, and L. Naghipour, “Use of artificial neural networks for electrical conductivity modeling in Asi River,” *Appl. Water Sci.*, vol. 7, no. 4, pp. 1761–1772, 2017, doi: 10.1007/s13201-015-0349-0.
 - [12] B. Tutmez, Z. Hatipoglu, and U. Kaymak, “Modelling electrical conductivity of groundwater using an adaptive neuro-fuzzy inference system,” *Comput. Geosci.*, vol. 32, no. 4, pp. 421–433, 2006, doi: 10.1016/j.cageo.2005.07.003.
 - [13] J. Seyedmohammadi, L. Esmaeelnejad, and M. Shabanpour, “Spatial variation modelling of groundwater electrical conductivity using geostatistics and GIS,” *Model. Earth Syst. Environ.*, vol. 2, no. 4, pp. 1–10, 2016, doi: 10.1007/s40808-016-0226-3.
 - [14] I. Ahmadianfar, M. Jamei, and X. Chu, “A novel Hybrid Wavelet-Locally Weighted Linear Regression (W-LWLR) Model for Electrical Conductivity (EC) Prediction in Surface Water,” *J. Contam. Hydrol.*, vol. 232, no. November 2021, 2020, doi: 10.1016/j.jconhyd.2020.103641.
 - [15] C. Mattas, L. Dimitraki, P. Georgiou, and P. Venetsanou, “Use of Factor Analysis (FA), Artificial Neural Networks (ANNs), and Multiple Linear Regression (MLR) for Electrical Conductivity Prediction in Aquifers in the Gallikos River Basin, Northern Greece,” *Hydrology*, vol. 8, no. 3, p. 127, 2021, doi: 10.3390/hydrology8030127.
 - [16] World Water Quality Alliance, “Assessing Groundwater Quality: A Global Perspective: Importance, Methods and Potential Data Sources. A report by the Friends of Groundwater in the World Water Quality Alliance,” Nairobi, Kenya, 2021. [Online]. Available: <https://groundwater-quality.org/friends-groundwater-produce-perspective-paper-groundwater-quality>.
 - [17] T. Srebotnjak, G. Carr, A. De Sherbinin, and C. Rickwood, “A global Water Quality Index and hot-deck imputation of missing data,” *Ecol. Indic.*, vol. 17, pp. 108–119, 2012, doi: 10.1016/j.ecolind.2011.04.023.
 - [18] M. T. Sattari, A. R. Joudi, and A. Kusiak, “Estimation of water quality parameters with data-driven model,” *J. Am. Water Works Assoc.*, vol. 108, no. 4, pp. E232–E239, 2016, doi: 10.5942/jawwa.2016.108.0012.
 - [19] A. Neal, “7 Ways to Measure, Monitor, and Evaluate Water Quality,” *Public*

- Lab. 2017, [Online]. Available: <https://publiclab.org/notes/annngneal/12-08-2017/7-ways-to-measure-monitor-and-evaluate-water-quality>.
- [20] D. K. (University of C. Todd and L. W. (Arizona S. Mays, *Groundwater hydrology: Conceptual and computational models*, Third Edit. John Wiley & Son, Inc, 2005.
 - [21] D. T. Bui *et al.*, “Enhancing nitrate and strontium concentration prediction in groundwater by using new data mining algorithm,” *Sci. Total Environ.*, vol. 715, p. 136836, 2020, doi: 10.1016/j.scitotenv.2020.136836.
 - [22] D. M. M. Ahouansou, S. K. Agodzo, O. H. R. Awoye, R. G. A. Balle, and L. O. C. Sintondji, “Analysis of the Seasonal Variation of Groundwater Quality in a Highly Cultivated Catchment , Northern Benin,” *Am. J. Water Resour.*, vol. 6, no. 6, pp. 224–234, 2018, doi: 10.12691/ajwr-6-6-3.
 - [23] A. Giusti, A. W. Widodo, and S. Adinugroho, “Prediksi Penjualan Mi Menggunakan Metode Extreme Learning Machine (ELM) di Kober Mie Setan Cabang Soekarno Hatta,” *J. Pengemb. Teknol. Inf. dan Ilmu Komput. Univ. Brawijaya*, vol. 2, no. 8, pp. 2972–2978, 2018.
 - [24] T. H. H. Aldhyani, M. Al-Yaari, H. Alkahtani, and M. Maashi, “Water Quality Prediction Using Artificial Intelligence Algorithms,” *Appl. Bionics Biomech.*, vol. 2020, 2020, doi: 10.1155/2020/6659314.
 - [25] Kepmenkes, *Kepmenkes RI No. 907 : Syarat-Syarat dan Pengawasan Kualitas Air Minum*. Jakarta: Departemen Kesehatan RI, 2002.
 - [26] A. F. Rusydi, “Correlation between conductivity and total dissolved solid in various type of water: A review,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 118, no. 1, 2018, doi: 10.1088/1755-1315/118/1/012019.
 - [27] G. S. Bhunia, A. Keshavarzi, P. K. Shit, E.-S. E. Omran, and A. Bagherzadeh, “Evaluation of groundwater quality and its suitability for drinking and irrigation using GIS and geostatistics techniques in semiarid region of Neyshabur, Iran,” *Appl. Water Sci.*, vol. 8, no. 6, pp. 1–16, 2018, doi: 10.1007/s13201-018-0795-6.
 - [28] A. F. TALIHA, M. A. ABIODUN, G. K. JONATHAN, O. E. S. SULEIMAN, and M. O. ABDULLAHI, “Effects of Data Normalization on Water Quality Model in a Recirculatory Aquaculture System Using Artificial Neural Network,” *i-manager’s J. Pattern Recognit.*, vol. 5, no. 3, p. 21, 2018, doi: 10.26634/jpr.5.3.15678.
 - [29] F. Iwashita, M. J. Friedel, and F. J. F. Ferreira, “A self-organizing map approach to characterize hydrogeology of the fractured serra-Geral transboundary aquifer,” *Hydrol. Res.*, vol. 49, no. 3, pp. 794–814, 2018, doi:

10.2166/nh.2017.221.

- [30] D. Kho, “Rumus Z Score dan Cara Menghitung Z Score,” *Teknik Elektronika*, 2021. <https://teknikelektronika.com/rumus-z-score-dan-cara-menghitung-z-score/>.
- [31] I. Chenini and S. Khemiri, “Evaluation of ground water quality using multiple linear regression and structural equation modeling,” *Int. J. Environ. Sci. Technol.*, vol. 6, no. 3, pp. 509–519, 2009, doi: 10.1007/BF03326090.
- [32] Geological and Bioregional Assessment Program, “Groundwater and surface water sample locations included in hydrochemical cluster analysis,” *Bioregional Assessment Program*, 2020. <https://data.gov.au/data/dataset/27b0fbba-5a68-4055-8600-c181dac15ffb> (accessed Dec. 18, 2020).
- [33] T. E. Keskin, M. Dügenci, and F. Kaçaroğlu, “Prediction of water pollution sources using artificial neural networks in the study areas of Sivas, Karabük and Bartın (Turkey),” *Environ. Earth Sci.*, vol. 73, no. 9, pp. 5333–5347, 2015, doi: 10.1007/s12665-014-3784-6.



UNIVERSITAS
GADJAH MADA

Seleksi Fitur dan Normalisasi pada Prediksi Daya Hantar Listrik menggunakan Algoritme Artificial Neural Networks, Gaussian Processes, dan Multiple Linear Regression

ZAENURI PUTRO UTOMO, Dr. Indriana Hidayah, S.T., M.T.; Muhammad Nur Rizal, , S.T., M. Eng., Ph.D.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>