



## REFERENCE

- Aino, K., Hirota, K., Okamoto, T., Tu, Z., Matsuyama, H., Yumoto, I. (2018). Microbial Communities Associated With Indigo Fermentation That Thrive in Anaerobic Alkaline Environments. *Frontiers in Microbiology*, 9(), 2196–. doi:10.3389/fmicb.2018.02196
- Barati, R. (2013). Application of excel solver for parameter estimation of the nonlinear Muskingum models. , 17(5), 1139–1148. doi:10.1007/s12205-013-0037-2
- Berlian, M. H, Sahputra, T. E. R., Ardi, B. J. W., Dzatmika, L. W., Besari, A., Sudibyo, R. W., Sukaridhoto, S. (2016). IEEE 2016 International Electronics Symposium (IES) - Denpasar, Indonesia (2016.9.29-2016.9.30) 2016 International Electronics Symposium (IES) - Design and implementation of smart environment monitoring and analytics in real-time system framework based on internet of underwater things and big data. , (), 403–408. doi:10.1109/ELECSYM.2016.7861040
- Bond, D. R. (2002). Electrode-Reducing Microorganisms That Harvest Energy from Marine Sediments. *Science*, 295(5554), 483–485. doi:10.1126/science.1066771
- Bowmer, K. H. and Muirhead, W. A. (1987). Inhibition of algal photosynthesis to control pH and reduce ammonia volatilization from rice floodwater. *Fertilizer Research*, 13(2), 13–29.
- Boyd, C.E. and Pillai, V.K. (1982). *Water Quality Management in Aquaculture*, (CMFRI Special Publication, India, 1985), Vol 22.
- Boyd, C.E. and Tucker, C.S. (1998) *Pond aquaculture water quality management*. Kluwer Academic Publishers, Boston.
- Bryan, S. (2015). *Water Quality Concerns for Ponds*. PennState University Extension. Retrieved from [extension.psu.edu/water-quality-concerns-for-ponds](http://extension.psu.edu/water-quality-concerns-for-ponds) on June 10<sup>th</sup>, 2022.
- Buck, D.H., 1956. Effects of turbidity on fish and fishing. *Trans. North Amer. Wildlife Conf.*, 21:249-261.
- Caspers, H. (1981). J. S. Alabaster and R. Lloyd: *Water Quality Criteria for Freshwater Fish*. – 297 pp. London-Boston: Butterworth 1980. ISBN 0 408 10673 5. £ 18.00. , 66(3), 443–443. doi:10.1002/iroh.19810660329
- Chen, J., Sung, W., and Lin, G. (2015). Automated Monitoring System for the Fish Farm Aquaculture Environment. 2015 IEEE International Conference on Systems, Man, and Cybernetics, 1161-1166.
- Chen, Y.Y., Cheng, Y.J., Yang, L., Li, Y.Q., Li, D.L. (2019). Prediction model of ammonia-



- nitrogen in pond aquaculture water based on improved multi-variable deep belief network. *Trans Chin Social Agriculture Engineering* 35:195–202. <https://doi.org/10.11975/j.issn.1002-6819.2019.07.024>
- Chen Houn-Yung; Tsai Jia-Chang. (1994). Optimal dietary protein level for the growth of juvenile grouper, *Epinephelus malabaricus*, fed semipurified diets. , 119(2-3), 0–271. doi:10.1016/0044-8486(94)90181-3
- Cleophas, T.J., Zwinderman, A.H. (2018). Bayesian Pearson Correlation Analysis. In: *Modern Bayesian Statistics in Clinical Research*. Springer, Cham. [https://doi.org/10.1007/978-3-319-92747-3\\_11](https://doi.org/10.1007/978-3-319-92747-3_11)
- Conrad, R. (2002). ORP Meters Applied to Fish Ponds. Retrieved from [www.koivillage.com](http://www.koivillage.com) on June 2<sup>nd</sup>, 2022. <http://users.stat.umn.edu/~helwig/notes/polyint-Notes.pdf> on June 12th, 2022.
- Dai, T. G. (2009). Causes and treatment measures of exceedings of pH value in Yu Dong Reservoir. *Water Resources Research*, 30(3), 37–38.
- Davis, J. C. (1975). Minimal Dissolved Oxygen Requirements of Aquatic Life with Emphasis on Canadian Species: a Review. *Journal of the Fisheries Research Board of Canada*, 32(12), 2295–2332. doi:10.1139/f75-268
- Deacutis C.F. (2016). Dissolved Oxygen. In: Kennish M.J. (eds) *Encyclopedia of Estuaries. Encyclopedia of Earth Sciences Series*. Springer, Dordrecht. [https://doi.org/10.1007/978-94-017-8801-4\\_72](https://doi.org/10.1007/978-94-017-8801-4_72)
- DeCoster, J. (2004). Data Analysis in SPSS. Retrieved from <http://www.stat-help.com/notes.html> on June 17th, 2022.
- Dzulqornain, M.I., Harun A. R., M. Udin, Sukaridhoto, S., Setyobudi, R.H., Alasaarela, E., Pasila, F., Chan, G., Lee, S.-G. (2018). Design and Development of Smart Aquaculture System Based on IFTTT Model and Cloud Integration. *MATEC Web of Conferences*, 164(), 01030–. doi:10.1051/mateconf/201816401030
- El-Otify, A. M. (2015). Evaluation of the physicochemical and chlorophyll-a conditions of a subtropical aquaculture in Lake Nasser area, Egypt. *Beni-Suef University Journal of Basic and Applied Sciences*, 4(4), 327–337. doi:10.1016/j.bjbas.2015.11.009
- Elias, E., Sarah, H., Tahmina, A. (2021). Developing a Novel Water Quality Prediction Model for a South African Aquaculture Farm Water. doi:10.3390/w13131782
- Frank, F., and Smith, M. D. (2018). Induced innovation in fisheries and aquaculture. *Food Policy*, 76, 1–7.
- Freed, V H; Chiou, C T; Haque, R (1977). Chemodynamics: transport and behavior of



- Chemicals in the environment--a problem in environmental health.. *Environmental Health Perspectives*, 20(), 55–70. doi:10.1289/ehp.772055
- Fukushima, T., Matsushige, K., Takamura, N., and Fukushima, M. (2004). Metabolic quotient measured by free-water method in six enclosures with different silver carp densities. *Hydrobiologia*, 511(3), 201–213.
- Gao, D., Liu, M., Hou, L., Derrick, Y.F. L., Wang, W., Li, X., Zeng, A., Zheng, Y., Han, P., Yang, Y., Yin, G. (2019). Effects of shrimp-aquaculture reclamation on sediment nitrate dissimilatory reduction processes in a coastal wetland of southeastern China. *Environmental Pollution*, 255(), 113219–. doi:10.1016/j.envpol.2019.113219
- Haq, K. P. R. A., and Harigovindan, V. P. (2022). Water Quality Prediction for Smart Aquaculture Using Hybrid Deep Learning Models. *IEEE Access*, vol. 10, pp. 60078-60098, 2022, doi: 10.1109/ACCESS.2022.3180482.
- He, W., and Xu, L. (2014). Integration of distributed enterprise applications: a survey. *IEEE Transactions on Industrial Informatics*, 10(1), 35–42.
- Helwig, E. N. (2017). *Regression with Polynomials and Interaction*. Psychology and Statistics University of Minnesota (Twin Cities). Retrieved from <http://users.stat.umn.edu/~helwig/notes/polyint-Notes.pdf> on June 20th, 2022.
- Howland, R. J. M., Tappin, A. D., Uncles, R. J., Plummer, D.H., and Bloomer, N. J. (2000). Distributions and seasonal variability of pH and alkalinity in the Tweed Estuary, UK. *The Science of the Total Environment*, 251/252(1), 125–138.
- Hsu, W. C., Chao, P. Y., Wang, C. S., Hsieh, J.C., Huang, W. (2020). Application of Regression Analysis to Achieve a Smart Monitoring System for Aquaculture. *Information*, 11(8), 387–. doi:10.3390/info11080387
- Hu ZH, Zhang YR, Zhao YC, Xie MS, Zhong JZ, Tu ZG, Liu JT. (2019). A water quality prediction method based on the deep LSTM network considering correlation in smart mariculture. *Sensors* 19:1420. <https://doi.org/10.3390/s19061420>
- Huan J, Li H, Wu F, Cao WJ (2020) Design of water quality monitoring system for aquaculture ponds based on NB-IoT. *Aquacult Eng* 90:102088–102097. <https://doi.org/10.1016/j.aquaeng.2020.102088>
- Igwegbe, C. A., Onokwuli O. D., Onyechi, P. C., 2019, Optimal Route for Turbidity removal from Aquaculture Wastewater by Electrocoagulation-flocculation process. *Journal of Engineering and Applied Sciences* 15(1):99-108
- Jim, F. (2022). Linear Regression, Retrieved from <https://statisticsbyjim.com/regression/linear-regression/#more-1420> on June 20th, 2022.



- Joshi, G. P., and Kim, S. W. (2013). Survey, nomenclature and comparison of reader anti-collision protocols in RFID, IETE Technical Review, Retrieved from <http://tr.ietejournals.org/text.asp?2008/25/5/285/44659> on June 22<sup>nd</sup>, 2022
- Karim, R. Awala, A. and Akhter, M. (2010). Forecasting of wheat production in Bangladesh, Bangladesh J. Agril. Res. 35(1):17-28.
- Kramp, T., van Kranenburg, R., Lange, S. (2013). Introduction to the Internet of Things. In: , et al. Enabling Things to Talk. Springer, Berlin, Heidelberg. [https://doi.org/10.1007/978-3-642-40403-0\\_1](https://doi.org/10.1007/978-3-642-40403-0_1).
- Kultz, D. (2015). Physiological mechanisms used by fish to cope with salinity stress. Journal of Experimental Biology, 218(12), 1907–1914. doi:10.1242/jeb.118695
- Lasdon L. and Smith, S. (1992). Solving Large Sparse Nonlinear Programs Using GRG. ORSA Journal on Computing, 4(1), 2–15. doi:10.1287/ijoc.4.1.2
- Liu SY, Tai HJ, Ding QS, Li DL, Xu LQ, Wei YG. (2013). A hybrid approach of support vector regression with genetic algorithm optimization for aquaculture water quality prediction. Math Comput Model 58:458–465. <https://doi.org/10.1016/j.mcm.2011.11.021>
- Mahalik, N. G. P. C. and Kim, K. (2014) Retrofitting High-Tech Systems in Land-based Aquaculture to Improve Production Efficiency: An Automated Expert System Architecture, IETE Technical Review, 31:2, 153-161, DOI: 10.1080/02564602.2014.892752
- Martin S Tango; Graham A Gagnon (2003). Impact of ozonation on water quality in marine recirculation systems. , 29(3-4), 0–137. doi:10.1016/s0144-8609(03)00061-x
- Montaño Moreno JJ, Palmer Pol A, Sesé Abad A, Cajal Blasco B. Using the R-MAPE index as a resistant measure of forecast accuracy. Psicothema. 2013;25(4):500-6. doi: 10.7334/psicothema2013.23. PMID: 24124784.
- Porrello, S., Lenzi, M., Ferrari, G., and Persia, E. (2005). Loading of nutrient from a land-based fish farm (Orbetello, Italy) at different time. Aquaculture International, 13(2), 97–108.
- Prabha, R.; Saranish, R.S.; Sowndharya, S.; Santhosh, A.C.; Varsha, R.; Sumathi, K. Prabha, R; Saranish, R Sri; Sowndharya, S; Santhosh, AC; Varsha, R; Sumathi, K (2020). [IEEE 2020 6th International Conference on Advanced Computing and Communication Systems (ICACCS) - Coimbatore, India (2020.3.6-2020.3.7)] 2020 6th International Conference on Advanced Computing and Communication Systems (ICACCS) - IoT Controlled Aquaponic System. , (), 376–379. doi:10.1109/ICACCS48705.2020.9074401 Conference on Advanced Computing and Communication Systems (ICACCS), Erode, India, 6–7 March 2020; pp. 376–379.



- Pretz, K. (2013). The Next Evolution of the Internet. Retrieved from <http://theinstitute.ieee.org/technology-focus/technology-topic/the-next-evolution-of-the-internet> on May 28<sup>th</sup>, 2022.
- Purwandoko, Sutrisno, Sugiyanta, (2019). Development of a Smart Traceability System for the Rice Agroindustry Supply Chain in Indonesia. *Information*, 10(10), 288–. doi:10.3390/info10100288
- Rahim B., Aalami, M. T., Adamowski, J. (2020). Short-term water quality variable prediction using a hybrid CNN-LSTM deep learning model. *Stochastic Environmental Research and Risk Assessment*, (), -. doi:10.1007/s00477-020-01776-2
- Rajalashmi, K.; Yugathian, N.; Monisha, S.; Jeevitha, N. (2020). IoT based water quality management system. *Materials Today: Proceedings*, (), S2214785320308567–. doi:10.1016/j.matpr.2020.02.110
- Rose, K., Eldridge, S.D., and Chapin, L. (2015). *The Internet of Things (IoT): An Overview. Understanding the Issues and Challenges of a More Connected World.*
- Ruth, Francis-Floyd. (2003). *Dissolved Oxygen for Fish Production.* Gainesville. Institute of Food and Agricultural Sciences, University of Florida.
- Saha, S., Hasan R., Kabir, S., (2018). [IEEE 2018 International Conference on Innovations in Science, Engineering and Technology (ICISSET) - Chittagong, Bangladesh (2018.10.27-2018.10.28)] 2018 International Conference on Innovations in Science, Engineering and Technology (ICISSET) - IoT Based Automated Fish Farm Aquaculture Monitoring System. , (), 201–206. doi:10.1109/ICISSET.2018.8745543
- Suslow, T. V. (2004). Oxidation-Reduction Potential (ORP) for Water Disinfection Monitoring, Control, and Documentation. doi:10.3733/ucanr.8149
- Ta, X. and Wei, Y. (2018). Research on a dissolved oxygen prediction method for recirculating aquaculture systems based on a convolution neural network. *Computers and Electronics in Agriculture*, 145(), 302–310. doi:10.1016/j.compag.2017.12.037
- Towers, L. (2015). *Water quality: a priority for successful aquaculture.* University of St. Andrews. Retrieved from <https://thefishsite.com/articles/water-quality-a-priority-for-successful-aquaculture> on June 23rd, 2022.
- Wang, C., Zhen, Li., Tan, Wang., Xianbao, Xu., Xiaoshuan, Zhang., Daoliang, Li. (2021). Intelligent fish farm-the future of aquaculture. *Aquaculture International*, 29(6):1-31. doi: 10.1007/S10499-021-00773-8
- Wang, Z., Van L., Mark C.M., Saikaly, P. E. (2017). Gradual adaptation to salt and dissolved oxygen: Strategies to minimize adverse effect of salinity on aerobic granular sludge.



- Water Research, (), S0043135417306887-. doi:10.1016/j.watres.2017.08.026
- Wu, Z., He, H., Cai, Y., Zhang, L., Chen, Y. (2014). Spatial distribution of chlorophylla and its relationship with the environment during summer in Lake Poyang: a Yangtze-connected lake. *Hydrobiologia*, 732(1), 61–70. doi:10.1007/s10750-014-1844-2
- Yang, X., Ramezani, R. U., Ingrid B., Mosleh, A., Lader, PÃ¶l F. (2020). Operational limits for aquaculture operations from a risk and safety perspective. *Reliability Engineering and System Safety*, 204(), 107208-. doi:10.1016/j.res.2020.107208
- Yuan, X., Kong, Q., Li, Q., Li, L., Daoliang. (2015). Evaluation method for application of Internet of Things for aquaculture. *Transactions of the Chinese Society of Agricultural Engineering*, Volume 31, Number 4.
- Yu, H.H., Yang, L., Li, D.L., Chen, Y.Y. (2020) A hybrid intelligent soft computing method for ammonia nitrogen prediction in aquaculture. *Information Processing in Agriculture* 8:64–74. <https://doi.org/10.1016/j.inpa.2020.04.002>
- Zhang, C., Huang, S., Wu, M. (2011). Comparison of Relationships Between pH, Dissolved Oxygen and Chlorophyll-a for Aquaculture and Non-aquaculture Waters. *Water Air Soil Pollut* 219, 157–174. <https://doi.org/10.1007/s11270-010-0695-3>
- Zhang M., Yu Y., Yang Z., Shi X.L., Kong F.X. (2012). The distribution of phytoplankton along trophic gradients and its mediation by available light in the pelagic zone of large eutrophic lakes. *Can J Fish Aquat Sci* 2012;69:1935–46
- Zhang, W. T. (2009). Analysis on limiting factors of eutrophication in Dashahe Reservoir. *Guang Dong Water Resources and Hydropower*, 9, 26–28
- Zhou, H., Zhang, S., Peng, J., Zhang, S., Li, J., Xiong, H., & Zhang, W. (2021). Informer: Beyond Efficient Transformer for Long Sequence Time-Series Forecasting. *Proceedings of the AAAI Conference on Artificial Intelligence*, 35(12), 11106-11115. Retrieved from <https://ojs.aaai.org/index.php/AAAI/article/view/17325>