

## DAFTAR PUSTAKA

- Ajaiyeoba, E. O., Ogbole, O. O., Abiodun, O. O., Ashidi, J. S., Houghton, P. J., and Wright, C. W., 2013, Cajachalcone: An antimalarial compound from cajanus cajan leaf extract, *J. Parasitol. Res.*, 2013, 1-5.
- Aksoz, B. E., and Ertan, R., 2012, Spectral Properties of Chalcones II, *FABAD J. Pharm. Sci.*, 374, 205–216.
- Anonim, 2021, *World Malarial Report 2021*, World Health Organization
- Astuti, E., Raharjo, T. J., Boangmanalu, P. M., Putra, I. S. R., Waskitha, S. S. W., and Solin, J., 2021, Synthesis, molecular docking, and evaluation of some new curcumin analogs as antimalarial agents, *Indones. J. Chem.*, 21 (2), 452–461.
- Badria, F. A., Soliman, S. M., Atef, S., Islam, M. S., Al-Majid, A. M., Dege, N., Ghabbour, H. A., Ali, M., El-Senduny, F. F., and Barakat, A., 2019, Anticancer indole-based chalcones: A structural and theoretical analysis, *Molecules*, 24 (20) 3728-3729 .
- Batista, R., Jesus, A. De, Júnior, S., and Oliveira, A. B. De, 2009, Plant-Derived Antimalarial Agents: New Leads and Efficient Phytomedicines. Part II. Non-Alkaloidal Natural Products, *Molecules*, 14 3037-3032.
- Bhattacharya, A., Mishra, L. C., Sharma, M., Awasthi, S. K., and Bhasin, V. K., 2009, European Journal of Medicinal Chemistry Antimalarial pharmacodynamics of chalcone derivatives in combination with artemisinin against Plasmodium falciparum in vitro, *Eur. J. Med. Chem.*, 44 (9), 3388–33.
- Chauhan, M., Saxena, A., and Saha, B., 2021, An insight in anti-malarial potential of indole scaffold : A review, *Eur. J. Med. Chem.*, 218, 113400-113412.
- Cheng, P., Yang, L., Huang, X., Wang, X., and Gong, M., 2020, Chalcone hybrids and their antimalarial activity, *Arch. Pharm. (Weinheim).*, 353 (4), 1–10.
- Chidan Kumar, C. S., Loh, W. S., Ooi, C. W., Quah, C. K., and Fun, H. K., 2013, Structural correlation of some heterocyclic chalcone analogues and evaluation of their antioxidant potential, *Molecules*, 18 (10), 11996–12011.
- Chierrito, T. P., Aguiar, A. C., De Andrade, I. M., Ceravolo, I. P., Gonçalves, R. A., De Oliveira, A. J., and Krettli, A. U., 2014, Anti-malarial activity of indole alkaloids isolated from *Aspidosperma olivaceum*, *Malar. J.*, 13 (1), 1–10.

- Chlupacova, M. K., Kunes, J., Buchta, V., Vejsova, M., and Opletalova, V., 2015, Novel pyrazine analogs of chalcones: Synthesis and evaluation of their antifungal and antimycobacterial activity, *Molecules*, 20 (1), 1104–1117.
- Clayden, J., Greeves, N., and Warren, S., 2012, *Organic Chemistry*, 2<sup>nd</sup> ed. Oxford University Press, Oxford.
- Eicher, T., Hauptmann, S., and Speicher, A., 2011, *The Chemistry Of Heterocycles*, 3<sup>rd</sup> ed. Wiley, Saarbrucken.
- Elshemy, H. A. H., Zaki, M. A., Mohamed, E. I., Khan, S. I., and Lamie, P. F., 2020, Bioorganic Chemistry A multicomponent reaction to design antimalarial pyridyl-indole derivatives : Synthesis , biological activities and molecular docking, *Bioorg. Chem.*, 97, 103673-103683.
- Fairhurst, R. M., and Dondorp, A. M., 2016, Artemisinin-Resistant Plasmodium falciparum Malaria , *Microbiol. Spectr.*, 4 (3), 1–16.
- Fernandez, L. S., Buchanan, M. S., Carroll, A. R., Feng, Y. J., Quinn, R. J., and Avery, V. M., 2009, Flinderoles A - C : Antimalarial Bis-indole Alkaloids from Flindersia Species, *Org Lett.*, (3), 1409–1412.
- Frölich, S., Schubert, C., Bienzle, U., and Jenett-Siems, K., 2005, In vitro antiplasmodial activity of prenylated chalcone derivatives of hops (*Humulus lupulus*) and their interaction with haemin, *J. Antimicrob. Chemother.*, 55 (6), 883–887.
- Fu, Y., Zhao, J., and Chen, Z., 2018, Insights into the Molecular Mechanisms of Protein-Ligand Interactions by Molecular Docking and Molecular Dynamics Simulation : A Case of Oligopeptide Binding Protein, *Comput. Math. Methods Med.*, 2018, 1–12.
- Geyer, J. A., Keenan, S. M., Woodard, C. L., Thompson, P. A., Gerena, L., Nichols, D. A., Gutteridge, C. E., and Waters, N. C., 2009, Selective inhibition of Pfmrk, a Plasmodium falciparum CDK, by antimalarial 1,3-diaryl-2-propenones, *Bioorganic Med. Chem. Lett.*, 19 (7), 1982–1985.
- Gopi, C., Sastry, V. G., and Dhanaraju, M. D., 2016, Synthesis and spectroscopic characterisation of novel bioactive molecule of 3-(2-substituted)-1H-indol-3-yl)-1-(thiophen-2yl)prop-2-en-1-one chalcone derivatives as effective anti-oxidant and anti-microbial agents, *Beni-Suef Univ. J. Basic Appl. Sci.*, 5 (3), 236–243.
- Hameed, A., Masood, S., Hameed, A., Ahmed, E., Sharif, A., and Abdullah, M. I., 2019, Anti-malarial, cytotoxicity and molecular docking studies of quinolinyl chalcones as potential anti-malarial agent, *J. Comput. Aided.*

*Mol. Des.*, 33 (7), 677–688.

- Hevener, K. E., Zhao, W., Ball, D. M., Babaoglu, K., Qi, J., White, S. W., and Lee, R. E., 2009, Dihydropteroate synthase, *J. Chem. Inf. Model*, 49 (2), 444–460.
- Jeffrey, G. A., 1997, *An Introduction to Hydrogen Bonding*, 1<sup>st</sup> ed. Oxford University Press, Oxford.
- Jyoti, Gaur, R., Kumar, Y., Cheema, H. S., Kapkoti, D. S., Darokar, M. P., Khan, F., and Bhakuni, R. S., 2021, Synthesis, molecular modelling studies of indolyl chalcone derivatives and their antimalarial activity evaluation, *Nat. Prod. Res.*, 35 (19), 3261–3268.
- Kitchen, D. B., Decornez, H., Furr, J. R., and Bajorath, J., 2004, Docking and scoring in virtual screening for drug discovery: Methods and applications, *Nat. Rev. Drug Discov.*, 3 (11), 935–949.
- Kumar, D., Kumar, N. M., Akamatsu, K., Kusaka, E., Harada, H., and Ito, T., 2010, Synthesis and biological evaluation of indolyl chalcones as antitumor agents, *Bioorganic Med. Chem. Lett.*, 20 (13), 3916–3919.
- Li, J., Fu, A., and Zhang, L., 2019, An Overview of Scoring Functions Used for Protein – Ligand Interactions in Molecular Docking, *Interdiscip. Sci. Comput. Life Sci.*, 11 (2), 320–328.
- Li, R., Chen, X., Gong, B., Selzer, P. M., Li, Z., Davidson, E., Kurzban, G., Miller, R. E., Nuzum, E. O., McKerrow, J. H., Fletterick, R. J., Gillmor, S. A., Craik, C. S., Kuntz, I. D., Cohen, F. E., and Kenyon, G. L., 1996, Structure-based design of parasitic protease inhibitors, *Bioorganic Med. Chem.*, 4 (9), 1421–1427.
- Lozovsky, E. R., Chookajorn, T., Brown, K. M., Imwong, M., Shaw, P. J., Kamchonwongpaisan, S., Neafsey, D. E., Weinreich, D. M., and Hartl, D. L., 2009, Stepwise acquisition of pyrimethamine resistance in the malaria parasite, 106 (29), 12025–12030.
- Luthra, T., Nayak, A. K., Bose, S., Chakrabarti, S., Gupta, A., and Sen, S., 2019, Indole based antimalarial compounds targeting the melatonin pathway: Their design, synthesis and biological evaluation, *Eur. J. Med. Chem.*, 168, 11–27.
- Mahapatra, D. K., Bharti, S. K., and Asati, V., 2015, Chalcone scaffolds as anti-infective agents: Structural and molecular target perspectives, *Eur. J. Med. Chem.*, 101, 496–524.
- Mi-Ichi, F., Miyadera, H., Kobayashi, T., Takamiya, S., Waki, S., Iwata, S., Shibata, S., and Kita, K., 2005, Parasite mitochondria as a target of chemotherapy:

Inhibitory effect of licochalcone A on the *Plasmodium falciparum* respiratory chain, *Ann. N. Y. Acad. Sci.*, 1056, 46–54.

Mishra, R., Mishra, B., and Moorthy, N. S. H. N., 2006, Dihydrofolate Reductase Enzyme: A Potent Target for Antimalarial Research, *Asian J. cell Biol.*, 1 (1), 45–58.

Ouattara, M., Sissouma, D., Koné, M. W., Menan, H. E., Touré, S. A., and Ouattara, L., 2011, Synthesis and anthelmintic activity of some hybrid benzimidazolyl-chalcone derivatives, *Trop. J. Pharm. Res.*, 10 (6), 767–775.

Patel, K., Karthikeyan, C., Hari Narayana Moorthy, N. S., Deora, G. S., Solomon, V. R., Lee, H., and Trivedi, P., 2012, Design, synthesis and biological evaluation of some novel 3-cinnamoyl-4-hydroxy-2H-chromen-2-ones as antimalarial agents, *Med. Chem. Res.*, 21 (8), 1780–1784.

Patrick, G. L., 2013, *Introduction to Medicinal Chemistry*, 5<sup>th</sup> ed. Oxford University Press, Oxford.

Qin, H. L., Zhang, Z. W., Lekkala, R., Alsulami, H., and Rakesh, K. P., 2020, Chalcone hybrids as privileged scaffolds in antimalarial drug discovery: A key review, *Eur. J. Med. Chem.*, 193, 112215–112231.

Ratcliff, A., Siswanto, H., Kenangalem, E., Wuwung, M., Brockman, A., Edstein, M. D., Laihad, F., Ebsworth, E. P., Anstey, N. M., Tjitra, E., and Price, R. N., 2007, Therapeutic response of multidrug-resistant *Plasmodium falciparum* and *P. vivax* to chloroquine and sulfadoxine-pyrimethamine in southern Papua, Indonesia, *Trans. R. Soc. Trop. Med. Hyg.*, 101 (4), 351–359.

Rout, S., and Mahapatra, R. K., 2019, *Plasmodium falciparum*: Multidrug resistance, *Chem. Biol. Drug Des.*, 93 (5), 737–759.

Sainsbury, M., 2001, *Heterocyclic Chemistry*, 1<sup>st</sup> ed. Oxford University Press, Exeter.

Santos, R., Ursu, O., Gaulton, A., Bento, A. P., Donadi, R. S., Bologa, C. G., Karlsson, A., Al-Lazikani, B., Hersey, A., Oprea, T. I., and Overington, J. P., 2016, A comprehensive map of molecular drug targets, *Nat. Rev. Drug Discov.*, 16 (1), 19–34.

Sasidharan, R., Manju, S. L., Uçar, G., Baysal, I., and Mathew, B., 2016, Identification of Indole-Based Chalcones: Discovery of a Potent, Selective, and Reversible Class of MAO-B Inhibitors, *Arch. Pharm. (Weinheim)*, 349, 1–11.

Schuck, D. C., Jordão, A. K., Nakabashi, M., Cunha, A. C., Ferreira, V. F., and

- Garcia, C. R. S., 2014, Synthetic indole and melatonin derivatives exhibit antimalarial activity on the cell cycle of the human malaria parasite *Plasmodium falciparum*, *Eur. J. Med. Chem.*, 78, 375–382.
- Shan, Y., Wu, Q., Sun, N., Sun, Y., Cao, D., Liu, Z., Guan, R., Xu, Y., and Yu, X., 2017, Two indole chalcone derivatives as chemosensor for cyanide anions, *Mater. Chem. Phys.*, 186, 295–300.
- Silva, M. de F., Pruccoli, L., Morroni, F., Sita, G., Seghetti, F., Viegas, C., and Tarozzi, A., 2018, The Keap1/Nrf2-ARE pathway as a pharmacological target for chalcones, *Molecules*, 23 (7), 1–22.
- Singh, S. B., Zink, D. L., Polishook, J. D., Dombrowski, A. W., Darkin-Rattray, S. J., Schmatz, D. M., and Goetz, M. A., 1996, Apicidins: Novel cyclic tetrapeptides as coccidiostats and antimalarial agents from *Fusarium pallidoroseum*, *Tetrahedron Lett.*, 37 (45), 8077–8080.
- Sinha, S., Batovska, D. I., Medhi, B., Radotra, B. D., Bhalla, A., Markova, N., and Sehgal, R., 2019, In vitro anti-malarial efficacy of chalcones: Cytotoxicity profile, mechanism of action and their effect on erythrocytes, *Malar. J.*, 18 (1), 1–11.
- Smit, F. J., Van Biljon, R. A., Birkholtz, L. M., and N'da, D. D., 2015, Synthesis and in vitro biological evaluation of dihydroartemisinin-chalcone esters, *Eur. J. Med. Chem.*, 90, 33–44.
- Sohilait, M. R., 2018, *Penambatan Molekul, Sintesis Dan Uji In Vitro Senyawa Analog Kurkumin Sebagai Anti-Inflamasi*, Universitas Gadjah Mada.
- Srivastava, S., Joshi, S., Singh, A. R., Yadav, S., Saxena, A. S., Ram, V. J., Chandra, S., and Saxena, J. K., 2008, Oxygenated chalcones and bischalcones as a new class of inhibitors of DNA topoisomerase II of malarial parasites, *Med. Chem. Res.*, 17, 234–244.
- Sriwilajaroen, N., Liu, M., Go, M. L., and Wilairat, P., 2006, Plasmepsin II inhibitory activity of alkoxyated and hydroxylated chalcones, *Southeast Asian J. Trop. Med. Public Health*, 37 (4), 607–612.
- Syahri, J., Yuanita, E., Nurohmah, B. A., Armunanto, R., and Purwono, B., 2017, Chalcone analogue as potent anti-malarial compounds against *Plasmodium falciparum*: Synthesis, biological evaluation, and docking simulation study, *Asian Pac. J. Trop. Biomed.*, 7 (8), 675–679.
- Syahri, J., 2017, *Sintesis Senyawa Turunan Kalkon sebagai Antiplasmodium Berdasarkan Studi Quantitative Structure-Activity Relationships (Qsar)* Universitas Gadjah Mada.
- Tilley, L., Straimer, J., Gnädig, N. F., Ralph, S. A., and Fidock, D. A., 2016,

Artemisinin Action and Resistance in *Plasmodium falciparum*, *Trends Parasitol.*, 32 (9), 682–696.

- Trot, O., and Olson, A. J., 2009, Software News and Update AutoDock Vina: Improving the Speed and Accuracy of Docking with a New Scoring Function, Efficient Optimization, and Multithreading, *J. Comput. Chem.*, 31 (2), 455–461.
- Wanare, G., Aher, R., Kawathekar, N., Ranjan, R., Kaushik, N. K., and Sahal, D., 2010, Synthesis of novel  $\alpha$ -pyranochalcones and pyrazoline derivatives as *Plasmodium falciparum* growth inhibitors, *Bioorganic Med. Chem. Lett.*, 20 (15), 4675–4678.
- Wang, Z., 2010, *Comprehensive Organic Name Reactions and Reagents*, 1<sup>st</sup> ed. Wiley, Hoboken.
- Williams, I. S., Joshi, P., Gatchie, L., Sharma, M., Satti, N. K., Vishwakarma, R. A., Chaudhuri, B., and Bharate, S. B., 2017, Synthesis and biological evaluation of pyrrole-based chalcones as CYP1 enzyme inhibitors, for possible prevention of cancer and overcoming cisplatin resistance, *Bioorganic Med. Chem. Lett.*, 27 (16), 3683–3687.
- Young, D. C., 2009, *Computational Drug Design: A Guide for Computational and Medicinal Chemists*, 1<sup>st</sup> ed. Wiley, Hoboken.
- Yuthavong, Y., Yuvaniyama, J., Chitnumsub, P., Vanichtanankul, J., Chusacultanachai, S., Tarnchompoo, B., Vilaivan, T., and Kamchonwongpaisan, S., 2005, Malarial (*Plasmodium falciparum*) dihydrofolate reductase-thymidylate synthase: Structural basis for antifolate resistance and development of effective inhibitors, *Parasitology*, 130 (3), 249–259.
- Yuvaniyama, J., Chitnumsub, P., Kamchonwongpaisan, S., Vanichtanankul, J., Sirawaraporn, W., Taylor, P., Walkinshaw, M. D., and Yuthavong, Y., 2003, Insights into antifolate resistance from malarial DHFR-TS structures, *Nat. Struct. Biol.*, 10 (5), 357–365.
- Zheng, C. J., Jiang, S. M., Chen, Z. H., Ye, B. J., and Piao, H. R., 2011, Synthesis and anti-bacterial activity of some heterocyclic chalcone derivatives bearing thiofuran, furan, and quinoline moieties, *Arch. Pharm. (Weinheim)*, 344 (10), 689–695.