

DAFTAR PUSTAKA

- Almendarez M, Gurm HS, Mariani J, et al. (2019) Procedural Strategies to Reduce the Incidence of Contrast-Induced Acute Kidney Injury During Percutaneous Coronary Intervention. *JACC: Cardiovasc. Interv.* 12(19): 1877–1888.
- Andreucci M, Faga T, Pisani A, et al. (2014) Acute Kidney Injury by Radiographic Contrast Media : Pathogenesis and Prevention. *Biomed Res. Int.* 2014(362725): 1–21.
- Aubry P, Brillet G, Catella L, et al. (2016) Outcomes, risk factors and health burden of contrast-induced acute kidney injury: an observational study of one million hospitalizations with image-guided cardiovascular procedures. *BMC Nephrology* 17(1). BMC Nephrology: 1–17. DOI: 10.1186/s12882-016-0385-5.
- Aykan AÇ, Gul I, Gökdeniz T, et al. (2013) Is coronary artery disease complexity valuable in the prediction of contrast induced nephropathy besides mehran risk score, in patients with st elevation myocardial infarction treated with primary percutaneous coronary intervention? *Heart Lung and Circulation* 22(10): 836–843. DOI: 10.1016/j.hlc.2013.03.085.
- Azzalini L, Vilca LM, Lombardo F, et al. (2018) Incidence of contrast-induced acute kidney injury in a large cohort of all-comers undergoing percutaneous coronary intervention: Comparison of five contrast media. *Int. J. Cardiol.* 273(273): 69–73.
- Cakar MA, Gunduz H, Vatan MB, et al. (2012) The effect of admission creatinine levels on one-year mortality in acute myocardial infarction. *The Scientific World Journal* 2012(July 2009). DOI: 10.1100/2012/186495.
- Chandiramani R, Cao D, Nicolas J, et al. (2020) Contrast-induced acute kidney injury. *Cardiovasc Interv Ther* 35(3): 209–217.
- Cho MH, Kim SN, Park HW, et al. (2017) Could vitamin E prevent contrast-induced acute kidney injury? A systematic review and meta-analysis. *Journal of Korean Medical Science* 32(9): 1468–1473. DOI: 10.3346/jkms.2017.32.9.1468.
- Corporation S (2010) XN series (XN-1000) Instructions for Use.
- Du M, Jiang L, Tang X, et al. (2021) Contrast induced nephropathy and 2-year outcomes of iso-osmolar compared with low-osmolar contrast media after elective percutaneous coronary intervention. *Korean Circ. J.* 51(2): 174–181.
- Fu N, Yang S, Chen Y, et al. (2012) Risk factors and scoring system in the prediction of contrast induced nephropathy in patients undergoing percutaneous coronary intervention. *Chin. Med. J.* 92(8): 551–4.
- Gao Y mei, Li D, Cheng H, et al. (2014) Derivation and validation of a risk score for contrast-induced nephropathy after cardiac catheterization in Chinese patients. *Clinical and Experimental Nephrology* 18(6): 892–898. DOI: 10.1007/s10157-014-0942-9.
- Graham I, Atar D, Borch-Johnsen K, et al. (2007) European guidelines on cardiovascular disease prevention in clinical practice: Executive summary - Fourth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice

- (Constituted by . *European Heart Journal* 28(19): 2375–2414. DOI: 10.1093/eurheartj/ehm316.
- Gupta RK and Bang TJ (2010) Prevention of contrast-induced nephropathy (CIN) in interventional radiology practice. *Semin. Interv. Radiol.* 27(4): 348–359.
- Györfi I, Pál K, Mănescu IB, et al. (2021) Atellica CH 930 chemistry analyzer versus Cobas 6000 c501 and Architect ci4100 - a multi-analyte method comparison. *Rev. Romana de Medicina de Lab.* 29(4): 421–438.
- Harselia S (2018) Tindakan Percutaneous Coronary Intervention Pada Pasien Stenosis Arteri Koroner Kanan. *ARKAVI [Arsip Kardiovaskular Indonesia]* 3(1): 186–191.
- Hossain MA, Costanzo E, Cosentino J, et al. (2018) Contrast-Induced Nephropathy : Pathophysiology , Risk Factors , and Prevention. *Saudi J Kidney Dis Transpl* 29(1): 1–9.
- Inker LA and Titan S (2021) Measurement and Estimation of GFR for Use in Clinical Practice: Core Curriculum 2021. *Am. J. Kidney Dis.* 78(5): 736–749.
- Jain T, Shah S, Shah J, et al. (2018) Contrast-induced nephropathy in STEMI patients with and without chronic kidney disease. *Crit Pathw Cardiol* 17(1): 25–31.
- Kellum J., Lameire N, Aspelin P, et al. (2012) Kidney disease: Improving global outcomes (KDIGO) acute kidney injury work group. KDIGO clinical practice guideline for acute kidney injury. *Kidney Int. Suppl.* 2(1): 1–138.
- Kiani F, Hesabi N and Arbabisarjou A (2016) Assessment of Risk Factors in Patients With Myocardial Infarction. *Glob. J. Health Sci.* 8(1): 255–262.
- Kovesdy CP, Furth SL, Zoccali C, et al. (2017) Obesity and kidney disease: Hidden consequences of the epidemic. *Can. J. Kidney Health Dis.* 27(2): 85–92.
- Kuboyama O and Tokunaga T (2016) The prevalence and prognosis of contrast-induced acute kidney injury according to the definition in patients with acute myocardial infarction who underwent primary percutaneous coronary intervention. *Clin. Trials Regul. Sci. Cardiol.* 13: 29–33.
- Kumari-N R, Kakroo SA, Kumar J, et al. (2020) Correlation of Mehran Risk Score and Outcomes of Percutaneous Coronary Intervention Guided by Optical Coherence Tomography. 2(November 2018): 1–5.
- Küme T, Sağlam B, Ergon C, et al. (2018) Evaluation and comparison of Abbott Jaffe and enzymatic creatinine methods: Could the old method meet the new requirements? *J. Clin. Lab. Anal.* 32(1): 1–8.
- Levey AS, Coresh J, Tighiouart H, et al. (2020) Measured and estimated glomerular filtration rate: current status and future directions. *Nat. Rev. Nephrol.* 16(1): 51–64.
- Liu Yuan hui, Liu Yong, Chen J yan, et al. (2014) LDL cholesterol as a novel risk factor for contrast-induced acute kidney injury in patients undergoing percutaneous coronary intervention. *Atherosclerosis* 237(2): 453–459.
- McCullough PA, Wolyn R, Rocher LL, et al. (1997) Acute Renal Failure after Coronary Intervention: Incidence, Risk Factors, and Relationship to Mortality. *Am. J. Med.* 103: 368–375.
- McCullough PA, Bertrand ME, Brinker JA, et al. (2006) A Meta-Analysis of the Renal Safety of Isosmolar Iodixanol Compared With Low-Osmolar Contrast Media. *J. Am. Coll. Cardiol.* 48(4): 692–699.

- Mehran R, Eve D A, Eugenia N, et al. (2004) A Simple Risk Score for Prediction of Contrast-Induced Nephropathy After Percutaneous Coronary Intervention Development and Initial Validation. 44(7). DOI: 10.1016/j.jacc.2004.06.068.
- Meinel FG, De Cecco CN, Schoepf UJ, et al. (2014) Contrast-induced acute kidney injury: Definition, epidemiology, and outcome. *Biomed Res. Int.* 2014(859328).
- Myers GL, Miller WG, Coresh J, et al. (2006) Recommendations for improving serum creatinine measurement: A report from the Laboratory Working Group of the National Kidney Disease Education Program. *Clin. Chem.* 52(1): 5–18.
- Ozkok S and Ozkok A (2017) Contrast-induced acute kidney injury: A review of practical points. *World J. Nephrol.* 6(3): 86.
- Park HS, Kim CJ, Hwang BH, et al. (2016) HDL Cholesterol Level Is Associated with Contrast Induced Acute Kidney Injury in Chronic Kidney Disease Patients Undergoing PCI. *Sci. Rep.* 6: 2–7.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia (2015) Pedoman Tatalaksana Sindrom Koroner Akut Edisi Ketiga. 3.
- Pistolesi V, Regolisti G, Morabito S, et al. (2018) Contrast medium induced acute kidney injury: a narrative review. *J. Nephrol.* 31(6): 797–812.
- Rahim F, Blanco A, Nguyen M, et al. (2020) Performance of a Pre-Procedural Mehran Score to Predict Acute Kidney Injury After Percutaneous Coronary Intervention.: 20178–20183. DOI: 10.26717/BJSTR.2020.26.004391.
- Rakowski T, Dziewierz A, Węgiel M, et al. (2021) Risk factors of contrast induced nephropathy in patients with acute coronary syndromes. *Kardiol Pol.*: 0–4.
- Rathore V (2018) Risk Factors of Acute Myocardial Infarction: A Review. *Eurasian Journal of Medical Investigation* 2(1): 1–7.
- Rear R, Bell RM and Hausenloy DJ (2016) Contrast-induced nephropathy following angiography and cardiac interventions. *Heart* 102(8): 638–648.
- Rihal CS, Textor SC, Grill DE, et al. (2002) Incidence and prognostic importance of acute renal failure after percutaneous coronary intervention. *Circulation* 105(19): 2259–2264. DOI: 10.1161/01.CIR.0000016043.87291.33.
- Seeliger E, Sendeski M, Rihal CS, et al. (2012) Contrast-induced kidney injury: Mechanisms, risk factors, and prevention. *Eur. Heart J.* 33(16): 2007–2015.
- Sequeiros RAA, Roubin S. Raposeiras, Abu-Assi E, et al. (2016) Mehran contrast nephropathy risk score : Is it still useful 10 years later ? *J. Cardiol.* 67: 262–267.
- Sgura FA, Bertelli L, Monopoli D, Leuzzi C, Guerri E, Sparta I, et al. (2010) Mehran Contrast-Induced Nephropathy Risk Score Predicts Short- and Long-Term Clinical Outcomes in Patients With ST-Elevation – Myocardial Infarction.: 491–498. DOI: 10.1161/CIRCINTERVENTIONS.110.955310.
- Sgura FA, Bertelli L, Monopoli D, Leuzzi C, Guerri E, Sparta I, et al. (2010) Mehran contrast-induced nephropathy risk score predicts short-and long-term clinical outcomes in patients with ST-elevation-myocardial infarction. *Circ. Cardiovasc. Interv.* 3(5): 491–498.
- Shoukat S, Gowani SA, Jafferani A, et al. (2010) Contrast-induced nephropathy in patients undergoing percutaneous coronary intervention. *Cardiol Res Pract* 1(1): 1–12.

- Spargias K, Alexopoulos E, Kyrzopoulos S, et al. (2004) Ascorbic acid prevents contrast-mediated nephropathy in patients with renal dysfunction undergoing coronary angiography or intervention. *Circulation* 110(18): 2837–2842. DOI: 10.1161/01.CIR.0000146396.19081.73.
- Susantitaphong P and Eiam-Ong S (2014) Pharmacological Strategies to Prevent Contrast-Induced Acute Kidney Injury. *BioMed Research International* 2014. DOI: 10.1155/2014/463608.
- Tehrani S, Laing C, Yellon DM, et al. (2013) Contrast-induced acute kidney injury following PCI. *Eur. J. Clin. Invest.* 43(5): 483–490.
- Tsai TT, Patel UD, Chang TI, et al. (2014) Contemporary incidence, predictors, and outcomes of acute kidney injury in patients undergoing percutaneous coronary interventions: Insights from the NCDR cath-PCI registry. *JACC Cardiovasc. Interv.* 7(1): 1–9.
- Vinod P, Kann T, Polaconda S, et al. (2018) The Impact of Admission Serum Creatinine on Major Adverse Clinical Events in ST-Segment Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention. *Cardiology Research* 9(2): 94–98. DOI: 10.14740/cr689w.
- Wardhani Y, Prasanto RH and Setianto BY (2021) *Cystatin C Serum sebagai Biomarka Awal Kejadian Contrast Induced Acute Kidney Injury (CI-AKI) pada Pasien yang Dilakukan Intervensi Koroner Perkutan Primer*. Universitas Gadjah Mada.
- Weisbord SD and Palevsky PM (2011) Contrast-induced acute kidney injury: Short- and long-term implications. *Seminars in Nephrology* 31(3): 300–309. DOI: 10.1016/j.semnephrol.2011.05.009.