

DAFTAR PUSTAKA

- Anonim, 2020, *Fact Sheet of Cancer*, WHO.
- Anonim, 2020, *Data Global Burden of Cancer* (GLOBOCAN), IARC.
- Amin, K.M., Eissa, A.A.M., Abou-Seri, S.M., Awadallah, F.M., and Hassan, G.S., 2013, Synthesis and Biological Evaluation of Novel Coumarin-Pyrazoline Hybrids Endowed with Phenylsulfonyl Moiety as Antitumor Agents, *Eur. J. Med. Chem.*, 60, 187-198.
- Asiri, A.M., and Khan, S.A., 2011, Synthesis and Anti-bacterial Activities of a Bis-chalcone Derived from Thiophene and its Bis-cyclized Products, *Molecules.*, 16(1), 523–531.
- Bano, S., Javed, K., Ahmad, S., Rathish, I. G., Singh, S., and Alam, M. S., 2013, Synthesis and Biological Evaluation of Some New 2-pyrazolines Bearing Benzene Sulfonamide Moiety as Potential Anti-inflammatory and Anti-cancer Agents, *Eur. J. Med. Chem.*, 46(12), 5763–5768.
- Bennani, F.E., Doudach, L., Cherrah, Y., Ramli, Y., Karrouchi, K., Ansar, M., and Faouzi, M.E.A., 2020, Overview of Recent Developments of Pyrazole Derivatives as an Anticancer Agent in Different Cell Line, *Bioorg. Chem.*, 97, 103470.
- Budimarwanti, C., dan Handayani, S., 2010, Efektivitas Katalis Asam Basa pada Sintesis 2-hidroksikalkon, Senyawa yang Berpotensi Sebagai Zat Warna., *Jurdik kimia UNY*, Yogyakarta.
- Ciupa, A., De Bank, P.A., Mahon, M.F., Wood, P.J., and Caggiano, L., 2013, Synthesis and Antiproliferative Activity of Some 3-(Pyrid-2-yl)-Pyrazolines, *Med. Chem. Comm.*, 4(6), 956–961.
- Da'i, M., Wikantyasning, E.R., Wahyuni, A.S., Kusumawati, I.T.D., Saifudin, A., and Suhendi, A., 2016, Antiproliferative Properties of Tiliroside from *Guazuma Ulmifolia* Lamk on T47D and MCF7 Cancer Cell Lines, *Natl. J. Physiol. Pharm. Pharmacol.*, 6(6), 627–633.
- Dachriyanus., 2004, *Analisis Struktur Senyawa Organik Secara Spektrofotometri*, Penerbit Andalas University Press, Padang.
- De Vasconcelos, A., Campos, V.F., Nedel, F., Seixas, F.K., Dellagostin, O.A., Smith, K.R., De Pereira, C.M.P., Stefanello, F.M., Collares, T., and Barschak, A.G., 2013, Cytotoxic and Apoptotic Effects of Chalcone Derivatives of 2-Acetyl Thiophene on Human Colon Adenocarcinoma Cells, *Cell Biochem Funct.*, 31(4), 289–297.

- Dos Santos, E.F.S., Cury, N.M., Do Nascimento, T.A., Raminelli, C., Casagrande, G.A., Pereira, C.M.P., Simionatto, E., Yunes, J.A., and Pizzuti, L., 2017, Ultrasound-Promoted Synthesis of 3-(Thiophen-2-yl)-4,5-dihydro-1H-pyrazole-1-carboximidamides and Anticancer Activity Evaluation in Leukemia Cell Lines, *J. Braz. Chem. Soc.*, 28(2), 217–224.
- Fogaça, T.B., Martins, R.M., Begnini, K.R., Carapina, C., Ritter, M., de Pereira, C. M.P., Seixas, F.K., and Collares, T., 2017, Apoptotic Effect of Chalcone Derivatives of 2-Acetylthiophene in Human Breast Cancer Cells, *Pharm. Jour.*, 69(1), 156–161.
- Gol, R.M., Khokhani, K.M., Khatri, T.T., and Bhatt, J. J., 2014, Synthesis of Novel Pyrazolines of Medicinal Interest, *J. Korean Chem. Soc.*, 58(1), 49–56.
- Jainey, P.J., and Bhat, I.K., 2012, Antitumor, Analgesic, and Anti-Inflammatory Activities of Synthesized Pyrazolines, *J. Young Pharm.*, 4(2), 82–87.
- Jecky, 2021, Sintesis Turunan Kalkon dan Pirazolina Berbasis Furan dan Metoksiasetofenon serta Uji Aktivitasnya Sebagai Senyawa Antimalaria, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Karlina, L., and Hafshah, M., 2019, Desain Turunan Kalkon Baru Sebagai Antikanker Payudara Berdasarkan Molecular Docking, *Walisongo J. Chem.*, 2(2), 57.
- Ketabforoosh, S.H.M.E., Kheirollahi, A., Safavi, M., Esmati, N., Ardestani, S.K., Emami, S., Firoozpour, L., Shafiee, A., and Foroumadi, A., 2014, Synthesis and Anti-cancer Activity Evaluation of New Dimethoxylated Chalcone and Flavanone Analogs, *Arch. Pharm.*, 347(11), 853–860.
- Kim, C.S., Noh, S.G., Park, Y., Kang, D., Chun, P., Chung, H.Y., Jung, H.J., dan Moon, H.R., 2018, A Potent Tyrosinase Inhibitor, (E)-3-(2,4-Dihydroxyphenyl)-1-(thiophen-2-yl)prop-2-en-1-one, with Anti-Melanogenesis Properties in α -MSH and IBMX-Induced B16F10 Melanoma Cells., *Molecules*, 23(10), 1–14.
- Kosasih, K., Sumaryono, W., and Supriono, A.. 2019, Cytotoxicity of Ethyl Acetate Extract of Cantigi (*Vaccinium varingiaefolium* (Blume) Miq .Young Leaves on *Artemia Salina* L. Larvae, MCF-7, T47D, and Vero Cell Lines, *J. Pharmacogn. Phytochem.*, 8(4), 24–33.
- Lahsasni, S.A., Al Korbi, F.H., and Aljaber, N.A.A., 2014, Synthesis, Characterization and Evaluation of Antioxidant Activities of Some Novel Chalcones Analogues, *Chem. Cent. J.*, 8(1), 1–10.
- Lokesh, B.V.S., Prasad, Y.R., and Shaik, A.B., 2017, Synthesis and Biological Activity of Novel 2,5-dichloro-3-acetylthiophene Chalcone Derivatives,

Indian J. Pharm. Educ. Res., 51(4), S679–S690.

Mai, C.W., Yaeghoobi, M., Abd-Rahman, N., Kang, Y.B., dan Pichika, M.R., 2014, Chalcones with Electron-withdrawing and Electron-donating Substituents: Anticancer Activity Against Trail Resistant Cancer Cells, Structure-activity Relationship Analysis and Regulation of Apoptotic Proteins., *Eur. J. Med. Chem.*, 77, 378–387.

Murwih Alidmat, M., Khairuddean, M., Mohammad Norman, N., Mohamed Asri, A.N., Mohd Suhaimi, M.H., and Sharma, G., 2021, Synthesis, Characterization, Docking Study and Biological Evaluation of New Chalcone, Pyrazoline, and Pyrimidine Derivatives as Potent Antimalarial Compounds, *Arab. J. Chem.*, 14(9), 103304.

Neethu, M.J., and Yusuf, S., 2014, In-silico Design, Synthesis, Antiinflammatory and Anticancer Evaluation of Pyrazoline Analogues of Vanillin, *Int. J. Pharm. Sci. Drug Res.*, 6(2), 128-131.

Nehra, B., Rulhania, S., Jaswal, S., Kumar, B., Singh, G., and Monga, V., 2020, Recent Advancements in The Development of Bioactive Pyrazoline Derivatives, *Eur. J. Med. Chem.*, 205, 112666.

Praceka, M.S., Megantara, S., Maharani, R., and Muchtaridi, M., 2021, Comparison of Various Synthesis Methods and Synthesis Parameters of Pyrazoline Derivates, *J. Adv. Pharm. Technol. Res.*, 12(4), 321–326.

Prayitno, E., Jasil, and Zamri, A., 2015, Sintesis dan Uji Toksisitas Analog Kalkon Tersubstitusi Metoksi, *JOM. FMIPA.*, 2(7), 239–245.

Raghuvanshi, D.S., Verma, N., Singh, S.V., Khare, S., Pal, A., and Negi, A.S., 2019, Synthesis of Thymol-Based Pyrazolines: An Effort to Perceive Novel Potent-antimalarials, *Bioorg. Chem.*, 88, 102933.

Rahman, A.F.M.M., Ali, R., Jahng, Y., and Kadi, A.A., 2012, A Facile Solvent Free Claisen-Schmidt Reaction: Synthesis of α,α' -bis-(Substituted-benzylidene)cycloalkanones and α,α' -bis-(Substituted-alkylidene)cycloalkanones, *Molecules.*, 17(1), 571–583.

Rajendra Prasad, Y., Lakshmana Rao, A., Prasoon, L., Murali, K., and Ravi Kumar, P., 2005, Synthesis and Antidepressant Activity of Some 1,3,5-triphenyl-2-pyrazolines and 3-(2"-hydroxy naphthalen-1"-yl)-1,5-diphenyl-2-pyrazolines, *Bioorganic Med. Chem. Lett.*, 15(22), 5030–5034.

Ramesh, B., and Someswara Rao, B., 2010, Synthesis, Spectral Studies and Anti-inflammatory Activity of 2-acetyl Thiophene, *E- J. Chem.*, 7(2), 433–436.

Rani, M., Yusuf, M., and Khan, S.A., 2012, Synthesis and In-vitro-antibacterial Activity of [5-(furan-2-yl)-phenyl]-4,5-carbothioamide-pyrazolines, *J. Saudi*

- Chem. Soc.*, 16(4), 431–436.
- Reddy, L., Odhav, B., and Bhoola, K.D., 2003, Natural Products for Cancer Prevention: A Global Perspective, *Pharmacol. Ther.*, 99(1), 1–13.
- Ritter, M., Martins, R.M., Rosa, S.A., Malavolta, J.L., Lund, R.G., Flores, A.F.C., and Pereira, C.M.P, 2015, Green Synthesis of Chalcones and Microbiological Evaluation, *J. Braz. Chem. Soc.*, 26(6), 1201–1210.
- Rücker, H., Al-Rifai, N., Rascle, A., Gottfried, E., Brodziak-Jarosz, L., Gerhäuser, C., Dick, T.P., and Amslinger, S., 2015, Enhancing The Anti-inflammatory Activity of Chalcones by Tuning The Michael Acceptor Site, *Org. Biomol. Chem.*, 13(10), 3040–3047.
- Sakthnathan, S.P., Vanangamudi, G., and Thirunarayanan, G, 2012, Synthesis, Spectral Studies and Antimicrobial Activities of Some 2-naphthyl Pyrazoline Derivatives, *Spectrochim. Acta A Mol. Biomol.*, 95, 693–700.
- Sarmoko, Solihati, I., Setyono, J., Ekowati, H., and Fadlan, A., 2020, *Zingiber Officinale* Var. Rubrum Extract Increases The Cytotoxic Activity of 5-fluorouracil in Colon Adenocarcinoma WiDr Cells, *Indones. J. Pharm.*, 31(4), 266–272.
- Sekhar, C., Rao, T., Rao, V., Kumar, L., and Jha, A., 2018, Synthesis and Anticancer/Antibacterial Activity of Compounds Containing Thiophene Ring Linked to a Chalcone Derivatives, *Chem. Biol.*, 8(2), 94–105.
- Setiawati, 2018, Sintesis Turunan N-fenil Pirazolina dari Veratraldehida dan Uji Sitotoksitasnya terhadap Sel Kanker, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Sharma, P., Kumar, S., Ali, F., Anthal, S., Gupta, V.K., Khan, I.A., Singh, S., Sangwan, P.L., Suri, K.A., Gupta, B.D., Gupta, D.K., Dutt, P., Vishwakarma, R.A., and Satti, N.K., 2013, Synthesis and Biologic Activities of Some Novel Heterocyclic Chalcone Derivatives, *Med. Chem. Res.*, 22(8), 3969–3983.
- Sieuwert, A.M., Klijn, J.G.M., Peters, H.A., and Foekens, J.A., 1995, The MTT Tetrazolium Salt Assay Scrutinized: How to Use this Assay Reliably to Measure Metabolic Activity of Cell Cultures In Vitro for the Assessment of Growth Characteristics, IC₅₀-Values and Cell Survival, *Clin. Chem. Lab. Med.*, 33(11), 813–824.
- Suirta, I.W., 2016, Sintesis Senyawa Kalkon Serta Uji Aktivitas Sebagai Antioksidan, *J. Chem.*, 10(1), 75–80.
- Suma, A.A.T., Wahyuningsih, T.D., and Mustofa., 2019, Synthesis, Cytotoxicity Evaluation and Molecular Docking Study of N-Phenylpyrazoline Derivatives, *Indones. J. Chem.*, 19(4), 1081-1090

- Syam, S., Abdelwahab, S.I., Al-Mamary, M.A., and Mohan, S., 2012, Synthesis of Chalcones with Anticancer Activities, *Molecules.*, 17(6), 6179–6195.
- Tadigoppula, N., Korthikunta, V., Gupta, S., Kancharla, P., Khaliq, T., Soni, A., Srivastava, R.K., Srivastava, K., Puri, S.K., Raju, K.S.R., Wahajuddin, Sijwali, P.S., Kumar, V., and Mohammad, I.S., 2013, Synthesis and Insight into The Structure-activity Relationships of Chalcones as Antimalarial Agents, *J. Med. Chem.*, 56(1), 31–45.
- Venkataramireddy, V., Shankaraiah, M., Tejeswara Rao, A., Kalyani, C.H., Lakshmi Narasu, M., Varala, R., and Jayashree, A., 2016, Synthesis and Anticancer Activity of Novel 3-aryl Thiophene-2-carbaldehydes and Their Aryl/Heteroaryl Chalcone Derivatives, *Rasayan J. Chem.*, 9(1), 31–39.
- Wahyuningsih, T.D., Suma, A.A.T., and Astuti, E., 2019, Synthesis, Anticancer Activity, and Docking Study of N-acetyl Pyrazolines from Veratraldehyde, *J. Appl. Pharm. Sci.*, 9(3), 14–20.
- Wulandari, T., Marji, and Muflikhah, L., 2018, Klasifikasi Jenis Kanker Berdasarkan Struktur Protein Menggunakan Algoritma Naive Bayes, *Jurnal Pengembangan Teknologi Informasi Dan Ilmu Komputer.*, 2(10), 3738–3743.
- Yadav, N., Dixit, S.K., Bhattacharya, A., Mishra, L.C., Sharma, M., Awasthi, S.K., and Bhasin, V.K., 2012, Antimalarial Activity of Newly Synthesized Chalcone Derivatives In Vitro, *Chem. Biol. Drug Des.*, 80(2), 340–347.
- Zhu, S.L., Wu, Y., Liu, C.J., Wei, C.Y., Tao, J.C., and Liu, H.M., 2013, Design and Stereoselective Synthesis of Novel Isosteviol-fused Pyrazolines and Pyrazoles as Potential Anticancer agents, *Eur. J. Med. Chem.*, 65, 70–82.
- Zhuang, L., Liu, F., Peng, P., Xiong, H., Qiu, H., Fu, X., Xiao, Z., and Huang, X., 2018, Effect of Ku80 on The Radiosensitization of Cisplatin in The Cervical Carcinoma Cell Line HeLa, *Oncol. Lett.*, 15(1), 147–154.