

DAFTAR PUSTAKA

- Alzohairy AM, Sabir JSM, Gyulai G, Younis RAA, Jansen RK, Bahieldin A. (2014). Environmental stress activation of plant long-terminal repeat retrotransposons. *Funct Plant Bio* 41: 557-567. DOI: 10.1071/FP13339
- Althoff, D. M., Gitzendanner, M. A., & Segraves, K. A. (2007). The utility of amplified fragment length polymorphisms in phylogenetics: A comparison of homology within and between genomes. *Systematic Biology*, 56 (3): 477-484. DOI: <https://doi.org/10.1080/10635150701427077>
- Amiryousefi A, Hyvönen J, Poczai P. (2018). iMEC: Online marker efficiency calculator. *Appl Plant Sci* 6: 4-7. DOI: 10.1002/aps3.1159.
- Ansari, A.M., & Singh, Y. (2014). Molecular diversity of brinjal (*Solanum melongena* L. and *S. aethiopicum* L.) genotypes revealed by SSR markers. *Electronic Journal of Plant Breeding*, 5: 722-728.
- Arabidopsis Genome Initiative (2000). Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*. *Nature* 408: 796–815 2.
- Botstein, D., White, R. L., Skolnick, M., & Davis, R. W. (1980). Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *American journal of human genetics*, 32 (3), 314–331.
- Bhandari HR, Bhanu AN, Srivastava K, Singh MN, Shreya, Hemantaranjan A. (2017). Assessment of genetic diversity in crop plants - an overview. *Adv Plants Agric Res* 7: 279-286. DOI: 10.15406/apar.2017.07.00255
- Branco, C. J., Vieira, E. A., Malone, G., Kopp, M. M., Malone, E., Bernardes, A., Mistura, C. C., Carvalho, F. I., & Oliveira, C. A. (2007). IRAP and REMAP assessments of genetic similarity in rice. *Journal of applied genetics*, 48 (2): 107–113. DOI: <https://doi.org/10.1007/BF03194667>
- Carvalho, Ana; Guedes-Pinto, Henrique; Lima-Brito, José Eduardo (2011). *Genetic Diversity in Old Portuguese Durum Wheat Cultivars Assessed by Retrotransposon-Based Markers*. 30 (3): 578–589. DOI: 10.1007/s11105-011-0367-5
- Dashti, T.H., Masoudi-Nejad, A. (2010). Mining biological repetitive sequences using support vector machines and fuzzy SVM. *Iran. J. Chem. Chem. Eng.* 29: 1–17. DOI: 10.30492/IJCC.2010.6367
- Doyle JJ, Doyle JL. (1987). A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemical Bulletin* 19: 11-15.
- DK, Patel (2016). *Vegetative Propagation of Coleus forskohlii (Wild) Briq using their Stem Cutting for Ex-situ Conservation in Herbal Garden. Medicinal and Aromatic Plants*, 5 (4). DOI: 10.4172/2167-0412.1000261
- Edwards, D., J.W. Forster, D. Chagne, and J. Batley. (2007). What is SNPs? In: N.C. Or-aguzie, E.H.A. Rikkerink, S.E. Gardiner and H.N. de Silva (eds.), *Association Map-ping in Plants*. Springer, Berlin, pp 41-52.
- Fan F, Cui B, Zhang T, Ding G, Wen X. (2014). LTR-retrotransposon activation, IRAP marker development and its potential in genetic diversity assessment of masson pine (*Pinus massoniana*). *Tree Genet Genomics* 10: 2013–2222

- Fan, F., Wen, X., Ding, G., Cui, B. (2013). *Isolation, identification, and characterization of genomic LTR retrotransposon sequences from masson pine (Pinus massoniana)*. *Tree Genetics & Genomes*, 9 (5): 1237–1246. DOI: 10.1007/s11295-013-0631-y
- Ferrão, L.F.V., Caixeta, E.T., Souza, F.F. Souza, Eunize M. Zambolim, Cosme D. Cruz, Laércio Zambolim, Ney S. Sakiyama (2013). Comparative study of different molecular markers for classifying and establishing genetic relationships in *Coffea canephora*. *Plant Syst Evol* 299: 225–238. DOI: <https://doi.org/10.1007/s00606-012-0717-2>
- Finnegan D. J. (1989). Eukaryotic transposable elements and genome evolution. *Trends in genetics : TIG*, 5 (4): 103–107. DOI: [https://doi.org/10.1016/0168-9525\(89\)90039-5](https://doi.org/10.1016/0168-9525(89)90039-5)
- Flavell, A. J., Knox, M. R., Pearce, S. R., & Ellis, T. H. (1998). Retrotransposon-based insertion polymorphisms (RBIP) for high throughput marker analysis. *The Plant journal : for cell and molecular biology*, 16 (5): 643–650. DOI: <https://doi.org/10.1046/j.1365-313x.1998.00334.x>
- Fu, Y.B. (2015). *Understanding crop genetic diversity under modern plant breeding*. *Theoretical and Applied Genetics*, 128 (11): 2131–2142. DOI: 10.1007/s00122-015-2585-y
- Galindo-González, Leonardo; Mhiri, Corinne; Deyholos, Michael K.; Grandbastien, Marie-Angèle (2017). *LTR-retrotransposons in plants: Engines of evolution*. *Gene*, S0378111917303220. DOI: 10.1016/j.gene.2017.04.051
- Gardener, A. (1855). *Coleus blumei*. *The Florist* 8: 285-286.
- Govarthanan M., Guruchandar A., Arunapriya S., Selvankumar T. and Selvam K. (2011). Genetic variability among *Coleus* sp. studied by RAPD banding pattern analysis *Int. J. Biotechnol. Mol. Biol. Res* Vol. 2 (12): 202-208.
- Govindaraj, M., Vetriventhan, M., & Srinivasan, M. (2015). *Importance of Genetic Diversity Assessment in Crop Plants and Its Recent Advances: An Overview of Its Analytical Perspectives*. *Genetics Research International*: 1–14. DOI: 10.1155/2015/431487
- Guo-Liang Jiang (2013). *Molecular Markers and Marker-Assisted Breeding in Plants, Plant Breeding from Laboratories to Fields*, Sven Bode Andersen, IntechOpen, DOI: 10.5772/52583.
- Kavitha C, Vadivel E, Thangamani C, Rajamani K. (2007). Analysis of variability for qualitative and quantitative traits in *Coleus forskohlii* Briq. *J. Hortic. Sci.* 2: 44-46
- Kalendar; T. Grob; M. Regina; A. Suoniemi; A. Schulman (1999). *IRAP and REMAP: two new retrotransposon-based DNA fingerprinting techniques*. 98 (5): 704–711. DOI: 10.1007/s001220051124
- Kalendar R, Schulman AH. (2006). IRAP and REMAP for retrotransposon-based genotyping and fingerprinting. *Nat Protoc* 1: 2478-2484. DOI: 10.1038/nprot.2006.377.
- Kalendar, R., Antonius, K., Smýkal, P., & Schulman, A. H. (2010). iPBS: a universal method for DNA fingerprinting and retrotransposon isolation. *TAG. Theoretical and applied genetics. Theoretische und angewandte*

Genetik, 121 (8): 1419–1430. DOI:<https://doi.org/10.1007/s00122-010-1398-2>

- Kartikaningrum, S. (2020). Keragaman genetik iler (*coleus* spp.) berdasarkan penanda *Sequence-related Amplified Polymorphism* (SRAP)
- Keller E.F. (1983). *A feeling for the organism: the life and work of Barbara McClintock*. W.H. Freeman, San Francisco
- Khan, B.A., Akhtar, N., Anwar, M., Mahmood, T., Khan, H., Hussain, I., & Khan, K.A. (2012). Botanical Description of *Coleus forskohlii*: A Review. *Journal of Medicinal Plants Research*, 6: 4832-4835.
- Kumar, Amar; Bennetzen, Jeffrey L. (1999). *Plant Retrotransposons. Annual Review of Genetics*, 33 (1): 479–532. DOI: 10.1146/annurev.genet.33.1.479
- Lebowitz, R.J. (1985). Plant Breeding Reviews (Janick/Plant) || The Genetics and Breeding of *Coleus*. 343–360. DOI: 10.1002/9781118061008.ch9
- Lepš, J., & Šmilauer, P. (2003). Similarity measures. In *Multivariate Analysis of Ecological Data using CANOCO* (pp. 76-95). Cambridge: Cambridge University Press. DOI: 10.1017/CBO9780511615146.007
- Liang Chen; Qi-kang Gao; Da-ming Chen; Chang-jie Xu (2005). *The use of RAPD markers for detecting genetic diversity, relationship and molecular identification of Chinese elite tea genetic resources [Camellia sinensis (L.) O. Kuntze] preserved in a tea germplasm repository*. 14 (6): 1433–1444. DOI: 10.1007/s10531-004-9787-y
- Li, G., Quiros, C. (2001). Sequence-related amplified polymorphism (SRAP), a new marker system based on a simple PCR reaction: its application to mapping and gene tagging in *Brassica*. *Theor Appl Genet* 103: 455–461. DOI: <https://doi.org/10.1007/s001220100570Fe>
- Liu, B. H. (1998). *Statistical genomics: Linkage, mapping and QTL analysis*. CRC Press, Boca Raton, Florida, USA.
- Loureiro J (1790). *Flora cochinchinensis*. Acadamica Ulyssipone, Lisbon.
- Madhumati B. (2014). Potential and application of molecular markers techniques for plant genome analysis. *Int J Pure App Biosci*; 2 (1): 169–88.
- Makałowski, W., Pande, A., Gotea, V., & Makałowska, I. (2012). Transposable elements and their identification. *Methods in molecular biology (Clifton, N.J.)*, 855: 337–359. DOI: https://doi.org/10.1007/978-1-61779-582-4_12
- Makałowski, W., Gotea, V., Pande, A., & Makałowska, I. (2019). *Transposable Elements: Classification, Identification, and Their Use As a Tool For Comparative Genomics. Evolutionary Genomics: 177–207*. DOI: 10.1007/978-1-4939-9074-0_6
- Mansour A, Jaime A, da Silva T, Edris S, Younis RAA. (2010). Comparative assessment of genetic diversity in some tomato cultivars using IRAP, ISSR and RAPD molecular markers. *Genes, Genomes and Genomics* 4 (Sp. Issue 1): 41–47.
- McClintock B. (1950). The origin and behavior of mutable loci in maize. *Proc Natl Acad Sci U S A* 36 (6): 344–355

- McClintock B. (1951). Chromosome organization and genic expression. *Cold Spring Harb Symp Quant Biol* 16:13–47
- McClintock B. (1956). Controlling elements and the gene. *Cold Spring Harb Symp Quant Biol* 21:197–216
- Metwally, Sami A., M. ShoaibR., M.M. Ibrahim, Abo-Leila, Bedour H., K.A. Aboud and Mohamed, Sharbat L. (2018). *Bioscience Research*. 15 (3): 2558-2567.
- Mohammadi, S. A.; Prasanna, B. M. (2003). *Analysis of Genetic Diversity in Crop Plants—Salient Statistical Tools and Considerations*. *Crop Science*, 43 (4): 1235. DOI: 10.2135/cropsci2003.1235
- Mondini, Linda; Noorani, Arshiya; Pagnotta, Mario A. (2009). *Assessing Plant Genetic Diversity by Molecular Tools*. *Diversity*, 1(1): 19–35. DOI: 10.3390/d1010019
- Mullis, K., Faloona, F., Scharf, S., Saiki, R., Horn, G., & Erlich, H. (1986). Specific enzymatic amplification of DNA in vitro: the polymerase chain reaction. *Cold Spring Harbor symposia on quantitative biology*, 51 Pt 1: 263–273. DOI: <https://doi.org/10.1101/sqb.1986.051.01.032>
- Nadeem, Muhammad Azhar; Nawaz, Muhammad Amjad; Shahid, Muhammad Qasim; Doğan, Yıldız; Comertpay, Gonul; Yıldız, Mehtap; Hatipoğlu, Rüştü; Ahmad, Fiaz; Alsaleh, Ahmad; Labhane, Nitin; Özkan, Hakan; Chung, Gyuhwa; Baloch, Faheem Shehzad. (2017). *DNA molecular markers in plant breeding: current status and recent advancements in genomic selection and genome editing*. *Biotechnology & Biotechnological Equipment*: 1–25. DOI: 10.1080/13102818.2017.1400401
- Nair AS, Teo CH, Schwarzacher T, Heslop-Harrison P. (2005). Genome classification of banana cultivars from South India using IRAP markers. *Euphytica* 144:285–290. DOI: 10.1007/s10681-005-7321-2
- Nagpal, A.K., Singh, B., Sharma, S., Rani, G., & Virk, G.S. (2009). *Coleus* spp.: Micropropagation and In Vitro Production of Secondary Metabolites.
- Nei, M. (1973). *Analysis of Gene Diversity in Subdivided Populations*. *Proceedings of the National Academy of Sciences*, 70 (12): 3321–3323. DOI: 10.1073/pnas.70.12.3321
- Nei, M. (1978). *Estimation of average heterozygosity and genetic distance from a small number of individuals*. *Genetics* 89:583–590.
- Nei, M. (2013). *Genetic Distance*. *Brenner's Encyclopedia of Genetics*: 248–250. DOI: 10.1016/b978-0-12-374984-0.00615-x
- Osman AR. (2013). Genetic Variability and Total phenolic Compounds among six *Coleus blumei* Varieties using RAPD Analysis. *J Appl Sci Res* 9: 1395-1400.
- Paul A. Akhil V. and Sona S. D. (2015). Assessment of Genetic Diversity between and within Populations of *Coleus* sp using RAPD Marker. *RJPBCS* 6(2) pp. 623-628.
- Paux, E., Faure, S., Choulet, F., Roger, D., Gauthier, V., Martinant, J. P., Sourdille, P., Balfourier, F., Le Paslier, M. C., Chauveau, A., Cakir, M., Gandon, B., & Feuillet, C. (2010). Insertion site-based polymorphism markers open new perspectives for genome saturation and marker-assisted selection in wheat. *Plant biotechnology journal*, 8(2), 196–210. DOI: <https://doi.org/10.1111/j.1467-7652.2009.00477.x>

- Peakall R, Smouse PE. (2012). GenALEX 6.5: Genetic analysis in Excel. Population genetic software for teaching and research-an update. *Bioinformatics* 28: 2537-2539. DOI: 10.1093/bioinformatics/bts460.
- Petersen, M. (1994). *Coleus* spp.: *In Vitro Culture and the Production of Forskolin and Rosmarinic Acid. Biotechnology in Agriculture and Forestry*: 69–92. DOI: 10.1007/978-3-642-57970-7_5
- Poczai, P., Varga, I., Laos, M., Cseh, A., Bell, N., Valkonen, J. P., & Hyvönen, J. (2013). Advances in plant gene-targeted and functional markers: a review. *Plant methods*, 9 (1): 6. DOI:10.1186/1746-4811-9-6
- Powell W, Morgante M, Andre C, Hanafey M, Vogel J, Tingey S, Rafalski A. (1996). The comparison of RFLP, RAPD, AFLP and SSR (Microsatellite) markers for germplasm analysis. *Mol Breed* 2: 225–238
- Prajapati ND, Purohit SS, Sharma AK, Kumar T. (2003). *A Handbook of Medicinal Plants*, Agrobios Publishers, India, P. 162.
- Prevost, A., and M. J. Wilkinson. (1999). A new system of comparing PCR primers applied to ISSR fingerprinting of potato cultivars. *Theoretic and Applied Genetics* 98: 107–112.
- Rani, G., Talwar, D., Nagpal, A.K., & Virk, G.S. (2006). Micropropagation of *Coleus blumei* from nodal segments and shoot tips. *Biologia Plantarum*, 50: 496-500. DOI: 10.1007/s10535-006-0078-1
- Ramanatha Rao, V., Hodgkin, T. (2002). Genetic diversity and conservation and utilization of plant genetic resources. *Plant Cell, Tissue and Organ Culture* 68: 1–19. DOI: <https://doi.org/10.1023/A:1013359015812>
- Rasineni GK, Siddavattam D, Reddy AR. (2008). Free Radical Quenching Activity and Polyphenols in Three Species of *Coleus*, *J. Med. Plants Res.* 2 (10): 285-291.
- Rohlf FJ. (2009). NTSYSpc. Numerical Taxonomy and Multivariate Analysis: Version 2.2. Exeter Software Setauket, New York.
- Santos, M.F.; Damasceno-Silva, K.J.; Carvalhaes, M.A.; Lima, P.S.C. (2015). *Genetic variation detected by RAPD markers in natural populations of babassu palm (Attalea speciosa Mart.)*. *Genetics and Molecular Research*, 14 (2): 6124–6135. DOI: 10.4238/2015.June.8.10
- Schnable, P. S., Ware, D., Fulton, R. S., Stein, J. C., Wei, F., Pasternak, S., Liang, C., Zhang, J., Fulton, L., Graves, T. A., Minx, P., Reilly, A. D., Courtney, L., Kruchowski, S. S., Tomlinson, C., Strong, C., Delehaunty, K., Fronick, C., Courtney, B., Rock, S. M., ... Wilson, R. K. (2009). The B73 maize genome: complexity, diversity, and dynamics. *Science (New York, N.Y.)*, 326 (5956): 1112–1115. DOI: <https://doi.org/10.1126/science.1178534>
- Schulman, A., & Wicker, T. (2013). A Field Guide to Transposable Elements. In *Plant Transposons and Genome Dynamics in Evolution* Wiley Blackwell. DOI: <https://doi.org/10.1002/9781118500156.ch2>
- Seibt KM, Wenke T, Muders K, Truberg B, Schmidt T. (2016). Short interspersed nuclear elements (SINEs) are abundant in Solanaceae and have a family-specific impact on gene structure and genome organization. *Plant J* 86: 268-285. DOI: 10.1111/tpj.13170.

- Seibt KM, Wenke T, Wollrab C, Junghans H, Muders K, Dehmer KJ, Diekmann K, Schmidt T. (2012). Development and application of SINE-based markers for genotyping of potato varieties. *Theor Appl Genet* 125: 185-196. DOI: 10.1007/s00122-012-1825-7.
- Sormin SYM, Purwantoro A, Setiawan AB, Teo CH. (2021). Application of inter-SINE amplified polymorphism (ISAP) markers for genotyping of *Cucumis melo* accessions and its transferability in *Coleus* spp. *Biodiversitas* 22: 2918-2929. DOI: <https://doi.org/10.13057/biodiv/d220557>
- Swingland IR. (2001). Biodiversity. *Definition of Encyclopedia of Biodiversity*; 1:377–390.
- Taheri MT, Alavi-Kia SS, Mohammadi SA, Vahed MM. 2018. Assessment of genetic diversity and relationships among *Triticum urartu* and *Triticum boeoticum* populations from Iran using IRAP and REMAP markers. *Genet Resour Crop Evol* 65:1867-1878.
- Tatout C, Warwick S, Lenoir A, Deragon J-M. (1999). Sine insertions as clade markers for wild Crucifer species. *Molecular Biology and Evolution* 16: 1614–1621. DOI: 10.1093/oxfordjournals.molbev.a026074
- Teo CH, Tan SH, Othman YR, Schwarzacher T. (2002). The cloning of Ty1- copia-like retrotransposons from 10 varieties of banana (*Musa* Sp.). *Journal of Biochemistry, Molecular Biology, and Biophysics* 6: 193–201. DOI: 10.1080/10258140290022329
- Tessier, C., J. David, P. This, J. M. Boursiquot, and A. Charrier. (1999). Optimization of the choice of molecular markers for varietal identification in *Vitis vinifera* L. *Theoretical and Applied Genetics* 98: 171–177. DOI: <https://doi.org/10.1007/s001220051054>
- Thorne Research (2006). Monograph on *Coleus forskohlii*. *Alternat. Med. Rev.* 11(1):47-51.
- Todorovska, E. (2007). *Retrotransposons and their Role in Plant—Genome Evolution. Biotechnology & Biotechnological Equipment*, 21(3): 294–305. DOI: 10.1080/13102818.2007.10817464
- Tripathi, Niraj; Saini, Navinder; Tiwari, Sharad (2013). *Morphological and molecular characterization of endangered medicinal plant species Coleus forskohlii collected from central India. Journal of Crop Science and Biotechnology*, 16 (4): 253–261. DOI: 10.1007/s12892-013-0083-9
- Valdes LJ, Mislankar SG, Paul AG. (1987). *Coleus barbatus* (C. *forskohlii*) (Lamiaceae) and the potential new drug forskolin (Coleonol). *Econ. Bot.* 44: 474-483.
- Vitte C, Ishii T, Lamy F, Brar D, Panaud O. (2004). Genomic paleontology provides evidence for two distinct origins of Asian rice (*Oryza sativa* L). *Mol Genet Genomics* 272: 504–511. DOI: 10.1007/s00438-004-1069-6
- Vos, P., Hogers, R., Bleeker, M., Reijans, M., van de Lee, T., Hornes, M., Frijters, A., Pot, J., Peleman, J., & Kuiper, M. (1995). AFLP: a new technique for DNA fingerprinting. *Nucleic acids research*, 23 (21): 4407–4414. DOI: <https://doi.org/10.1093/nar/23.21.4407>
- Waugh, R., McLean, K., Flavell, A. J., Pearce, S. R., Kumar, A., Thomas, B. B., & Powell, W. (1997). Genetic distribution of Bare-1-like retrotransposable

elements in the barley genome revealed by sequence-specific amplification polymorphisms (S-SAP). *Molecular & general genetics* : MGG, 253 (6): 687–694. DOI: <https://doi.org/10.1007/s004380050372>

- Welsh, J., & McClelland, M. (1990). Fingerprinting genomes using PCR with arbitrary primers. *Nucleic acids research*, 18 (24): 7213–7218. DOI: <https://doi.org/10.1093/nar/18.24.7213>
- Wen, C. S. and Hsiao, J. Y. (2001). *Altitudinal Genetic Differentiation and Diversity of Taiwan Lily (Lilium longiflorum var. formosanum; Liliaceae) Using RAPD Markers and Morphological Characters. International Journal of Plant Sciences*, 162 (2): 287–295. DOI: 10.1086/319588
- Wenke T, Seibt KM, Döbel T, Muders K, Schmidt T. (2015). Inter-SINE Amplified Polymorphism (ISAP) for rapid and robust plant genotyping. *Methods Mol Biol.* 1245: 183-92. DOI: 10.1007/978-1-4939-1966-6_14.
- Wessler, S.R.; Bureau, T.E.; White, S.E. (1995). *LTR-retrotransposons and MITEs: important players in the evolution of plant genomes*. 5 (6), 0–821. DOI: 10.1016/0959-437x(95)80016-x
- Wicker T, Sabot F, Hua-Van A, Bennetzen JL, Capy P, Chalhoub B, Flavell A, Leroy P, Morgante M, Panaud O, Paux E, SanMiguel P, Schulman AH. (2007). A unified classification system for eukaryotic transposable elements. *Nat Rev Genet* 8 (12): 973–982. DOI: <https://doi.org/10.1038/nrg2165>.
- Willemse, R. H. (1985). Notes on East African *Plectranthus* Species (Labiatae). *Kew Bulletin*, 40 (1), 93–96. DOI: <https://doi.org/10.2307/4108480>
- Williams, J. G., Kubelik, A. R., Livak, K. J., Rafalski, J. A., & Tingey, S. V. (1990). DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic acids research*. 18 (22): 6531–6535. DOI: <https://doi.org/10.1093/nar/18.22.6531>
- Xu, Y. 2010. *Molecular plant breeding*. CAB International.