



DAFTAR PUSTAKA

- A., V., & Costa, D. M. De. (2014). Molecular and Pathogenic Diversity of the Causal Agents of Onion Leaf Twister Disease in Batticaloa District of Sri Lanka. *Universal Journal of Plant Science*, 2(7), 121–127. <https://doi.org/10.13189/ujps.2014.020702>
- Ahmad, I., Ahmad, M., Hussain, A., & Jamil, M. (2021). Integrated use of phosphate-solubilizing *Bacillus subtilis* strain IA6 and zinc-solubilizing *Bacillus* sp. strain IA16: a promising approach for improving cotton growth. *Folia Microbiologica*, 66(1), 115–125. <https://doi.org/10.1007/s12223-020-00831-3>
- Aisyah, S.N., Khoiruddin, M., Hidayat, M., Astuti, A. 2021. Comparison on Fusarium Basal Rot Occurrence among shallot cultivation in Bantul Regency. *International Conference on Sustainable Agricultural : Earth and Environment Science* 985 (2022).
- Akhter, A., Hage-Ahmed, K., Soja, G., & Steinkellner, S. (2016). Potential of *Fusarium* wilt-inducing chlamydospores, in vitro behaviour in root exudates and physiology of tomato in biochar and compost amended soil. *Plant and Soil*, 406(1–2), 425–440. <https://doi.org/10.1007/s11104-016-2948-4>
- Alves, K.S., and E.M.D. Ponte. 2021. Analysis and simulation of plant disease progress curves in R: introducing the epifitter package. *Phytopathology Research* 3 (22) <https://doi.org/10.1186/s42483-021-00098-7>
- Al-Sa'di, A. M., Drenth, A., Deadman, M. L., De Cock, A. W. A. M., & Aitken, E. A. B. (2007). Molecular characterization and pathogenicity of *Pythium* species associated with damping-off in greenhouse cucumber (*Cucumis sativus*) in Oman. *Plant Pathology*, 56(1), 140–149. <https://doi.org/10.1111/j.1365-3059.2006.01501.x>
- Andrabi, S. B. A., Tahara, M., Matsubara, R., Toyama, T., Aonuma, H., Sakakibara, H., Suematsu, M., Tanabe, K., Nozaki, T., & Nagamune, K. (2018). Plant hormone cytokinins control cell cycle progression and plastid replication in apicomplexan parasites. *Parasitology International*, 67(1), 47–58. <https://doi.org/https://doi.org/10.1016/j.parint.2017.03.003>
- Anonim. 2021. Curah Hujan dan Hari Hujan di Kabupaten Bantul. diakses online 22 Juli 2022. <https://data.bantulkab.go.id/>
- Aprilia, I., Maharjaya, A., & Wiyono, S. (2020). Keragaman Genetik dan Ketahanan terhadap Penyakit Layu Fusarium (*Fusarium oxysporum* f.sp cepae) Bawang Merah (*Allium cepa* L. var. *aggregatum*) Indonesia. *Jurnal Hortikultura Indonesia*, 11(1), 32–40. <https://doi.org/10.29244/jhi.11.1.32-40>
- Arisuryanti, T., Daryono, B. S., Hartono, S., Agung, A., & Raka, G. (2008). Observasi dan Identifikasi Virus yang Menginfeksi Bawang Merah di Jawa. *Jurnal Perlindungan Tanaman Indonesia*, 14(2), 55–62.
- Arkhipova, T. N., Veselov, S. U., Melentiev, A. I., Martynenko, E. V., & Kudoyarova, G. R. (2005). Ability of bacterium *Bacillus subtilis* to produce cytokinins and to influence the growth and endogenous hormone content of lettuce plants. *Plant and Soil*, 272(1–2), 201–209. <https://doi.org/10.1007/s11104-004-5047-x>
- Artanti, H. 2022. Induksi Ketahanan terhadap Penyakit Moler dan Struktur Komunitas



Bakteri Rhizosfer pada Bawang Merah yang diperlakukan dengan Rhizophagus Intraradices dan Trichoderma asperellum. *Thesis*. Universitas Gadjah Mada

Bais, H. P., Fall, R., & Vivanco, J. M. (2004). Biocontrol of *Bacillus subtilis* against infection of *Arabidopsis* roots by *Pseudomonas syringae* is facilitated by biofilm formation and surfactin production. *Plant Physiology*, 134(1), 307–319. <https://doi.org/10.1104/pp.103.028712>

Banerjee, G., Gorthi, S., & Chattopadhyay, P. (2018). Beneficial effects of bio-controlling agent *Bacillus cereus* IB311 on the agricultural crop production and its biomass optimization through response surface methodology. *Anais Da Academia Brasileira de Ciencias*, 90(2), 2149–2159. <https://doi.org/10.1590/0001-3765201720170362>

Barrios, F.R., Granillo, A.R., Canales, M.G.M., Lim, M.G., Loske, A.M., Tovar, A.V., Perez, N.O. 2022. *Fusarium tempertuum* shows a hemibiotrophic infection process and differential pathogenecity over different maize breeds from Mexico. *Journal of Phytopathology* 170: 21 - 23. <https://doi.org/10.1111/jph.13052>

Bélanger, J. M. R., Jocelyn Paré, J. R., & Sigouin, M. (1997). Chapter 2 High performance liquid chromatography (HPLC): Principles and applications. *Techniques and Instrumentation in Analytical Chemistry*, 18(C), 37–59. [https://doi.org/10.1016/S0167-9244\(97\)80011-X](https://doi.org/10.1016/S0167-9244(97)80011-X)

Benbow, J. M., & Sugar, D. (1999). Fruit surface colonization and biological control of postharvest diseases of pear by preharvest yeast applications. *Plant Disease*, 83(9), 839–844. <https://doi.org/10.1094/PDIS.1999.83.9.839>

Benizri, E., Piutti, S., Verger, S., Pagès, L., Vercambre, G., Poessel, J. L., & Michelot, P. (2005). Replant diseases: Bacterial community structure and diversity in peach rhizosphere as determined by metabolic and genetic fingerprinting. *Soil Biology and Biochemistry*, 37(9), 1738–1746. <https://doi.org/10.1016/j.soilbio.2005.02.009>

Bhaliya, C.M., Jadeja, K.B. 2014. Efficacy of different fungicides against *Fusarium solani* causing coriander root rot. *The Bioscan* 9 (3): 1225 - 1227.

Borriss, R., Chen, X.-H., Rueckert, C., Blom, J., Becker, A., Baumgarth, B., Fan, B., Pukall, R., Schumann, P., Spröer, C., Junge, H., Vater, J., Pühler, A., & Klenk, H.-P. (2011). Relationship of *Bacillus amyloliquefaciens* clades associated with strains DSM 7T and FZB42. *International Journal of Systematic and Evolutionary Microbiology*, 61(Pt 8), 1786–1801. <https://doi.org/10.1099/ijs.0.023267-0>

BPS. (2019). *Produksi Tanaman Sayuran Indonesia*. <https://www.bps.go.id/indicator/55/61/1/produksi-tanaman-sayuran.html>

Calvo, P., Zebelo, S., McNear, D., Kloepper, J., & Fadamiro, H. (2019). Plant growth-promoting rhizobacteria induce changes in *Arabidopsis thaliana* gene expression of nitrate and ammonium uptake genes. *Journal of Plant Interactions*, 14(1), 224–231. <https://doi.org/10.1080/17429145.2019.1602887>

Cao, Y., Pi, H., Chandrangsu, P., Li, Y., Wang, Y., Zhou, H., Xiong, H., Helmann, J. D., & Cai, Y. (2018). Antagonism of Two Plant-Growth Promoting *Bacillus velezensis* Isolates Against *Ralstonia solanacearum* and *Fusarium oxysporum*. *Scientific Reports*, 8(1), 1–14. <https://doi.org/10.1038/s41598-018-22782-z>



- Chavera, G.F.S., Macuer, M.A., Torres, P.M. 2020. Endospore-forming bacteria present in commercial stabilized poultry manure determines the *Fusarium* Biocontrol and the Tomato Growth Promotion. *Agronomy* (10).
- Chen, C., Bélanger, R. R., Benhamou, N., & Paulitz, T. C. (2000). Defense enzymes induced in cucumber roots by treatment with plant growth-promoting rhizobacteria (PGPR) and *Pythium aphanidermatum*. *Physiological and Molecular Plant Pathology*, 56(1), 13–23. <https://doi.org/10.1006/pmpp.1999.0243>
- Chen, La, Hao, Z., Li, K., Sha, Y., Wang, E., Sui, X., Mi, G., Tian, C., & Chen, W. (2021). Effectsof growth-promoting rhizobacteria on maize growth and rhizosphere microbial community under conservation tillage in Northeast China. *Microbial Biotechnology*, 14(2), 535–550. <https://doi.org/10.1111/1751-7915.13693>
- Chen, Liang, Heng, J., Qin, S., & Bian, K. (2018). A comprehensive understanding of the biocontrol potential of *Bacillus velezensis* LM2303 against *Fusarium* head blight. *PLoS ONE*, 13(6), 1–22. <https://doi.org/10.1371/journal.pone.0198560>
- Chen, Lin, Wang, X., Ma, Q., Bian, L., Liu, X., Xu, Y., Zhang, H., Shao, J., & Liu, Y. (2020). *Bacillus velezensis* CLA178-Induced Systemic Resistance of *Rosa multiflora* Against Crown Gall Disease. *Frontiers in Microbiology*, 1–12. <https://doi.org/10.3389/fmicb.2020.587667>
- Chen, Z., Zhao, L., Dong, Y., Chen, W., Li, C., Gao, X., Chen, R., Li, L., & Xu, Z. (2021). The antagonistic mechanism of *Bacillus velezensis* ZW10 against rice blast disease: Evaluation of ZW10 as a potential biopesticide. *PLOS ONE*, 16(8), e0256807. <https://doi.org/10.1371/journal.pone.0256807>
- Ciesielski, S., Bułkowska, K., Dabrowska, D., Kaczmarczyk, D., Kowal, P., & Mozejko, J. (2013). Ribosomal intergenic spacer analysis as a tool for monitoring methanogenic archaea changes in an anaerobic digester. *Current Microbiology*, 67(2), 240–248. <https://doi.org/10.1007/s00284-013-0353-2>
- Darsan, S., Sulistyaningsih, E., & Wibowo, A. (2017). Various Shallot Seed Treatments with *Trichoderma* to Increase Growth and Yield on Sandy Coastal. *Ilmu Pertanian (Agricultural Science)*, 1(3), 094. <https://doi.org/10.22146/ipas.12564>
- Devy, N., Setiyani, R., Hardiyanto, H., & Puspitasari. (2020). Performance of shallot (*Allium cepa* var. *ascalonicum*) derived from true seed under a dry condition area. *IOP Conference Series: Earth and Environmental Science*, 458, 12008. <https://doi.org/10.1088/1755-1315/458/1/012008>
- Ding, Z., Yang, L., Wang, G., Guo, L., Liu, L., Wang, J., & Huang, J. (2018). Fusaric acid is a virulence factor of *Fusarium oxysporum* f. sp. *cubense* on banana plantlets. *Tropical Plant Pathology*, 43(4), 297–305. <https://doi.org/10.1007/s40858-018-0230-4>
- Diyansah, B., Aini, L. Q., & Hadiastono, T. (2012). The Effect of PGPR (Plant Growth Promoting Rhizobacteria) *Pseudomonas fluorescens* and *Bacillus Subtilis* on Leaf Mustard Plant (*Brassica Juncea* L.) Infected by TuMV (Turnip Mosaic Virus). *Journal of Tropical Plant Protection*, 1(1), 30–38.
- Dunlap, C. A., Kim, S. J., Kwon, S. W., & Rooney, A. P. (2016). *Bacillus velezensis* is not a later heterotypic synonym of *Bacillus amyloliquefaciens*; *Bacillus*



methylotrophicus, *Bacillus amyloliquefaciens* subsp. *Plantarum* and 'Bacillus oryzicola' are later heterotypic synonyms of *Bacillus velezensis* based on phylogenom. *International Journal of Systematic and Evolutionary Microbiology*, 66(3), 1212–1217. <https://doi.org/10.1099/ijsem.0.000858>

Dwimartina, F., Arwiyanto, T., & Joko, T. (2017). Potential of Endophytic and Rhizobacteria as an Effective Biocontrol for *Ralstonia syzygii* subsp. *syzygii*. *Asian Journal of Plant Pathology*, 11(4), 191–198. <https://doi.org/10.3923/ajppaj.2017.191.198>

Elshyana, I. S. (2019). Respon pertumbuhan *true shallot* seed beberapa varietas bawang merah (*Allium cepa* L.) terhadap aplikasi giberelin. 3(October), 114–123.

Feduraev, P. et al. (2020). Diseases of Wheat - *Triticum aestivum* L. *Diseases Of Field Crops And Their Management*, 39–64. <https://doi.org/10.1201/9781003084198-2>

Fitriana, N., & Susandarini, R. (2019). Morphology and taxonomic relationships of shallot (*Allium cepa* L. group *aggregatum*) cultivars from Indonesia. *Biodiversitas*, 20(10), 2809–2814. <https://doi.org/10.13057/biodiv/d201005>

Fravel, D.R., Deahl, K.L., Stommel, J.R. 2005. Compatibility of the biocontrol fungus *Fusarium oxysporum* strain CS-20 with selected fungicides. *Biological Control* 34: 165 - 169.

Fu, H. Z., Marian, M., Enomoto, T., Hieno, A., Ina, H., Suga, H., & Shimizu, M. (2020). Biocontrol of tomato bacterial wilt by foliar spray application of a novel strain of endophytic bacillus sp. *Microbes and Environments*, 35(4), 1–11. <https://doi.org/10.1264/jmse2.ME20078>

Fu, L., Penton, C. R., Ruan, Y., Shen, Z., Xue, C., Li, R., & Shen, Q. (2017). Inducing the rhizosphere microbiome by biofertilizer application to suppress banana Fusarium wilt disease. *Soil Biology and Biochemistry*, 104, 39–48. <https://doi.org/10.1016/j.soilbio.2016.10.008>

Gao, Q. M., Zhu, S., Kachroo, P., & Kachroo, A. (2015). Signal regulators of systemic acquired resistance. *Frontiers in Plant Science*, 6(APR), 1–12. <https://doi.org/10.3389/fpls.2015.00228>

Gong, A. D., Li, H. P., Yuan, Q. S., Song, X. S., Yao, W., He, W. J., Zhang, J. B., & Liao, Y. C. (2015). Antagonistic mechanism of iturin a and plipastatin a from *Bacillus amyloliquefaciens* S76-3 from wheat spikes against *Fusarium graminearum*. *PLoS ONE*, 10(2), 1–18. <https://doi.org/10.1371/journal.pone.0116871>

Hadi, A. E., Khalisha, A., Pambudi, A., & Effendi, Y. (2021). Potential of bacteria consortium as growth controller of pathogenic fungi *Fusarium oxysporum* F. sp. *cubense* (Foc). *IOP Conference Series: Earth and Environmental Science*, 637(1). <https://doi.org/10.1088/1755-1315/637/1/012029>

Hadiwiyono, H., Sari, K., & Poromarto, S. H. (2020). Yields Losses Caused by Basal Plate Rot (*Fusarium oxysporum* f.sp. *cepae*) in Some Shallot Varieties. *Caraka Tani: Journal of Sustainable Agriculture*, 35(2), 250. <https://doi.org/10.20961/carakatani.v35i2.26916>

Hafri, N. D., Sulistyaningsih, E., & Wibowo, A. (2020). Pengaruh Aplikasi *Plant Growth*



Promoting Rhizobacteria terhadap Pertumbuhan dan Hasil Tanaman Bawang Merah (*Allium cepa* L. Aggregatum group). *Vegetalika*, 9(4), 512. <https://doi.org/10.22146/veg.47812>

Hahuly, M. V., Sumardiyono, C., Wibowo, A., Subandiyah, S., & Harper, S. (2018). Identification of purple blotch pathogen of shallot by PCR using specific primer for *Alternaria* genus. *Archives of Phytopathology and Plant Protection*, 51(3–4), 103–121. <https://doi.org/10.1080/03235408.2017.1384196>

Hassan, T. (2018). *Bacillus cereus*: a competent plant growth promoting bacterium of saline sodic field. *Pakistan Journal of Botany*, 50.

Herlina, L., Istiaji, B., & Wiyono, S. (2021). The Causal Agent of Fusarium Disease Infested Shallots in Java Islands of Indonesia. *E3S Web of Conferences*, 232(March). <https://doi.org/10.1051/e3sconf/202123203003>

Hong, S., Kim, T. Y., Won, S. J., Moon, J. H., Ajuna, H. B., Kim, K. Y., & Ahn, Y. S. (2022). Control of Fungal Diseases and Fruit Yield Improvement of Strawberry Using *Bacillus velezensis* CE 100. *Microorganisms*, 10(2). <https://doi.org/10.3390/microorganisms10020365>

Hu, D., Li, S., Li, Y., Peng, J., Wei, X., Ma, J., Zhang, C., Jia, N., Wang, E., & Wang, Z. (2020). *Streptomyces* sp. strain TOR3209: a rhizosphere bacterium promoting growth of tomato by affecting the rhizosphere microbial community. *Scientific Reports*, 10(1), 1–15. <https://doi.org/10.1038/s41598-020-76887-5>

Idris, E. S. E., Iglesias, D. J., Talon, M., & Borri, R. (2007). Tryptophan-dependent production of Indole-3-Acetic Acid (IAA) affects level of plant growth promotion by *Bacillus amyloliquefaciens* FZB42. *Molecular Plant-Microbe Interactions*, 20(6), 619–626. <https://doi.org/10.1094/MPMI-20-6-0619>

Iriani, E. (2013). Prospek Pengembangan Inovasi Teknologi Bawang Merah di Lahan Sub Optimal (Lahan Pasir) dalam Upaya Peningkatan Pendapatan Petani. *Jurnal Litbang Provinsi Jawa Tengah*, 11(2), 231–243. <https://doi.org/10.1190/segam2013-0137.1>

Islam, J., Phukan, S., & Chattopadhyay, P. (2019). Development of a validated RP-HPLC/DAD method for the quantitative determination of methyl jasmonate in an insect repellent semi-solid formulation. *Helijon*, 5(5), e01775–e01775. <https://doi.org/10.1016/j.heliyon.2019.e01775>

Iwai, T., Seo, S., Mitsuhashi, I., & Ohashi, Y. (2007). Probenazole-induced accumulation of salicylic acid confers resistance to Magnaporthe grisea in adult rice plants. *Plant and Cell Physiology*, 48(7), 915–924. <https://doi.org/10.1093/pcp/pcm062>

Jayanti, R.M. 2022. Penapisan gen penyandi plant growth promoting bacteria untuk pengendalian penyakit moler pada budidaya bawang merah. *Thesis*. Universitas Gadjah Mada, Yogyakarta.

Jiang, J., Gao, L., Bie, X., Lu, Z., Liu, H., Zhang, C., Lu, F., & Zhao, H. (2016). Identification of novel surfactin derivatives from NRPS modification of *Bacillus subtilis* and its antifungal activity against *Fusarium moniliforme*. *BMC Microbiology*, 16(1), 31. <https://doi.org/10.1186/s12866-016-0645-3>

Joko, T., Koentjoro, M. P., Somowiyarjo, S., Rohman, M. S., Liana, A., & Ogawa, N. (2012). Response of rhizobacterial communities in watermelon to infection with



cucumber green mottle mosaic virus as revealed by cultivation-dependent RISA. *Archives of Phytopathology and Plant Protection*, 45(15), 1810–1818. <https://doi.org/10.1080/03235408.2012.707526>

Kalman, B., Abraham, D., Graph, S., Perl-Treves, R., Harel, Y. M., & Degani, O. (2020). Isolation and identification of fusarium spp., the causal agents of onion (*Allium cepa*) basal rot in northeastern israel. *Biology*, 9(4). <https://doi.org/10.3390/biology9040069>

kementerian Pertanian Republik Indonesia. (2021). *Statistik Konsumsi Pangan Tahun 2020*. <http://epublikasi.setjen.pertanian.go.id/arsip-perstatistikian/163-statistik/statistik-konsumsi/751-statistik-konsumsi-pangan-tahun-2020>

Khan, M. S., Gao, J., Chen, X., Zhang, M., Yang, F., Du, Y., Moe, T. S., Munir, I., Xue, J., & Zhang, X. (2020). The Endophytic Bacteria *Bacillus velezensis* Lle-9, Isolated from *Lilium leucanthum*, Harbors Antifungal Activity and Plant Growth-Promoting Effects. *Journal of Microbiology and Biotechnology*, 30(5), 668–680. <https://doi.org/10.4014/jmb.1910.10021>

Khotimah, K., Sulistyaningsih, E., & Wibowo, A. (2017). In Vitro Induced Resistance of Fusarium Wilt Disease (*Fusarium oxysporum* f.sp. *cepae*) by Salicylic Acid in Shallot CV 'Bima Brebes.' *Ilmu Pertanian (Agricultural Science)*, 2(1), 001. <https://doi.org/10.22146/ipas.12840>

Koeck, M., Hardham, A. R., & Dodds, P. N. (2011). The role of effectors of biotrophic and hemibiotrophic fungi in infection. *Cellular Microbiology*, 13(12), 1849–1857. <https://doi.org/10.1111/j.1462-5822.2011.01665.x>

Kowalska, M., Woźniak, M., Kijek, M., Mitrosz, P., Szakiel, J., & Turek, P. (2022). Management of validation of HPLC method for determination of acetylsalicylic acid impurities in a new pharmaceutical product. *Scientific Reports*, 12(1), 1. <https://doi.org/10.1038/s41598-021-99269-x>

Kuan, K. B., Othman, R., Rahim, K. A., & Shamsuddin, Z. H. (2016). Plant growth-promoting rhizobacteria inoculation to enhance vegetative growth, nitrogen fixation and nitrogen remobilisation of maize under greenhouse conditions. *PLoS ONE*, 11(3), 1–19. <https://doi.org/10.1371/journal.pone.0152478>

Kumar, M., Mishra, S., Dixit, V., Kumar, M., Agarwal, L., Chauhan, P. S., & Nautiyal, C. S. (2016). Synergistic effect of *Pseudomonas putida* and *Bacillus amyloliquefaciens* ameliorates drought stress in chickpea (*Cicer arietinum* L.). *Plant Signaling and Behavior*, 11(1), 1–9. <https://doi.org/10.1080/15592324.2015.1071004>

Kuvalekar, A., Redkar, A., Gandhe, K., & Harsulkar, A. (2011). Peroxidase and polyphenol oxidase activities in compatible host-pathogen interaction in *Jasminum officinale* and *Uromyces hobsoni*: Insights into susceptibility of host. *New Zealand Journal of Botany*, 49(3), 351–359. <https://doi.org/10.1080/0028825X.2011.569727>

Leon-Reyes, A., Van der Does, D., De Lange, E. S., Delker, C., Wasternack, C., Van Wees, S. C. M., Ritsema, T., & Pieterse, C. M. J. (2010). Salicylate-mediated suppression of jasmonate-responsive gene expression in arabidopsis is targeted downstream of the jasmonate biosynthesis pathway. *Planta*, 232(6), 1423–1432. <https://doi.org/10.1007/s00425-010-1265-z>

Leslie, J. F., & Summerell, B. A. (2006). *The Fusarium Laboratory Manual*. In



Blackwell Publishing, Oxford, UK,

- Lestiyani, A., Wibowo, A., & Subandiyah, S. (2021). Pathogenicity and Detection of Phytohormon (Gibberellic Acid and Indole Acetic Acid) Produced by *Fusarium* spp. that Causes Twisted Disease in Shallot. *Jpt: Jurnal Proteksi Tanaman (Journal of Plant Protection)*, 5(1), 24. <https://doi.org/10.25077/jpt.5.1.24-33.2021>
- Liu, Y., Chen, L., Wu, G., Feng, H., Zhang, G., Shen, Q., & Zhang, R. (2017). Identification of root-secreted compounds involved in the communication between cucumber, the beneficial *bacillus amyloliquefaciens*, and the soil-borne pathogen *fusarium oxysporum*. *Molecular Plant-Microbe Interactions*, 30(1), 53–62. <https://doi.org/10.1094/MPMI-07-16-0131-R>
- Lozano, G. L., Holt, J., Ravel, J., Rasko, D. A., Thomas, M. G., & Handelsman, J. (2016). Draft Genome Sequence of Biocontrol Agent *Bacillus cereus* UW85. *Genome Announcements*, 4(5), e00910-16. <https://doi.org/10.1128/genomeA.00910-16>
- Lyons, R., Stiller, J., Powell, J., Rusu, A., Manners, J. M., & Kazan, K. (2015). *Fusarium oxysporum* triggers tissue-specific transcriptional reprogramming in *Arabidopsis thaliana*. *PLoS ONE*, 10(4), 1–23. <https://doi.org/10.1371/journal.pone.0121902>
- Madriz-ordeñana, K., Pazarlar, S., Jørgen, H., Jørgensen, L., Nielsen, T. K., Zhang, Y., Nielsen, K. L., Hansen, L. H., & Thordal-christensen, H. (2022). *The Bacillus cereus Strain EC9 Primes the Plant Immune System for Superior Biocontrol of Fusarium oxysporum*. 1–19.
- Masood, S., Zhao, X. Q., & Shen, R. F. (2020). *Bacillus pumilus* promotes the growth and nitrogen uptake of tomato plants under nitrogen fertilization. *Scientia Horticulturae*, 272(March), 109581. <https://doi.org/10.1016/j.scienta.2020.109581>
- Mehta, P., Walia, A., Kulshrestha, S., Chauhan, A., & Shirkot, C. K. (2015). Efficiency of plant growth-promoting P-solubilizing *Bacillus circulans* CB7 for enhancement of tomato growth under net house conditions. *Journal of Basic Microbiology*, 55(1), 33–44. <https://doi.org/10.1002/jobm.201300562>
- Miljaković, D., Marinković, J., & Balešević-Tubić, S. (2020). The significance of *bacillus* spp. In disease suppression and growth promotion of field and vegetable crops. *Microorganisms*, 8(7), 1–19. <https://doi.org/10.3390/microorganisms8071037>
- Murningsih, T., & Chairul. (2000). Mengenal HPLC: peranannya dalam analisa dan proses isolasi bahan kimia alam. *Berita Biologi*, 5(2), 261–272.
- Nasser, E., & Qaddoumi, S. Q. (2016). Antimicrobial activity of *Bacillus cereus*: Isolation, identification and the effect of carbon and nitrogen source on its antagonistic activity. *Journal of Microbiology and Antimicrobials*, 8, 7–13. <https://doi.org/10.5897/JMA2015.0340>
- Nie, P., Li, X., Wang, S., Guo, J., Zhao, H., & Niu, D. (2017). Induced systemic resistance against *botrytis cinerea* by *Bacillus cereus* AR156 through a JA/ET- and NPR1-dependent signaling pathway and activates PAMP-triggered immunity in *arabidopsis*. *Frontiers in Plant Science*, 8(February), 1–12. <https://doi.org/10.3389/fpls.2017.00238>



- Nifakos, K., Tsalgatidou, P. C., Thomloudi, E. E., Skagia, A., Kotopoulis, D., Baird, E., Delis, C., Papadimitriou, K., Markellou, E., Venieraki, A., & Katinakis, P. (2021). Genomic analysis and secondary metabolites production of the endophytic *bacillus velezensis* bvel1: A biocontrol agent against *botrytis cinerea* causing bunch rot in post-harvest table grapes. *Plants*, 10(8), 1–18. <https://doi.org/10.3390/plants10081716>
- Nisrina, L., Effendi, Y., Pancoro, A., 2021. Revealing the role of plant growth promoting rhizobacteria in suppressive soils against *Fusarium oxysporum* f.s. *cubense* based on metagenomic analysis. *Heliyon* 7 (8) doi.org/10.1016/j.heliyon.2021.e07636
- Niu, D. D., Liu, H. X., Jiang, C. H., Wang, Y. P., Wang, Q. Y., Jin, H. L., & Guo, J. H. (2011). The plant growth-promoting rhizobacterium *Bacillus cereus* AR156 induces systemic resistance in *Arabidopsis thaliana* by simultaneously activating salicylate- and jasmonate/ethylene-dependent signaling pathways. *Molecular Plant-Microbe Interactions*, 24(5), 533–542. <https://doi.org/10.1094/MPMI-09-10-0213>
- Nugroho, A. W. (2015). Potensi Jamur Perakaran sebagai Agens Pengendalian Hayati Penyakit Moler (*Fusarium oxysporum* f . sp . Cepae) pada Bawang Merah Potential of Root-Colonizing Fungi as Biocontrol Agent of Moler Disease (*Fusarium oxysporum* f . sp . Cepae) on Shallot. *Agrosains*, 17(1), 4–8.
- Nurhayati, Y., Suryanti, S., & Wibowo, A. (2021). In Vitro Evaluation of *Trichoderma asperellum* Isolate UGM-LHAF against *Rhizoctonia solani* Causing Sheath Blight Disease of Rice. *Jurnal Perlindungan Tanaman Indonesia*, 25(1), 64. <https://doi.org/10.22146/jpti.65290>
- Palazzini, J. M., Dunlap, C. A., Bowman, M. J., & Chulze, S. N. (2016). *Bacillus velezensis* RC 218 as a biocontrol agent to reduce *Fusarium* head blight and deoxynivalenol accumulation: Genome sequencing and secondary metabolite cluster profiles. *Microbiological Research*, 192, 30–36. <https://doi.org/https://doi.org/10.1016/j.micres.2016.06.002>
- Pande, A., Pandey, P., Mehra, S., Singh, M., & Kaushik, S. (2017). Phenotypic and genotypic characterization of phosphate solubilizing bacteria and their efficiency on the growth of maize. *Journal of Genetic Engineering and Biotechnology*, 15(2), 379–391. <https://doi.org/https://doi.org/10.1016/j.jgeb.2017.06.005>
- Pandya, N., & Desai, P. (2013). Gibberellic Acid Production by *Bacillus cereus* Isolated from the Rhizosphere of Sugarcane. *Journal of Pure and Applied Microbiology*, 7, 3239–3242.
- Paraschivu, M., Cotuna, Otilia dan Paraschivu, M. 2013. The use of the area under disease progress curve (AUDPC) to assess the epidemics of *septoria tritici* in winter wheat. *Research Journal of Agriculturan Sciece* 45(1)
- Perez, PM., dan Alberto, RT. 2020. Chemical management of anthracnose-twister (*Colletotrichum gloeosporioides* and *Fusarium fujikuroi*) Disease of Onion (*Allium cepa*). *Plant Pathology & Quarantine* 10 (1): 198 - 216.
- Perković, J., Major, N., Ban, D., Cvitan, D., & Ban, S. G. (2021). Shallot species and subtypes discrimination based on morphology descriptors. *Plants*, 10(1), 1–18. <https://doi.org/10.3390/plants10010060>
- Pieterse, C. M. J., Van Wees, S. C. M., Van Pelt, J. A., Knoester, M., Laan, R., Gerrits,



- H., Weisbeek, P. J., & Van Loon, L. C. (1998). A novel signaling pathway controlling induced systemic resistance in arabidopsis. *Plant Cell*, 10(9), 1571–1580. <https://doi.org/10.1105/tpc.10.9.1571>
- Prakash, J., & Arora, N. K. (2019). Phosphate-solubilizing *Bacillus* sp. enhances growth, phosphorus uptake and oil yield of *Mentha arvensis* L. *3 Biotech*, 9(4), 126. <https://doi.org/10.1007/s13205-019-1660-5>
- Purba, S. N., Ansoruddin, & Batubara, L. R. (2018). PERTUMBUHAN DAN PRODUKSI TANAMAN BAWANG MERAH (*Allium ascalonicum* L .). *BERNAS Agricultural Research Journal*, 14(2), 77–88.
- Putri, R. E., Mubarik, N. R., Ambarsari, L., & Wahyudi, A. T. (2021). Antagonistic activity of glucanolytic bacteria *Bacillus subtilis* W3.15 against *fusarium oxysporum* and its enzyme characterization. *Biodiversitas*, 22(9), 4067–4077. <https://doi.org/10.13057/biodiv/d220956>
- Rahayu, Mujiyo, Arini, R. U. (2018). JOURNAL OF DEGRADED AND MINING LANDS MANAGEMENT Azotobacter population, soil nitrogen and groundnut growth in mercury-contaminated tailing inoculated with Azotobacter. *J. Degrade. Min. Land Manage*, 5(53), 2502–2458. <https://doi.org/10.15243/jdmlm>
- Rahma, A. A., Suryanti, Somowiyarjo, S., & Joko, T. (2020). Induced disease resistance and promotion of shallot growth by *bacillus velezensis* B-27. *Pakistan Journal of Biological Sciences*, 23(9), 1113–1121. <https://doi.org/10.3923/pjbs.2020.1113.1121>
- Ramírez, V., Martínez, J., Bustillos-Cristales, M. D. R., Catañeda-Antonio, D., Munive, J.-A., & Baez, A. (2022). *Bacillus cereus* MH778713 elicits tomato plant protection against *Fusarium oxysporum*. *Journal of Applied Microbiology*, 132(1), 470–482. <https://doi.org/10.1111/jam.15179>
- Ran, L. X., Liu, C. Y., Wu, G. J., Van Loon, L. C., & Bakker, P. A. H. M. (2005). Suppression of bacterial wilt in *Eucalyptus urophylla* by fluorescent *Pseudomonas* spp. in China. *Biological Control*, 32(1), 111–120. <https://doi.org/10.1016/j.biocontrol.2004.08.007>
- Ranjard, L., Brothier, E., & Nazaret, S. (2000). Sequencing bands of ribosomal intergenic spacer analysis fingerprints for characterization and microscale distribution of soil bacterium populations responding to mercury spiking. *Applied and Environmental Microbiology*, 66(12), 5334–5339. <https://doi.org/10.1128/AEM.66.12.5334-5339.2000>
- Ranjard, L., Poly, F., Lata, J. C., Mougel, C., Thioulouse, J., & Nazaret, S. (2001). Characterization of bacterial and fungal soil communities by automated ribosomal intergenic spacer analysis fingerprints: biological and methodological variability. *Applied and Environmental Microbiology*, 67(10), 4479–4487. <https://doi.org/10.1128/AEM.67.10.4479-4487.2001>
- Ratchhaseema, M.T.N., et al. 2021. The role of salicylic acid and benzothiadiazole in decreasing phytoplasma titer if sugarcane white leaf disease. *Scientific Reports* 11: 15211. <https://doi.org/10.1038/s41598-021-94746-9>
- Ravikumar, M., & Perinbam, K. (2016). Production , Optimization and Characterization of Chitin Deacetylase from Marine bacteria *Bacillus cereus* TK19. *Journal of Academia and Industrial Research*, 5(5), 72–76.



- Resti, Z., Habazar, T., Putra, D. P., & N. (2018). Characterization of Endophytic *Bacillus* Isolated From Shallot Root As Biocontrol of Bacterial Leaf Blight Disease. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 18(1), 31. <https://doi.org/10.23960/j.hptt.11831-38>
- Ruiz-García, C., Béjar, V., Martínez-Checa, F., Llamas, I., & Quesada, E. (2005). *Bacillus velezensis* sp. nov., a surfactant-producing bacterium isolated from the river Vélez in Málaga, southern Spain. *International Journal of Systematic and Evolutionary Microbiology*, 55(1), 191–195. <https://doi.org/10.1099/ijs.0.63310-0>
- Ryu, C.-M., Farag, M. A., Hu, C.-H., Reddy, M. S., Kloepfer, J. W., & Paré, P. W. (2004). Bacterial Volatiles Induce Systemic Resistance in *Arabidopsis*. *Plant Physiology*, 134(3), 1017–1026. <https://doi.org/10.1104/pp.103.026583>
- Ryu, C. M., Hu, C. H., Reddy, M. S., & Kloepfer, J. W. (2003). Different signaling pathways of induced resistance by rhizobacteria in *Arabidopsis thaliana* against two pathovars of *Pseudomonas syringae*. *New Phytologist*, 160(2), 413–420. <https://doi.org/10.1046/j.1469-8137.2003.00883.x>
- Saeid, A., Prochownik, E., & Dobrowolska-Iwanek, J. (2018). Phosphorus Solubilization by *Bacillus* Species. *Molecules (Basel, Switzerland)*, 23(11), 2897. <https://doi.org/10.3390/molecules23112897>
- Saputra, R., Arwiyanto, T., & Wibowo, A. (2019). *Streptomyces* sp.: Characterization, Identification and Its Potential as a *Ralstonia solanacearum* Biological Control Agent in vitro. *Indonesian Journal of Agricultural Research*, 2(3), 89–96. <https://doi.org/10.32734/injar.v2i3.1389>
- Satyanarayana, T., Deshmukh, S. K., & Johri, B. N. (2017). Developments in fungal biology and applied mycology. In *Developments in Fungal Biology and Applied Mycology* (Issue February 2020). <https://doi.org/10.1007/978-981-10-4768-8>
- Serteyn, L., Quaghebeur, C., Ongena, M., Cabrera, N., Barrera, A., Molina-Montenegro, M. A., Francis, F., & Ramírez, C. C. (2020). Induced systemic resistance by a plant growth-promoting rhizobacterium impacts development and feeding behavior of aphids. *Insects*, 11(4). <https://doi.org/10.3390/insects11040234>
- Shafi, J., Tian, H., & Ji, M. (2017). *Bacillus* species as versatile weapons for plant pathogens: a review. February. <https://doi.org/10.1080/13102818.2017.1286950>
- Silo-Suh, L. A., Lethbridge, B. J., Raffel, S. J., He, H., Clardy, J., & Handelsman, J. (1994). Biological activities of two fungistatic antibiotics produced by *Bacillus cereus* UW85. *Applied and Environmental Microbiology*, 60(6), 2023–2030. <https://doi.org/10.1128/aem.60.6.2023-2030.1994>
- Singh, H.B., Keswani, C., Reddym M.S., Sansinenea, E., & Estrada, C.G. 2019. Secondary metabolite of Plant Growth Promoting Rhizomicroorganisms. Singapore: Springer Nature.
- Sintayehu, A., Sakhija, P. K., Fininsa, C., & Ahmed, S. (2011). Management of fusarium basal rot (*Fusarium oxysporum* f. sp. *cepae*) on shallot through fungicidal bulb treatment. *Crop Protection*, 30(5), 560–565. <https://doi.org/10.1016/j.cropro.2010.12.027>
- Sopha, G. A., Widodo, W., Poerwanto, R., & Palupi, E. (2014). *Photoperiod and*



gibberellins effect on True shallot seed formation. 6, 70–76.

- Sudarma, I. M., Suprapta, D. N., Sudana, I. M., & Temaja, I. G. R. M. (2012). Aplikasi Polymerase Chain Reaction-Ribosomal Intergenic Mikroba Tanah Pada Habitat Tanaman Pisang Dengan Dan Tanpa Gejala Layu Fusarium. *Jurnal Bumi Lestari*, 12(2), 313–320.
- Sumarni, N., & Hidayat, A. (2005). Budidaya Bawang Merah. In *Balitsa*. <http://balitsa.litbang.pertanian.go.id>
- Sumarni, N., Sophya, G. A., & Gaswanto, R. (2012). Respons Tanaman Bawang Merah Asal Biji True Shallot Seeds terhadap Kerapatan Tanaman pada Musim Hujan. *Jurnal Hortikultura*, 22(1), 23. <https://doi.org/10.21082/jhort.v22n1.2012.p23-28>
- Sumudumali, I., Jayawardana, J.M.C.K., Gunatilake, S.K., Udayakumara, E.P.N. 2022. The effects of fungicide chlorothalonil on leaf litter breakdown rate in tropical streams: a microcosm study. *Aquatic Sciences* 84(1).
- Sun, E. J. (1978). Identification of *Fusarium oxysporum* f. sp. *cubense* Race 4 from Soil or Host Tissue by Cultural Characters. In *Phytopathology* (Vol. 68, Issue 11, p. 1672). <https://doi.org/10.1094/phyto-68-1672>
- Sunardi, Y. S. (2007). *Penentuan kandungan unsur makro pada lahan pasir pantai samas bantul dengan metode analisis aktivasi neutron (aan)*. 123–129.
- Suryadi, Y., Samudra, I. M., Priyatno, T., Susilowati, D., & Sutoro, S. (2015). Antifungal Activity of *Bacillus cereus* 11UJ against *Rhizoctonia solani* and *Pyricularia oryzae*. *Jurnal Fitopatologi Indonesia*, 11, 35–42. <https://doi.org/10.14692/jfi.11.2.35>
- Susilowati, D., Fauziah, F., Setiawati, M. R., Pranoto, E., Hidayati, E., Setyowati, M., & Rachmiati, Y. (2016). Analysis of tea rhizosphere bacterial community at the seedling stage using terminal restriction fragment length . *Jurnal Penelitian Teh Dan Kina (Indonesian Journal of Tea and Cinchona Research)*, 19, 147–156.
- Suswati, Indrawaty, A., & . F. (2016). Aktivitas Enzim Peroksidase Pisang Kepok Dengan Aplikasi Glomus Tipe 1. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 15(2), 141. <https://doi.org/10.23960/j.hptt.215141-151>
- Taufik, M., Rahman, A., Wahab, A., Hidayat, S.H. 2010. Mekanisme ketahanan terinfeksi oleh Plant Growth Promoting Rhizobacteria (PGPR) pada tanaman cabai terinfeksi Cucumber Mosaic Virus . *Jurnal Hortikultura* 20(3): 274 - 283
- Toral, L., Rodríguez, M., Béjar, V., & Sampedro, I. (2020). Crop protection against *botrytis cinerea* by rhizosphere biological control agent *bacillus velezensis* XT1. *Microorganisms*, 8(7), 1–17. <https://doi.org/10.3390/microorganisms8070992>
- Tuhuteru, S., Sulistyaningsih, E., & Wibowo, D. A. (2019). Aplikasi Plant Growth Promoting Rhizobacteria dalam Meningkatkan Produktivitas Bawang Merah di Lahan Pasir Pantai. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 47(1), 53–60. <https://doi.org/10.24831/jai.v47i1.22271>
- Vanitha, S. C., Niranjana, S. R., & Umeha, S. (2009). Role of phenylalanine ammonia lyase and polyphenol oxidase in host resistance to bacterial wilt of Tomato. *Journal of Phytopathology*, 157(9), 552–557. <https://doi.org/10.1111/j.1439-0434.2008.01526.x>



- Wagi, S., & Ahmed, A. (2019). *Bacillus spp.*: potent microfactories of bacterial IAA. *PeerJ*, 7, e7258–e7258. <https://doi.org/10.7717/peerj.7258>
- Walters, D. R., Ratsep, J., & Havis, N. D. (2013). Controlling crop diseases using induced resistance: Challenges for the future. *Journal of Experimental Botany*, 64(5), 1263–1280. <https://doi.org/10.1093/jxb/ert026>
- Wang, L. T., Lee, F. L., Tai, C. J., & Kuo, H. P. (2008). *Bacillus velezensis* is a later heterotypic synonym of *Bacillus amyloliquefaciens*. *International Journal of Systematic and Evolutionary Microbiology*, 58(3), 671–675. <https://doi.org/10.1099/ijs.0.65191-0>
- Wang, Nan, Li, P., Pan, J., Wang, M., Long, M., Zang, J., & Yang, S. (2018). *Bacillus velezensis* A2 fermentation exerts a protective effect on renal injury induced by Zearalenone in mice. *Scientific Reports*, 8(1), 1–14. <https://doi.org/10.1038/s41598-018-32006-z>
- Wang, Ning, Wang, L., Zhu, K., Hou, S., Chen, L., Mi, D., Gui, Y., Qi, Y., Jiang, C., & Guo, J. H. (2019). Plant root exudates are involved in *Bacillus cereus* AR156 mediated biocontrol against *Ralstonia solanacearum*. *Frontiers in Microbiology*, 10(JAN), 1–14. <https://doi.org/10.3389/fmicb.2019.00098>
- Wang, X., Wang, L., Wang, J., Jin, P., Liu, H., & Zheng, Y. (2014). *Bacillus cereus* AR156-Induced Resistance to *Colletotrichum acutatum* Is Associated with Priming of Defense Responses in Loquat Fruit. *PLOS ONE*, 9(11), e112494. <https://doi.org/10.1371/journal.pone.0112494>
- Wei, F., Hu, X., & Xu, X. (2016). Dispersal of *Bacillus subtilis* and its effect on strawberry phyllosphere microbiota under open field and protection conditions. *Scientific Reports*, 6(March), 1–9. <https://doi.org/10.1038/srep22611>
- Wiyatiningsih, S., Wibowo, A., & Triwahyu, E. P. (2009). Tanggapan tujuh kultivar bawang merah terhadap infeksi *Fusarium oxysporum* f. sp. cepae penyebab penyakit moler. *Jurnal Pertanian Mapeta*, 12(1), 1–12.
- Yáñez-Mendizábal, V., Usall, J., Viñas, I., Casals, C., Marín, S., Solsona, C., & Teixidó, N. (2011). Potential of a new strain of *Bacillus subtilis* CPA-8 to control the major postharvest diseases of fruit. *Biocontrol Science and Technology*, 21(4), 409–426. <https://doi.org/10.1080/09583157.2010.541554>
- Yang, L., Xi, Y., Luo, X. Y., Ni, H., & Li, H. H. (2019). Preparation of peroxidase and phenolics using discarded sweet potato old stems. *Scientific Reports*, 9(1), 1–10. <https://doi.org/10.1038/s41598-019-40568-9>
- Yanti, Y. (2015). Peroxidase Enzyme Activity of Rhizobacteria-introduced Shallots Bulbs to Induce Resistance of Shallot towards Bacterial Leaf Blight (*Xanthomonas Axonopodis* pv Allii). *Procedia Chemistry*, 14, 501–507. <https://doi.org/10.1016/j.proche.2015.03.067>
- Yuan, M., Huang, Y., Huang, Y., Ge, W., Jia, Z., Song, S., & Zhang, L. (2019). Involvement of jasmonic acid, ethylene and salicylic acid signaling pathways behind the systemic resistance induced by *Trichoderma longibrachiatum* H9 in cucumber. *BMC Genomics*, 20(1), 1–13. <https://doi.org/10.1186/s12864-019-5513-8>
- Zegeye, E. D., Santhanam, A., Gorfu, D., & Kassa, B. (2011). Biocontrol activity of *Trichoderma viride* and *Pseudomonas fluorescens* against *Phytophthora*



infestans under greenhouse conditions. *Journal of Agricultural Technology*, 7(6), 1589–1602.

Zeriouh, H., de Vicente, A., Pérez-García, A., & Romero, D. (2014). Surfactin triggers biofilm formation of *Bacillus subtilis* in melon phylloplane and contributes to the biocontrol activity. *Environmental Microbiology*, 16(7), 2196–2211. <https://doi.org/10.1111/1462-2920.12271>

Zhang, C., Wang, W., Xue, M., Liu, Z., Zhang, Q., Hou, J., Xing, M., Wang, R., & Liu, T. (2021). The Combination of a Biocontrol Agent *Trichoderma asperellum* SC012 and Hymexazol Reduces the Effective Fungicide Dose to Control Fusarium Wilt in Cowpea. In *Journal of Fungi* (Vol. 7, Issue 9). <https://doi.org/10.3390/jof7090685>

Zhang, L.-N., Wang, D.-C., Hu, Q., Dai, X.-Q., Xie, Y.-S., Li, Q., Liu, H.-M., & Guo, J.-H. (2019). Consortium of Plant Growth-Promoting Rhizobacteria Strains Suppresses Sweet Pepper Disease by Altering the Rhizosphere Microbiota. *Frontiers in Microbiology*, 10(July), 1–10. <https://doi.org/10.3389/fmicb.2019.01668>

Zhang, X., Xue, C., Fang, D., He, X., Wei, M., Zhuo, C., Jin, J., Shen, B., Li, R., Ling, N., & Shen, Q. (2021). Manipulating the soil microbiomes during a community recovery process with plant beneficial species for the suppression of Fusarium wilt of watermelon. *AMB Express*, 11(1), 87. <https://doi.org/10.1186/s13568-021-01225-5>

Zhang, Y., Gao, X., Shen, Z., Zhu, C., Jiao, Z., Li, R., & Shen, Q. (2019). Pre-colonization of PGPR triggers rhizosphere microbiota succession associated with crop yield enhancement. *Plant and Soil*, 439(1–2), 553–567. <https://doi.org/10.1007/s11104-019-04055-4>

Zhu, M. L., Wu, X. Q., Wang, Y. H., & Dai, Y. (2020). Role of biofilm formation by *Bacillus pumilus* HR10 in biocontrol against pine seedling damping-off disease caused by *Rhizoctonia solani*. *Forests*, 11(6), 1–17.