

DAFTAR PUSTAKA

- Abuelizz HA, Anouar EH, Ahmad R, et al. Triazoloquinazolines as a new class of potent α -glucosidase inhibitors: in vitro evaluation and docking study. *PLoS ONE*. 2019;14:1–13. doi: 10.1371/journal.pone.0220379.
- Alam, J., Mujahid, M., Badruddeen, Rahman, M. A., Akhtar, J., Khalid, M., Jahan, Y., Basit, A., Khan, A., Shawwal, M., & Iqbal, S. S. (2015). An insight of pharmacognostic study and phytopharmacology of *Aquilaria agallocha*. *Journal of Applied Pharmaceutical Science*, 5(8), 173–181. <https://doi.org/10.7324/JAPS.2015.50827>
- Archer M., Oderda G, Richards K, Turpin S. 2013. Sulfonylurea Agents & Combination Products Drug Class Review. [Final Report]. University of Utah College of Pharmacy.
- Aromdee C, Pranakhon R, Pannangpetch P. Antihyperglycemic activity of agarwood leaf extracts in STZ-induced diabetic rats and glucose uptake enhancement activity in rat adipocytes. *Songklanakarin J. Sci. Technol*, 2011; 33 (4), 405-410
- Arwangsyaah ., dan Hasrianti. (2014). Simulasi molecular docking senyawa kurkumin dan analognya sebagai selective androgen receptor modulators (sarms) pada kanker prostat. *Jurnal Dinamika*, September 2014, halaman 60- 75 ISSN 2087 - 7889 Vol. 05. No. 2
- Barthel, A., & Schmoll, D. (2003). Novel concepts in insulin regulation of hepatic gluconeogenesis. *American Journal of Physiology - Endocrinology and Metabolism*, 285(4 48-4). <https://doi.org/10.1152/ajpendo.00253.2003>
- Beekhuijzen, M., de Koning, C., Flores-Guillén, M. E., de Vries-Buitenweg, S., Tobor-Kaplon, M., van de Waart, B., & Emmen, H. (2015). From cutting edge to guideline: A first step in harmonization of the zebrafish embryotoxicity test (ZET) by describing the most optimal test conditions and morphology scoring system. *Reproductive Toxicology*, 56, 64–76. <https://doi.org/10.1016/j.reprotox.2015.06.050>
- Bertelli, P. R., Biegelmeyer, R., Rico, E. P., Klein-Junior, L. C., Toson, N. S. B., Minetto, L., Bordignon, S. A. L., Gasper, A. L., Moura, S., de Oliveira, D. L., & Henriques, A. T. (2017). Toxicological profile and acetylcholinesterase inhibitory potential of *Palicourea deflexa*, a source of β -carboline alkaloids. *Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology*, 201(June), 44–50. <https://doi.org/10.1016/j.cbpc.2017.09.003>
- Biemar, F., Argenton, F., Schmidtke, R., Epperlein, S., Peers, B., & Driever, W. (2001). Pancreas development in zebrafish: Early dispersed appearance of endocrine hormone expressing cells and their convergence to form the definitive islet. *Developmental Biology*, 230(2), 189–203. <https://doi.org/10.1006/dbio.2000.0103>
- Boland, B. B., Rhodes, C. J., & Grimsby, J. S. (2017). The dynamic plasticity of insulin

- production in β -cells. *Molecular Metabolism*, 6(9), 958–973.
<https://doi.org/10.1016/j.molmet.2017.04.010>
- Cao, G., Sofic, E., & Prior, R. L. (1997). Antioxidant and prooxidant behavior of flavonoids: Structure-activity relationships. *Free Radical Biology and Medicine*, 22(5), 749–760. [https://doi.org/10.1016/S0891-5849\(96\)00351-6](https://doi.org/10.1016/S0891-5849(96)00351-6)
- Chahardehi, A. M., Arsad, H., & Lim, V. (2020). Zebrafish as a successful animal model for screening toxicity of medicinal plants. *Plants*, 9(10), 1–35. <https://doi.org/10.3390/plants9101345>
- Chen, L., Xu, M., Gong, Z., Zonyane, S., Xu, S., & Makunga, N. P. (2018). Comparative cardio and developmental toxicity induced by the popular medicinal extract of *Sutherlandia frutescens* (L.) R.Br. detected using a zebrafish Tuebingen embryo model. *BMC Complementary and Alternative Medicine*, 18(1), 1–11. <https://doi.org/10.1186/s12906-018-2303-9>
- Connaughton, V. P., Baker, C., Fonde, L., Gerardi, E., & Slack, C. (2016). Alternate Immersion in an External Glucose Solution Differentially Affects Blood Sugar Values in Older Versus Younger Zebrafish Adults. *Zebrafish*, 13(2), 87–94. <https://doi.org/10.1089/zeb.2015.1155>
- Cowey, C.B., Higuera, M. and Adron, J.W., 1977. The effect of dietary composition and of insulin on gluconeogenesis in rainbow trout (*Salmo gairdneri*). *Br. J. Nutr.*, 38: 385–395.
- Consoli, A., Nurjhan, N., Capani, F., & Gerich, J. (1989). Predominant role of gluconeogenesis in increased hepatic glucose production in NIDDM. *Diabetes*, 38(5), 550–557. <https://doi.org/10.2337/diab.38.5.550>
- Cullen, K.S., Al-Oanzi, Z.H., O'Harte, F.P.M., Agius, L., Arden, C., 2014. Glucagon induces translocation of glucokinase from the cytoplasm to the nucleus of hepatocytes by transfer between 6-phosphofructo 2-kinase/fructose 2,6-bisphosphatase-2 and the glucokinase regulatory protein. *BBA-Mol. Cell Res.* 1843, 1123–1134.
- David, C.R.S.; Angeles, A.; Angoluan, R.C.; Santos, J.P.E.; David, E.S.; Dulay, R.M.R. Moringa oleifera (Malunggay) water extracts exhibit embryo-toxic and teratogenic activity in zebrafish (*Danio rerio*) embryo model. *Der Pharm. Lett.* **2016**, 8, 163–168.
- DeFronzo, R.A., 1988. Lilly lecture 1987. The triumvirate: beta-cell, muscle, liver. A collusion responsible for NIDDM. *Diabetes* 37, 667–687.
- DeFronzo RA. Pathogenesis of type 2 diabetes mellitus. *Med Clin North Am.* 2004 Jul;88(4):787-835, ix. doi: 10.1016/j.mcna.2004.04.013. PMID: 15308380.
- De Meyts, P., & Whittaker, J. (2002). Structural biology of insulin and IGF1 receptors: Implications for drug design. *Nature Reviews Drug Discovery*, 1(10), 769–783. <https://doi.org/10.1038/nrd917>
- Dimitriadis, G., Mitrou, P., Lambadiari, V., Maratou, E., Raptis, S.A., 2011. Insulin effects in muscle and adipose tissue. *Diabetes Res. Clin. Pract.* 93 (Suppl. 1), S52–59. doi: 10.1016/S0168-8227(11)70014-6. PMID: 21864752.

- Dyer, J., Wood, I. S., Palejwala, A., Ellis, A., & Shirazi-Beechey, S. P. (2002). Expression of monosaccharide transporters in intestine of diabetic humans. *American Journal of Physiology - Gastrointestinal and Liver Physiology*, 282(2 45-2), 241–248. <https://doi.org/10.1152/ajpgi.00310.2001>
- Elo, B., Villano, C. M., Govorko, D., & White, L. A. (2007). Larval zebrafish as a model for glucose metabolism: Expression of phosphoenolpyruvate carboxykinase as a marker for exposure to anti-diabetic compounds. *Journal of Molecular Endocrinology*, 38(3–4), 433–440. <https://doi.org/10.1677/JME-06-0037>
- Ettxeberria U, de la Garza AL, Campión J, Martínez JA, Milagro FI. Antidiabetic effects of natural plant extracts via inhibition of carbohydrate hydrolysis enzymes with emphasis on pancreatic alpha amylase. *Expert Opin Ther Targets*. 2012 Mar;16(3):269-97. doi: 10.1517/14728222.2012.664134. Epub 2012 Feb 24. PMID: 22360606.
- Fonseca, V. A. (2009). Defining and characterizing the progression of type 2 diabetes. *Diabetes Care*, 32 Suppl 2. <https://doi.org/10.2337/dc09-s301>
- Fontana Pereira, D., Cazarolli, L. H., Lavado, C., Mengatto, V., Figueiredo, M. S. R. B., Guedes, A., Pizzolatti, M. G., & Silva, F. R. M. B. (2011). Effects of flavonoids on α -glucosidase activity: Potential targets for glucose homeostasis. *Nutrition*, 27(11–12), 1161–1167. <https://doi.org/10.1016/j.nut.2011.01.008>
- Fothergill-Gilmore, L.A., Michels, P.A., 1993. Evolution of glycolysis. *Prog. Biophys. Mol.Biol.* 59, 105–235.
- Furman, B. L. (2015). Streptozotocin-Induced Diabetic Models in Mice and Rats. *Current Protocols in Pharmacology*, 70(1), 5.47.1-5.47.20. <https://doi.org/10.1002/0471141755.ph0547s70>
- Fu Z, Gilbert ER, Liu D. Regulation of insulin synthesis and secretion and pancreatic Beta-cell dysfunction in diabetes. *Curr Diabetes Rev*. 2013 Jan 1;9(1):25-53. PMID: 22974359; PMCID: PMC3934755.
- Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. B., Ostolaza, H., & Martín, C. (2020). Pathophysiology of type 2 diabetes mellitus. *International Journal of Molecular Sciences*, 21(17), 1–34.
- Gaikwad, S. B., Mohan, G. K., & Rani, M. S. (2014). Phytochemicals for diabetes management. *Pharmaceutical Crops*, 5(1), 11-28.
- Gao XY, Li K, Jiang LL, He MF, Pu CH, Kang D, Xie J. Developmental toxicity of auranofin in zebrafish embryos. *J Appl Toxicol*. 2017 May;37(5):602-610. doi: 10.1002/jat.3410. Epub 2016 Nov 4. PMID: 27813112.
- Gebrelibanos Hiben, M., Kamelia, L., de Haan, L., Spenkelink, B., Wesseling, S., Vervoort, J., & Rietjens, I. M. C. M. (2019). Hazard assessment of *Maerua subcordata* (Gilg) DeWolf. for selected endpoints using a battery of in vitro tests. *Journal of Ethnopharmacology*, 241(May), 111978.

- Gin H, Rigalleau V. Post-prandial hyperglycemia. post-prandial hyperglycemia and diabetes. *Diabetes Metab.* 2000 Sep;26(4):265-72. PMID: 11011218.
- Gong, Y., Zhai, G., Su, J., Yang, B., Jin, J., Liu, H., Yin, Z., Xie, S., & Han, D. (2018). Different roles of insulin receptor a and b in maintaining blood glucose homeostasis in zebrafish. *General and Comparative Endocrinology*, 269, 33–45.
- Grover J, Yadav S. Vats V. 2002. Medicinal plants of India with anti-diabetic potential. *J. Ethnopharmacology*. 81 : 81-100
- Gutiérrez L, Bammens L, Benilova I, Vandersteen A, Benurwar M, Borgers M, Lismont S, Zhou L, Van Cleynenbreugel S, Esselmann H, Wiltfang J, Serneels L, Karran E, Gijzen H, Schymkowitz J, Rousseau F, Broersen K, De Strooper B. The mechanism of γ -Secretase dysfunction in familial Alzheimer disease. *EMBO J.* 2012 May 16;31(10):2261-74. doi: 10.1038/emboj.2012.79. Epub 2012 Apr 13. PMID: 22505025; PMCID: PMC3364747.
- Hanson, R. W., & Reshef, L. (1997). Regulation of phosphoenolpyruvate carboxykinase (GTP) gene expression. *Annual Review of Biochemistry*, 66, 581–611. <https://doi.org/10.1146/annurev.biochem.66.1.581>
- Harborne, JB. 1987. *Metode Fitokimia, Penuntun Cara Modern Menganalisis Tumbuhan*. ITB-Press, Bandung. Halaman 4-7, 147-157.
- Hermesen, S. A. B., van den Brandhof, E. J., van der Ven, L. T. M., & Piersma, A. H. (2011). Relative embryotoxicity of two classes of chemicals in a modified zebrafish embryotoxicity test and comparison with their in vivo potencies. *Toxicology in Vitro*, 25(3), 745–753.
- Hendra H, Moeljopawiro S, Nuringtyas TR. 2016. Antioxidant and Antibacterial Activities of Agarwood (*Aquilaria malaccensis* Lamk.) Leaves. AIP Conference Proceedings
- Hill AJ, Teraoka H, Heideman W, Peterson RE. Zebrafish as a model vertebrate for investigating chemical toxicity. *Toxicol Sci.* 2005 Jul;86(1):6-19. doi: 10.1093/toxsci/kfi110. Epub 2005 Feb 9. PMID: 15703261.
- Hoang Do O, Thorn P. Insulin secretion from beta cells within intact islets: location matters. *Clin Exp Pharmacol Physiol.* 2015 Apr;42(4):406-14. doi: 10.1111/1440-1681.12368. PMID: 25676261; PMCID: PMC4418378.
- Howe, K., Clark, M., Torroja, C. *et al.* The zebrafish reference genome sequence and its relationship to the human genome. *Nature* **496**, 498–503 (2013). <https://doi.org/10.1038/nature12111>
- Huda AWN, Munira MAS, Fitrya SD, Salmah M. 2009. Antioxidant activity of *Aquilaria malaccensis* (Thymelaeaceae) leaves. *Pharmacognosy Research*. 1(5):270-273.
- Hutami, D R. 2020. Aktivitas antidiabetes ekstrak daun gaharu *Gyrinops versteegii* (Gilg.) Domke secara *in vitro* dan *in silico*. Skripsi. Fakultas Biologi. Universitas Gadjah Mada
- International Diabetes Federation. IDF. 2021. Diabetes Atlas, 10th edn. Brussels, Belgium: International Diabetes Federation

- Irion U., Krauss J., Nusslein-Volhard C. (2014). Precise and efficient genome editing in zebrafish using the CRISPR/Cas9 system. *Development* 141 4827–4830. 10.1242/dev.115584.
- Irawan A, Anggraeni I, Christita M. 2015. Identifikasi Penyebab Penyakit Bercak Daun pada Bibit Cempaka (*Magnolia elegans* (Blume)) H. Keng dan Teknik Pengendaliannya. *Jurnal WASIAN*. 2(2): 87-94.
- Jorgens, K. et al. High tissue glucose alters intersomitic blood vessels in zebrafish via methylglyoxal targeting the VEGF receptor signalling cascade. *Diabetes* **64**, 213–25 (2015).
- Jorgens, K., Hillebrands, J. L., Hammes, H. P. & Kroll, J. Zebrafish: a model for understanding diabetic complications. *Exp Clin Endocrinol Diabetes* **120**, 186–187 (2012).
- Jurczyk, A., Roy, N., Bajwa, R., Gut, P., Lipson, K., Yang, C., Covassin, L., Racki, W. J., Rossini, A. A., Phillips, N., Stainier, D. Y. R., Greiner, D. L., Brehm, M. A., Bortell, R., & diIorio, P. (2011). Dynamic glucoregulation and mammalian-like responses to metabolic and developmental disruption in zebrafish. *General and Comparative Endocrinology*, 170(2), 334–345. <https://doi.org/10.1016/j.ygcen.2010.10.010>
- Kahn, C. R., & White, M. F. (1988). The insulin receptor and the molecular mechanism of insulin action. *Journal of Clinical Investigation*, 82(4), 1151–1156. <https://doi.org/10.1172/JCI113711>
- Katz, J., & Tayek, J. A. (1998). Gluconeogenesis and the Cori cycle in 12-, 20-, and 40-H-fasted humans. *American Journal of Physiology - Endocrinology and Metabolism*, 275(3 38-3), 537–542. <https://doi.org/10.1152/ajpendo.1998.275.3.e537>
- Kangralkar, V. A., Patil, S. D., Bandivadekar, R. M., 2010. Oxisative strees and diabetes : a review. *Int. J. Phar. Appl.* 1 (1), 38 – 45
- Kishimoto, I., & Ohashi, A. (2021). Impact of lifestyle behaviors on postprandial hyperglycemia during continuous glucose monitoring in adult males with overweight/obesity but without diabetes. *Nutrients*, 13(9). <https://doi.org/10.3390/nu13093092>
- Landau, B. R., Wahren, J., Chandramouli, V., Schumann, W. C., Ekberg, K., & Kalhan, S. C. (1995). Use of 2H2O for estimating rates of gluconeogenesis: Application to the fasted state. *Journal of Clinical Investigation*, 95(1), 172–178. <https://doi.org/10.1172/JCI117635>
- Langer, S., Kaminski, M.T., Lenzen, S., Baltrusch, S., 2010. Endogenous activation of glucokinase by 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase is glucose dependent. *Mol. Endocrinol.* 24, 1988–1997.
- Lieschke, G. J., & Currie, P. D. (2007). Animal models of human disease: Zebrafish swim into view. *Nature Reviews Genetics*, 8(5), 353–367. <https://doi.org/10.1038/nrg2091>
- Lin HV, Accili D. Hormonal regulation of hepatic glucose production in health and disease. *Cell Metab.* 2011;14(1):9–19

- Lordan S, Smyth TJ, Soler-Vila A, Stanton C, Ross RP. The α -amylase and α -glucosidase inhibitory effects of Irish seaweed extracts. *Food Chem.* 2013 Dec 1;141(3):2170-6. doi: 10.1016/j.foodchem.2013.04.123. Epub 2013 May 9. PMID: 23870944.
- Lu M, Seufert J, Habener JF. Pancreatic beta-cell-specific repression of insulin gene transcription by CCAAT/enhancer-binding protein beta. Inhibitory interactions with basic helix-loop-helix transcription factor E47. *J Biol Chem.* 1997;272(45):28349–28359. doi: 10.1074/jbc.272.45.28349.
- Massa, L., Baltrusch, S., Okar, D.A., Lange, A.J., Lenzen, S., Tiedge, M., 2004. Interaction of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (PFK-2/FBPase-2) with glucokinase activates glucose phosphorylation and glucose metabolism in insulin producing cells. *Diabetes* 53, 1020–1029.
- Massei, R., Hollert, H., Krauss, M., von Tümpling, W., Weidauer, C., Haglund, P., Küster, E., Gallampois, C., Tysklind, M., & Brack, W. (2019). Toxicity and neurotoxicity profiling of contaminated sediments from Gulf of Bothnia (Sweden): a multi-endpoint assay with Zebrafish embryos. *Environmental Sciences Europe*, 31(1). <https://doi.org/10.1186/s12302-019-0188-y>
- McCue PP, Shetty K. Inhibitory effects of rosmarinic acid extracts on porcine pancreatic amylase in vitro. *Asia Pac J Clin Nutr.* 2004;13(1):101-6. PMID: 15003922.
- Merentek, E. 2006. Resistensi insulin pada diabetes melitus tipe 2. *Cermin Dunia Kedokteran*, 150:38-41.
- Millaty, I. N. K., Wijayanti, N., Hidayati, L., & Nuringtyas, T. R. (2020). Identification of anticancer compounds in leaves extracts of agarwood (*Aquilaria malaccensis* (Lamk.)). *IOP Conference Series: Earth and Environmental Science*, 457(1). <https://doi.org/10.1088/1755-1315/457/1/012036>
- Monago, C.C., & Alumanah, E.O. (2005). Antidiabetic effect of chloroform - methanol extract of *Abrus precatorius* linn seed in alloxan diabetic rabbit. *Journal of Applied Sciences and Environmental Management*, 9.
- Morris, Cecile & Fichtel, Susanne & Taylor, Andrew. (2011). Impact of Calcium on Salivary α -Amylase Activity, Starch Paste Apparent Viscosity, and Thickness Perception. *Chemosensory Perception*. 4. 116-122. 10.1007/s12078-011-9091-7.
- Mustaffa F, Indurkar J, Ali NIM, Hanapi A, Shah M, Ismail S, Mansor SM. A Review of Malaysian Medicinal Plants With Potential Antidiabetic Activity. *Natural Product Research* 2011; 4:4217-4224
- Nishimura, Y., Inoue, A., Sasagawa, S., Koiwa, J., Kawaguchi, K., Kawase, R., Maruyama, T., Kim, S., & Tanaka, T. (2016). Using zebrafish in systems toxicology for developmental toxicity testing. *Congenital Anomalies*, 56(1), 18–27. <https://doi.org/10.1111/cga.12142>
- Nuringtyas, T. R., Isromarina, R., Septia, Y., Hidayati, L., Wijayanti, N., & Moeljopawiro, S. (2018). The antioxidant and cytotoxic activities of the chloroform extract of agarwood (*Gyrinops versteegii* (Gilg.) Domke) leaves on HeLa cell lines. *AIP*

- Conference Proceedings, 2002*(August). <https://doi.org/10.1063/1.5050163>
- O'Brien RM, Granner DK. Regulation of gene expression by insulin. *Physiological Reviews*. 1996;76:1109–1161.
- O'Brien RM, Streeper RS, Ayala JE, Stadelmaier BT, Hornbuckle LA. Insulin-regulated gene expression. *Biochemical Society transaction* As 2001;29(4): 552–558.
- Oka, T., Nishimura, Y., Zang, L., Hirano, M., Shimada, Y., Wang, Z., Umemoto, N., Kuroyanagi, J., Nishimura, N., & Tanaka, T. (2010). Diet-induced obesity in zebrafish shares common pathophysiological pathways with mammalian obesity. *BMC Physiology*, 10(1). <https://doi.org/10.1186/1472-6793-10-21>
- Olsen, A. S., Sarras, M. P., & Intine, R. V. (2010). Limb regeneration is impaired in an adult zebrafish model of diabetes mellitus. *Wound Repair and Regeneration*, 18(5), 532–542. <https://doi.org/10.1111/j.1524-475X.2010.00613.x>
- P, S., Zinjarde, S. S., Bhargava, S. Y., & Kumar, A. R. (2011). Potent α -amylase inhibitory activity of Indian Ayurvedic medicinal plants. *BMC Complementary and Alternative Medicine*, 11. <https://doi.org/10.1186/1472-6882-11-5>
- Petersen, M. C., & Shulman, G. I. (2018). Mechanisms of insulin action and insulin resistance. *Physiological Reviews*, 98(4), 2133–2223. <https://doi.org/10.1152/physrev.00063.2017>
- Pérez Gutiérrez, R. M., Muñoz-Ramírez, A., Garcia-Campoy, A. H., & Mota Flores, J. M. (2021). Evaluation of the antidiabetic potential of extracts of urtica dioica, apium graveolens, and zingiber officinale in mice, zebrafish, and pancreatic β -cell. *Plants*, 10(7). <https://doi.org/10.3390/plants10071438>
- Poovitha, S., & Parani, M. (2016). In vitro and in vivo α -amylase and α -glucosidase inhibiting activities of the protein extracts from two varieties of bitter gourd (*Momordica charantia* L.). *BMC Complementary and Alternative Medicine*, 16(Suppl 1), 1–8. <https://doi.org/10.1186/s12906-016-1085-1>
- Pranakhon R, Pannangpetch P, Aromdee C. 2010. Antihyperglycemic activity of agarwood leaf extracts in STZ-induced diabetic rats and glucose uptake enhancement activity in rat adipocytes. *Songklanakarin Journal of Science and Technology*. 33(4):405-410.
- Probst, I., Unthan-Fechner, K., 1985. Activation of glycolysis by insulin with a sequential increase of the 6-phosphofructo-2-kinase activity, fructose-2,6-bisphosphate level and pyruvate kinase activity in cultured rat hepatocytes. *Eur. J. Biochem*. 153, 347–353.
- Quinn, P. G., & Yeagley, D. (2005). Insulin regulation of PEPCK gene expression: A model for rapid and reversible modulation. *Current Drug Targets: Immune, Endocrine and Metabolic Disorders*, 5(4), 423–437. <https://doi.org/10.2174/156800805774912962>
- Scott, D. K., O'Doherty, R. M., Stafford, J. M., Newgard, C. B., & Grannert, D. K. (1998). The repression of hormone-activated PEPCK gene expression by glucose is insulin-

- independent but requires glucose metabolism. *Journal of Biological Chemistry*, 273(37), 24145–24151. <https://doi.org/10.1074/jbc.273.37.24145>
- Ramnanan, C. J., Edgerton, D. S., & Cherrington, A. D. (2009). The role of insulin in the regulation of PEPCK and gluconeogenesis in vivo. *US Endocrinology*, 5(May 2015), 34–39. <https://doi.org/10.17925/use.2009.05.1.34>
- Rider MH, Bertrand L, Vertommen D, Michels PA, Rousseau GG, Hue L. 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase: head-to-head with a bifunctional enzyme that controls glycolysis. *Biochem J*. 2004 Aug 1;381(Pt 3):561–79. doi: 10.1042/BJ20040752. PMID: 15170386; PMCID: PMC1133864.
- Rosak, C., & Mertes, G. (2012). Critical evaluation of the role of acarbose in the treatment of diabetes: Patient considerations. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 5(May), 357–367. <https://doi.org/10.2147/dmso.s28340>
- Saltiel AR, Kahn CR. Insulin signalling and the regulation of glucose and lipid metabolism. *Nature*. 2001 Dec 13;414(6865):799–806. doi: 10.1038/414799a. PMID: 11742412.
- A Samrot, A Vijay. A-Amylase Activity Of Wild And Mutant Strains Of Bacillus Sp. The Internet Journal of Microbiology. 2008 Volume 6 Number 2.
- Sattayasai J, Bantadkit J, Aromdee C, Lattmann E, Airarat W. 2012. Antipyretic, analgesic and anti-oxidative activities of *Aquilaria crassna* leaves extract in rodents. *J Ayurveda Integr Med* 3 (4): 175– 179. DOI: 10.4103/0975-9476.104427.
- Shao, J., Qiao, L., Janssen, R. C., Pagliassotti, M., & Friedman, J. E. (2005). Expression and Hepatocellular Glucose Production Via Elevated Liver Activating Protein / Liver Inhibitory Protein Ratio. *Diabetes*, 54(April), 976–984.
- Siddiqui, A. A., Siddiqui, S. A., Ahmad, S., Siddiqui, S., Ahsan, I., & Sahu, K. (2013). Diabetes: Mechanism, pathophysiology and management-A review. *International Journal of Drug Development and Research*, 5(2), 1–23.
- Sitepu, I. R., Santoso, E., Siran, S. A., & Turjaman, M. (2011). No longer. In *Fragrant Wood Gaharu: When the Wild Can No Longer P R O V Ide* (Vol. 50, Issue 6). <http://search.ebscohost.com/login.aspx?direct=true&db=a9h&AN=77484929&site=ehost-live>
- Schwartz SS, Epstein S, Corkey BE, Grant SFA, Gavin Iii JR, Aguilar RB, Herman ME. A Unified Pathophysiological Construct of Diabetes and its Complications. *Trends Endocrinol Metab*. 2017 Sep;28(9):645–655. doi: 10.1016/j.tem.2017.05.005. Epub 2017 Jun 16. PMID: 28629897.
- Souza PM and Magalhães. 2010. Application Of Microbial A-Amylase In Industry. A Review. Departamento de Ciências Farmacêuticas, Faculdade de Ciências da Saúde, Universidade de Brasília, Brasília, DF
- Stewart AM, Braubach O, Spitsbergen J, Gerlai R, Kalueff AV. Zebrafish models for translational neuroscience research: from tank to bedside. *Trends Neurosci*. 2014 May;37(5):264–78. doi: 10.1016/j.tins.2014.02.011. Epub 2014 Apr 9. PMID: 24726051; PMCID: PMC4039217.
- Stumvoll M, Goldstein BJ, van Haeften TW. Type 2 diabetes: principles of pathogenesis and therapy. *Lancet*. 2005 Apr 9–15;365(9467):1333–46. doi: 10.1016/S0140-

- 6736(05)61032-X. PMID: 15823385.
- Sun, Jia., Chao, Q., Wang, Y., Huang, H., Zhang, M., Li, H., Zhang, Y., Wang, Y., Zou, W. 2016. PTP1B, a potential of type 2 diabetes mellitus. *Molecular Biology*, 5(4):1-6.
- Sudha P, Zinjarde SS, Bhargava SY, Kumar AR. 2011. Potent α -Amylase Inhibitory Activity of Indian ayurvedic Medicinal Plants. *BMC Complementary Alternative Medicine*. 11(5): 1-10.
- Sumarna Y. 2002. Budidaya Gaharu. Cetakan 1. Penebar Swadaya. Bogor.
- Susilo, A., Kalima, T., Santoso, E., 2014. Panduan Lapangan Pengenalan Jenis Pohon Penghasil Gaharu *Gyrinops* spp. di Indonesia. Kementerian Kehutanan, Badan Penelitian dan Pengembangan Kehutanan, Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi - International Tropical Timber Organization (ITTO), Bogor, Indonesia.
- Suryanarayana P, Saraswat M, Mrudula T, Krishna TP, Krishnaswamy K, Reddy GB. Curcumin and Turmeric delay streptozotocin-induced diabetic cataract in rats. *Invest Ophthalmol Vis Sci*. 2005. 46 : 2092-99
- Susmianto, A., Turjaman, M., & Setio, P. (2014). Rekam jejak gaharu inokulasi. In *Rekam Jejak Gaharu Inokulasi; Teknologi Badan Litbang Kehutanan*. http://www.trafficj.org/publication/10_Wood_for_the_trees.pdf
- Sutherland, C., O'Brien, R.M., Granner, D.K., 1996. New connections in the regulation of PEPCK gene expression by insulin. *Philos. Trans. R. Soc. London. Ser. B, Biol. Sci.* 351, 191–199.
- Syahbirin, G.; Mumuh, N.; Mohamad, K. Curcuminoid and toxicity levels of ethanol extract of Javanese ginger (*Curcuma xanthorrhiza*) on brine shrimp (*Artemia salina*) larvae and zebrafish (*Danio rerio*) embryos. *Asian J. Pharm. Clin. Res.* **2017**, 10, 169–173.
- Taniguchi, C. M., Emanuelli, B., & Kahn, C. R. (2006). Critical nodes in signalling pathways: Insights into insulin action. *Nature Reviews Molecular Cell Biology*, 7(2), 85–96. <https://doi.org/10.1038/nrm1837>
- Toyoshima, Y., Monson, C., Duan, C., Wu, Y., Gao, C., Yakar, S., Sadler, K. C., & LeRoith, D. (2008). The role of insulin receptor signaling in zebrafish embryogenesis. *Endocrinology*, 149(12), 5996–6005. <https://doi.org/10.1210/en.2008-0329>
- Tseng, Y. C., Chen, R. D., Lee, J. R., Liu, S. T., Lee, S. J., & Hwang, P. P. (2009). Specific expression and regulation of glucose transporters in zebrafish ionocytes. *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*, 297(2), 275–291. <https://doi.org/10.1152/ajpregu.00180.2009>
- Vidal-Puig, A., & O'Rahilly, S. (2001). Controlling the glucose factory. *Nature*, 413(6852), 125–126. <https://doi.org/10.1038/35093198>
- Waltner-Law, M., Duong, D. T., Daniels, M. C., Herzog, B., Wang, X. L., Prasad, R., & Granner, D. K. (2003). Elements of the glucocorticoid and retinoic acid response units are involved in cAMP-mediated expression of the PEPCK gene. *Journal of*

- Biological Chemistry*, 278(12), 10427–10435.
<https://doi.org/10.1074/jbc.M211846200>
- Wang, X., Zhang, J. B., He, K. J., Wang, F., & Liu, C. F. (2021). Advances of Zebrafish in Neurodegenerative Disease: From Models to Drug Discovery. *Frontiers in Pharmacology*, 12(July), 1–19. <https://doi.org/10.3389/fphar.2021.713963>
- Wangiyana IGAS, Triandini IGAAH, Putradi D, Wangiyana W. 2018. Tannin Concentration of Gyrinops Tea from Leaves of Juvenile and Mature Agarwood Trees (*Gyrinops versteegii* Gilg (Domke)) with Different Pocesing Methods. *Journal of Chemical and Pharmaceutical Research*. 10(10): 113-119.
- Wardana, T. A. P., Nuringtyas, T. R., Wijayanti, N., & Hidayati, L. (2019). Phytochemical analysis of agarwood (*Gyrinops versteegii* (Gilg.) Domke) leaves extracts as anticancer using GC-MS. *AIP Conference Proceedings*, 2194(December). <https://doi.org/10.1063/1.5139868>
- Wardani, S. K. 2020. Potensi Antidiabetes Ekstrak Daun Gaharu *Aquilaria malaccensis* Lamk. Secara In Vitro. Skripsi. Fakultas Biologi. Universitas Gadjah Mada
- Whiteman, E.L., Cho, H., Birnbaum, M.J., 2002. Role of Akt/protein kinase B in metabolism. *Trends Endocrinol. Metabolism*: TEM 13, 444–451.
- Wendik, B., Maier, E., & Meyer, D. (2004). Zebrafish *mnx* genes in endocrine and exocrine pancreas formation. *Developmental Biology*, 268(2), 372–383. <https://doi.org/10.1016/j.ydbio.2003.12.026>
- Yabaluri N, Bashyam MD. Hormonal regulation of gluconeogenic gene transcription in the liver. *J Biosci*. 2010 Sep;35(3):473-84. doi: 10.1007/s12038-010-0052-0. PMID: 20826956.
- Ye Q, Liu H, Fang C, Liu Y, Liu X, Liu J, Zhang C, Zhang T, Peng C, Guo L. Cardiotoxicity evaluation and comparison of diterpene alkaloids on zebrafish. *Drug Chem Toxicol*. 2021 May;44(3):294-301. doi: 10.1080/01480545.2019.1586916. Epub 2019 Mar 21. PMID: 30895830.
- Yee, N. S., Lorent, K., & Pack, M. (2005). Exocrine pancreas development in zebrafish. *Developmental Biology*, 284(1), 84–101. <https://doi.org/10.1016/j.ydbio.2005.04.035>
- Yin, Z., Zhang, W., Feng, F., Zhang, Y., & Kang, W. (2014). α -Glucosidase inhibitors isolated from medicinal plants. *Food Science and Human Wellness*, 3(3–4), 136–174. <https://doi.org/10.1016/j.fshw.2014.11.003>
- Yumnamcha, T., Devi, M. D., Roy, D., & Nongthomba, U. (2022). Evaluation of developmental toxicity and genotoxicity of aqueous seed extract of *Croton tiglium* L. using zebrafish. *Drug and Chemical Toxicology*, 45(1), 398–406. <https://doi.org/10.1080/01480545.2019.1708094>