

## DAFTAR PUSTAKA

- Antal, T., Figiel, A., Kerekes, B., & Sikolya, L. (2011). Effect of drying methods on the quality of the essential oil of spearmint leaves (*Mentha spicata* L.). *Drying Technology*, 29(15), 1836–1844, doi:10.1080/07373937.2011.606519.
- Abbott, J. A. (1999). Quality measurement of fruits and vegetables. *Postharvest Biology and Technology*, 15(3), 207–225, doi:10.1016/s0925-5214(98)00086-6.
- Abdallah, I. I., & Quax, W. J. (2017). A glimpse into the biosynthesis of terpenoids. *KnE Life Sciences*, 2017(5):81-98, doi: 10.18502/cls.v3i5.981.
- Abdullah, B. M., Mehdi, M. A. H., Khan, A. R., & Pathan, J. M. (2020). Gas chromatography-mass spectrometry (Gc-ms) analysis of ajwain (*Trachyspermum ammi*) seed extract. *International Journal of Pharmaceutical Quality Assurance*, 11(2):228-231, doi: 10.25258/ijpqa.11.2.6.
- Abdullah, F. I., Chua, L. S., & Rahmat, Z. (2017). Comparison of protein extraction methods for the leaves of *Ficus deltoidea*. *Journal of Fundamental and Applied Sciences*, 9(2), 908. doi:10.4314/jfas.v9i2.19.
- Adeleke, E. O., Omafuvbe, B. O., Adewale, I. O., & Bakare, M. K. (2012). Purification and characterisation of a cellulase obtained from cocoa (*Theobroma cacao*) pod-degrading bacillus coagulans co4. *Turkish Journal of Biochemistry*, 37(3):222-239, doi: 10.5505/tjb.2012.47955.
- Adhamatika, A., Murtini, E. S., & Sunarharum, W. B. (2021). The effect of leaf age and drying method on physico-chemical characteristics of pandan (*Pandanus amaryllifolius* Roxb.) leaves powder. In *IOP Conference Series: Earth and Environmental Science*, 733: 012-073, doi 10.1088/1755-1315/733/1/012073.
- Agusta, A. (2000). Minyak atsiri tumbuhan tropika Indonesia. Bandung: Penerbit Institut Teknologi Bandung.
- Agustina, R., Indrawati, D. T., & Masruhim, M. A. (2015). Aktivitas ekstrak daun salam (*Eugenia polyantha*) sebagai antiinflamasi pada tikus putih (*Rattus norvegicus*). *Journal of Tropical Pharmacy and Chemistry*, 3(2), 120–123, doi:10.25026/jtpc.v3i2.96
- Al Otaibi, M., & El Demerdash, H. (2008). Improvement of the quality and shelf life of concentrated yoghurt (labneh) by the addition of some essential oils. *African Journal of Microbiology Research*, 2(7): 156-161, doi: 10.5897/AJMR.9000379.
- Alfikri, F. N., Pujiarti, R., Wibisono, M. G., & Hardiyanto, E. B. (2020). Yield, quality, and antioxidant activity of clove (*Syzygium aromaticum* L.) bud oil at the different phenological stages in young and mature trees. *Scientifica*, 2020(4):1-8, doi: 10.1155/2020/9701701.
- Amalina, A., N., Natanamurugaraj, G., Mashitah, M.Y., & Ashikin AK, N. (2015). Chemical composition, antioxidant and antibacterial activities of *Syzygium polyanthum* (Wight) Walp. essential oils. *The Open Conference Proceedings Journal*, 4: 139, doi: 10.2174/2210289201304010139.

- Amanto, B. S., Laily, F. N., & Nursiwi, A. (2019). Influence of withering time and leaf condition on physical and chemical characteristics of fig leaf tea. In *IOP Conference Series: Materials Science and Engineering*, 633: 012-042, doi: 10.1088/1757-899X/633/1/012042.
- Andres-Montaner, D. (2008). Study of gene regulation and function of monoterpene synthases in Holm oak (*Quercus ilex* L.) and transgenic birch (*Betula pendula* Roth). *Ph.D thesis*. Fakultat für Forst- und Umweltwissenschaften der Albert-Ludwigs-Universität Freiburg im Breisgau.
- Anita, C.D., & Permata, D.A. (2018). Pengaruh perbedaan suhu pengeringan terhadap karakteristik teh daun salam (*Syzygium polyanthum* (Wight) Walp). *Thesis*, Universitas Andalas.
- Annegowda, H. V., Bhat, R., Min-Tze, L., Karim, A. A., & Mansor, S. M. (2012). Influence of sonication treatments and extraction solvents on the phenolics and antioxidants in star fruits. *Journal of Food Science and Technology*, 49(4): 510–514, doi: 10.1007/s13197-011-0435-8.
- Antal, T., Figiel, A., Kerekes, B., & Sikolya, L. (2011). Effect of drying methods on the quality of the essential oil of spearmint leaves (*Mentha spicata* L.). *Drying Technology*, 29(15): 1836-1844, doi: 10.1080/07373937.2011.606519.
- Anwar, K., Rahmanto, B., Triyasmono, L., Rizki, M. I., & Lestari, F. (2017). The influence of leaf age on total phenolic, flavonoids, and free radical scavenging capacity of *Aquilaria beccariana*. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 18(1(S)):129-133.
- Arabhosseini, A., Huisman, W., van Boxtel, A., & Müller, J. (2007). Long-term effects of drying conditions on the essential oil and color of tarragon leaves during storage. *Journal of Food Engineering*, 79(2), 561–566, doi:10.1016/j.jfoodeng.2006.02.014
- Argyropoulos, D., Kudadam, J., & Müller, J. (2009). Color degradation of lemon balm (*Melissa officinalis* L.) as affected by the drying process. In *5th International Technical Symposium on Food Processing, Monitoring Technology in Bioprocesses and Food Quality Management*, Monitoring Technology in Bioprocesses and Food Quality Management, Potsdam, Germany, 31 August - 02 September 2009.
- Ashafa, A. O. T., Grierson, D. S., & Afolayan, A. J. (2008). Effects of drying methods on the chemical composition of essential oil from *Felicia muricata* leaves. *Asian Journal of Plant Sciences*, 7: 603-606, doi: 10.3923/ajps.2008.603.606.
- Asmira Abd Rahim, E. N., Ismail, A., Omar, M. N., Rahmat, U. N., & Nizam Wan Ahmad, W. A. (2018). GC-MS analysis of phytochemical compounds in *syzygium polyanthum* leaves extracted using ultrasound-assisted method. *Pharmacognosy Journal*, 10(1):110-119, doi: 10.5530/pj.2018.1.20.
- Assami, K., Chemat, S., Meklati, B. Y., & Chemat, F. (2016). Ultrasound-assisted aromatisation with condiments as an enabling technique for olive oil flavouring

- and shelf life enhancement. *Food Analytical Methods*, 9: 982–990, doi: 10.1007/s12161-015-0273-9.
- Aulia, T. D., & Salamah, A. (2020). Effect of salam (*Syzygium polyanthum* Wight. Walp.) leaf extract on spermatozoa motility in ethanol-induced mice. *IOP Conference Series: Earth and Environmental Science*, 481, 012033, doi:10.1088/1755-1315/481/1/01203.
- Aziz, A., & Jack, R. (2015). Total phenolic content and antioxidant activity in *Nypa fruticans* extracts. *Journal of Sustainability Science and Management*, 10(1): 87-91.
- Babiker, E. E., Juhaimi, F. A. L., Ghafour, K., & Abdoun, K. A. (2018). Effect of drying methods on nutritional quality of young shoots and leaves of two *Moringa* species as non-conventional fodders. *Agroforestry Systems*, 92, 717–729, doi: 10.1007/s10457-016-0043-8.
- Babu, A. K., Kumaresan, G., Raj, V. A. A., & Velraj, R. (2018). Review of leaf drying: Mechanism and influencing parameters, drying methods, nutrient preservation, and mathematical models. *Renewable and Sustainable Energy Reviews*, 90: 536-556, doi: 10.1016/j.rser.2018.04.002.
- Bach, T. J., & Rohmer, M. (2013). Isoprenoid synthesis in plants and microorganisms: New concepts and experimental approaches. *Isoprenoid Synthesis in Plants and Microorganisms: New Concepts and Experimental Approaches*, doi: 10.1007/978-1-4614-4063-5.
- Badan Pusat Statistik (BPS). (2021). Jumlah Rumah Tangga Usaha Hortikultura dan Jumlah/Luas Tanam Hortikultura Strategis. *Badan Pusat Statistik Nasional*. Indonesia
- Badawy, M. E. I., Rabea, E. I., A. M. El-Nouby, M., Ismail, R. I. A., & Taktak, N. E. M. (2017). Strawberry shelf life, composition, and enzymes activity in response to edible chitosan coatings. *International Journal of Fruit Science*, 17(2):1-20, doi: 10.1080/15538362.2016.1219290.
- Badmus, U. O., Taggart, M. A., & Boyd, K. G. (2019). The effect of different drying methods on certain nutritionally important chemical constituents in edible brown seaweeds. *Journal of Applied Phycology*, 31(6), doi: 10.1007/s10811-019-01846-1.
- Baidoo, E. E. K., Xiao, Y., Dehesh, K., & Keasling, J. D. (2014). Metabolite profiling of plastidial deoxyxylulose-5-phosphate pathway intermediates by liquid chromatography and mass spectrometry. *Methods in Molecular Biology*, 1153: 57-76, doi: 10.1007/978-1-4939-0606-2\_5.
- Baskaran, G., Salvamani, S., Ahmad, S. A., Shaharuddin, N. A., Pattiram, P. D., & Shukor, M. Y. (2015). HMG-CoA reductase inhibitory activity and phytochemical investigation of *Basella alba* leaf extract as a treatment for hypercholesterolemia. *Drug Design, Development and Therapy*, 14(9): 509-17, doi: 10.2147/DDDT.S75056.

- Bassolé, I. H. N., Lamien-Meda, A., Bayala, B., Obame, L. C., Ilboudo, A. J., Franz, C., ... Dicko, M. H. (2011). Chemical composition and antimicrobial activity of *Cymbopogon citratus* and *Cymbopogon giganteus* essential oils alone and in combination. *Phytomedicine*, 18(12): 1070-4, doi: 10.1016/j.phymed.2011.05.009.
- Bauer, S. A. W., Kulozik, U., & Foerst, P. (2013). Drying kinetics and survival of bacteria suspensions of *L. paracasei* f19 in low-temperature vacuum drying. *Drying Technology*. 31(13): 12497-1503, doi: 10.1080/07373937.2013.809733.
- Behera, B. C., Mahadik, N., & Morey, M. (2012). Antioxidative and cardiovascular-protective activities of metabolite usnic acid and psoromic acid produced by lichen species *Usnea complanata* under submerged fermentation. *Pharmaceutical Biology*, 50(8): 968-79, doi: 10.3109/13880209.2012.654396.
- Bomfim, L. M., Menezes, L. R. A., Rodrigues, A. C. B. C., Dias, R. B., Gurgel Rocha, C. A., Soares, M. B. P., ... Bezerra, D. P. (2016). Antitumour activity of the microencapsulation of *Annona vepretorum* essential oil. *Basic and Clinical Pharmacology and Toxicology*, 118(3): 208-13, doi: 10.1111/bcpt.12488.
- Bonfill, M., Malik, S., Mirjalili, M. H., Goleniowski, M., Cusido, R., & Palazón, J. (2013). Production and genetic engineering of terpenoids production in plant cell and organ cultures. In *Natural Products: Phytochemistry, Botany and Metabolism of Alkaloids, Phenolics and Terpenes*, 13(1): 2761-2796, doi: 10.1007/978-3-642-22144-6\_123.
- Boukhatem, M. N., Ferhat, M. A., Rajabi, M., & Mousa, S. A. (2020). Solvent-free microwave extraction: an eco-friendly and rapid process for green isolation of essential oil from lemongrass. *Natural Product Research*, 36(2): 664-667, doi: 10.1080/14786419.2020.1795852.
- Bowes, K.M., & Jeliaskov, V.D. (2004). Factors affecting yields and essential oil quality of *Ocimum sanctum* L. and *Ocimum basilicum* L. *Journal of the American Society for Horticultural Science: American Society for Horticultural Science*, 129(6): 789-794 doi:10.21273/JASHS.129.6.0789
- Boyle, J. (2005). Lehninger principles of biochemistry (4th ed.): Nelson, D., and Cox, M. *Biochemistry and Molecular Biology Education*. <https://doi.org/10.1002/bmb.2005.494033010419>.
- Bradford, I. T., Bradford, T., Bradford, T., G-, C. B., Coomassie, T., Bradford, T., ... Glycerol, N. (1990). Bradford - Solution for Protein Determination. *Applichem*, e45.
- Brammer, L. A., Smith, J. M., Wades, H., & Meyers, C. F. (2011). 1-Deoxy-D-xylulose 5-phosphate synthase catalyzes a novel random sequential mechanism. *Journal of Biological Chemistry*, 15(6): 571-81, doi: 10.1074/jbc.M111.259747.
- Brocks, J. J., Logan, G. A., Buick, R., & Summons, R. E. (1999). Archean molecular fossils and the early rise of eukaryotes. *Science*, 285(5430): 1033-6, doi: 10.1126/science.285.5430.1033.

- Buchbauer, E. by K. H. C. B. G. (2016). Handbook of essential oils. Science, Technology and Applications. *2nd Edn. Chromatographia*, CRC Press, Boca Raton, Florida, USA.
- Budiyanto, A. (2017). Menemukan historiografi indonesiasentris. In *Historiografi Soto Jejak Metodologis Sejarah Kosmopolitanisme Indonesia*, Penerbit Ombak, Yogyakarta, DI Yogyakarta, Indonesia.
- Cai, Y., Gu, F., Hong, Y., Chen, Y., Xu, F., & An, K. (2019). Metabolite transformation and enzyme activities of hainan vanilla beans during curing to improve flavor formation. *Molecules (Basel, Switzerland)*, 24(15): 2781, doi: 10.3390/molecules24152781.
- Calín-Sánchez, Á., Lipan, L., Cano-Lamadrid, M., Kharaghani, A., Masztalerz, K., Carbonell-Barrachina, Á. A., & Figiel, A. (2020). Comparison of traditional and novel drying techniques and its effect on quality of fruits, vegetables and aromatic herbs. *Foods*, 9(9): 1261, doi: 10.3390/foods9091261.
- Cannon, J. B., Cantrell, C. L., Astatkie, T., & Zheljazkov, V. D. (2013). Modification of yield and composition of essential oils by distillation time. *Industrial Crops and Products*, 41: 214-220, doi: 10.1016/j.indcrop.2012.04.021.
- Caputi, L., & Aprea, E. (2012). Use of terpenoids as natural flavouring compounds in food industry. *Recent Patents on Food, Nutrition & Agriculture*, 3(1): 9-16, doi: 10.2174/2212798411103010009.
- Caputo, L., Nazzaro, F., Souza, L. F., Aliberti, L., De Martino, L., Fratianni, F., ... De Feo, V. (2017). *Laurus nobilis*: Composition of essential oil and its biological activities. *Molecules*, 22(6): 930, doi: 10.3390/molecules22060930.
- Carroll, A. L., Desai, S. H., & Atsumi, S. (2016). Microbial production of scent and flavor compounds. *Current Opinion in Biotechnology*, 37: 8-15, doi: 10.1016/j.copbio.2015.09.003.
- Cascone, P., Iodice, L., Maffei, M. E., Bossi, S., Arimura, G. ichiro, & Guerrieri, E. (2015). Tobacco overexpressing  $\beta$ -ocimene induces direct and indirect responses against aphids in receiver tomato plants. *Journal of Plant Physiology*, 173: 28-32, doi: 10.1016/j.jplph.2014.08.011.
- Chang, X., Lu, Y., Lin, Z., Qiu, J., Guo, X., Pan, J., & Abbasi, A. M. (2018). Impact of leaf development stages on polyphenolics profile and antioxidant activity in *Clausena lansium* (lour.) skeels. *BioMed Research International*, 2018: 1-8, doi: 10.1155/2018/7093691.
- Chaturvedula, V. S. P., & Prakash, I. (2011). The aroma, taste, color and bioactive constituents of tea. *Journal of Medicinal Plants Research*, 5(11), 2110-2124, doi: 10.5897/JMPR.9001187.
- Chen, R., He, X., Chen, J., Gu, T., Liu, P., Xu, T., ... Hao, D. (2019). Traumatic resin duct development, terpenoid formation, and related synthase gene expression in *Pinus massoniana* under feeding pressure of *Monochamus alternatus*. *Journal of Plant Growth Regulation*, 38: 897-908, doi: 10.1007/s00344-018-9900-1.

- Chen, S., Xie, P., Li, Y., Wang, X., Liu, H., Wang, S., ... Yu, X. (2021). New insights into stress-induced  $\beta$ -ocimene biosynthesis in tea (*Camellia sinensis*) leaves during oolong tea processing. *Journal of Agricultural and Food Chemistry*, 69(39), 11656–11664, doi: 10.1021/acs.jafc.1c04378.
- Chen, X. M., Ma, Z., & Kitts, D. D. (2018). Effects of processing method and age of leaves on phytochemical profiles and bioactivity of coffee leaves. *Food Chemistry*, 249: 143-153, doi: 10.1016/j.foodchem.2017.12.073.
- Cheng, K., Dong, W., Long, Y., Zhao, J., Hu, R., Zhang, Y., & Zhu, K. (2019). Evaluation of the impact of different drying methods on the phenolic compounds, antioxidant activity, and in vitro digestion of green coffee beans. *Food Science and Nutrition*, 7(3):1084-1095, doi: 10.1002/fsn3.948.
- Chizzola, R. (2014). Composition of the essential oil of wild grown caraway in meadows of the Vienna Region (Austria). *Natural Product Communications*, 2014: 103-110, doi: 10.1177/1934578x1400900440.
- Cock, I. E., & Cheesman, M. (2018). Plants of the genus *Syzygium* (*Myrtaceae*): a review on ethnobotany, medicinal properties and phytochemistry. In *Bioactive compounds of medicinal plants: Properties and potential for human health*, 2018: 35-84.
- Cooper, G. M. (2000). The central role of enzymes as biological catalysts. *The Cell: A Molecular Approach*, Sinauer Associates, Sunderland, North East, England.
- Da Silva, L. C. A., Honorato, T. L., Cavalcante, R. S., Franco, T. T., & Rodrigues, S. (2012). Effect of pH and temperature on enzyme activity of chitosanase produced under solid stated fermentation by *Trichoderma* spp. *Indian Journal of Microbiology*, 52(1): 60–65, doi: 10.1007/s12088-011-0196-0.
- De Carvalho, L. M. J., Gomes, P. B., Godoy, R. L. de O., Pacheco, S., do Monte, P. H. F., de Carvalho, J. L. V., ... Ramos, S. R. R. (2012). Total carotenoid content,  $\alpha$ -carotene and  $\beta$ -carotene, of landrace pumpkins (*Cucurbita moschata* Duch): A preliminary study. *Food Research International*, 47(2), 337-340, doi: 10.1016/j.foodres.2011.07.040.
- Demir, V., Gunhan, T., Yagcioglu, A. K., & Degirmencioglu, A. (2004). Mathematical modelling and the determination of some quality parameters of air-dried bay leaves. *Biosystems Engineering*, 88(3), 325-335, doi: 10.1016/j.biosystemseng.2004.04.005.
- Demissie, Z. A., Erland, L. E., Rheault, M. R., & Mahmoud, S. S. (2013). The biosynthetic origin of irregular monoterpenes in Lavandula. *Journal of Biological Chemistry*, 288(9): 6333-6341, doi: 10.1074/jbc.m112.431171.
- Dendang, B. (2015). Struktur dan komposisi tegakan hutan di Taman Nasional Gunung Gede Pangrango, Jawa Barat. *Pros Sem Nas Masy Biodiv Indon*, 1(4): 6691-695, doi: 10.13057/psnmbi/m010401.
- Dewijanti, I. D., Mangunwardoyo, W., Artanti, N., & Hanafi, M. (2019). Bioactivities of Salam leaf (*Syzygium polyanthum* (Wight) Walp). In *AIP Conference*

- Proceedings*. <https://doi.org/10.1063/1.5132499>
- Dewijanti, I., Mangunwardoyo, W., Dwiranti, A., Hanafi, M., & Artanti, N. (2020). Short communication: Effects of the various source areas of Indonesian bay leaves (*Syzygium polyanthum*) on chemical content and antidiabetic activity. *Biodiversitas Journal of Biological Diversity*, 2168(1): 020072, doi: 10.13057/biodiv/d210345.
- Disperkimtan. (2021). Pohon Salam (*Syzygium polyanthum*). *Website Dinas Perumahan Rakyat, Kawasan Permukiman dan Pertanahan (Disperkimtan)*, Kota Palangka Raya. <https://disperkimtan.palangkaraya.go.id/pohon-salam-syzygium-polyanthum/>, diakses pada tanggal 25 September 2021.
- Dorkbuakaew, N., Ruengnet, P., Pradmeeteekul, P., Nimkamnerd, J., Nantitanon, W., & Thitipramote, N. (2016). Bioactive compounds and antioxidant activities of *Camellia sinensis* var. *assamica* in different leave maturity from Northern Thailand. *International Food Research Journal*, 23(5): 2291-2295.
- Duarte, A. M., Caixeirinho, D., Miguel, M. G., Sustelo, V., Nunes, C., Fernandes, M. M., & Marreiros, A. (2012). Organic acids concentration in citrus juice from conventional versus organic farming. *Acta Horticulturae*, (933), 601–606, doi:10.17660/actahortic.2012.933.78
- Dudareva, N., Andersson, S., Orlova, I., Gatto, N., Reichelt, M., Rhodes, D., ... Gershenzon, J. (2005). The nonmevalonate pathway supports both monoterpene and sesquiterpene formation in snapdragon flowers. *Proceedings of the National Academy of Sciences of the United States of America*, 102(3): 933-938, doi: 10.1073/pnas.0407360102.
- Dudareva, N., & DellaPenna, D. (2013). Plant metabolic engineering: Future prospects and challenges. *Current Opinion in Biotechnology*, 24(2), doi: 10.1016/j.copbio.2013.02.002.
- Dudareva, N., Klempien, A., Muhlemann, J. K., & Kaplan, I. (2013). Biosynthesis, function and metabolic engineering of plant volatile organic compounds. *New Phytologist*, 198(1), 16-32, doi: 10.1111/nph.12145.
- Dudareva, N., Martin, D., Kish, C. M., Kolosova, N., Gorenstein, N., Fäldt, J., ... Bohlmann, J. (2003). (E)- $\beta$ -ocimene and myrcene synthase genes of floral scent biosynthesis in snapdragon: Function and expression of three terpene synthase genes of a new terpene synthase subfamily. *Plant Cell*, 15(5): 1227-41, doi: 10.1105/tpc.011015.
- Eganathan, P., Saranya, J., Sujanal, P., & Parida, A. (2012). Essential oil composition of leaves of *Syzygium makul* Gaertn. *Journal of Essential Oil-Bearing Plants*, 5: 827-831, doi: 10.1080/0972060X.2012.10644127.
- Essential oils & natural extracts to show fastest growth in US fragrance market: Freedonia. (2013). *Focus on Surfactants*, doi:10.1016/s1351-4210(13)70298-1
- Everton, G.O., Júnior, P.S.S., & Filho, V.E.M. Influence of drying on the essential oil of *Alpinia zerumbet* leaves: Mathematical modelling of *Alpinia zerumbet* leaves

- and biological properties of its essential oils. *Our Knowledge Publishing*, English, 52.
- Fäldt, J., Arimura, G., Gershenzon, J., Takabayashi, J., & Bohlmann, J. (2003). Functional identification of AtTPS03 as (E)- $\beta$ -ocimene synthase: a monoterpene synthase catalyzing jasmonate- and wound-induced volatile formation in *Arabidopsis thaliana*. *Planta*, 216(5), 745–751, doi:10.1007/s00425-002-0924-0.
- Fajaryanti, N., Nurrochmad, A., & Fakhrudin, N. (2016). Evaluation of antihyperlipidemic activity and total flavonoid content of *Artocarpus altilis* leaves extracts. *International Journal of Pharmaceutical and Clinical Research*, 8(5): 461-465.
- Fäldt, J., Arimura, G. I., Gershenzon, J., Takabayashi, J., & Bohlmann, J. (2003). Functional identification of AtTPS03 as (E)- $\beta$ -ocimene synthase: A monoterpene synthase catalyzing jasmonate- and wound-induced volatile formation in *Arabidopsis thaliana*. *Planta*, 216(5):745-51, doi: 10.1007/s00425-002-0924-0.
- Farré-Armengol, G., Filella, I., Llusà, J., & Peñuelas, J. (2017).  $\beta$ -Ocimene, a key floral and foliar volatile involved in multiple interactions between plants and other organisms. *Molecules*, 22(7): 1148, doi: 10.3390/molecules22071148.
- Feng, H., Yin, Y., & Tang, J. (2012). Microwave drying of food and agricultural materials: basics and heat and mass transfer modeling. *Food Engineering Reviews*, 4(2), 112-116, doi: 10.1007/s12393-012-9048-x.
- Filly, A., Fernandez, X., Minuti, M., Visinoni, F., Cravotto, G., & Chemat, F. (2014). Solvent-free microwave extraction of essential oil from aromatic herbs: From laboratory to pilot and industrial scale. *Food Chemistry*, 150(1): 193-198, doi: 10.1016/j.foodchem.2013.10.139.
- Fitriani, A., Hamdiyanti, Y., & Engriyani, R. (2012). Aktivitas antifungi ekstrak etanol daun Salam (*Syzygium polyanthum* (Wight) Walp.) terhadap pertumbuhan jamur *Candida albicans* secara in vitro. *Biosfera Universitas Jenderal Soedirman*, 29(2).
- Frizon, C. N. T., & Nisgoski, S. (2020). Color parameters to predict moisture and tannin content in yerba mate process. *Floresta e Ambiente*, 27(2), doi: 10.1590/2179-8087.009818.
- Fung, J.J., & Lim, Y.Y. (2016). Effect of air- and oven-drying on the activity of polyphenol oxidases and peroxidases in the leaves of *Gynura procumbens*. *International Conference of Undergraduate Research School of Science*, Monash University, Malaysia.
- Gaylor, R., Renaud, B., Michel, J., Panja, R., Fanja, F., Marc, L., & Pascal, D. (2016). Variations in yield and composition of leaf essential oil from *Syzygium aromaticum* at various phases of development. *International Journal of Basic and Applied Sciences*, 5(1):90-94, doi: 10.14419/ijbas.v5i1.5614.
- Godard, K. A., White, R., & Bohlmann, J. (2008). Monoterpene-induced molecular responses in *Arabidopsis thaliana*. *Phytochemistry*, 69(9):1838-49, doi: 10.1016/j.phytochem.2008.02.011.

- Górak, A., & Olujić, Ž. (2014). Distillation: Fundamentals and Principles. *Distillation: Fundamentals and Principles*, doi:10.1016/C2010-0-66923-9.
- Graff, E. C., Fang, H., Wanders, D., & Judd, R. L. (2016). Anti-inflammatory effects of the hydroxycarboxylic acid receptor 2. *Metabolism*, 65(2), 102–113, doi:10.1016/j.metabol.2015.10.001.
- Guo, Q., Sun, D. W., Cheng, J. H., & Han, Z. (2017). Microwave processing techniques and their recent applications in the food industry. *Trends in Food Science and Technology*, 67: 236-247, 10.1016/j.tifs.2017.07.007.
- Hadjibagher, K.M. N., & Sefidkon, F. (2011). The influence of drying methods on essential oil content and composition of *Laurus nobilis* L. *Journal of Essential Oil Bearing Plants*, 14(3), 302–308, doi:10.1080/0972060x.2011.1064393.
- Hampel, D., Mosandl, A., & Wüst, M. (2005). Biosynthesis of mono- and sesquiterpenes in carrot roots and leaves (*Daucus carota* L.): Metabolic crosstalk of cytosolic mevalonate and plastidial methylerythritol phosphate pathways. *Phytochemistry*. 66(3): 305-11, doi: 10.1016/j.phytochem.2004.12.010.
- Han, M., Heppel, S. C., Su, T., Bogs, J., Zu, Y., An, Z., & Rausch, T. (2013). Enzyme inhibitor studies reveal complex control of methyl-d-erythritol 4-phosphate (mep) pathway enzyme expression in *Catharanthus roseus*. *PLoS ONE*, 8(5): e62467, doi: 10.1371/journal.pone.0062467.
- Harborne, J. B., & Tomas-Barberan, F. A. (1990). Ecological chemistry and biochemistry of plant terpenoids. <https://doi.org/10.2307/2806846>
- Harismah, K. (2017). Pemanfaatan daun salam (*Eugenia polyantha*) sebagai obat herbal dan rempah penyedap makanan. *Warta LPM*, 19(2), doi: 10.23917/warta.v19i2.2742.
- Hartanti, L., Yonas, S. M. K., Mustamu, J. J., Wijaya, S., Setiawan, H. K., & Soegiarto, L. (2019). Influence of extraction methods of bay leaves (*Syzygium polyanthum*) on antioxidant and HMG-CoA Reductase inhibitory activity. *Heliyon*, 5(4), e01485, doi: 10.1016/j.heliyon.2019.e01485.
- Hartatie, E. S., Prihartini, I., Widodo, W., & Wahyudi, A. (2019). Bioactive compounds of lemongrass (*Cymbopogon citratus*) essential oil from different parts of the plant and distillation methods as natural antioxidant in broiler meat. In *IOP Conference Series: Materials Science and Engineering*, 532, 012-018, doi: 10.1088/1757-899X/532/1/012018.
- Hasan, R., Lindarto, D., Siregar, G. A., & Mukhtar, Z. (2020). The effect of salam leaf (*Syzygium polyanthum* [Wight] Walp.) extract on inflammation in rat model of acute coronary syndrome. *Open Access Macedonian Journal of Medical Sciences*, 17(1): 41-45, doi: 10.3889/oamjms.2020.3459.
- Hassanpouraghdam, M. B., Hassani, A., Vojodi, L., & Farsad-Akhtar, N. (2010). Drying method affects essential oil content and composition of basil (*Ocimum basilicum* L.). *Journal of Essential Oil Bearing Plants*, 13(6), 759–766. doi:10.1080/0972060x.2010.10643892.

- Hastuti, L. T., Saepudin, E., Cahyana, A. H., Rahayu, D. U. C., Murni, V. W., & Haib, J. (2017). The influence of sun drying process and prolonged storage on composition of essential oil from clove buds (*Syzygium aromaticum*). In *AIP Conference Proceedings*, 1862: 030-092, doi: 10.1063/1.4991196.
- Hermawan, I. (2015). Daya saing rempah indonesia di pasar asean periode pra dan pasca krisis ekonomi global. *Buletin Ilmiah Litbang Perdagangan*, 9(2), <https://doi.org/10.30908/bilp.v9i2.6>
- Hernández-Domínguez, E., Campos-Tamayo, F., Carrillo-Pech, M., & Vázquez-Flota, F. (2006). *Catharanthus roseus* shoot cultures for the production of monoterpenoid indole alkaloids. *Methods in molecular biology (Clifton, N.J.)*, 318: 349-55, doi: 10.1385/1-59259-959-1:349.
- Hernández, V., Mora, F., Araque, M., De Montijo, S., Rojas, L., Meléndez, P., & De Tommasi, N. (2013). Chemical composition and antibacterial activity of *Astronium graveolens* JACQ essential oil. *Revista Latinoamericana de Quimica*, 41(2), 0370-0376.
- Hidayat, Y., Hermawati, E., Setiasih, S., Hudiyo, S., & Saepudin, E. (2018). Antibacterial activity test of the partially purified bromelain from pineapple core extract (*Ananas comosus* [L.] Merr) by fractionation using ammonium sulfate acetone. In *AIP Conference Proceedings*, 2023: 020-067, doi: 10.1063/1.5064064.
- Hidayati, M. D., Ersam, T., Shimizu, K., & Fatmawati, S. (2017a). Antioxidant activity of *Syzygium polyanthum* Wight extracts. *Indonesian Journal of Chemistry*, 17(1): 49-53, doi:
- Hidayati, M. D., Ersam, T., Shimizu, K., & Fatmawati, S. (2017b). Antioxidant activity of *Syzygium polynthum* extracts. *Indonesian Journal of Chemistry*. <https://doi.org/10.22146/ijc.23545>
- Hikmatulloh, E., Lasmanawati, E., & Setiawati, T. (2017). The benefits of knowledge on spices and spices in Indonesian food processing students at SMK 9 Bandung, 6(1), 42–50, doi: 10.22146/ijc.23545.
- Holopainen, J. K., & Gershenzon, J. (2010). Special Issue: Induced biogenic volatile organic compounds from plants Multiple stress factors and the emission of plant VOCs. *Trends in Plant Science*, 15(3): 176-184, doi: 10.1016/j.tplants.2010.01.006.
- Homnan, N., Thongpraditchote, S., Chomnawang, M., & Thirapanmethee, K. (2020). In vitro anti-inflammatory effects of Thai herb essential oils. *Pharmaceutical Sciences Asia*, 47(2), 153-163, doi: 10.29090/psa.2020.02.019.0020.
- Hua, J., Yuan, H., Jiang, Y., Wang, W., Liu, Q., & Wang, F. (2016). Effect of withering oxygen concentration on dynamic change of main biochemical components and enzymatic activity of tea fresh leaves. *Journal of Chinese Institute of Food Science and Technology*, 35(1): 73-81, doi: 10.16429/j.1009-7848.2016.04.011.
- Huang, M., Abel, C., Sohrabi, R., Petri, J., Haupt, I., Cosimano, J., ... Tholl, D. (2010).

- Variation of herbivore-induced volatile terpenes among *Arabidopsis* ecotypes depends on allelic differences and subcellular targeting of two terpene synthases, TPS02 and TPS03. *Plant Physiology*, 153(3): 1293-310, doi: 10.1104/pp.110.154864.
- Hulankova, R., Borilova, G., & Steinhäuserova, I. (2013). Combined antimicrobial effect of *Oregano* essential oil and caprylic acid in minced beef. *Meat Science*, 95(2): 190-194, doi: 10.1016/j.meatsci.2013.05.003.
- Hyeon Lee, S., Lee, J., Lee, W. Y., Chung, B. C., & Choi, M. H. (2011). Electrospray-mass spectrometric analysis of plasma pyrophosphates separated on a multimodal liquid chromatographic column. *Mass Spectrometry Letters*, 2(4), doi: 10.5478/MSL.2011.2.4.092.
- Ismail, A., & Wan Ahmad, W. A. N. (2019). *Syzygium polyanthum* (Wight) Walp: A potential phytomedicine. *Pharmacognosy Journal*, 11(2): 429-438, doi: 10.5530/pj.2019.11.67.
- Istiqomah, H., & Ayuska, A. (2020). Karakterisasi minyak atsiri daun Salam (*Syzygium polyanthum* Wight.) asal Kalimantan Barat. *Jurnal Kimia Khatulistiwa*, 1(3), 37-44.
- Jabeen, S., Alam, S., Saleem, M., Ahmad, W., Bibi, R., Hamid, F. S., & Shah, H. U. (2015). Withering timings affect the total free amino acids and mineral contents of tea leaves during black tea manufacturing. *Arabian Journal of Chemistry*, doi:10.1016/j.arabjc.2015.03.011.
- Jawahar, G., Madhavi, D., Amrutha, R. N., Jogeswar, G., Sunitha, M. S. L., Rao, S., & Kishor, P. B. K. (2014). Current approaches for enhancing secondary plant production in vitro. *Annals of Phytomedicine*, 14(7): 120-127.
- Jiang, L., He, L., & Fountoulakis, M. (2004). Comparison of protein precipitation methods for sample preparation prior to proteomic analysis. *Journal of Chromatography A*, 1023(2): 317-320, doi: 10.1016/j.chroma.2003.10.029.
- Johnston, G. A., & Lloyd, H. J. (1967). Oxalyl-coenzyme A synthetase and the neurotoxin beta-n-oxalyl-l-alpha, beta-diaminopropionate. *Australian journal of biological sciences*. <https://doi.org/10.1071/bi9671241>.
- Kalantary, F. (2014). Control of *Aspergillus flavus* growth in tomato paste by *Cinnamomum zeylanicum* and *Origanum vulgare* L. essential oils. (2014). *Journal of Food and Pharmaceutical Sciences*, 2014: 144-151, doi: 10.14499/jfps.
- Kamble, P. N., Giri, S. P., Mane, R. S., & Tiwana, A. (2015). Universal Journal of environmental research and technology estimation of chlorophyll content in young and adult leaves of some selected plants. *Environmental Research and Technology*.
- Kamsala, R. V., Lepakshi, B. M., Padma, Y., & Venkata Raju, R. R. (2015). Studies on antimicrobial and antioxidant properties of leaf extracts of *Syzygium alternifolium* (Wt.) walp. *International Journal of Pharmacy and Pharmaceutical*

- Sciences*, 20(6): 1241-4, doi: 10.1071/bi9671241.
- Kanchiswamy, C. N., Malnoy, M., & Maffei, M. E. (2015). Chemical diversity of microbial volatiles and their potential for plant growth and productivity. *Frontiers in Plant Science*. <https://doi.org/10.3389/fpls.2015.00151>.
- Kang, Z. W., Liu, F. H., Zhang, Z. F., Tian, H. G., & Liu, T. X. (2018). Volatile  $\beta$ -ocimene can regulate developmental performance of peach aphid *Myzus persicae* through activation of defense responses in chinese cabbage brassica pekinensis. *Frontiers in Plant Science*, 6(151), 1-22, doi: 10.3389/fpls.2018.00708.
- Kapilraj, N., Keerthanan, S., & Sithambaresan, M. (2019). Natural plant extracts as acid-base indicator and determination of their pKa value. *Journal of Chemistry*, 2019: 1-6, doi: 10.1155/2019/2031342.
- Karunanithi, P. S., & Zerbe, P. (2019). Terpene synthases as metabolic gatekeepers in the evolution of plant terpenoid chemical diversity. *Frontiers in Plant Science*, 10, doi: 10.3389/fpls.2019.01166.
- Kassahun, A. (2019). Chemical composition and physico-chemical analysis of Eucalyptus globulus leave and oil. *Science Journal of Chemistry*, 7(2): 36-38, doi: 10.11648/j.sjc.20190702.11.
- Kebede, A., & Hayelom, M. (2008). The design and manufacturing of essential oil distillation plant for rural poverty alleviation in Ethiopia. *Ethiopian Journal of Environmental Studies and Management*, 1(1): 84-91, doi: 10.4314/ejesm.v1i1.41573.
- Khan, I., Shah, S., Ahmad, J., Abdullah, A., & Johnson, S. K. (2017). Effect of incorporating bay leaves in cookies on postprandial glycemia, appetite, palatability, and gastrointestinal well-being. *Journal of the American College of Nutrition*, 36(7), 514-519, doi:10.1080/07315724.2017.1326324.
- Kigathi, R. N., Weisser, W. W., Reichelt, M., Gershenzon, J., & Unsicker, S. B. (2019). Plant volatile emission depends on the species composition of the neighboring plant community. *BMC Plant Biology*, 19(58): 1-17, doi: 10.1186/s12870-018-1541-9.
- Kilic, A., Hafizoglu, H., Kollmannsberger, H., & Nitz, S. (2004). Volatile constituents and key odorants in leaves, buds, flowers, and fruits of *Laurus nobilis* L. *Journal of Agricultural and Food Chemistry*, 52(6): 1601-1606, doi: 10.1021/jf0306237.
- Kirby, J., Nishimoto, M., Chow, R. W. N., Baidoo, E. E. K., Wang, G., Martin, J., ... Keasling, J. D. (2015). Enhancing terpene yield from sugars via novel routes to 1-deoxy-D-xylulose 5-phosphate. *Applied and Environmental Microbiology*, 81(1): 130-138, doi: 10.1128/AEM.02920-14.
- Kiss, A. A. (2014). Distillation technology - still young and full of breakthrough opportunities. *Journal of Chemical Technology and Biotechnology*, 89(4): 479-498, doi: 10.1002/jctb.4262.
- Korbel, E., Attal, E.-H., Grabulos, J., Lluberas, E., Durand, N., Morel, G., ... Brat, P.

- (2013). Impact of temperature and water activity on enzymatic and non-enzymatic reactions in reconstituted dried mango model system. *European Food Research and Technology*, 217(1): 19-46, doi: 10.1007/s00217-013-2026-6.
- Kowalski, R., Kowalska, G., Jamroz, J., Nawrocka, A., & Metyk, D. (2015). Effect of the ultrasound-assisted preliminary maceration on the efficiency of the essential oil distillation from selected herbal raw materials. *Ultrasonics Sonochemistry*, 24: 214-220, doi: 10.1016/j.ultsonch.2014.12.008.
- Krátký, M., Vinšová, J., & Buchta, V. (2012). In vitro antibacterial and antifungal activity of salicylanilide benzoates. *The Scientific World Journal*, 2012, 1–7, doi:10.1100/2012/290628.
- Kuzuyama, T., & Seto, H. (2012). Two distinct pathways for essential metabolic precursors for isoprenoid biosynthesis. *Proceedings of the Japan Academy Series B: Physical and Biological Sciences*, 88(3): 41-52, doi: 10.2183/pjab.88.41.
- Labuza, T. P., Heidelbaugh, N. D., Silver, M., & Karel, M. (1971). Oxidation at intermediate moisture contents. *Journal of the American Oil Chemists Society*, 48: 86-90, doi: 10.1007/BF02635692.
- Leaves, L. (2014). Antioxidant activity by DPPH radical scavenging method of *Ageratum conyzoides*. *American Journal of Ethnomedicine*, 1(4), 244-249.
- Lee, D. J., Jangam, S., & Mujumdar, A. S. (2012). Some recent advances in drying technologies to produce particulate solids. *KONA Powder and Particle Journal*, 30: 69-83, doi: 10.14356/kona.2013010.
- Lee, J. K., Oh, D. K., & Kim, S. Y. (2007). Cloning and characterization of the dxs gene, encoding 1-deoxy-d-xylulose 5-phosphate synthase from *Agrobacterium tumefaciens*, and its overexpression in *Agrobacterium tumefaciens*. *Journal of Biotechnology*, 128(3): 555-66, doi: 10.1016/j.jbiotec.2006.11.009.
- Lee, M. K., Kim, H. W., Lee, S. H., Kim, Y. J., Asamenew, G., Choi, J., ... Kim, J. B. (2019). Characterization of catechins, theaflavins, and flavonols by leaf processing step in green and black teas (*Camellia sinensis*) using UPLC-DAD-QToF/MS. *European Food Research and Technology*, 245, 997–1010, doi: 10.1007/s00217-018-3201-6.
- Leffingwell & Associates. (2018). 2013 - 2017 Flavor & Fragrance Industry Leaders. [http://www.leffingwell.com/top\\_10.htm](http://www.leffingwell.com/top_10.htm), diakses pada tanggal 12 September 2022.
- Lestari, E., & Lagiono, L. (2018). Pemanfaatan tanaman sebagai obat oleh masyarakat Desa Karang Dukuh Kecamatan Belawang Kabupaten Barito Kuala. *Jurnal Pendidikan Hayati*, 4(3), doi: 10.33654/jph.v4i3.309.
- Liao, P., Hemmerlin, A., Bach, T. J., & Chye, M. L. (2016). The potential of the mevalonate pathway for enhanced isoprenoid production. *Biotechnology Advances*, 34(5): 697-713, doi: 10.1016/j.biotechadv.2016.03.005.
- Lihavainen, J., Ahonen, V., Keski-Saari, S., Kontunen-Soppela, S., Oksanen, E., &

- Keinänen, M. (2016). Low vapour pressure deficit affects nitrogen nutrition and foliar metabolites in silver birch. *Journal of Experimental Botany*, 67(14), 4353–4365, doi:10.1093/jxb/erw218.
- Linstrom, P. J., & Mallard, W. G. (2001). The NIST Chemistry WebBook: A Chemical Data Resource on the Internet†. *Journal of Chemical & Engineering Data*, 46(5), 1059–1063. doi: 10.1021/je000236i.
- Lis-Balchin, M. T. (2012). Lavender. In *Handbook of Herbs and Spices: Second Edition*. <https://doi.org/10.1533/9780857095688.329>.
- Loh, Z. H., & Lim, Y. Y. (2018). Drying effects on antioxidant activity, enzyme activity, and phytochemicals of avocado (*Persea americana*) leaves. *Journal of Food Processing and Preservation*, 42(10): e13667, doi: 10.1111/jfpp.13667.
- Lokhande, S. M., Kale, R. V., Sahoo, A. K., & Ranveer, R. C. (2013). Effect of curing and drying methods on recovery, curcumin and essential oil content of different cultivars of turmeric (*Curcuma longa* L.). *International Food Research Journal*, 20(2): 745-749.
- Lorz, P. M., Towae, F. K., Enke, W., Jäckh, R., & Bhargava, N. (2000). Phthalic Acid and Derivatives. *Ullmann's Encyclopedia of Industrial Chemistry*, doi:10.1002/14356007.a20\_181
- Luengo, E., Álvarez, I., & Raso, J. (2013). Improving the pressing extraction of polyphenols of orange peel by pulsed electric fields. *Innovative Food Science and Emerging Technologies*, 17(13): 79-84, doi: 10.1016/j.ifset.2012.10.005.
- Maffei, M. E. (2010). Sites of synthesis, biochemistry and functional role of plant volatiles. *South African Journal of Botany*, 76(4): 612-631, doi: 10.1016/j.sajb.2010.03.003.
- Mahian, O., Kianifar, A., Jumholkul, C., Thiangtham, P., Wongwises, S., & Srisomba, R. (2015). Solar distillation practice for water desalination systems. *Journal of Thermal Engineering*, 1(4): 287-293, doi: 10.18186/jte.93924.
- Manolopoulou, E., & Varzakas, T. (2016). Effect of temperature in color changes of green vegetables. *Current Research in Nutrition and Food Science*, 4(2): 10-17, doi: 10.12944/CRNFSJ.4.Special-Issue-October.02.
- Mechlouch, R. F., Elfalleh, W., Ziadi, M., Hannachi, H., Chwikhi, M., Aoun, A. Ben, ... Cheour, F. (2012). Effect of different drying methods on the physico-chemical properties of tomato variety Rio Grande. *International Journal of Food Engineering*, 8(2), doi: 10.1515/1556-3758.2678.
- Miziorko, H. M. (2011). Enzymes of the mevalonate pathway of isoprenoid biosynthesis. *Archives of Biochemistry and Biophysics*, 505(2): 131-43, doi: 10.1016/j.abb.2010.09.028.
- Mohamad, N., Ramli, N., Abd-Aziz, S., & Ibrahim, M. F. (2019). Comparison of hydro-distillation, hydro-distillation with enzyme-assisted and supercritical fluid for the extraction of essential oil from pineapple peels. *3 Biotech*, 9(6): 234, doi:

10.1007/s13205-019-1767-8.

- Mondal, I. H., Rangan, L., & Uppaluri, R. V. S. (2019). Effect of oven and intermittent airflow assisted tray drying methods on nutritional parameters of few leafy and non-leafy vegetables of North-East India. *Heliyon*, 5(11), e02934, doi:10.1016/j.heliyon.2019.e02934.
- Moradi, M., Hassani, A., Sefidkon, F., & Maroofi, H. (2021). Qualitative and quantitative changes in the essential oil of *Origanum vulgare* L. Ssp. *gracile* as affected by different harvesting times. *Journal of Agricultural Science and Technology*, 23(1): 179-186.
- Moradi, S., Fazlali, A., & Hamed, H. (2018). Microwave-assisted hydro-distillation of essential oil from rosemary: Comparison with traditional distillation. *Avicenna Journal of Medical Biotechnology*, 10(1):22-28.
- Morshedloo, M. R., Mumivand, H., Craker, L. E., & Maggi, F. (2018). Chemical composition and antioxidant activity of essential oils in *Origanum vulgare* subsp. *gracile* at different phenological stages and plant parts. *Journal of Food Processing and Preservation*, 42(2), e13516, doi: 10.1111/jfpp.13516.
- Mudiana, D. (2016). *Syzygium* diversity in Gunung Baug, East Java, Indonesia. *Biodiversitas*, 17: 733-740, doi: 10.13057/biodiv/d170248.
- Muhlemann, J. K., Klempien, A., & Dudareva, N. (2014). Floral volatiles: From biosynthesis to function. *Plant, Cell and Environment*, 37(8): 1936-1949, doi: 10.1111/pce.12314.
- Muhtadi, M. (2015). Potensi daun Salam (*Syzygium polyanthum* Walp.) dan biji jinten hitam (*Nigella sativa* Linn) sebagai kandidat obat herbal terstandar asam urat. *Pharmacon: Jurnal Farmasi Indonesia*, 13(1), doi: 10.23917/pharmacon.v13i1.24.
- Nadeem, H., & Ahmad, F. (2019). Prospects for the use of plant cell culture as alternatives to produce secondary metabolites. In *Natural Bio-active Compounds: Volume 3: Biotechnology, Bioengineering, and Molecular Approaches*, 8(6): 153-182, doi: 10.1007/978-981-13-7438-8\_6.
- Nagegowda, D. A. (2010). Plant volatile terpenoid metabolism: Biosynthetic genes, transcriptional regulation and subcellular compartmentation. *FEBS Letters*, 584(14): 2965-73, doi: 10.1016/j.febslet.2010.05.045.
- Nantitanon, W., Yotsawimonwat, S., & Okonogi, S. (2010). Factors influencing antioxidant activities and total phenolic content of guava leaf extract. *LWT - Food Science and Technology*, 43(7), 1095–1103, doi:10.1016/j.lwt.2010.02.015
- Navale, S. R., Harpale, V. M., & Mohite, K. C. (2015). Comparative study of open sun and cabinet solar drying for fenugreek leaves. *International Journal of Renewable Energy Technology Research*, 8(1): 1070-1076, doi: 10.20546/ijcmas.2019.801.116.
- Nawani, N., & Kaur, J. (2007). Studies on lipolytic isoenzymes from a thermophilic

- Bacillus sp.: Production, purification and biochemical characterization. *Enzyme and Microbial Technology*, 40(5): 881-887, doi: 10.1016/j.enzmictec.2006.07.006.
- Nazim, M., Sadiq, Q.-U.-A., Nawaz, A., Anjum, S., Ali, M., & Maryam, H. (2020). *Mentha arvensis*, a medicinal and aromatic plant, has high nutritional value and several-uses: A review. *Buletin Agroteknologi*, 1(2): 37-49, doi: 10.32663/ba.v1i2.1180.
- Nguyen, Q.V., Huyen, B., Thi, B., Tran, M.D., Nguyen, M.T., Doan, M.D., Nguyen, A.D., Le, T.M., Tran, V.C., & Pham T.N. (2022). Impact of different drying temperatures on in vitro antioxidant and antidiabetic activities and phenolic compounds of wild guava leaves collected in the central highland of Vietnam. *Natural Product Communications*, 17(4): 1–10, doi:10.1177/1934578X221095349.
- Ninkovic, V., Markovic, D., & Rensing, M. (2021). Plant volatiles as cues and signals in plant communication. *Plant Cell and Environment*, 44(4): 1030-1043, doi: 10.1111/pce.13910.
- Niogret, J., Epsky, N. D., Schnell, R. J., Boza, E. J., Kendra, P. E., & Heath, R. R. (2013). Terpenoid variations within and among half-sibling avocado trees, *Persea americana* Mill. (Lauraceae). *PLoS ONE*, 8(9): e73601, doi: 10.1371/journal.pone.0073601.
- Niu, Y., Wang, P., Xiao, Q., Xiao, Z., Mao, H., & Zhang, J. (2020). Characterization of odor-active volatiles and odor contribution based on binary interaction effects in mango and vodka cocktail. *Molecules*, 25(5), 1083, doi:10.3390/molecules25051083
- Noreen, H., Semmar, N., Farman, M., & McCullagh, J. S. O. (2017). Measurement of total phenolic content and antioxidant activity of aerial parts of medicinal plant *Coronopus didymus*. *Asian Pacific Journal of Tropical Medicine*, 10(8): 792-801, 10.1016/j.apjtm.2017.07.024.
- Oktavia, J. D. (2011). Pengoptimuman ekstraksi flavonoid daun Salam (*Syzygium polyanthum*) dan analisis sidik jari dengan kromatografi lapis tipis. *Skripsi IPB*, Institut Pertanian Bogor, Bogor, Jawa Barat, Indonesia.
- Olmedo, R. H., Nepote, V., & Grosso, N. R. (2013). Preservation of sensory and chemical properties in flavoured cheese prepared with cream cheese base using oregano and rosemary essential oils. *LWT - Food Science and Technology*, 53(2): 409–417, doi: 10.1016/j.lwt.2013.04.007.
- Omer, E. A., Hendawy, S. F., Ismail, R. F., Petretto, G. L., Rourke, J. P., & Pintore, G. (2017). Acclimatization study of *Tagetes lucida* L. in Egypt and the chemical characterization of its essential oils. *Natural Product Research*, 31(13): 1509-1517, doi: 10.1080/14786419.2017.1278594.
- Omidbeygi, M., Barzegar, M., Hamidi, Z., & Naghdibadi, H. (2007). Antifungal activity of thyme, summer savory and clove essential oils against *Aspergillus*

- flavus* in liquid medium and tomato paste. *Food Control*, 18(12): 1518-1523. Doi: 10.1016/j.foodcont.2006.12.003.
- Othman, A., Mukhtar, N. J., Ismail, N. S., & Chang, S. K. (2014). Phenolics, flavonoids content and antioxidant activities of 4 Malaysian herbal plants. *International Food Research Journal*, 21(2): 759-766.
- Ouafi, N., Moghrani, H., Benaouada, N., Yassaa, N., Maachi, R., & Younsi, R. (2016). Moisture sorption isotherms and heat of sorption of *Algerian bay* leaves (*Laurus nobilis*). *Maderas: Ciencia y Tecnologia*, 17(4): 759-772, doi: 10.4067/S0718-221X2015005000066.
- Öztekin, S., & Martinov, M. (2013). Medicinal and aromatic crop drying. *Stewart Postharvest Review*, 13: 1070-1082, doi: 10.2212/spr.2013.2.3.
- Pelegrine, D. H. G., & Gomes, M. T. M. S. (2012). Analysis of whey proteins solubility at high temperatures. *International Journal of Food Engineering*, 8(3): 23-34, doi: 10.1515/1556-3758.1265.
- Pénicaud, C., Achir, N., Dhuique-Mayer, C., Dornier, M., & Bohuon, P. (2011). Degradation of  $\beta$ -carotene during fruit and vegetable processing or storage: Reaction mechanisms and kinetic aspects: A review. *Fruits*, 66(6): 417-440, doi: 10.1051/fruits/2011058.
- Perveen, S. (2018). Introductory chapter: Terpenes and terpenoids. In *Terpenes and Terpenoids*, doi:10.5772/intechopen.79683.
- Petropoulos, S. A., Daferera, D., Polissiou, M. G., & Passam, H. C. (2010). Effect of freezing, drying and the duration of storage on the composition of essential oils of plain-leafed parsley [*Petroselinum crispum* (Mill.) Nym. ssp. *neapolitanum* Danert] and turnip-rooted parsley [*Petroselinum crispum* (Mill.) Nym. ssp. *tuberosum*]. *Flavour and Fragrance Journal*, 25(1), 28–34, doi:10.1002/ffj.1954.
- Pohan, G. H., & Susanto, E. (1995). Mempelajari pengaruh kondisi proses penyulingan serta lama pelayuan daun terhadap hasil dan karakteristik minyak daun salam (*Eugenia polyantha* W.). *Warta IHP*, Bogor, 12(1-2): 69-73.
- Popova, V., Ivanova, T., Prokopov, T., Nikolova, M., Stoyanova, A., & Zheljazkov, V. D. (2019). Carotenoid-related volatile compounds of tobacco (*Nicotiana tabacum* L.) essential oils. *Molecules*, 24(19): 3446, doi: 10.3390/molecules24193446.
- Prasanna Anjaneya Reddy, L., Venkata Ratnam, K., Lepakshi, B. M., Veeranjanya Reddy, L., & Narasimha Reddy, B. (2015). Investigation of chemical and pharmacological properties of essential oils from two syzygium species of Andhra Pradesh, India. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(9):375-380.
- Prasetya, N.B.A., & Ngadiwiyana, N. (2006). Identifikasi senyawa penyusun minyak kulit batang kayu manis (*Cinnamomum cassia*) menggunakan GC-MS. *Jurnal Kimia Sains dan Aplikasi*, 9(3), 81-83, doi:10.14710/jksa.9.3.81-83.

- Prianti, N. P., & Ellin, F. (2013). Review artikel: tinjauan aktivitas farmakologi ekstrak daun Salam (*Syzygium polyanthum* (Wight.) Walp). *Farmaka*.
- Qin, H.W., Yang, T.M., Yang, S.B., Yang, M.Q., Wang, Y.Z., & Zhang, J.Y. (2022). Effects of different pre-drying and drying methods on volatile compounds in the pericarp and kernel of amomum tsao-ko. *Front. Plant Sci*, 13:803776, doi:10.3389/fpls.2022.803776.
- Rahimmalek, M., & Goli, S. A. H. (2013). Evaluation of six drying treatments with respect to essential oil yield, composition and color characteristics of *Thymys daenensis* subsp. *daenensis*. Celak leaves. *Industrial Crops and Products*, 42, 613–619. doi:10.1016/j.indcrop.2012.06.012.
- Rahman, N., Dewi, N. U., & Bohari. (2018). Phytochemical and antioxidant activity of avocado leaf extract (*Persea americana* Mill.). *Asian Journal of Scientific Research*, 11(3): 357-363, doi: 10.3923/ajsr.2018.357.363.
- Rahmi, H. (2017). Review: aktivitas antioksidan dari berbagai sumber buah-buahan di Indonesia. *Jurnal Agrotek Indonesia*, 2(1): 1-5, doi: 10.33661/jai.v2i1.721.
- Raja, K. S., Taip, F. S., Azmi, M. M. Z., & Shishir, M. R. I. (2019). Effect of pre-treatment and different drying methods on the physicochemical properties of *Carica papaya* L. leaf powder. *Journal of the Saudi Society of Agricultural Sciences*, 18(2): 150-156, <https://doi.org/10.1016/j.jssas.2017.04.001>.
- Raju, K. S. (2013). Effect of methods of curing on aroma compounds of chewing tobacco (*Nicotiana tabacum*) genotypes grown in Tamil Nadu. *Indian Journal of Plant Physiology*, 18, 295–300, doi: 10.1007/s40502-013-0040-0.
- Ramel, F., Birtic, S., Ginies, C., Soubigou-Taconnat, L., Triantaphylidès, C., & Havaux, M. (2012). Carotenoid oxidation products are stress signals that mediate gene responses to singlet oxygen in plants. *Proceedings of the National Academy of Sciences of the United States of America*, 109(14): 5535-5540, doi: 10.1073/pnas.1115982109.
- Rashid, O., -Samarrai, A., Naji, N. A., & Hameed, R. R. (2017). Effect of Bay leaf (*Laurus nobilis* L.) and its isolated (flavonoids and glycosides) on the lipids profile in the local Iraqi female rabbits. *Tikrit Journal of Pure Science*, 22(6): 72-77.
- Raza, A., Ali, M. U., Nisar, T., Qasrani, S. A., Hussain, R., & Sharif, M. N. (2015). Proximate composition of jamun (*Syzygium cumini*) fruit and seed. *American-Eurasian J. Agric. & Environ. Sci.*, 15(7): 1221-1223, doi: 10.5829/idosi.aejas.2015.15.7.12700.
- Réblová, Z. (2012). Effect of temperature on the antioxidant activity of phenolic acids. *Czech Journal of Food Sciences*, 30(2): 171-177, doi: 10.17221/57/2011-cjfs.
- Reddy, G. K., Leferink, N. G. H., Umemura, M., Ahmed, S. T., Breitling, R., Scrutton, N. S., & Takano, E. (2020). Exploring novel bacterial terpene synthases. *PLoS ONE*, 15(4): e0232220, doi: 10.1371/journal.pone.0232220.

- Rehman, R., & Asif Hanif, M. (2016). Biosynthetic factories of essential oils: The aromatic plants. *Natural Products Chemistry & Research*, 4(4), doi: 10.4172/2329-6836.1000227.
- Reihner, E., Rudling, M., Stahlberg, D., Berglund, L., Ewerth, S., Bjorkhem, I., ... Angelin, B. (1991). Influence of pravastatin, a specific inhibitor of HMG-CoA reductase, on hepatic metabolism of cholesterol. *Fortschritte der Medizin*, 323: 224-228, doi: 10.1056/nejm199007263230403.
- Rockland, L. B., & Nishi, S. K. (1980). Influence of water activity on food product quality and stability. *Food Technology*, 1: 917-921.
- Rohiqi, H., Yusasrini, N.L.A., & Puspawati, G.A.K.D. (2021). Pengaruh tingkat ketuaan daun terhadap karakteristik teh herbal matcha Tenggulun (*Protium javanicum* Burm.F.). *Jurnal ITEPA*, 10(3), doi: 10.24843/itepa.2021.v10.i03.p03
- Roshanak, S., Rahimmalek, M., & Goli, S. A. H. (2016). Evaluation of seven different drying treatments in respect to total flavonoid, phenolic, vitamin C content, chlorophyll, antioxidant activity and color of green tea (*Camellia sinensis* or *C. assamica*) leaves. *Journal of Food Science and Technology*, 53(1): 721-9, doi: 10.1007/s13197-015-2030-x.
- Rubiolo, P., Sgorbini, B., Liberto, E., Cordero, C., & Bicchi, C. (2010). Essential oils and volatiles: Sample preparation and analysis. A review. *Flavour and Fragrance Journal*, 25(5), 282-290, doi: 10.1002/ffj.1984.
- Rudiana, T., Indriatmoko, D. D., & Komariah. (2020). Aktivitas antioksidan kombinasi ekstrak etanol daun Salam (*Syzygium polyanthum*) dan daun Kelor (*Moringa oleifera*). *Majalah Farmasi dan Farmakologi*, 25(1): 20-22.
- Saifullah, M., McCullum, R., McCluskey, A., & Vuong, Q. (2019). Effects of different drying methods on extractable phenolic compounds and antioxidant properties from lemon myrtle dried leaves. *Heliyon*, 5(12), e03044, doi:10.1016/j.heliyon.2019.e03044
- Sanderson, G. W., & Selvendran, R. R. (1965). The organic acids in tea plants. A study of the non-volatile organic acids separated on silica gel. *Journal of the Science of Food and Agriculture*, 16(5): 251-258, doi: jsfa.2740160504.
- Satwase, A.N., Pandhre, G.R., Sirsat, P.G., & Wade, Y.R. (2013). Studies on drying characteristic and nutritional composition of drumstick leaves by using sun, shadow, cabinet and oven drying methods. *Scientific Reports*, 2:584 doi:10.4172/scientificreports.584.
- Sayyah, M., Nadjafnia, L., & Kamalinejad, M. (2004). Anticonvulsant activity and chemical composition of *Artemisia dracunculus* L. essential oil. *Journal of Ethnopharmacology*, 94(2-3): 283-7, doi: 10.1016/j.jep.2004.05.021.
- Schott, M., Klein, B., & Vilcinskis, A. (2015). Detection of illicit drugs by trained honeybees (*Apis mellifera*). *PLoS ONE*, 10(6): e128528, doi: 10.1371/journal.pone.0128528.

- Sebei, K., Sakouhi, F., Herchi, W., Khouja, M. L., & Boukhchina, S. (2015). Chemical composition and antibacterial activities of seven *Eucalyptus* species essential oils leaves. *Biological Research*, 48(1): 7, doi: 10.1186/0717-6287-48-7.
- Şekeroğlu, N., Özgüven, M., & Erden, U. (2007). Effects of the drying temperature on essential oil content of bay leaf (*Laurus nobilis* L.) harvested at different times. *Acta Horticulturae*, (756), 315–320, doi: 10.17660/ActaHortic.2007.756.33.
- Sembiring, S., Winarti, C., & Baringbing, B. (2003). Identifikasi komponen kimia minyak daun SALAM (*Eugenia polyantha*) dari Sukabumi dan Bogor. *Buletin Penelitian Tanaman Rempah dan Obat*, 14(2): 9-17, doi: 10.21082/bullittro.v14n2.2003.%p.
- Septiana, S., Yuliana, N. D., Bachtiar, B. M., & Wijaya, C. H. (2020). Aroma-active compounds of *Melaleuca cajuputi* essential oil, a potent flavor on Cajuputs Candy. *AIMS Agriculture and Food*, 5(2): 292-306, doi: 10.3934/agrfood.2020.2.292.
- Sevrain, C. M., Berchel, M., Couthon, H., & Jaffrès, P.-A. (2017). Phosphonic acid: preparation and applications. *Beilstein Journal of Organic Chemistry*, 13, 2186–2213. doi:10.3762/bjoc.13.219.
- Sharma, S. N., Jha, Z., Sinha, R. K., & Geda, A. K. (2015). Jasmonate-induced biosynthesis of andrographolide in *Andrographis paniculata*. *Physiologia Plantarum*, 153(2): 221-9, doi: 10.1111/ppl.12252.
- Simorangkir, M., Nainggolan, B., Juwitaningsih, T., & Silaban, S. (2021). The toxicity of n-hexane, ethyl acetate and ethanol extracts of Sarang banua (*Clerodendrum fragrans* Vent Willd) leaves by Brine Shrimp Lethality Test (BSLT) method. *Journal of Physics: Conference Series*, 1811(1), 012053, doi:10.1088/1742-6596/1811/1/012053
- Silalahi, M. (2017). *Syzygium polyanthum* (Wight) Walp.(botani, metabolit sekunder dan pemanfaatan). *Jurnal Dinamika Pendidikan*, 10(1): 187-202.
- Sloan, A. R., Dunn, M. L., Jefferies, L. K., Pike, O. A., Nielsen Barrows, S. E., & Steele, F. M. (2016). Effect of water activity and packaging material on the quality of dehydrated taro (*Colocasia esculenta* (L.) Schott) slices during accelerated storage. *International Journal of Food Science*, 16(11): 1-9, doi: 10.1155/2016/9860139.
- Srivastava, S., Cahill, D. M., Conlan, X. A., & Adholeya, A. (2014). A novel in vitro whole plant system for analysis of polyphenolics and their antioxidant potential in cultivars of *Ocimum basilicum*. *Journal of Agricultural and Food Chemistry*, 62(41): 10064-10075, doi: 10.1021/jf502709e.
- Stefan, M., Zamfirache, M. M., Padurariu, C., Trută, E., & Gostin, I. (2013). The composition and antibacterial activity of essential oils in three *Ocimum* species growing in Romania. *Central European Journal of Biology*, 8: 600-608, doi: 10.2478/s11535-013-0171-8.
- Suganda, A. G., Ruslan, K., dkk. (2007). Serial tanaman obat: Salam. *Badan Pengawas*

*Obat dan Makanan*, Jakarta, 1-11.

- Sulastri, E., Zubair, M. S., Anas, N. I., Abidin, S., Hardani, R., Yulianti, R., & Aliyah. (2018). Total phenolic, total flavonoid, quercetin content and antioxidant activity of standardized extract of *Moringa oleifera* leaf from regions with different elevation. *Pharmacognosy Journal*, 10(6): 104-108, doi: 10.5530/pj.2018.6s.20.
- Summons, R. E., Jahnke, L. L., Hope, J. M., & Logan, G. A. (1999). 2-Methylhopanoids as biomarkers for cyanobacterial oxygenic photosynthesis. *Nature*. 400(6744): 554-7, doi: 10.1038/23005.
- Supriyadi, Suzuki, M., Wu, S., Tomita, N., Fujita, A., & Watanabe, N. (2003). Biogenesis of volatile methyl esters in snake fruit (*Salacca edulis*, Reinw) cv.Pondoh. *Bioscience, Biotechnology, and Biochemistry*, 67(6), 1267–1271, doi:10.1271/bbb.67.1267.
- Suvarchala Reddy, N. V. L., Aveti, S., Anjum, M., & Ganga Raju, M. (2015). Anti-hyperlipidemic activity of methanolic extract of *Syzygium alternifolium* bark against high-fat diet and dexamethasone-induced hyperlipidemia in rats. *Asian Journal of Pharmaceutical and Clinical Research*, 8(6): 165-168.
- Tan, J. J. Y., Lim, Y. Y., Siow, L. F., & Tan, J. B. L. (2015). Effects of drying on polyphenol oxidase and antioxidant activity of *Morus alba* leaves. *Journal of Food Processing and Preservation*, 39(6): 2811-2819, doi: 10.1111/jfpp.12532.
- Tarakemeh, A., & Abutalebi, A. (2012). Effect of drying method on the essential oil quantity of basil (*Ocimum basilicum* L.). *Journal of Essential Oil-Bearing Plants*, 15(3): 503-505, doi: 10.1080/0972060X.2012.10644079.
- Taranto, F., Pasqualone, A., Mangini, G., Tripodi, P., Miazzi, M. M., Pavan, S., & Montemurro, C. (2017). Polyphenol oxidases in crops: Biochemical, physiological and genetic aspects. *International Journal of Molecular Sciences*, 18(2): 377, doi: 10.3390/ijms18020377.
- Tewari, L.M., Rana, L., Arya, S.K., Tewari, G., Chopra, N., Pandey, N.C., Joshi, P., Gahtori, P. (2019). Effect of drying on the essential oil traits and antioxidant potential *J. regia* L. leaves from Kumaun Himalaya. *SN Applied Sciences*, 1, 1606, doi:10.1007/s42452-019-1575-0.
- Tigist, M., Getnet, B., Beza, K., Endalamaw, M., Lulit, M., Tamirat, D., & Tinsae, M. (2016). Extraction and purification of papain enzyme from papaya leaf and the phytochemical components of the leaf. *Biotechnology International*, 9(6): 176-184.
- Trindler, C., Kopf-Bolan, K.A., & Denkel, C. (2022). Aroma of peas, its constituents and reduction strategies – Effects from breeding to processing. *Food chemistry*, 131892, doi: 10.1016/j.foodchem.2021.131892.
- Tretter, L., Patocs, A., & Chinopoulos, C. (2016). Succinate, an intermediate in metabolism, signal transduction, ROS, hypoxia, and tumorigenesis. *Biochimica et Biophysica Acta (BBA) - Bioenergetics*, 1857(8), 1086–1101, doi:10.1016/j.bbabi.2016.03.012.

- Tomlins, K. I., & Mashingaidze, A. (1997). Influence of withering, including leaf handling, on the manufacturing and quality of black teas - A review. *Food Chemistry*, 60(4): 573-580, doi: 10.1016/S0308-8146(97)00035-6.
- Tritsch, D., Hemmerlin, A., Bach, T. J., & Rohmer, M. (2010). Plant isoprenoid biosynthesis via the MEP pathway: In vivo IPP/DMAPP ratio produced by (E)-4-hydroxy-3-methylbut-2-enyl diphosphate reductase in tobacco BY-2 cell cultures. *FEBS Letters*, 584(1): 129-134, doi: 10.1016/j.febslet.2009.11.010.
- Ueoka, H., Sasaki, K., Miyawaki, T., Ichino, T., Tatsumi, K., Suzuki, S., ... Yazaki, K. (2020). A cytosol-localized geranyl diphosphate synthase from *Lithospermum erythrorhizon* and its molecular evolution. *Plant Physiology*, 182(4): 1933-1945, doi: 10.1104/PP.19.00999.
- Utami, P., & Desty, E. P. (2013). The miracle of herbs: daun, umbi, buah dan batang tanaman ajaib penakluk aneka penyakit. *Agromedia Pustaka*, Jakarta.
- Valente, J., Zuzarte, M., Gonçalves, M. J., Lopes, M. C., Cavaleiro, C., Salgueiro, L., & Cruz, M. T. (2013). Antifungal, antioxidant and anti-inflammatory activities of *Oenanthe crocata* L. essential oil. *Food and Chemical Toxicology*, 62: 349-54, doi: 10.1016/j.fct.2013.08.083.
- Vallianou, I., & Hadzopoulou-Cladaras, M. (2016). Camphene, a plant derived monoterpene, exerts its hypolipidemic action by affecting SREBP-1 and MTP expression. *PLoS ONE*, 11(1): e0147117, doi: 10.1371/journal.pone.0147117.
- Vani, S.R., Cheng, S.F., & Chuah, C.H. (2009). Comparative study of volatile compounds from Genus *Ocimum*. *American Journal of Applied Sciences*, 6(3), 523-528. doi:10.3844/ajas.2009.523.528.
- Vasanthakalam, H., Muhimpundu, J., Karayire, A., & Fabien, M. (2018). Stability of vitamin C and  $\beta$ -carotene during processing of papaya guava fruit leather. *Carpathian Journal of Food Science and Technology*, 10(4): 104-115.
- Vrhovsek, U., Lotti, C., Masuero, D., Carlin, S., Weingart, G., & Mattivi, F. (2014). Quantitative metabolic profiling of grape, apple and raspberry volatile compounds (VOCs) using a GC/MS/MS method. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 966: 132-9, doi: 10.1016/j.jchromb.2014.01.009.
- Warasi, Y.M. 2022. Beragam jenis bay leaf, mana yang benar dan apa bedanya?. <https://cairofood.id/beragam-jenis-bay-leaf-mana-yang-benar-dan-bedanya/>. Diakses pada tanggal 12 September 2022.
- Wartini, N., Ina, P., & Putra, G. (2010). Perbedaan kandungan senyawa volatil daun Salam (*Eugenia polyantha* Wight) pada beberapa proses curing. *Agritech: Jurnal Fakultas Teknologi Pertanian UGM*, 30(4): 1-6, doi: 10.22146/agritech.9713.
- Wartini, N. M. (2009). Senyawa penyusun ekstrak flavor daun Salam (*Eugenia polyantha* Wight) hasil distilasi uap menggunakan pelarut n-heksana dan tanpa n-heksana. *Agrotekno*, 15(2), 72-77, doi:10.1017/CBO9781107415324.004.

- Webb, H., Lanfear, R., Hamill, J., Foley, W. J., & Külheim, C. (2013). The yield of essential oils in *Melaleuca alternifolia* (*Myrtaceae*) is regulated through transcript abundance of genes in the MEP pathway. *PLoS One*, 8 (3), e60631, doi: 10.1371/journal.pone.0060631.
- Wei, H., Xu, C., Movahedi, A., Sun, W., Li, D., & Zhuge, Q. (2019). Characterization and function of 3-hydroxy-3-methylglutaryl-coa reductase in populus trichocarpa: overexpression of pthmgr enhances terpenoids in transgenic poplar. *Frontiers in Plant Science*, 10: 1-18, doi: 10.3389/fpls.2019.01476.
- Widyawati, T., Yusoff, N., Asmawi, M., & Ahmad, M. (2015). Antihyperglycemic effect of methanol extract of *Syzygium polyanthum* (Wight.) leaf in streptozotocin-induced diabetic rats. *Nutrients*, 7(9), 7764–7780, doi:10.3390/nu7095365.
- Wijaya, B. K., Hardjo, P. H., & Emantoko, S. (2019). Menthol from the stem and leaf in-vitro *Mentha piperita* Linn. In *IOP Conference Series: Earth and Environmental Science*, 293(1): 012009, doi: 10.1088/1755-1315/293/1/012009.
- Wölwer-Rieck, U., May, B., Lankes, C., & Wüst, M. (2014). Methylerythritol and mevalonate pathway contributions to biosynthesis of mono-, sesqui-, and diterpenes in glandular trichomes and leaves of *Stevia rebaudiana* Bertoni. *Journal of Agricultural and Food Chemistry*, 62(11), 2428–2435, doi: 10.1021/jf500270s.
- Wright, L. P., & Phillips, M. A. (2014). Measuring the activity of 1-deoxy-D-xylulose 5-phosphate synthase, the first enzyme in the MEP pathway, in plant extracts. *Methods in Molecular Biology*. [https://doi.org/10.1007/978-1-4939-0606-2\\_2](https://doi.org/10.1007/978-1-4939-0606-2_2).
- Wright, L. P., Rohwer, J. M., Ghirardo, A., Hammerbacher, A., Ortiz-Alcaide, M., Raguschke, B., ... Phillips, M. A. (2014). Deoxyxylulose 5-phosphate synthase controls flux through the methylerythritol 4-phosphate pathway in *Arabidopsis*. *Plant Physiology*, 165(4): 1488-1504, doi: 10.1104/pp.114.245191.
- Xia, D., Jiang, L., Cheng, J., Hou, X., Li, S., Luo, Q., ... Zhang, Z. (2021). Influence of drying methods on quality of *Zanthoxylum armatum* DC. And mathematical modelling of the drying kinetics. In *E3S Web of Conferences*, 269: 02005, doi:10.1051/e3sconf/202126902005.
- Xia, J., Guo, Z., Fang, S., Gu, J., & Liang, X. (2021). Effect of drying methods on volatile compounds of burdock (*Arctium lappa* L.) root tea as revealed by gas chromatography mass spectrometry-based metabolomics. *Foods*, 10(4), 868, doi:10.3390/foods10040868.
- Yalçın, H., Akn, M., Şanda, M. A., & Çakır, A. (2007). Gas chromatography/mass spectrometry analysis of *Laurus nobilis* essential oil composition of northern Cyprus. *Journal of Medicinal Food*, 10(4): 715-9, doi: 10.1089/jmf.2007.404.
- Yamashita, H. (2015). Biological function of acetic acid—improvement in obesity and glucose tolerance by acetic acid in type 2 diabetic rats. *Critical Reviews in Food Science and Nutrition*, 56(sup1), S171–S175,

doi:10.1080/10408398.2015.1045966.

- Yang, D., Du, X., Liang, X., Han, R., Liang, Z., Liu, Y., ... Zhao, J. (2012). Different Roles of the Mevalonate and Methylerythritol Phosphate Pathways in Cell Growth and Tanshinone Production of *Salvia miltiorrhiza* Hairy Roots. *PLoS ONE*, 7(11): e46797, doi: 10.1371/journal.pone.0046797.
- Yilmaz, E. S., Timur, M., & Aslim, B. (2013). Antimicrobial, antioxidant activity of the essential oil of bay laurel from Hatay, Turkey. *Journal of Essential Oil Bearing Plants*, 16(1), 108–116, doi: 10.1080/0972060X.2013.764158.
- Yokoi, M., & Shimoda, M. (2016). Extraction of volatile flavor compounds from tobacco leaf through a low-density polyethylene membrane. *Journal of Chromatographic Science*, 55(3), 373–377, doi:10.1093/chromsci/bmw178.
- Yoswathana, N. (2013). Extraction of agarwood (*Aquilaria crassna*) oil by using supercritical carbon dioxide extraction and enzyme pretreatment on hydrodistillation. *Journal of Food, Agriculture and Environment*, 11(2): 1055-1059.
- Yu, X., Hu, S., He, C., Zhou, J., Qu, F., Ai, Z., ... Ni, D. (2019). Chlorophyll metabolism in postharvest tea (*Camellia sinensis* L.) leaves: variations in color values, chlorophyll derivatives, and gene expression levels under different withering treatments. *Journal of Agricultural and Food Chemistry*, 67(38): 10624-10636, doi: 10.1021/acs.jafc.9b03477.
- Yuliana, P., Zaini, M. A., & Nazaruddin. (2019). Pengaruh lama pelayuan terhadap aktivitas antioksidan teh daun Salam (*Syzygium polyanthum*). Thesis, Universitas Mataram.
- Yuwono, S. S., & Faustina, D. R. (2019). Effect of withering time and chopping size on properties of pucuk merah (*Syzygium oleana*) herbal tea. In *IOP Conference Series: Earth and Environmental Science*, 230: 012047, doi: 10.1088/1755-1315/230/1/012047.
- Zhang, L., Ho, C. T., Zhou, J., Santos, J. S., Armstrong, L., & Granato, D. (2019). Chemistry and biological activities of processed *Camellia sinensis* teas: A comprehensive review. *Comprehensive Reviews in Food Science and Food Safety*, 18(5): 1474-1495, doi: 10.1111/1541-4337.12479.
- Zhou, Y. J., Gao, W., Rong, Q., Jin, G., Chu, H., Liu, W., ... Zhao, Z. K. (2012). Modular pathway engineering of diterpenoid synthases and the mevalonic acid pathway for miltiradiene production. 134(6): 3234-3241. *Journal of the American Chemical Society*, doi: 10.1021/ja2114486.