

## DAFTAR PUSTAKA

- Acar, E., Demir, A., Alatas, Ö. D., Beydilli, H., Yıldırım, B., Kirli, U., *et al.* 2016. Evaluation of hematological markers in minor head trauma in the emergency room. *Eur. J. Trauma Emerg. Surg.* DOI 10.1007/s0006801505798.
- Ackland, G., Abbott, T., Cain, D., Edwards, M., Sultan, P., Karmali, S., *et al.* 2019. Preoperative systemic inflammation and perioperative myocardial injury: prospective observational multicentre cohort study of patients undergoing non-cardiac surgery. *Br. J. Anaesth.*, 122:180-7.
- Adeleye, A.O. 2017. Pattern of referrals of head injury to the University College Hospital, Ibadan. *Ann Ibd. Pg. Med.*, 5(1): 34-40.
- Adeleye, A.O. & Ogun, M.I. 2017. Clinical Epidemiology of Head Injury from Road-Traffic Trauma in a Developing Country in the Current Era. *Front. Neurol.* 8: 695. DOI : 10.3389/fneur.2017.00695
- Badan Penelitian dan Pengembangan Kementerian Kesehatan Republik Indonesia. 2018. *Hasil utama RISKESDAS 2018*. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Balestreri, M., Czosnyka, M., Chatfield, D.A., Steiner, L.A., Schmidt, E.A., Smielewski, P., *et al.* 2004. Predictive value of Glasgow coma scale after brain trauma: change in trend over the past ten years. *J. Neurol. Neurosurg. Psychiatry*, 75: 161-2.
- Bellinger, D.L. & Lorton, D. 2014. Autonomic regulation of cellular immune function. *Auton. Neurosci.*, 182:15-41. DOI:10.1016/j.autneu.2014.01.006.
- Biegon, A. 2021. Considering biological sex in traumatic brain injury. *Injury. Front. Neurol.*, 12:576366. DOI : 10.3389/fneur.2021.576366.
- Bilgi, K. & Gopalakrishna, K.N., Chakrabarti, D. & Rao, G.U. 2021. Outcome prediction of TBI: are there parameters that affect the IMPACT and CRASH models? *World Neurosurg.*, 146: e590-e596.
- Borovikova, L.V., Ivanova, S., Zhang, M., Yang, H., Botchkina, G.I., Watkins, L.R., *et al.* 2000. Vagus nerve stimulation attenuates the systemic inflammatory response to endotoxin. *Nature*, 405:458-62. DOI :10.1038/35013070.
- Bramlett, H.M. & Dietrich, W.D. 2015. Long-term consequences of traumatic brain injury : current status of potential mechanisms of injury and neurological outcomes. *J. Neurotrauma*, 32(23) : 1-62. <https://doi.org/10.1089/neu.2014.3352>.
- Braun, M., Vaibhav, K., Saad, N., Fatima, S., Brann, D.W., Vender, J.R., *et al.* 2017. Activation of myeloid TLR4 mediates T lymphocyte polarization after traumatic brain injury. *J. Immunol.*, 198:3615-3626.
- Brohi, K., Cohen, M.J., Ganter, M.T., Matthay, M.A., Mackersie, R.C. & Pittet J-F.O. 2007. Acute traumatic coagulopathy: initiated by hypoperfusion. *Ann. Surg.*, 245: 812-8.
- Brown, C.V., Neville, A.L., Rhee, P., *et al.* 2005. The impact of obesity on the outcomes of 1,153 critically injured patients. *J Trauma*, 59:1048-51.

- Cancelliere, C., Kristman, V.L., Cassidy, J. D. Hincapie', C.A., Co'te', P., Boyle, E., *et al.* 2014. Systematic review of return to work after mild traumatic brain injury: results of the international collaboration on mild traumatic brain injury prognosis. *Arch. Phys. Med. Rehab.*, 95(3):1-9.
- Carlos, T.M., Clark, R.S.B., Francicola-Higgins, D., Schiding, J.K. & Kochanek, P.M. 1997. Expression of endothelial adhesion molecules and recruitment of neutrophils after traumatic brain injury in rats. *J. Leukoc. Biol.*, 61:279-85.
- Centers for Disease Control and Prevention [Homepage on the internet]. United States: Traumatic Brain Injury & Concussion-Basic Information-TBI: Get the Facts [Updated 2019 Mar 11; cited 2021 May 11]. Available from: [https://www.cdc.gov/traumaticbraininjury/get\\_the\\_facts.html](https://www.cdc.gov/traumaticbraininjury/get_the_facts.html).
- Chen, L., Deng, H., Cui, H., Fang, J., Zuo, Z., Deng, J., *et al.* 2018. Inflammatory responses and inflammation-associated diseases in organs. *Oncotarget*, 9 (6):7204-18.
- Chen, W., Yang, J., Li, B., Peng, G., Li, T., Li, L., *et al.* 2017. Neutrophil to lymphocyte ratio as a novel predictor of outcome in patients with severe traumatic brain injury. *J. Head Trauma Rehabil.*, :1-7. DOI: 10.1097/ HTR. 0000000000000320.
- Clausen, F., Lorant, T., Lewen, A. & Hillered, L. 2007. T lymphocyte trafficking: a novel target for neuroprotection in traumatic brain injury. *J. Neurotrauma*, 24:1295-1307.
- Cook, R.S., McNicholl, B.P. & Byrnes, D.P. 1995. Use of the injury severity score in head injury. *Injury*, 26: 399-400.
- Corbett, J.-M., Ho, K.M. & Honeybul, S. 2020. Prognostic significance of abnormal hematological parameters in severe traumatic brain injury requiring decompressive craniectomy. *J. Neurosurg.*, 132: 545-51. DOI: 10.3171/ 2018.10.JNS182293.
- Corps, K.N., Roth, T.L. & McGavern, D.B. 2015. Inflammation and neuroprotection in traumatic brain injury. *JAMA Neurol.*,72(3):355-62.
- Czigner, A., Mihály, A., Farkas, O., Büki, A., Krisztin-Péva, B., Dobó, E., *et al.* 2007. Kinetics of the cellular immune response following closed head injury. *Acta Neurochir (Wien)*, 149(3) : 281-9.
- Daneman, R. & Prat, A. 2015. The blood-brain barrier. *Cold Spring Harb. Perspect Biol.*, 7:a020412.
- Dashnaw, M.L., Petraglia, A.L. & Bailes, J.E. 2012. An overview of the basic science of concussion and subconcussion: where we are and where we are going. *Neurosurgical focus*, 33(E5) : 1-9.
- Dahlan, S. 2013. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Jakarta: Salemba Medika.
- Dewan, M.C., Rattani, A., Gupta, S., Baticulon, R.E., Hung, Y.C., Punchak, M., *et al.* 2018. Estimating the global incidence of traumatic brain injury. *J. Neurosurg.*, 1:1-18.
- Dinet, V., Petry, K.G. & Badaut, J. 2019. Brain-immune interactions and neuroinflammation after traumatic brain injury. *Brain Injury. Front. Neurosci.*, 13:1178.

- Dong, T., Zhi, L., Bhayana, B. & Wu, M.X. 2016. Cortisol-induced immune suppression by a blockade of lymphocyte egress in traumatic brain injury. *J. Neuroinflamm.*, 13:197. DOI 10.1186/s12974-016-0663-y.
- Dunne, J., Quiñones-Ossa, G.A., Still, E.G., Suarez, M.N., González-Soto, J.A., Vera, D.S., *et al.* 2020. The epidemiology of traumatic brain injury due to traffic accidents in Latin America: a narrative review. *J. Neurosci. Rural Pract.*, 11(2): 287-90. DOI : 10.1055/s-0040-1709363.
- Eom, K.I., Kim, J.H., Yoon, S.H., Lee, S.J., Park, K.J., Ha, S.K., *et al.* 2021. Gender differences in adult traumatic brain injury according to the Glasgow coma scale: a multicenter descriptive study. *Chin. J. Traumatol.*, 24(6) : 333-43. <https://doi.org/10.1016/j.cjtee.2021.06.004>.
- Forget, P., Khalifa, C., Defour, J.P., Latinne, D., Van Pel, M.C. & De Kock, M. 2017. What is the normal value of the neutrophil-to-lymphocyte ratio? *BMC Res. Notes.*, 10:12. DOI 10.1186/s13104-016-2335-5.
- Fujimoto, K., Miura, M., Otsuka, T. & Kuratsu, J.I. 2016. Sequential changes in Rotterdam CT scores related to outcomes for patients with traumatic brain injury who undergo decompressive craniectomy. *J. Neurosurg.*, 124:1640-45.
- Global Burden of Diseases. 2016. Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet. Neurol.*, 18:56-87.
- Goetz, P., Blamire, A., Rajagopalan, B., Cadoux-Hudson, T., Young, D. & Styles, P. 2004. Increase in apparent diffusion coefficient in normal appearing white matter following human traumatic brain injury correlates with injury severity. *J. Neurotrauma*, 21: 645-54.
- Grote, S., Bocker, W., Mutschler, W., Bouillon, B. & Lefering, R. 2011. Diagnostic value of the Glasgow coma scale for traumatic brain injury in 18,002 patients with severe multiple injuries. *J. Neurotrauma*, 28: 527-34.
- Guha, A. 2004. Management of traumatic brain injury: some current evidence and applications. *Postgrad. Med. J.*, 80:650-53.
- Gupte, R.P., Brooks, W.M., Vukas, R.R., Pierce, J.D. & Harris, J.L. 2019. Sex differences in traumatic brain injury : what we know and what we should know. *J. Neurotrauma*, 6:3063-91. DOI: 10.1089/neu.2018.61713063.
- Guyton, A.C. & Hall, J.E. 2006. *Textbook of Medical Physiology*, 429-438. Ed 11. Pennsylvania: Elsevier Inc.
- Hafiz, M.Z.A., Saanin, S. & Ningsih, H.L. 2021. Comparison of neutrophil lymphocyte ratio in traumatic head injury patients with and without intracranial hemorrhage at dr. M. Djamil Hospital. *Indonesian Journal of Neurosurgery*, 4(1): 43-51.
- Hazeldine, J., Lord, J.M. & Belli, A. 2015. Traumatic brain injury and peripheral immune suppression: primer and prospectus. *Front. Neurol.*, 6:235. DOI: 10.3389/fneur.2015.00235.
- Hydera, A.A., Wunderlich, C.A., Puvanachandra, P., Gururaj, G. & Kobusingye, O.C. 2007. The impact of traumatic brain injuries: A global perspective. *NeuroRehabilitation*, 22(2007): 341-53.

- Helmy, A., Grazia De Simoni, M., Guilfoyle, M.R., Carpenter, K.L.H. & Hutchinson, P.J. 2011. Cytokines and innate inflammation in the pathogenesis of human traumatic brain injury. *Prog. Neurobiol.*, 95 (2011): 352-72.
- Hofstetter, H.H., Sewell, D.L. & Liu, F. 2003. Autoreactive T cells promote post-traumatic healing in the central nervous system. *J. Neuroimmunol.*, 134: 25-34.
- Holmes, M.W., Goodacre, S., Stevenson, M.D., Pandor, A. & Pickering, A. 2012. The cost-effectiveness of diagnostic management strategies for adults with minor head injury. *Int. J. Care Injured*, 43(2012):1423-31.
- Howard, R., Kanetsky, P.A. & Egan, K.M. 2019. Exploring the prognostic value of the neutrophil-to-lymphocyte ratio in cancer. *Nature Research.*, 9:19673.
- Huber, A., Dorn, A., Witzmann, A. & Cervs-navarro, J. 1993. Microthrombi formation after severe head trauma. *Int. J. Legal. Med.*, 106: 152-5.
- Ilie, G., Trenholm, M., Boak, A., Mann, R.E., Adlaf, E.M., Asbridge, M., *et al.* 2020. Adolescent traumatic brain injuries: Onset, mechanism and links with current academic performance and physical injuries. *PLoS ONE*, 15(3): e0229489. Available at <https://doi.org/10.1371/journal.pone.0229489>.
- Institute of Medicine of the National Academies. 2013. Report brief: sports-related concussions in youth: improving the science, changing the culture. *Institute of Medicine of the National Academies*. Available: [sites.nationalacademies.org/csc/groups/dbassessite/documents/webpage/dbasse\\_086714.pdf](https://www.nationalacademies.org/csc/groups/dbassessite/documents/webpage/dbasse_086714.pdf). Accessed 17.02.2022.
- Karibe, H., Hayashi, T., Hirano, T., Kameyama, M., Nakagawa, A. & Tominaga, T. 2014. Surgical management of traumatic acute subdural hematoma in adults: a review. *Neurol. Med. Chir.*, 54(11) : 887-94. DOI : 10.2176/nmc.ra.2014-0204.
- Kastilong, M., Subrata I., Tangkudung, G. & Khosama, H. 2018. Rasio neutrofil limfosit dan luaran cedera kepala. *Sinaps*, 1(2):20-8.
- Kenne, E., Erlandsson, A., Lindbom, L., Hillered, L. & Clausen, F. 2012. Neutrophil depletion reduces edema formation and tissue loss following traumatic brain injury in mice. *J. Neuroinflammation*, 9:17.
- Kim, H.J. 2012. The prognostic factors related to traumatic brain stem injury. *J. Korean Neurosurg. Soc.*, 51(1): 24-30.
- Kinoshita, K. 2016. Traumatic brain injury: pathophysiology for neurocritical care. *J. Intensive Care*, 4:29.
- Kolaczowska, E. & Kubes, P. 2013. Neutrophil recruitment and function in health and inflammation. *Nat. Rev. Immunol.*, 13:159-75.
- Krisanty, M., Mahadewa, T.G.B., Niryana, I.W., Semadi, I.N., Suwedagatha, I.G. & Wibawa, I. G. A. B. K. 2021. Neutrophil-lymphocyte ratio (NLR) as an output outcome predictor in moderate-severe head injury at Sanglah General Hospital, Denpasar, Indonesia. *Intisari Sains Medis*, 12(2): 576-81.
- Kushimoto, S., Shibata, Y. & Yamamoto, Y. 2003. Implications of fibrinogenolysis in patients with closed head injury. *J. Neurotrauma.*, 20: 357-63.

- Kusuma, G.F.P., Maliawan, S., Mahadewa, T.G.B. & Senapathi, T.G.A. 2020. Neutrophil-to-lymphocyte Ratio and Platelet-to-lymphocyte Ratio as an Inflammatory Biomarker in Predicting the Severity of Secondary Brain Injury: A Review Article. *Open Access. Maced. J. Med. Sci.*, 8(F):272-282. <https://doi.org/10.3889/oamjms.2020.4789>.
- Kusumaningtyas, M., Khairani, A.F. & Setyaningsih, I. 2018. Hiponatremia sebagai prediktor prognosis kematian pasien cedera otak akibat trauma di Rumah Sakit Umum Pusat (RSUP) dr. Sardjito Yogyakarta. *Callosum Neurology*, 1(2): 71-4.
- Langlois, J.A., Rutland-Brown, W. & Wald, M.M. 2006. The epidemiology and impact of traumatic brain injury: a brief overview. *J. Head Trauma Rehabil.*, 21(5):375-8.
- Laurel, H.L., Lenzlinger, P.M. & Mc Intosh, T.K. 2000. Models of traumatic brain injury. *Eur. J. Trauma.*, 26(3):95-100.
- Leick, M., Azcutia, V., Newton, G. & Luscinskas, F.W. 2014. Leukocyte Recruitment in Inflammation: Basic Concepts and New Mechanistic Insights Based on New Models and Microscopic Imaging Technologies. *Cell Tissue Res.*, 355(3):647-56. DOI:10.1007/s00441-014-1809-9.
- Liu, Y.W., Li, S. & Dai, S.S. 2018. Neutrophils in traumatic brain injury (TBI): friend or foe? *J. Neuroinflammation*, 15:146.
- Lustenberger, T., Talving, P., Kobayashi, L., Inaba, K., Lam, L., Plurad, D., *et al.* 2010. Time course of coagulopathy in isolated severe traumatic brain injury. *Int. J. Care Injured*, 41: 924-8.
- Mackenzie, E. J., Shapiro, S. & Eastham, J. N. 1985. The abbreviated injury scale and injury severity score: Levels of inter-and intrarater reliability. *Medical care*, 23(6):823-835. Available at <https://doi.org/10.1097/00005650-1985-506000-00008>.
- Maegele, M. 2013. Coagulopathy after traumatic brain injury: incidence, pathogenesis, and treatment options. *Transfusion*, 53:28S-37S. DOI: 10.1111/trf. 12033.
- Manda-Handzlik, A. & Demkow, U. 2019. The brain entangled: the contribution of neutrophil extracellular traps to the diseases of the central nervous system. *Cells*, 8:1477.
- Manoel, A.L.O., Neto, A.C., Veigas, P.V. & Rizoli, S. 2014. Traumatic brain injury associated coagulopathy. *Neurocrit. Care*. DOI : 10.1007/s12028-014-0026-4.
- Marshall, L.F., Marshall, S.B. & Klauber, M.R., 1992. The diagnosis of head injury requires a classification based on computed axial tomography. *J Neurotrauma*, 9(suppl 1): S287-92.
- Maxwell, W.L., Hardy, I.G., Watt, C., McGadey, J., Graham, D.I., Adams, J.H., *et al.* 1992. Changes in the choroidal plexus, responses by intrinsic epiplaxus cells and recruitment from monocytes after experimental head acceleration injury in the non-human primate. *Acta Neuropathol.*, 84: 78-84.
- Mlao, Y., Zhang, M., Nie, Y., Zhao, W., Huang, B., Jiang, Z., *et al.* 2007. Changes in T lymphocyte subsets after severe traumatic brain injury. *Neural. Regen. Res.*, 2(2):126-8.

- Mollayeva, T. & Colantonio, A. 2018. Traumatic brain injury: sex, gender and intersecting vulnerabilities. *Nature Reviews.*, <https://doi.org/10.1038/s41582-018-0091-y>.
- Murray, G.D., Butcher, I., McHugh, G.S., Lu, J., Mushkudiani, N.A., Maas, A.I., et al. 2007. Multivariable prognostic analysis in traumatic brain injury: results from the IMPACT study. *J. Neurotrauma*, 24: 329-37.
- Nakamura, H. 2002. Severe traumatic brain injury with acute subdural hematoma: clinical and pathophysiological aspects. *Neurotraumatology*, 25: 182-8.
- Neville, A., Brown, C.V., Weng, J., Demetriades, D., Velmahos, G. 2004. Obesity is an independent risk factor for mortality in severely injured blunt trauma patients. *Arch Surg.*, 139:983-7.
- Ng, S.Y. & Lee, A.Y.W. 2019. Traumatic brain injuries: pathophysiology and potential therapeutic targets. *Front. Cell. Neurosci.*, 13:528.
- Ni, J., Wang, H., Li, Y., Shu, Y. & Liu, Y. 2019. Neutrophil to lymphocyte ratio (NLR) as a prognostic marker for in-hospital mortality of patients with sepsis: a secondary analysis based on a single-center, retrospective, cohort study. *Medicine*, 98:46.
- Okeh, U.M. & Ogbonna, L.N. 2013. Statistical Evaluation of Indicators of Diagnostic Test Performance. *Am. J. Agric. Biol. Sci.*, 1(4): 63-73. DOI : 10.11648/j.ajbio.20130104.13.
- Perbowo, M.M. 2010. Korelasi Antara Jumlah Neutrofil dengan Revised Trauma Score pada Cedera Kepala. Tesis. Yogyakarta: Program Pascasarjana Fakultas Kedokteran Universitas Gadjah Mada.
- Perel, P., Roberts, I., Bouamra, O., Woodford, M., Mooney, J. & Lecky, F. 2009. Intracranial bleeding in patients with traumatic brain injury: A prognostic study. *BMC Emerg. Med.*, 9:15. DOI :10.1186/1471-227X-9-15.
- Perhimpunan Dokter Spesialis Saraf Indonesia (PERDOSSI) Kelompok Studi Neuro-Traumatologi. 2006. Trauma kapitis. Dalam: Lyna S, Jusuf M, Hasan S, Abdulbar H, Jofizal J, Mursyid B (Editor). *Trauma Kapitis dan Trauma Spinal*, 1-18. Jakarta: Perpustakaan Nasional RI.
- Petronea, A.B., Gionisc, V., Gierschc, R. & Barr, T.L. 2017. Immune biomarkers for the diagnosis of mild traumatic brain injury. *NeuroRehabilitation*, 40 (4): 501-8. DOI:10.3233/NRE-171437.
- Prass, K., Meisel, C., Höflich, C., Braun, J., Halle, E., Wolf, T., et al. 2003. Stroke-induced immunodeficiency promotes spontaneous bacterial infections and is mediated by sympathetic activation reversal by poststroke T helper cell type 1-like immunostimulation. *J. Exp. Med.*, 198:725-36. DOI: 10.1084/jem.20021098.
- Pratiknya, A.W. 2011. Dasar-Dasar Metodologi Penelitian Kedokteran dan Kesehatan. Jakarta: PT. Raja Grafindo Persada.
- Ramli, Y. & Zairinal, R.A. 2017. Cedera kepala. Dalam: Tiara, A. & Winnugroho, W. (Editor). *Buku Ajar Neurologi*, 383-400, Ed 1. Jakarta: Penerbit Kedokteran Indonesia.

- Rau, C.S., Wu, S.C., Chen, Y.C., Chien, P.C., Hsieh, H.Y., Kuo, P.J., *et al.* 2017. Effect of age on Glasgow coma scale in patients with moderate and severe traumatic brain injury : an approach with propensity score-matched population.
- Renner, C., Hummelsheim, H., Kopczak, A., Steube, D., Schneider, H.J., Schneider, M., *et al.* 2012. The influence of gender on the injury severity, course and outcome of traumatic brain injury. *Brain Inj.*, 26(11): 1360-71.
- Rimel, R.W., Giordani, N.P., Barth, J.T. & Jane, J.J. 1982. Moderate head injury: completing the spectrum of brain trauma. *Neurosurgery*, 11: 344-51.
- Roth, T.L., Nayak, D., Atanasijevic, T., Koretsky, A.P., Latour, L.L. & McGavern, D.B. 2014. Transcranial amelioration of inflammation and cell death after brain injury. *Nature*, 505: 223-8.
- Rovlias, A. & Kotsou, S. 2001. The blood leukocyte count and its prognostic significance in severe head injury. *Surg Neurol.*, 55:190-6. DOI: 10.1016/S0090-3019(01)00414-1.
- Rubiano, A., Carney, N., Chesnut, R. & Puyana, J.C. 2015. Global neurotrauma research challenges and opportunities. *Nature*, 527:193-7.
- Rumah Sakit Umum Pusat Dr. Sardjito. 2007. *Laporan tahunan instalasi gawat darurat RSUP Dr. Sardjito tahun 2007*. Rumah Sakit Umum Pusat Dr. Sardjito, Yogyakarta.
- Sabouri, E., Majdi, A., Jangju, P., Rahigh-Aghasan, S., Ahmad, S. & Alavi, N. 2020. Neutrophil-to-lymphocyte ratio and traumatic brain injury: A Review Study. *World Neurosurg.* Available at <https://doi.org/10.1016/j.wneu.2020.04.185>.
- Salottolo, K., Levy, A.S., Slone, D.S., Mains, C.W. & Bar-Or, D. 2014. The Effect of Age on Glasgow Coma Scale Score in Patients With Traumatic Brain Injury. *JAMA Surg.*, 149(7): 727-34. DOI :10.1001/jamasurg.2014.13.
- Sastroasmoro, S. & Ismael, S. 2011. *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto.
- Schmidt, O. I., Infanger, M., Heyde, C. E., Ertel, W. & Stahel, P. F. 2004. The role of neuroinflammation in traumatic brain injury. *Eur. J. Trauma*, 30: 135-49.
- Schnuriger, B., Inaba, K., Abdelsayed, G.A., Lustenberger, T., Eberle, B.M., Barmparas, G., *et al.* 2010. The impact of platelets on the progression of traumatic intracranial hemorrhage. *J. Trauma*, 68: 881-5. DOI : 10.1097/TA.0b013e3181d3cc58.
- Schwartz, M. & Moalem, G. 2001. Beneficial immune activity after CNS injury : prospects for vaccination. *J. Neuroimmunol.*, 113: 185-192.
- Sejahtera, D.P., Setyopranoto, I., Sutarni, S., Ratnaningsih, T., Ar Rochmah, M., & Setyaningsih, I. 2020. Prognostic factors for mortality in patients with severe traumatic brain injury in Yogyakarta, Indonesia. *J. Med. Sci.*, 52(2). <http://dx.doi.org/10.19106/JMedSci0052022020>.
- Servadei, F., Nasi, M.T., Giuliani, G., Cremonini, A.M., Cenni, P., Zappi D., *et al.* 2000. CT prognostic factors in acute subdural haematomas: the value of the 'worst' CT scan. *Br. J. Neurosurg.*, 14: 110-16.

- Sewalt, C.A., Gravesteijn, B.Y., Menon, D., Lingsma, H.F., Maas, A.I.R. & Stocchetti, S. 2021. Primary versus early secondary referral to a specialized neurotrauma center in patients with moderate/severe traumatic brain injury: a CENTER TBI study. *Scand. J. Trauma Resusc. Emerg. Med.*, 29:113. <https://doi.org/10.1186/s13049-021-00930-1>.
- Shrestha, A., Joshi, R.M. & Devkota, U.P. 2017. Contributing factors for coagulopathy in traumatic brain injury. *Asian J. Neurosurg.* 12: 648-52.
- Siddique, U., Gul, H., Nawab, K., Roghani, I.S., Afridi, Z. & Dawar, N.A. 2016. Intracranial hemorrhage in patients with head trauma on computed tomography scan. *Pak. J. Radiol.*, 26(3): 189-197. 189-97.
- Siwicka-Gieroba, D., Malodobry, K., Biernawska, J., Robba, C., Bohatyrewicz, R., Rola, R., *et al.* 2019. The neutrophil/lymphocyte count ratio predicts mortality in severe traumatic brain injury patients. *J. Clin. Med.*, 8:1453.
- Soares, H.D., Hicks, R.R., Smith, D. & McIntosh, T.K. 1995. Inflammatory leukocytic recruitment and diffuse neuronal degeneration are separate pathological processes resulting from traumatic brain injury. *J. Neurosci.*, 75 (12):8223-33.
- Stanimirovic, D. & Satoh, K. 2000. Inflammatory mediator of cerebral endothelium: a role of ischemic brain inflammation. *Brain Pathol.*, 10:113-26.
- Stein, S. 2001. Minor head injury: 13 is an unlucky number. *J. Trauma*, 50: 759-60.
- Strecker, J.K., Schmidt, A., Schabitz, W.R. & Minnerup, J. 2017. Neutrophil granulocytes in cerebral ischemia: evolution from killers to key players. *Neurochem Int.*, 107:117-26.
- Subaiya, S., Roberts, I., Komolafe, E. & Perel, P. 2012. Predicting intracranial hemorrhage after traumatic brain injury in low and middle-income countries: A prognostic model based on a large, multi-center, international cohort. *BMC Emerg. Med.*, 12:17. <http://www.biomedcentral.com/1471-227X/12/17>.
- Subhani, M.A., Latif, U., Farooq, S.M.Y., Akram, I., Qureshi, S., Riaz, U., *et al.* 2020. Frequency of intracranial hemorrhage due to road traffic accident through computed tomography. *Int. J. Sci. Eng. Res.*, 11(5).
- Subramanian, A., Agrawal, D., Pandey, R.M., Nimiya, M. & Albert, V. 2012. The leukocyte count, immature granulocyte count and immediate outcome in head injury patients. In: Agrawal A (Editor). *Brain Injury-Pathogenesis, Monitoring, Recovery and Management*. DOI:10.5772/27020.
- Sukorini, U., Wulandari, I.S., Mulyono, B. & Pramusinto, H. 2010. Korelasi antara neuron-specific enolase serum dan glasgow coma scale di pasien cedera kepala. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 17(1): 25-31.
- Talving, P., Benfield, R., Hadjizacharia, P., Inaba, K., Chan, L.S. & Demetriades D. 2009. Coagulopathy in severe traumatic brain injury: A prospective study. *J. Trauma*, 66: 55-61.

- Tagliaferri, F., Compagnone, C., Yoganandn, N. & Gennarelli, T. 2009. Traumatic brain injury after frontal crashes: relationship with body mass index. *J. Trauma Inj. Infect. Crit. Care*, 66(3): 727-9.
- Teasdale, G., Maas, A., Lecky, F., Manley, G.R., Stocchetti, N. & Murray, G. 2014. The Glasgow Coma Scale at 40 years: standing the test of time. *Lancet Neurol.*, 13: 844-54.
- Tim Neurotrauma RSUD dr. Soetomo Surabaya Fakultas Kedokteran Universitas Airlangga. 2014. Acuan Penatalaksanaan Umum (General Measures). Dalam : Joni, W., Wihasto, S., Rahadian, I.S., Muhammad, F. & Tedi, A. (Ediator). Pedoman Tatalaksana Cedera Otak, 12. Ed 2. Surabaya: Surabaya Neuroscience Institute.
- Tjahjadi, M., Arifin, M. Z., Gill, A. S. & Faried, A. 2013. Early mortality predictor of severe traumatic brain injury: A single center study of prognostic variables based on admission characteristics. *The Indian Journal of Neurotrauma*, 10(1):3-8. DOI: <http://dx.doi.org/10.1016/j.ijnt>. 2013.04.007.
- Tokutomi, T., Miyagi, T., Ogawa, T., Ono, J.I., Kawamata, T, Sakamoto, T., *et. al.* 2008. Age-Associated Increases in Poor Outcomes after Traumatic Brain Injury: A Report from the Japan Neurotrauma Data Bank. *J. Neurotrauma*, 25:1407-14.
- Tortora, G.J. & Derrickson, B. 2009. *Principles of Anatomy and Physiologi*, 699-701. Ed 12. Hoboken: John Wiley & Sons Inc.
- Truong, E.I., Stanley, S.P., DeMario, B.S., Tseng, E.S., Como, J.J., Ho, V.P., *et al.* 2021. Variation in neurosurgical intervention for severe traumatic brain injury: The challenge of measuring quality in trauma center verification. *J. Trauma Acute Care Surg.*, 91(1): 114-20. DOI : 10.1097/TA.0000000000003114.
- Tunthanathip, T. & Phuenpathom, N. 2017. Impact of road traffic injury to pediatric traumatic brain injury in southern Thailand. *J. Neurosci. Rural Pract.*, 8(4): 601-8. DOI : 10.4103/jnrp.jnrp\_381\_17.
- Van Dijck, J.T.J.M., Dijkman, M.D., Ophuis, R.H., De Ruiter, G.C.W., Peul, W.C. & Polinder, S. 2019. In-hospital costs after severe traumatic brain injury: a systematic review and quality assessment. *PLoS ONE*, 14(5):1-21.
- Vijian, K., Teo, E.G., Kanesen, D. & Wong, A.S.H. 2020. Initial leucocytosis and other significant indicators of poor outcome in severe traumatic brain injury: an observational study. *Chin. Neurosurg. J.*, 6:5. <https://doi.org/10.1186/s41016-020-0185-4>.
- Vink R., Nimmo, A.J. & Cernak, I. 2001. An overview of new and novel pharmacotherapies for use in traumatic brain injury. In: Annual scientific meeting od ASCEPT 2000: pharmacological intervention for neurological injury symposium. *Clin. Exp. Pharmacol. Physiol.*, 28:919-21.
- Wafaisade, A., Lefering, R. & Tjardes, T., Wutzler, S., Simanski, C., Paffrath, T., *et al.* 2010. Acute coagulopathy in isolated blunt traumatic brain injury. *Neurocrit. Care.*, 12: 211-9. DOI :10.1007/s12028-009-9281-1.

- Wang, F., Wang, L., Jiang, T.T., Xia, J.J., Xu, F., Shen, L.J., *et al.* 2018. Neutrophil-to-lymphocyte ratio is an independent predictor of 30-day mortality of intracerebral hemorrhage patients: A validation cohort study. *Neurotox Res.*, 34(3): 347-52. <https://doi.org/10.1007/s12640-018-9890-6>.
- Wang, H., Yu, M., Ochani, M., Amella, CA., Tanovic, M., Susarla, S., *et al.* 2003. Nicotinic acetylcholine receptor alpha7 subunit is an essential regulator of inflammation. *Nature*, 421:384-8. DOI:10.1038/nature01339.
- Wang, X., Xie, H., Cotton, A.S., Tamburrino, M.B., Brickman, K.R., Lewis, T.J., *et al.* 2015. Early cortical thickness change after mild traumatic brain injury following motor vehicle collision. *J. Neurotrauma*, 32(7): 1-30. <https://doi.org/10.1089/neu.2014.3492>.
- Walker, W.C., Marwitz, J.H., Kreutzer, J.S., Hart, T. & Novack, T.A. 2006. Occupational categories and return to work after traumatic brain injury: a multicenter study. *Arch. Phys. Med. Rehabil.*, 87: 1576-82.
- Williamson, T., Ryser, M.D., Abdelgadir, J., Lemmon, M., Barks, M.C., Zakare, R., *et al.* 2020. Surgical decision making in the setting of severe traumatic brain injury: A survey of neurosurgeons. *PLoS ONE*, 15(3): e0228947. <https://doi.org/10.1371/journal.pone.0228947>
- Wintermark, M., Sanelli, P.C., Anzai, Y., Tsiouris, A.J. & Whitlow, C.T. 2014. Imaging evidence and recommendations for traumatic brain injury : conventional neuroimaging techniques. *J. Am. Coll. Radiol.*, <http://dx.doi.org/10.1016/j.jacr.2014.10.014>.
- Wright, H.L., Moots, R.J., Bucknall, R.C. & Edwards, S.W. 2010. Neutrophil function in inflammation and inflammatory diseases. *Rheumatology*, 49: 1618-31. DOI:10.1093/rheumatology/keq045.
- Xiong, Y., Mahmood, A. & Chopp, M. 2018. Current understanding of neuroinflammation after traumatic brain injury and cell-based therapeutic opportunities. *Chin. J. Traumatol.*, 21:137-51.
- Ye, Z., Ai, X., Fang, F., Hu, X., Faramand, A. & You, C. 2017. The use of neutrophil to lymphocyte ratio as a predictor for clinical outcomes in spontaneous intracerebral hemorrhage. *Oncotarget*, 8(52): 90380-9. <https://doi.org/10.18632/oncotarget.20120>.
- Yuan, Q., Yu, J., Wu, X., Sun, Y.R., Li, Z.Q., Du, Z.Y., *et al.* 2018. Prognostic value of coagulation tests for in-hospital mortality in patients with traumatic brain injury. *Scand. J. Trauma, Resusc. Emerg. Med.*, 26: 3. DOI : 10.1186/s13049-017-0471-0
- Zairinal, R.A., Anindhita, T., Astini, N., Masita & Budikayanti, A. 2018. Pemeriksaan Kesadaran. Dalam: Riwanti, E., Ramdinal, A.Z., Wardah, R.I. (Editor). *Pemeriksaan Klinis Neurologi Praktis - Umum*, 1-33, Ed 1. Jakarta: Penerbit Kedokteran Indonesia.
- Zhang, J., Ren, Q., Song, Y., He, M., Zeng, Y., Liu, Z., *et al.* 2017. Prognostic role of neutrophil-lymphocyte ratio in patients with acute ischemic stroke. *Medicine*, 96:45.

- Zhao, J.L., Du, Z.Y., Yuan, Q., Yu, J., Sun, Y.R., Wu, X., *et al.* 2019. Prognostic value of neutrophil-to-lymphocyte ratio in predicting the 6-month outcome of patients with traumatic brain injury: a retrospective study. *World Neurosurg.*, :1-6.
- Zahorec, R. 2001. Ratio of neutrophil to lymphocyte count and simple parameter of systemic inflammation and stress in critically ill. *Bratisl. Lek. Listy.*, 102:5-14.