

## DAFTAR PUSTAKA

- Afifah, S., Putra, A. U., Christianawati, A., Prastika, K. P., Thoban, M. I., Lukafiardi, R., Siahaan, S. E., Widyanarko, U., & Hizbaron, D. R. (2020). An Evaluation of Valuable Lands towards Landslide Susceptibility at Heritage Site, Sangiran, Central Java, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 412(1), 012019. <https://doi.org/10.1088/1755-1315/412/1/012019>
- Arabameri, A., Pradhan, B., & Rezaei, K. (2019). Gully erosion zonation mapping using integrated geographically weighted regression with certainty factor and random forest models in GIS. *Journal of Environmental Management*, 232, 928–942. <https://doi.org/10.1016/j.jenvman.2018.11.110>
- Ayalew, L., & Yamagishi, H. (2005). The application of GIS-based logistic regression for landslide susceptibility mapping in the Kakuda-Yahiko Mountains, Central Japan. *Geomorphology*, 65(1–2), 15–31. <https://doi.org/10.1016/j.geomorph.2004.06.010>
- Badan Penanggulangan Bencana Daerah Kabupaten Magelang. (2022a). *Peta Kebencanaan Kabupaten Magelang*. <http://sikk.bpbdmagelang.id/peta>
- Badan Penanggulangan Bencana Daerah Kabupaten Magelang. (2022b). *Tabel Kejadian Bencana Kabupaten Magelang*. <http://sikk.bpbdmagelang.id/TabelKejadian>
- Beek, R. van. (2002). *Assessment of the influence of changes in land use and climate on landslide activity in a Mediterranean environment De invloed van veranderingen in landgebruik en klimaat op aardverschuivingsrisico in het Middellandse zeegebied*. Universiteit Utrecht.
- Brunsdon, C., Fotheringham, S., & Charlton, M. (1996). Geographically Weighted Regression: A Method for Exploring Spatial Nonstationarity. *Geographical Analysis*, 28(4), 281–298. <https://doi.org/10.1111/j.1538-4632.1996.tb00936.x>
- Chalkias, C., Kalogirou, S., & Ferentinou, M. (2014). Landslide susceptibility, Peloponnese Peninsula in South Greece. *Journal of Maps*, 10(2), 211–222. <https://doi.org/10.1080/17445647.2014.884022>
- Chalkias, C., Polykretis, C., Karymbalis, E., Soldati, M., Ghinoi, A., & Ferentinou, M. (2020). Exploring spatial non-stationarity in the relationships between landslide susceptibility and conditioning factors: a local modeling approach using geographically weighted regression. *Bulletin of Engineering Geology and the Environment*, 79(6), 2799–2814. <https://doi.org/10.1007/s10064-020-01733-x>
- Chang, K.-T. (2019). *Introduction to Geographic Information Systems* (9th ed.). McGraw-Hill Education.
- Dolidon, N., Hofer, T., Jansky, L., & Sidle, R. (2009). Watershed and Forest Management for Landslide Risk Reduction. In *Landslides – Disaster Risk Reduction* (hal. 633–649). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-540-69970-5\\_33](https://doi.org/10.1007/978-3-540-69970-5_33)
- Ehlers, M. (2008). Geoinformatics and digital earth initiatives: a German perspective. *International Journal of Digital Earth*, 1(1), 17–30. <https://doi.org/10.1080/17538940701781975>
- Erener, A., & Düzgün, H. S. B. (2010). Improvement of statistical landslide susceptibility mapping by using spatial and global regression methods in the case of More and Romsdal

- ESRI. (2022). *Euclidean Distance*. <https://desktop.arcgis.com/en/arcmap/10.3/tools/spatial-analyst-toolbox/euclidean-distance.htm>
- Fariz, T. R., & Rokhayati, N. (2020). Konversi DSM Menjadi DTM Menggunakan Filter Berbasis Kelerengan Untuk Pemetaan Banjir Rob di Kecamatan Tirto. *Seminar Nasional ke-3 Pengelolaan Pesisir dan DAS, F. Geografi UGM 2017*, 386–397. <https://osf.io/cu84m>
- Fell, R., Corominas, J., Bonnard, C., Cascini, L., Leroi, E., & Savage, W. Z. (2008). Guidelines for landslide susceptibility, hazard and risk zoning for land-use planning. *Engineering Geology*, 102(3–4), 99–111. <https://doi.org/10.1016/j.enggeo.2008.03.014>
- Fotheringham, S., Brunsdon, C., & Charlton, M. (2002). *Geographically Weighted Regression: The Analysis of Spatially Varying Relationships*. John Wiley & Sons, Inc.
- Garcia-Urquia, E., & Yamagishi, H. (2017). Landslide Susceptibility Mapping Based on Aerial Photograph Interpretation Inventory for Tegucigalpa, Honduras: An Application of the Matrix Method. In *GIS Landslide* (hal. 163–181). Springer Japan. [https://doi.org/10.1007/978-4-431-54391-6\\_9](https://doi.org/10.1007/978-4-431-54391-6_9)
- Gomez, C., Janin, M., Lavigne, F., Gertisser, R., Charbonnier, S., Lahitte, P., Hadmoko, S. R., Fort, M., Wassmer, P., Degroot, V., & Murwanto, H. (2010). Borobudur, a basin under volcanic influence: 361,000years BP to present. *Journal of Volcanology and Geothermal Research*, 196(3–4), 245–264. <https://doi.org/10.1016/j.jvolgeores.2010.08.001>
- Grekousis, G. (2020). *Spatial analysis methods and practice : describe, explore, explain through GIS*.
- Guillard, C., & Zezere, J. (2012). Landslide susceptibility assessment and validation in the framework of municipal planning in Portugal: The case of loures municipality. *Environmental Management*, 50(4), 721–735. <https://doi.org/10.1007/s00267-012-9921-7>
- Hadmoko, D. S., Lavigne, F., & Samodra, G. (2017). Application of a semiquantitative and GIS-based statistical model to landslide susceptibility zonation in Kayangan Catchment, Java, Indonesia. *Natural Hazards*, 87(1), 437–468. <https://doi.org/10.1007/s11069-017-2772-z>
- Hadmoko, D. S., Lavigne, F., Sartohadi, J., Hadi, P., & Winaryo. (2010). Landslide hazard and risk assessment and their application in risk management and landuse planning in eastern flank of Menoreh Mountains, Yogyakarta Province, Indonesia. *Natural Hazards*, 54(3), 623–642. <https://doi.org/10.1007/s11069-009-9490-0>
- Hizbaron, D. R., Lukafiardi, R., Aprilianti, C., & Jati, R. (2020). Utilizing Vulnerability and Risk Indexes for Cultural Heritage in Yogyakarta and Central Java. *Forum Geografi*, 34(2), 161–172. <https://doi.org/10.23917/forgeo.v34i2.12131>
- Hugget, R. J. (2007). *Fundamentals of Geomorphology Second Edition* (2nd ed.). Routledge.
- Hungr, O., Leroueil, S., & Picarelli, L. (2014). The Varnes classification of landslide types, an update. *Landslides*, 11(2), 167–194. <https://doi.org/10.1007/s10346-013-0436-y>
- Julzarika, A., & Harintaka. (2019). Indonesian DEMNAS: DSM or DTM? *AGERS 2019 - 2nd IEEE Asia-Pacific Conference on Geoscience, Electronics and Remote Sensing*

- Komac, M., & Auflič, M. J. (2017). Modelling a Landslide Probability Through Time as a Basis for the Landslide Hazard Forecast System. In *GIS Landslide* (hal. 45–69). Springer Japan. [https://doi.org/10.1007/978-4-431-54391-6\\_4](https://doi.org/10.1007/978-4-431-54391-6_4)
- Kothari, C. R. (2004). *Research Methodology - Methods and Techniques*. New Age International (P) Ltd., Publishers.
- Lacasse, S., & Nadim, F. (2009). Landslide Risk Assessment and Mitigation Strategy. In *Landslides – Disaster Risk Reduction* (hal. 31–61). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-540-69970-5\\_3](https://doi.org/10.1007/978-3-540-69970-5_3)
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing and Image Interpretation* (7th ed.). John Wiley & Sons, Inc.
- Lima, P., Steger, S., Glade, T., & Murillo-García, F. G. (2022). Literature review and bibliometric analysis on data-driven assessment of landslide susceptibility. *Journal of Mountain Science*, 19(6), 1670–1698. <https://doi.org/10.1007/s11629-021-7254-9>
- Nadim, F., & Kjekstad, O. (2009). Assessment of Global High-Risk Landslide Disaster Hotspots. In *Landslides – Disaster Risk Reduction* (hal. 213–221). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-540-69970-5\\_11](https://doi.org/10.1007/978-3-540-69970-5_11)
- Nakaya, T. (2016). *GWR4.09 User Manual*.
- Ngadisih, Samodra, G., Bhandary, N. P., & Yatabe, R. (2017). Landslide Inventory: Challenge for Landslide Hazard Assessment in Indonesia. In *GIS Landslide* (hal. 135–159). Springer Japan. [https://doi.org/10.1007/978-4-431-54391-6\\_8](https://doi.org/10.1007/978-4-431-54391-6_8)
- Noviyanto, A., Sartohadi, J., & Purwanto, B. H. (2020). The distribution of soil morphological characteristics for landslide-impacted Sumbing Volcano, Central Java - Indonesia. *Geoenvironmental Disasters*, 7(1), 25. <https://doi.org/10.1186/s40677-020-00158-8>
- Polykretis, C., & Chalkias, C. (2018). Comparison and evaluation of landslide susceptibility maps obtained from weight of evidence, logistic regression, and artificial neural network models. *Natural Hazards*, 93(1), 249–274. <https://doi.org/10.1007/s11069-018-3299-7>
- Priyono, K. D., Sunarto, S., Sartohadi, J., & Sudibyakto, S. (2011). Tipologi Pedogeomorfik Longsorlahan di Pegunungan Menoreh Kabupaten Kulonprogo Daerah Istimewa Yogyakarta. *Forum Geografi*, 25(1), 67. <https://doi.org/10.23917/forgo.v25i1.5035>
- Rakshit, R., Lalhmingsangi, Bezbaruah, D., & Bharali, B. (2017). Morphotectonic and sedimentological aspects in describing the relationship with ancient failure surfaces in southern part of Aizawl anticline, Mizoram, India. *Science Vision*, 17(4), 204–216. <https://doi.org/10.33493/scivis.17.04.04>
- Roberts, J. L. (1982). *Introduction to Geological Maps and Structures*. Pergamon.
- Sekarlangit, N., Fathani, T. F., & Wilopo, W. (2022). Landslide Susceptibility Mapping of Menoreh Mountain Using Logistic Regression. *Journal of Applied Geology*, 7(1), 51–63. <https://doi.org/10.22146/jag.72067>
- Shano, L., Raghuvanshi, T. K., & Meten, M. (2022). Landslide Hazard Zonation using Logistic Regression Model: The Case of Shafe and Baso Catchments, Gamo Highland, Southern

- Showalter, P. S., & Lu, Y. (Ed.). (2010). *Geospatial Techniques in Urban Hazard and Disaster Analysis*. Springer Science and Business Media B.V. <https://doi.org/10.1007/978-90-481-2238-7>
- Sulistiana, T., Parapat, A. D., & Aristomo, D. (2019). Analisis akurasi vertikal digital elevation model nasional (Demnas) studi kasus Kota Medan. *FIT ISI 2019 dan ASEANFLAG 72nd COUNCIL MEETING Analisis*, 1(November 2019), 37–45.
- Sutanto. (1986). *Penginderaan Jauh*. Gadjah Mada University Press.
- Tomaszewski, B. (2015). *Geographic Information Systems (GIS) for Disaster Management*. CRC Press. <https://doi.org/10.1201/b17851>
- USGS. (2006). *Landslide Types and Processes*. Fact Sheet 2004–3072. <https://pubs.usgs.gov/fs/2004/3072/pdf/fs2004-3072.pdf>
- Varnes, D. J. (1958). Landslide Types and Processes. In E. B. Eckel (Ed.), *Landslides and Engineering Practice* (hal. 20–45). Highway Research Board.
- Vicka, P. (2019). *Jalur KA Borobudur-Bandara YIA Diminta Dibangun Elevated*. <https://www.medcom.id/nasional/daerah/ob3x18Xk-jalur-ka-borobudur-bandara-yia-diminta-dibangun-elevated>
- Walliman, N. (2011). *Research Methods The Basics*. Routledge. <https://doi.org/doi:10.4324/9780203836071>
- Widagdo, A., Pramumijoyo, S., & Harijoko, A. (2018). Tectonostratigraphy-volcanic of Gajah-Ijo-Menoreh Tertiary volcanic formations in Kulon Progo mountain area, Yogyakarta-Indonesia. *IOP Conference Series: Earth and Environmental Science*, 212(1), 012052. <https://doi.org/10.1088/1755-1315/212/1/012052>
- Wirantiko, M., Handayani, H. H., & Cahyono, A. B. (2020). Studi Pembuatan DTM Menggunakan Metode Slope Based Filtering dan Grid Based Filtering (Studi Kasus: Kelurahan Wonokromo Dan Lontar, Kota Surabaya). *Geoid*, 16(1), 46–56.
- Xiong, L., Li, S., Tang, G., & Strobl, J. (2022). Geomorphometry and terrain analysis: Data, methods, platforms and applications. *Earth-Science Reviews*, 104191. <https://doi.org/10.1016/j.earscirev.2022.104191>
- Yeh, C. K., & Liaw, S. C. (2021). Applying spatial autocorrelation and logistic regression to analyze land cover change trajectory in a forested watershed. *Terrestrial, Atmospheric and Oceanic Sciences*, 32(1), 35–52. <https://doi.org/10.3319/TAO.2020.12.03.01>
- Yu, H., Liu, X., Kong, B., Li, R., & Wang, G. (2019). Landscape ecology development supported by geospatial technologies: A review. *Ecological Informatics*, 51(January), 185–192. <https://doi.org/10.1016/j.ecoinf.2019.03.006>
- Zhang, M., Cao, X., Peng, L., & Niu, R. (2016). Landslide susceptibility mapping based on global and local logistic regression models in Three Gorges Reservoir area, China. *Environmental Earth Sciences*, 75(11), 958. <https://doi.org/10.1007/s12665-016-5764-5>