

DAFTAR PUSTAKA

- Abdelrasoul, A., Doan, H., and Lohi, A., 2013, Fouling in Membrane Filtration and Remediation Methods, *Mass Transf.-Adv. Sustain. Energy Environ. Oriented Numer. Model.*, INTECHOPEN, 196–218.
- Abdullah, N., Ayodele, B. V., Mansor, W.N.W., and Abdullah, S., 2018, Effect of incorporating TiO₂ photocatalyst in PVDF hollow fibre membrane for photo-assisted degradation of methylene blue, *Bull. Chem. React. Eng. Catal.*, 13, 588–591.
- Abdullahi, N., Saion, E., Shaari, A.H., Al-Hada, N.M., and Keiteb, A., 2015, Optimisation of the photonic efficiency of TiO₂ decorated on MWCNTs for methylene blue photodegradation, *PLoS One*, 10, 1–12.
- Ajmani, G.S., Goodwin, D., Marsh, K., Fairbrother, D.H., Schwab, K.J., Jacangelo, J.G., and Huang, H., 2012, Modification of low pressure membranes with carbon nanotube layers for fouling control, *Water Res.*, 46, 5645–5654.
- Akter, J., Hanif, M.A., Islam, M.A., Sapkota, K.P., and Hahn, J.R., 2021, Selective growth of Ti³⁺/TiO₂/CNT and Ti³⁺/TiO₂/C nanocomposite for enhanced visible-light utilization to degrade organic pollutants by lowering TiO₂-bandgap, *Sci. Rep.*, 11, 1–12.
- Alem, A., Sarpoolaky, H., and Keshmiri, M., 2009, Sol-gel preparation of titania multilayer membrane for photocatalytic applications, *Ceram. Int.*, 35, 1837–1843.
- Ali, S., Rehman, S.A.U., Luan, H.Y., Farid, M.U., and Huang, H., 2019, Challenges and opportunities in functional carbon nanotubes for membrane-based water treatment and desalination, *Sci. Total Environ.*, 646, 1126–1139.
- Alias, N.H., Jaafar, J., Samitsu, S., Matsuura, T., Ismail, A.F., Othman, M.H.D., Rahman, M.A., Othman, N.H., Abdullah, N., Paiman, S.H., Yusof, N., and Aziz, F., 2019, Photocatalytic nanofiber-coated alumina hollow fiber membranes for highly efficient oilfield produced water treatment, *Chem. Eng. J.*, 360, 1437–1446.
- de Amorim, M.T.P. and Ramos, I.R.A., 2006, Control of irreversible fouling by application of dynamic membranes, *Desalination*, 192, 63–67.
- Ao, C.H. and Lee, S.C., 2003, Enhancement effect of TiO₂ immobilized on activated carbon filter for the photodegradation of pollutants at typical indoor air level, *Appl. Catal. B Environ.*, 44, 191–205.
- Aran, H.C., Salamon, D., Rijnaarts, T., Mul, G., Wessling, M., and Lammertink, R.G.H., 2011, Porous Photocatalytic Membrane Microreactor (P2M2): A new reactor concept for photochemistry, *J. Photochem. Photobiol. A Chem.*, 225, 36–41.
- Argurio, P., Fontananova, E., Molinari, R., and Drioli, E., 2018, Photocatalytic

membranes in photocatalytic membrane reactors, *Processes*, 6(9), 162.

Athanasekou, C.P., Moustakas, N.G., Morales-Torres, S., Pastrana-Martínez, L.M., Figueiredo, J.L., Faria, J.L., Silva, A.M.T., Dona-Rodriguez, J.M., Romanos, G.E., and Falaras, P., 2015, Ceramic photocatalytic membranes for water filtration under UV and visible light, *Appl. Catal. B Environ.*, 178, 12–19.

Bai, H., Zan, X., Zhang, L., and Delai, D., 2015, Multi-functional CNT/ZnO/TiO₂ nanocomposite membrane for concurrent filtration and photocatalytic degradation, 156, 922–930.

Bhardwaj, N. and Kundu, S.C., 2010, Electrospinning: A fascinating fiber fabrication technique, *Biotechnol. Adv.*, 28, 325–347.

Bokobza, L. and Zhang, J., 2012, Raman spectroscopic characterization of multiwall carbon nanotubes and of composites, *Express Polym. Lett.*, 6, 601–608.

Botti, S., Laurenzi, S., Mezi, L., Rufoloni, A., and Santonicola, M.G., 2015, Surface-enhanced Raman spectroscopy characterisation of functionalised multi-walled carbon nanotubes, *Phys. Chem. Chem. Phys.*, 17, 21373–21380.

Brunetti, A., Zito, P.F., Giorno, L., Drioli, E., and Barbieri, G., 2018, Chemical Engineering & Processing : Process Intensification Membrane reactors for low temperature applications : An overview, *Chem. Eng. Process.*, 124, 282–307.

Cao, A., Xu, C., Liang, J., Wu, D., and Wei, B., 2001, X-ray diffraction characterization on the alignment degree of carbon nanotubes, *Chem. Phys. Lett.*, 344, 13–17.

Celik, E., Park, H., Choi, H., and Choi, H., 2011, Carbon nanotube blended polyethersulfone membranes for fouling control in water treatment, *Water Res.*, 45, 274–282.

Charlier, J.C., 2002, Defects in carbon nanotubes, *Acc. Chem. Res.*, 35, 1063–1069.

Chen, Y.F., Lee, C.Y., Yeng, M.Y., and Chiu, H.T., 2003, The effect of calcination temperature on the crystallinity of TiO₂ nanopowders, *J. Cryst. Growth*, 247, 363–370.

Chen, I.H., Wang, C.C., and Chen, C.Y., 2010, Fabrication and structural characterization of polyacrylonitrile and carbon nanofibers containing plasma-modified carbon nanotubes by electrospinning, *J. Phys. Chem. C*, 114, 13532–13539.

Cheng, Z., Zhang, Y., Han, Z., Cui, L., Kang, L., and Zhang, F., 2016, A novel preparation of anti-layered poly(vinylalcohol)-polyacrylonitrile (PVA/PAN) membrane for air filtration by electrospinning, *RSC Adv.*, 6, 85545–50.

Cheng, J. and Pu, H., 2018, A facile method to prepare polyvinylidene fluoride

- composite nanofibers with high photocatalytic activity via nanolayer coextrusion, *Eur. Polym. J.*, 99, 361–367.
- Choi, H., Sofranko, A.C., and Dionysiou, D.D., 2006, Nanocrystalline TiO₂ photocatalytic membranes with a hierarchical mesoporous multilayer structure: Synthesis, characterization, and multifunction, *Adv. Funct. Mater.*, 16, 1067–1074.
- Crini, G. and Lichtfouse, E., 2019, Advantages and disadvantages of techniques used for wastewater treatment, *Environ. Chem. Lett.*, 17, 145–155.
- Croisier, F., Duwez, A.S., Jérôme, C., Léonard, A.F., Van Der Werf, K.O., Dijkstra, P.J., and Bennink, M.L., 2012, Mechanical testing of electrospun PCL fibers, *Acta Biomater.*, 8, 218–224.
- Cychosz, K.A. and Thommes, M., 2018, Progress in the Physisorption Characterization of Nanoporous Gas Storage Materials, *Engineering*, 4, 559–566.
- Daels, N., Radoicic, M., Radetic, M., Van Hulle, S.W.H., and De Clerck, K., 2014, Functionalisation of electrospun polymer nanofibre membranes with TiO₂ nanoparticles in view of dissolved organic matter photodegradation, *Sep. Purif. Technol.*, 133, 282–290.
- Dai, K., Lu, L., and Dawson, G., 2013, Development of UV-LED/TiO₂ device and their application for photocatalytic degradation of methylene blue, *J. Mater. Eng. Perform.*, 22, 1035–1040.
- Damodar, R.A., You, S.J., and Chou, H.H., 2009, Study the self cleaning, antibacterial and photocatalytic properties of TiO₂ entrapped PVDF membranes, *J. Hazard. Mater.*, 172, 1321–1328.
- Darvish, S.M., Ali, A.M., and Sani, S.R., 2019, Visible light photocatalytic activity of MWCNT/TiO₂ using the degradation of methylene blue, *J. Interfaces Thin Film. Low Dimens. Syst.*, 2, 149–156.
- Das, R., Hamid, S., Ali, M., Ramakrishna, S., and Yongzhi, W., 2014a, Carbon Nanotubes Characterization by X-ray Powder Diffraction – A Review, *Curr. Nanosci.*, 11, 23–35.
- Das, R., Ali, M.E., Hamid, S.B.A., Ramakrishna, S., and Chowdhury, Z.Z., 2014b, Carbon nanotube membranes for water purification: A bright future in water desalination, *Desalination*, 336, 97–109.
- Deitzel, J.M., Kleinmeyer, J., Harris, D., and Beck Tan, N.C., 2001, The effect of processing variables on the morphology of electrospun nanofibers and textiles, *Polymer (Guildf.)*, 42, 261–272.
- DiLeo, R.A., Landi, B.J., and Raffaele, R.P., 2007, Purity assessment of multiwalled carbon nanotubes by Raman spectroscopy, *J. Appl. Phys.*, 101, 064307–5.
- Djafer, L., Ayril, A., and Ouagued, A., 2010, Robust synthesis and performance of

- a titania-based ultrafiltration membrane with photocatalytic properties, *Sep. Purif. Technol.*, 75, 198–203.
- Djokić, V.R., Marinković, A.D., Mitrić, M., Uskoković, P.S., Petrović, R.D., Radmilović, V.R., and Janačković, D.T., 2012, Preparation of TiO₂/carbon nanotubes photocatalysts: The influence of the method of oxidation of the carbon nanotubes on the photocatalytic activity of the nanocomposites, *Ceram. Int.*, 38, 6123–6129.
- Dresselhaus, M.S., Dresselhaus, G., and Hofmann, M., 2007, The big picture of Raman scattering in carbon nanotubes, *Vib. Spectrosc.*, 45, 71–81.
- Dufficy, M.K., Geiger, M.T., Bonino, C.A., and Khan, S.A., 2015, Electrospun Ultrafine Fiber Composites Containing Fumed Silica: From Solution Rheology to Materials with Tunable Wetting, *Langmuir*, 31, 12455–12463.
- Eder, D., 2010, Carbon Nanotube - Inorganic Hybrids, *Chem. Rev.*, 3, 1348–1385.
- Eder, D. and Windle, A.H., 2008, Carbon-inorganic hybrid materials: The carbon-nanotube/TiO₂ interface, *Adv. Mater.*, 20, 1787–1793.
- Ehsani, M. and Aroujalian, A., 2020, Fabrication of electrospun polyethersulfone/titanium dioxide (PES/TiO₂) composite nanofibers membrane and its application for photocatalytic degradation of phenol in aqueous solution, *Polym. Adv. Technol.*, 31, 772–785.
- Elma, M., Wang, D.K., Yacou, C., and Diniz, J.C., 2015, Interlayer-free P123 carbonised template silica membranes for desalination with reduced salt concentration polarisation, *J. Memb. Sci.*, 475, 376–383.
- Esmacili, A. and Beni, A.A., 2014, A novel fixed-bed reactor design incorporating an electrospun PVA/chitosan nanofiber membrane, *J. Hazard. Mater.*, 280, 788–796.
- Ewaldz, E. and Brettmann, B., 2019, Molecular Interactions in Electrospinning: From Polymer Mixtures to Supramolecular Assemblies, *ACS Appl. Polym. Mater.*, 1, 298–308.
- Ezugbe, E.O. and Rathilal, S., 2020, Membrane technologies in wastewater treatment: A review, *Membranes (Basel)*, 10 (89), 2–28.
- Fan, W., Zhang, Q., and Wang, Y., 2013, Semiconductor-based nanocomposites for photocatalytic H₂ production and CO₂ conversion, *Phys. Chem. Chem. Phys.*, 15, 2632–2649.
- Fu, S., Fang, Q., Li, A., Li, Z., Han, J., Dang, X., and Han, W., 2021, Accurate characterization of full pore size distribution of tight sandstones by low-temperature nitrogen gas adsorption and high-pressure mercury intrusion combination method, *Energy Sci. Eng.*, 9, 80–100.
- Fujihara, K., Izumi, S., Ohno, T., and Matsumura, M., 2000, Time-resolved photoluminescence of particulate TiO₂ photocatalysts suspended in aqueous solutions, *J. Photochem. Photobiol. A Chem.*, 132, 99–104.

- Fumio, U., Hiroshi, Y., Kumiko, N., Sachihiko, N., Kenji, S., and Yasunori, M., 1990, Swelling and mechanical properties of poly(vinyl alcohol) hydrogels, *Int. J. Pharm.*, 58, 135–142.
- Gao, B., Chen, G.Z., and Li Puma, G., 2009, Carbon nanotubes/titanium dioxide (CNTs/TiO₂) nanocomposites prepared by conventional and novel surfactant wrapping sol-gel methods exhibiting enhanced photocatalytic activity, *Appl. Catal. B Environ.*, 89, 503–509.
- Gao, J., Thong, Z., Yu Wang, K., and Chung, T.S., 2017, Fabrication of loose inner-selective polyethersulfone (PES) hollow fibers by one-step spinning process for nanofiltration (NF) of textile dyes, *J. Memb. Sci.*, 541, 413–424.
- Gerakines P. A., W. A. Schutte , J. M. Greenberg, and E.F. van D., 1999, The infrared band strengths of H₂O, CO and CO₂ in laboratory simulations of astrophysical ice mixtures, *Astron. Astrophys.*, 346, 990–994.
- Ghadhban, M.Y., Majdi, H.S., Rashid, K.T., Alsalhy, Q.F., Lakshmi, D.S., Salih, I.K., and Figoli, A., 2020, Removal of dye from a leather tanning factory by flat-sheet blend ultrafiltration (UF) membrane, *Membranes (Basel)*, 10 (47), 2–17.
- Girifalco, L.A., Hodak, M., and Lee, R.S., 2000, Carbon nanotubes, buckyballs, ropes, and a universal graphitic potential, *Phys. Rev. B - Condens. Matter Mater. Phys.*, 62, 13104–13110.
- Goei, R. and Lim, T., 2014, ScienceDirect Ag-decorated TiO₂ photocatalytic membrane with hierarchical architecture : Photocatalytic and antibacterial activities, *Water Res.*, 59, 207–218.
- Gohil, S. and Ghosh, S., 2010, Surface enhanced Raman scattering from multiwalled carbon nanotubes at low temperatures, *Appl. Phys. Lett.*, 96, 1–4.
- Gozálvez-Zafrilla, J.M., Sanz-Escribano, D., Lora-García, J., and León Hidalgo, M.C., 2008, Nanofiltration of secondary effluent for wastewater reuse in the textile industry, *Desalination*, 222, 272–279.
- Greenstein, K.E., Nagorzanski, M.R., Kelsay, B., Verdugo, E.M., Myung, N. V., Parkin, G.F., and Cwiertny, D.M., 2021, Carbon-titanium dioxide (C/TiO₂) nanofiber composites for chemical oxidation of emerging organic contaminants in reactive filtration applications, *Environ. Sci. Nano*, 8, 711–722.
- Haider, A., Haider, S., and Kang, I.K., 2018, A comprehensive review summarizing the effect of electrospinning parameters and potential applications of nanofibers in biomedical and biotechnology, *Arab. J. Chem.*, 11, 1165–1188.
- Hanis, N., Hairom, H., Wahab, A., Yong, L., Amir, A., and Kadhum, H., 2015, Utilization of self-synthesized ZnO nanoparticles in MPR for industrial dye wastewater treatment using NF and UF membrane, *Desalin. Water Treat.*,

54, 19443994.

- Hayati, I., Bailey, A.I., and Tadros, T.F., 1987, Investigations into the mechanisms of electrohydrodynamic spraying of liquids. I. Effect of electric field and the environment on pendant drops and factors affecting the formation of stable jets and atomization, *J. Colloid Interface Sci.*, 117, 205–221.
- Hermida-Merino, D., Belal, M., Greenland, B.W., Woodward, P., Slark, A.T., Davis, F.J., Mitchell, G.R., Hamley, I.W., and Hayes, W., 2012, Electrospun supramolecular polymer fibres, *Eur. Polym. J.*, 48, 1249–1255.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69–96.
- Horovitz, I., Avisar, D., Baker, M.A., Grilli, R., Lozzi, L., Di, D., and Mamane, H., 2016, Carbamazepine degradation using a N-doped TiO₂ coated photocatalytic membrane reactor: Influence of physical parameters, *J. Hazard. Mater.*, 310, 98–107.
- Hotaling, N.A., Bharti, K., Kriel, H., and Simon, C.G., 2015, DiameterJ: A validated open source nanofiber diameter measurement tool, *Biomaterials*, 61, 327–338.
- Huang, H.C., Huang, G.L., Chen, H.L., and Lee, Y. Der, 2006, Immobilization of TiO₂ nanoparticles on carbon nanocapsules for photovoltaic applications, *Thin Solid Films*, 511–512, 203–207.
- Huertas, R.M., Fraga, M.C., Crespo, J.G., and Pereira, V.J., 2017, Sol-gel membrane modification for enhanced photocatalytic activity, *Sep. Purif. Technol.*, 180, 69–81.
- Hurum, D.C., Agrios, A.G., Gray, K.A., Rajh, T., and Thurnauer, M.C., 2003, Explaining the enhanced photocatalytic activity of Degussa P25 mixed-phase TiO₂ using EPR, *J. Phys. Chem. B*, 107, 4545–4549.
- Jallouli, N., Elghniji, K., Trabelsi, H., and Ksibi, M., 2017, Photocatalytic degradation of paracetamol on TiO₂ nanoparticles and TiO₂/cellulosic fiber under UV and sunlight irradiation, *Arab. J. Chem.*, 10, S3640–S3645.
- Jawad, A.H., Mubarak, N.S.A., Ishak, M.A.M., Ismail, K., and Nawawi, W.I., 2016, Kinetics of photocatalytic decolourization of cationic dye using porous TiO₂ film, *J. Taibah Univ. Sci.*, 10, 352–362.
- Jie, G., Kongyin, Z., Xinxin, Z., Zhijiang, C., Min, C., Tian, C., and Junfu, W., 2015, Preparation and characterization of carboxyl multi-walled carbon nanotubes/calcium alginate composite hydrogel nano-filtration membrane, *Mater. Lett.*, 157, 112–115.
- Jorio, A. and Saito, R., 2021, Raman spectroscopy for carbon nanotube applications, *J. Appl. Phys.*, 129, 1–28.
- Jun, L.Y., Mubarak, N.M., Yee, M.J., Yon, L.S., Bing, C.H., Khalid, M., and

- Abdullah, E.C., 2018, An overview of functionalised carbon nanomaterial for organic pollutant removal, *J. Ind. Eng. Chem.*, 67, 175–186.
- Kamil, A.M., Hussein, F.H., Halbus, A.F., and Bahnemann, D.W., 2014, Preparation, Characterization, and Photocatalytic Applications of MWCNTs/TiO₂ Composite, *Int. J. Photoenergy*, 2014, 1–8.
- Kamińska, G., Bohdziewicz, J., Palacio, L., Hernández, A., and Prádanos, P., 2016, Polyacrylonitrile membranes modified with carbon nanotubes: characterization and micropollutants removal analysis, *Desalin. Water Treat.*, 57, 1344–1353.
- Karimi, E., Raisi, A., and Aroujalian, A., 2016, TiO₂-induced photo-cross-linked electrospun polyvinyl alcohol nanofibers microfiltration membranes, *Polymer (Guildf.)*, 99, 642–653.
- Khalil, A., Nasser, W.S., Osman, T.A., Toprak, M.S., Muhammed, M., and Uheida, A., 2019, Surface modified of polyacrylonitrile nanofibers by TiO₂/MWCNT for photodegradation of organic dyes and pharmaceutical drugs under visible light irradiation, *Environ. Res.*, 179, 108788.
- Kemenperin (Kementrian Perindustrian Republik Indonesia), 2019, Industri Tekstil dan Pakaian Tumbuh Paling Tinggi , <https://kemenperin.go.id/artikel/21191/Industri-Tekstil-dan-Pakaian-Tumbuh-Paling-Tinggi>, diakses 20 September 2022.
- Kongkanad, A., and Kamat, P.V., 2007, Electron Storage in Single Wall Carbon Semiconductor – SWCNT Suspensions, *ACS Nano*, 1, 13–21.
- Koozekonan, A.G., Esmailpour, M.R.M., Kalantary, S., Karimi, A., Azam, K., Moshiran, V.A., and Golbabaei, F., 2021, Fabrication and characterization of PAN/CNT, PAN/TiO₂, and PAN/CNT/TiO₂ nanofibers for UV protection properties, *J. Text. Inst.*, 112, 946–954.
- Koulivand, H., Shahbazi, A., Vatanpour, V., and Rahmandoust, M., 2020, Development of carbon dot modified polyethersulfone membranes for enhancement of nanofiltration, permeation and antifouling performance, *Sep. Purif. Technol.*, 230, 115895.
- Kumar, A. and Pal, D., 2018, Antibiotic resistance and wastewater : Correlation, impact and critical human health challenges, *J. Environ. Chem. Eng.*, 6, 52–58.
- Landaburu-aguirre, J., García-pacheco, R., Molina, S., Rodríguez-sáez, L., Rabadán, J., and García-calvo, E., 2016, Fouling prevention , preparing for re-use and membrane recycling. Towards circular economy in RO desalination, *Desalination*, 393, 16–30.
- Lee, J., Yoon, J., Kim, J.H., Lee, T., and Byun, H., 2018, Electrospun PAN–GO composite nanofibers as water purification membranes, *J. Appl. Polym. Sci.*, 135, 1–9.
- Lehman, J.H., Terrones, M., Mansfield, E., Hurst, K.E., and Meunier, V., 2011,

- Evaluating the characteristics of multiwall carbon nanotubes, *Carbon N. Y.*, 49, 2581–2602.
- Leong, S., Razmjou, A., Wang, K., Hapgood, K., Zhang, X., and Wang, H., 2014, TiO₂ based photocatalytic membranes: A review, *J. Memb. Sci.*, 472, 167–184.
- Li, J., Tang, S., Lu, L., and Zeng, H.C., 2007, Preparation of nanocomposites of metals, metal oxides, and carbon nanotubes via self-assembly, *J. Am. Chem. Soc.*, 129, 9401–9409.
- Li, H., Zhang, W., Li, B., and Pan, W., 2010, Diameter-dependent photocatalytic activity of electrospun TiO₂ nanofiber, *J. Am. Ceram. Soc.*, 93, 2503–2506.
- Li, Y., Li, L., Li, C., Chen, W., and Zeng, M., 2012, Carbon nanotube/titania composites prepared by a micro-emulsion method exhibiting improved photocatalytic activity, *Appl. Catal. A Gen.*, 427–428, 1–7.
- Lin, J., Tang, C.Y., Ye, W., Sun, S.P., Hamdan, S.H., Volodin, A., Haesendonck, C. Van, Sotto, A., Luis, P., and Van der Bruggen, B., 2015, Unraveling flux behavior of superhydrophilic loose nanofiltration membranes during textile wastewater treatment, *J. Memb. Sci.*, 493, 690–702.
- Liu, L., Chen, F., and Yang, F., 2009, Stable photocatalytic activity of immobilized Fe₀/TiO₂/ACF on composite membrane in degradation of 2,4-dichlorophenol, *Sep. Purif. Technol.*, 70, 173–178.
- Liu, L., Liu, Z., Bai, H., and Sun, D.D., 2012, Concurrent filtration and solar photocatalytic disinfection/degradation using high-performance Ag/TiO₂ nanofiber membrane, *Water Res.*, 46, 1101–1112.
- Liu, X., Wang, X., Xing, X., Li, Q., and Yang, J., 2015, Visible light photocatalytic activities of carbon nanotube/titanic acid nanotubes derived-TiO₂ composites for the degradation of methylene blue, *Adv. Powder Technol.*, 26, 8–13.
- Liu, Q., Chen, Z., Pei, X., Guo, C., Teng, K., Hu, Y., Xu, Z., and Qian, X., 2020, Review: applications, effects and the prospects for electrospun nanofibrous mats in membrane separation, *J. Mater. Sci.*, 55, 893–924.
- Majumder, M., Chopra, N., and Hinds, B.J., 2011, Mass transport through carbon nanotube membranes in three different regimes: Ionic diffusion and gas and liquid flow, *ACS Nano*, 5, 3867–3877.
- Makula, P., Pacia, M., and Macyk, W., 2018, How To Correctly Determine the Band Gap Energy of Modified Semiconductor Photocatalysts Based on UV-Vis Spectra, *J. Phys. Chem. Lett.*, 9, 6814–6817.
- Maultzsch, J., Reich, S., and Thomsen, C., 2001, Chirality-selective Raman scattering of the (formula presented) mode in carbon nanotubes, *Phys. Rev. B - Condens. Matter Mater. Phys.*, 64, 1–4.
- Meng, X., Qian, Z., Wang, H., Gao, X., Zhang, S., and Yang, M., 2008, Sol-gel

immobilization of SiO₂/TiO₂ on hydrophobic clay and its removal of methyl orange from water, *J. Sol-Gel Sci. Technol.*, 46, 195–200.

- Mit-Uppatham, C., Nithitanakul, M., and Supaphol, P., 2004, Ultrafine electrospun polyamide-6 fibers: Effect of solution conditions on morphology and average fiber diameter, *Macromol. Chem. Phys.*, 205, 2327–2338.
- Molinari, R., Lavorato, C., and Argurio, P., 2015, Photocatalytic reduction of acetophenone in membrane reactors under UV and visible light using TiO₂ and Pd/TiO₂ catalysts, *Chem. Eng. J.*, 274, 307–316.
- Molinari, R., Lavorato, C., and Argurio, P., 2017, Recent progress of photocatalytic membrane reactors in water treatment and in synthesis of organic compounds. A review, *Catal. Today*, 281, 144–164.
- Mora, A., Verma, P., Kumar, S., Verma, P., and Kumar, S., 2020, Electrical conductivity of CNT/polymer composites: 3D printing, measurements and modeling, *composite*, 183, 1–11.
- Moustakas, N.G., Katsaros, F.K., Kontos, A.G., Romanos, G.E., Dionysiou, D.D., and Falaras, P., 2014, Visible light active TiO₂ photocatalytic filtration membranes with improved permeability and low energy consumption, *Catal. Today*, 224, 56–69.
- Moza, S., 2010, Photocatalytic membrane reactors (PMRs) in water and wastewater treatment. A review, *Sep. Purif. Technol.*, 73, 71–91.
- Nalbandian, M.J., Greenstein, K.E., Shuai, D., Zhang, M., Choa, Y., Parkin, G.F., Myung, N. V, and Cwiertny, D.M., 2015, Tailored Synthesis of Photoactive TiO₂ Nanofibers and Au/TiO₂ Nanofiber Composites: Structure and Reactivity Optimization for Water Treatment Applications, *Environ. Sci. Technol.*, 49(3), 1654–1663
- Nataraj, S.K., Yang, K.S., and Aminabhavi, T.M., 2012, Polyacrylonitrile-based nanofibers - A state of the art review, *Prog. Polym. Sci.*, 37, 487–513.
- Nguyen, H.Q. and Deng, B., 2012, Electrospinning and in situ nitrogen doping of TiO₂/PAN nanofibers with photocatalytic activation in visible lights, *Mater. Lett.*, 82, 102–104.
- Ochoa Rodríguez, P.A., Casuscelli, S.G., Elías, V.R., and Eimer, G.A., 2021, LED visible-light activated mesoporous TiO₂: A better understanding about carbon role in the photocatalytic performance of solid, *Catal. Today*, 372, 198–210.
- Ohtani, B., 2010, Photocatalysis A to Z-What we know and what we do not know in a scientific sense, *J. Photochem. Photobiol. C Photochem. Rev.*, 11, 157–178.
- Olowoyo, Joshua O., Kumar, M., Jain, S.L., Babalola, J.O., Vorontsov, A. V., and Kumar, U., 2019, Insights into Reinforced Photocatalytic Activity of the CNT-TiO₂ Nanocomposite for CO₂ Reduction and Water Splitting, *J. Phys. Chem. C*, 123, 367–378.

- Ong, S., Keng, P., Lee, W., Ha, S., and Hung, Y., 2011, Dye Waste Treatment, *Water*, 3(4), 157–176.
- Orlando, A., Franceschini, F., Muscas, C., Pidkova, S., Bartoli, M., Rovere, M., and Tagliaferro, A., 2021, A comprehensive review on Raman spectroscopy applications, *Chemosensors*, 9, 1–28.
- Osswald, S., Flahaut, E., Ye, H., and Gogotsi, Y., 2005, Elimination of D-band in Raman spectra of double-wall carbon nanotubes by oxidation, *Chem. Phys. Lett.*, 402, 422–427.
- Pai, C.L., Boyce, M.C., and Rutledge, G.C., 2011, On the importance of fiber curvature to the elastic moduli of electrospun nonwoven fiber meshes, *Polymer (Guildf.)*, 52, 6126–6133.
- Panahian, Y. and Arsalani, N., 2017, Synthesis of Hedgehoglike F-TiO₂(B)/CNT Nanocomposites for Sonophotocatalytic and Photocatalytic Degradation of Malachite Green (MG) under Visible Light: Kinetic Study, *J. Phys. Chem. A*, 121, 5614–5624.
- Papageorgiou, S.K., Katsaros, F.K., Favvas, E.P., Romanos, G.E., Athanasekou, C.P., Beltsios, K.G., Tziolla, O.I., and Falaras, P., 2012, Alginate fibers as photocatalyst immobilizing agents applied in hybrid photocatalytic / ultrafiltration water treatment processes, *Water Res.*, 46, 1858–1872.
- Papkov, D., Zou, Y., Andalib, M.N., Goponenko, A., Cheng, S.Z.D., and Dzenis, Y.A., 2013, Simultaneously strong and tough ultrafine continuous nanofibers, *ACS Nano*, 7, 3324–3331.
- Park, B.G., Lee, C.H., and Chung, K.H., 2020, Visible light photocatalytic activity of thin film coated on polycarbonate surface with N-and Ni-codoped TiO₂ photocatalyst, *Catalysts*, 10, 1–12.
- Pastrana-Martínez, L.M., Morales-Torres, S., Figueiredo, J.L., Faria, J.L., and Silva, A.M.T., 2015, Graphene oxide based ultrafiltration membranes for photocatalytic degradation of organic pollutants in salty water, *Water Res.*, 77, 179–190.
- Penboon, L., Khrueakham, A., and Sairiam, S., 2019, TiO₂ coated on PVDF membrane for dye wastewater treatment by a photocatalytic membrane, *Water Sci. Technol.*, 79, 958–966.
- Petras, D., Slobodian, P., Pavlínek, V., Sáha, P., and Kimmer, D., 2011, The effect of PVAc solution viscosity on diameter of PVAc nanofibres prepared by technology of electrospinning, *AIP Conf. Proc.*, 1375, 312–319.
- Pimenta, M.A., Dresselhaus, G., Dresselhaus, M.S., Cançado, L.G., Jorio, A., and Saito, R., 2007, Studying disorder in graphite-based systems by Raman spectroscopy, *Phys. Chem. Chem. Phys.*, 9, 1276–1291.
- Pingitore, V., Barberio, M., Barone, P., and Oliva, A., 2012, Photoluminescence properties of LiF/CNT, ZnS/CNT, TiO₂/CNT composites, *Nanosci. Nanotechnol. Lett.*, 4, 1082–1086.

- Pirkanniemi, K. and Sillanpää, M., 2002, Heterogeneous water phase catalysis as an environmental application: A review, *Chemosphere*, 48, 1047–1060.
- Plugaru, R., 2008, Optical properties of nanocrystalline titanium oxide, *Thin Solid Films*, 516, 8179–8183.
- Pramanik, C., Gissinger, J.R., Kumar, S., and Heinz, H., 2017, Carbon Nanotube Dispersion in Solvents and Polymer Solutions: Mechanisms, Assembly, and Preferences, *ACS Nano*, 11, 12805–12816.
- Pyrgiotakis, G., Lee, S.H., and Sigmund, W., 2005, Advanced photocatalysis with anatase nano-coated multi-walled carbon nanotubes, *Mater. Res. Soc. Symp. Proc.*, 876, 83–88.
- Rahaman, M.S., Vecitis, C.D., and Elimelech, M., 2012, Electrochemical carbon-nanotube filter performance toward virus removal and inactivation in the presence of natural organic matter, *Environ. Sci. Technol.*, 46, 1556–1564.
- Rahimpour, A., Madaeni, S.S., Taheri, A.H., and Mansourpanah, Y., 2008, Coupling TiO₂ nanoparticles with UV irradiation for modification of polyethersulfone ultrafiltration membranes, *J. Memb. Sci.*, 313, 158–169.
- Rahimpour, A., Jahanshahi, M., Rajaeian, B., and Rahimnejad, M., 2011, TiO₂ entrapped nano-composite PVDF/PES membranes: Preparation, characterization, antifouling and antibacterial properties, *Desalination*, 278, 343–353.
- Robati, D., Mirza, B., Ghazisaeidi, R., Rajabi, M., Moradi, O., Tyagi, I., Agarwal, S., and Gupta, V.K., 2016, Adsorption behavior of methylene blue dye on nanocomposite multi-walled carbon nanotube functionalized thiol (MWCNT-SH) as new adsorbent, *J. Mol. Liq.*, 216, 830–835.
- Sa'adah, U., Himmah, S.W., Suprayogi, T., Diantoro, M., Sujito, S., and Nasikhudin, N., 2019, The effect of time deposition of PAN/TiO₂ electrospun on photocurrent performance of dye-sensitized solar cell, *Mater. Today Proc.*, 13, 175–180.
- Sacco, O., Stoller, M., Vaiano, V., Ciambelli, P., Chianese, A., and Sannino, D., 2012, Photocatalytic degradation of organic dyes under visible light on n-doped TiO₂ photocatalysts, *Int. J. Photoenergy*, 1–9
- Saleh, T.A., 2011, The influence of treatment temperature on the acidity of MWCNT oxidized by HNO₃ or a mixture of HNO₃/H₂SO₄, *Appl. Surf. Sci.*, 257, 7746–7751.
- Samsami, S., Mohamadi, M., Sarrafzadeh, M.H., Rene, E.R., and Firoozbahr, M., 2020, Recent advances in the treatment of dye-containing wastewater from textile industries: Overview and perspectives, *Process Saf. Environ. Prot.*, 143, 138–163.
- Samy, M., Mossad, M., and El-Etriby, H.K., 2019, Synthesized nano titanium for methylene blue removal under various operational conditions, *Desalin. Water Treat.*, 165, 374–381.

- Selen, V., Güler, Ö., Özer, D., and Evin, E., 2016, Synthesized multi-walled carbon nanotubes as a potential adsorbent for the removal of methylene blue dye: kinetics, isotherms, and thermodynamics, *Desalin. Water Treat.*, 57, 8826–8838.
- Sen, R., Zhao, B., Perea, D., Itkis, M.E., Hu, H., Love, J., Bekyarova, E., and Haddon, R.C., 2004, Preparation of single-walled carbon nanotube reinforced polystyrene and polyurethane nanofibers and membranes by electrospinning, *Nano Lett.*, 4, 459–464.
- Serpone, N., Lawless, D., and Khairutdinov, R., 1995, Size effects on the photophysical properties of colloidal anatase TiO₂ particles: Size quantization or direct transitions in this indirect semiconductor?, *J. Phys. Chem.*, 99, 16646–16654.
- Sha, Y., Liu, W., Wang, M., Wu, J., and Cao, W., 2018, Force field induced heterogeneous molecular orientation within polyacrylonitrile monofilaments, *RSC Adv.*, 8, 32966–32971.
- Shaban, M., Ashraf, A.M., and Abukhadra, M.R., 2018, TiO₂ Nanoribbons/Carbon Nanotubes Composite with Enhanced Photocatalytic Activity ; Fabrication , Characterization , and Application, *Sci. Rep.*, 1–17.
- Shaban, M., AbdAllah, H., Said, L., and Ahmed, A.M., 2019, Water desalination and dyes separation from industrial wastewater by PES/TiO₂NTs mixed matrix membranes, *J. Polym. Res.*, 26(181), 1–12.
- Shafei, A. and Sheibani, S., 2019, Visible light photocatalytic activity of Cu doped TiO₂-CNT nanocomposite powder prepared by sol–gel method, *Mater. Res. Bull.*, 110, 198–206.
- Shahtalebi, A., Sarrafzadeh, M.H., and Rahmati, M., 2011, Application of nanofiltration membrane in the separation of amoxicillin from pharmaceutical wastewater, *Iran. J. Environ. Heal. Sci. Eng.*, 8, 109–116.
- Shao, G.Q., 2013, Treatment of dyes wastewater with TiO₂ photocatalytic membrane, *Adv. Mater. Res.*, 781–784, 2124–2128.
- Sharma, H.K., Sharma, S.K., Vemula, K., Koirala, A.R., Yadav, H.M., and Singh, B.P., 2021, CNT facilitated interfacial charge transfer of TiO₂ nanocomposite for controlling the electron-hole recombination, *Solid State Sci.*, 112, 106492.
- Shenoy, S.L., Bates, W.D., and Wnek, G., 2005, Correlations between electrospinnability and physical gelation, *Polymer (Guildf.)*, 46, 8990–9004.
- Shi, Y., Yang, D., Li, Y., Qu, J., and Yu, Z., 2017, Applied Surface Science Fabrication of PAN@TiO₂/Ag nanofibrous membrane with high visible light response and satisfactory recyclability for dye photocatalytic degradation, *Appl. Surf. Sci.*, 426, 622–629.
- Shin, M.K., Kim, S.I., Kim, S.J., Kim, S.K., Lee, H., and Spinks, G.M., 2006, Size-

- dependent elastic modulus of single electroactive polymer nanofibers, *Appl. Phys. Lett.*, 89, 2004–2007.
- Shojaei, M., Sadjadi, S., Rajabi-Hamane, M., and Ahmadi, S.J., 2015, Synthesis of TiO₂/polyacrylonitrile nanofibers composite and its application to lead ions removal from waste waters, *Desalin. Water Treat.*, 56, 1403–1412.
- Song, H., Shao, J., He, Y., Liu, B., and Zhong, X., 2012, Natural organic matter removal and flux decline with PEG-TiO₂-doped PVDF membranes by integration of ultrafiltration with photocatalysis, *J. Memb. Sci.*, 405–406, 48–56.
- Song, J., Wang, X., Yan, J., Yu, J., Sun, G., and Ding, B., 2017, Soft Zr-doped TiO₂ Nanofibrous Membranes with Enhanced Photocatalytic Activity for Water Purification, *Sci. Rep.*, 7, 1–12.
- Spudat, C., Müller, M., Houben, L., Maultzsch, J., Goss, K., Thomsen, C., Schneider, C.M., and Meyer, C., 2010, Observation of breathing-like modes in an individual multiwalled carbon nanotube, *Nano Lett.*, 10, 4470–4474.
- Srivastava, H.P., Arthanareeswaran, G., Anantharaman, N., and Starov, V.M., 2011, Performance of modified poly(vinylidene fluoride) membrane for textile wastewater ultrafiltration, *Desalination*, 282, 87–94.
- Stafford, U., Gray, K.A., Kamat, P. V., and Varma, A., 1993, An in situ diffuse reflectance FTIR investigation of photocatalytic degradation of 4-chlorophenol on a TiO₂ powder surface, *Chem. Phys. Lett.*, 205, 55–61.
- Storck, J.L., Brockhagen, B., Grothe, T., Sabantina, L., Kaltschmidt, B., Tuvshinbayar, K., Braun, L., Tanzli, E., Hütten, A., and Ehrmann, A., 2021, Stabilization and Carbonization of PAN Nanofiber Mats Electrospun on Metal Substrates, *C-J Carbon Res.*, 7(12), 1–21.
- Sun, L., Li, J., Wang, C., Li, S., Lai, Y., Chen, H., and Lin, C., 2009, Ultrasound aided photochemical synthesis of Ag loaded TiO₂ nanotube arrays to enhance photocatalytic activity, *J. Hazard. Mater.*, 171, 1045–1050.
- Sun, W., Liu, J., Chu, H., and Dong, B., 2013, Pretreatment and membrane hydrophilic modification to reduce membrane fouling, *Membranes (Basel)*, 3, 226–241.
- Talwar, S., Hinestroza, J., Pourdeyhimi, B., and Khan, S.A., 2008, Associative polymer facilitated electrospinning of nanofibers, *Macromolecules*, 41, 4275–4283.
- Tan, Y., Song, Y., and Zheng, Q., 2012, Hydrogen bonding-driven rheological modulation of chemically reduced graphene oxide/poly(vinyl alcohol) suspensions and its application in electrospinning, *Nanoscale*, 4, 69977005.
- Tański, T., Matysiak, W., and Krzemiński, Ł., 2017, Analysis of optical properties of TiO₂ nanoparticles and PAN/TiO₂ composite nanofibers, *Mater. Manuf. Process.*, 32, 1218–1224.

- Tarigh, G.D., Shemirani, F., and Maz'hari, N.S., 2015, Fabrication of a reusable magnetic multi-walled carbon nanotube-TiO₂ nanocomposite by electrostatic adsorption: Enhanced photodegradation of malachite green, *RSC Adv.*, 5, 35070–35079.
- Tarus, B., Fadel, N., Al-Oufy, A., and El-Messiry, M., 2016, Effect of polymer concentration on the morphology and mechanical characteristics of electrospun cellulose acetate and poly (vinyl chloride) nanofiber mats, *Alexandria Eng. J.*, 55, 2975–2984.
- Thommes, M., 2010, Physical adsorption characterization of nanoporous materials, *Chemie-Ingenieur-Technik*, 82, 1059–1073.
- Toma, F.L., Bertrand, G., Klein, D., Meunier, C., and Begin, S., 2008, Development of photocatalytic active TiO₂ surfaces by thermal spraying of nanopowders, *J. Nanomater.*, 1–8.
- Tsai, H.A., Ciou, Y.S., Hu, C.C., Lee, K.R., Yu, D.G., and Lai, J.Y., 2005, Heat-treatment effect on the morphology and pervaporation performances of asymmetric PAN hollow fiber membranes, 255, 33–47.
- Țucureanu, V., Matei, A., and Avram, A.M., 2016, FTIR Spectroscopy for Carbon Family Study, *Crit. Rev. Anal. Chem.*, 46, 502–520.
- Uheida, A., Mohamed, A., Belaqziz, M., and Nasser, W.S., 2019, Photocatalytic degradation of Ibuprofen, Naproxen, and Cetirizine using PAN-MWCNT nanofibers crosslinked TiO₂-NH₂ nanoparticles under visible light irradiation, *Sep. Purif. Technol.*, 212, 110–118.
- Varghese, O.K., Kichambre, P.D., Gong, D., Ong, K.G., Dickey, E.C., and Grimes, C.A., 2001, Gas sensing characteristics of multi-wall carbon nanotubes, *Sensors Actuators, B Chem.*, 81, 32–41.
- Veluru, J.B., Manippady, K.K., Rajendiren, M., Mya Mya, K., Rayavarapu, P.R., Appukuttan, S.N., and Seeram, R., 2013, Photocatalytic hydrogen generation by splitting of water from electrospun hybrid nanostructures, *Int. J. Hydrogen Energy*, 38, 4324–4333.
- Venkatraman, M.R., Muthukumarasamy, N., Balasundaraprabhu, R., Agilan, S., and Velauthapillai, D., 2015, Solvothermal synthesis of TiO₂/CNT composites and its physical and chemical properties, *AIP Conf. Proc.*, 1665, 1–4.
- Wang, W., Serp, P., Kalck, P., and Faria, J.L., 2005, Photocatalytic degradation of phenol on MWNT and titania composite catalysts prepared by a modified sol-gel method, *Appl. Catal. B Environ.*, 56, 305–312.
- Wang, X., Sjø, L., Su, R., Wendt, S., Hald, P., Mamakhel, A., Yang, C., Huang, Y., Iversen, B.B., and Besenbacher, F., 2014, The influence of crystallite size and crystallinity of anatase nanoparticles on the photo-degradation of phenol, *J. Catal.*, 310, 100–108.
- Woan, K., Pyrgiotakis, G., and Sigmund, W., 2009, Photocatalytic carbon-

nanotube-TiO₂ composites, *Adv. Mater.*, 21, 2233–2239.

- Wongaree, M., Chiarakorn, S., and Chuangchote, S., 2015, Photocatalytic Improvement under Visible Light in TiO₂ Nanoparticles by Carbon Nanotube Incorporation, *J. Nanomater.*, 2015, 1–10.
- Wongaree, M., Chiarakorn, S., Chuangchote, S., and Sagawa, T., 2016, Photocatalytic performance of electrospun CNT/TiO₂ nanofibers in a simulated air purifier under visible light irradiation, *Environ. Sci. Pollut. Res.*, 23, 21395–21406.
- Wu, C.H., Kuo, C.Y., and Chen, S.T., 2013, Synergistic effects between TiO₂ and carbon nanotubes (CNTs) in a TiO₂/CNTs system under visible light irradiation, *Environ. Technol. (United Kingdom)*, 34, 2513–2519.
- Wu, J.C., Ray, S., Gizdavic-nikolaidis, M., Jin, J., and Cooney, R.P., 2016, Effect of polyvinylpyrrolidone on storage stability, anti-oxidative and anti-bacterial properties of colloidal polyaniline, *Synth. Met.*, 217, 202–209.
- Xu, S., Shi, Y., and Kim, S.G., 2006, Fabrication and mechanical property of nano piezoelectric fibres, *Nanotechnology*, 17, 4497–4501.
- Yin, G., Zhao, Q., Zhao, Y., Yuan, Y., and Yang, Y., 2013, The electrospun polyamide-6 nanofiber membranes used as high efficiency filter materials: Filtration potential, thermal treatment, and their continuous production, *J. Appl. Polym. Sci.*, 128, 1061–1069.
- Yang, M.Q., Zhang, N., and Xu, Y.J., 2013, Synthesis of fullerene-, carbon nanotube-, and graphene-TiO₂ nanocomposite photocatalysts for selective oxidation: A comparative study, *ACS Appl. Mater. Interfaces*, 5, 1156–1164.
- Yang, D., Tian, D., Xue, C., Gao, F., Liu, Y., Li, H., Bao, Y., Liang, J., Zhao, Z., and Qiu, J., 2018, Tuned Fabrication of the Aligned and Opened CNT Membrane with Exceptionally High Permeability and Selectivity for Bioalcohol Recovery, *Nano Lett.*, 18, 6150–6156.
- You, S.J., Semblante, G.U., Lu, S.C., Damodar, R.A., and Wei, T.C., 2012, Evaluation of the antifouling and photocatalytic properties of poly(vinylidene fluoride) plasma-grafted poly(acrylic acid) membrane with self-assembled TiO₂, *J. Hazard. Mater.*, 237–238, 10–19.
- Yu, Y., Yu, J.C., Yu, J.G., Kwok, Y.C., Che, Y.K., Zhao, J.C., Ding, L., Ge, W.K., and Wong, P.K., 2005, Enhancement of photocatalytic activity of mesoporous TiO₂ by using carbon nanotubes, *Appl. Catal. A Gen.*, 289, 186–196.
- Yu, H., Quan, X., Chen, S., Zhao, H., and Zhang, Y., 2008, TiO₂-carbon nanotube heterojunction arrays with a controllable thickness of TiO₂ layer and their first application in photocatalysis, *J. Photochem. Photobiol. A Chem.*, 200, 301–306.
- Yu, D., Bai, J., Liang, H., Ma, T., and Li, C., 2016, Dyes and Pigments AgI-modified TiO₂ supported by PAN nanofibers: A heterostructured composite with

- enhanced visible-light catalytic activity in degrading, *Dyes Pigment*, 133, 51–59.
- Yuan, W. and Zhang, K.Q., 2012, Structural evolution of electrospun composite fibers from the blend of polyvinyl alcohol and polymer nanoparticles, *Langmuir*, 28, 15418–15424.
- Zhang, H., Quan, X., Chen, S., Zhao, H., and Zhao, Y., 2006, Fabrication of photocatalytic membrane and evaluation its efficiency in removal of organic pollutants from water, *Sep. Purif. Technol.*, 50, 147–155.
- Zhang, X., Du, A.J., Lee, P., Sun, D.D., and Leckie, J.O., 2008, TiO₂ nanowire membrane for concurrent filtration and photocatalytic oxidation of humic acid in water, *J. Memb. Sci.*, 313, 44–51.
- Zhang, X., Xu, S., and Han, G., 2009, Fabrication and photocatalytic activity of TiO₂ nanofiber membrane, *Mater. Lett.*, 63, 1761–1763.
- Zhang, W., Ding, L., Luo, J., Jaffrin, M.Y., and Tang, B., 2016a, Membrane fouling in photocatalytic membrane reactors (PMRs) for water and wastewater treatment : A critical review, *Chem. Eng. J.*, 302, 446–458.
- Zhang, Y., Guerra-Nuñez, C., Li, M., Michler, J., Park, H.G., Rossell, M.D., Erni, R., and Utke, I., 2016b, High Conformity and Large Domain Monocrystalline Anatase on Multiwall Carbon Nanotube Core-Shell Nanostructure: Synthesis, Structure, and Interface, *Chem. Mater.*, 28, 3488–3496.
- Zhao, H., Li, H., Yu, H., Chang, H., Quan, X., and Chen, S., 2013, CNTs-TiO₂/Al₂O₃ composite membrane with a photocatalytic function: Fabrication and energetic performance in water treatment, *Sep. Purif. Technol.*, 116, 360–365.
- Zhu, L.W., Zhou, L.K., Li, H.X., Wang, H.F., and Lang, J.P., 2013, One-pot growth of free-standing CNTs/TiO₂ nanofiber membrane for enhanced photocatalysis, *Mater. Lett.*, 95, 13–16.
- Zhu, Z., Zhang, Ye, Zhang, Yibo, Shang, Y., Zhang, X., and Wen, Y., 2019, Preparation of PAN@TiO₂ Nanofibers for fruit packaging materials with efficient photocatalytic degradation of ethylene, *Materials (Basel)*, 12(896), 1–10.