UNIVERSITAS GADJAH MADA
Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aak., 1990. Budidaya Tanaman Padi. Penerbit Kanisius. Yogyakarta.

Abalos, D., van Groenigen, J.W., Philippot, L., Lubbers, I.M. and De Deyn, G.B., 2019. Plant trait-based approaches to improve nitrogen cycling in agroecosystems. Journal of Applied Ecology, 56(11), pp.2454-2466.

Abd Allah, A.A. 2010. Screening rice genotypes for drought resistance in Egypt. Journal of Plant Breeding and Crop Science. 2 (7): 205–215.

Abdullah, B. 2009. Perakitan dan pengembangan varietas padi tipe baru. Padi: Inovasi Teknologi Produksi. Buku 1. Balai Besar Penelitian Tanaman Padi. Sukamandi. 67- 89 p.

Adie, M.M., A. Krisnawati, and G. Susanto. 2013. Genotype × environment interactions, yield potential and stability of black soybean (Glycine max (L.) Merr) promising lines. Ber. Biol. 12(1): 79–86.

Ahadiyat, Y.R., Rostaman, dan Ahmad F. 2020. Pengaruh aplikasi asap cair tempurung kelapa dan pupuk NPK terhadap hama dan penyakit pada padi gogo. J. Penelit. Pertan. Tanam. Pangan. 4 (3): 153-160.

Akande, S.R., L.B. Taiwo, A.A. Adegbite, and O.F. Owolade. 2009. Genotype x environment interaction for soybean grain yield and other reproductive characters in the forest and savanna agro-ecologies of South-west Nigeria. African J. Plant Sci. 3(6): 127–132.

Akmal, A., C. Gunarsih, dan M.Y. Samaullah. 2015. Adaptasi dan stabilitas hasil galurgalur aromatik padi sawah di Sumatera Utara. J. Penelit. Pertan. Tanam. Pangan 33(1): 9.

Albugis, F, J., Polii-Mandang., A. Pinaria and B. Doodoh. 2008. Variabilitas genetik dan heritabilitas 12 genotipe kedelai. Eugenia. 14(2): 153-160.

Aldi, M.A., Darjanto, dan Totok, A.D.H. 2004. Pengaruh cara pengendalian gulma terhadap hasil empat genotipa padi gogo. Agrin. 8(2): 100–107.

Almaraz, M., Wong, M.Y. and Yang, W.H., 2020. Looking back to look ahead: a vision for soil denitrification research. Ecology, 101(1), p.e02917.

Alvarado-Herrejón, M., Larsen, J., Gavito, M.E., Jaramillo-López, P.F., Vestberg, M., Martínez-Trujillo, M. and Carreón-Abud, Y., 2019. Relation between arbuscular mycorrhizal fungi, root-lesion nematodes and soil characteristics in maize agroecosystems. Applied soil ecology, 135, pp.1-8.

Alvey, S., Yang, C.H., Buerkert, A., dan Crowley, D.E. 2003. Cereal/legume rotation effects on rhizosphere bacterial community structure in West African soils. Biol Fertil Soils. 37: 73-82.

Andarini Y.N., Higa, A., Lina, H., Sutoro. 2017. Evaluasi plasma nutfah padi gogo berdasarkan karakter kuantitatif perakaran tanaman. Bul. Plasma Nutfah. 23(1): 33–40.

Aristya, V. E., Trisyono, Y. A., & Mulyo, J. H. 2021. Morphological Fingerprint of New Rice Genotypes. In IOP Conference Series: Earth and Environmental Science (Vol. 662, No. 1, p. 012022). IOP Publishing.

Armendaris, A, S.D Woejono, H. Hartiko. 1991. Aktivitas enzim nitrat reduktase dan korelasinya terhadap sifat pertumbuhan tanaman kakao (Theobroma cacao L.). Ilmu Pertanian Fakultas Pertanian UGM. 4 (6): 299-305.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Asadi, B., D.M. Arsyad, H. Zahara, Darmijati. 1997. Pemuliaan kedelai untuk toleran naungan. Buletin Agrobio. 1: 15-20.

Asghari, H.R. and Cavagnaro, T.R., 2011. Arbuscular mycorrhizas enhance plant interception of leached nutrients. Functional Plant Biology, 38(3), pp.219-226.

Asghari, H.R. and Cavagnaro, T.R., 2011. Arbuscular mycorrhizas enhance plant interception of leached nutrients. Functional Plant Biology, 38(3), pp.219-226.

Asghari, H.R., Chittleborough, D.J., Smith, F.A. and Smith, S.E., 2005. Influence of arbuscular mycorrhizal (AM) symbiosis on phosphorus leaching through soil cores. Plant and soil, 275(1), pp.181-193.

Asghari, H.R., Chittleborough, D.J., Smith, F.A. and Smith, S.E., 2005. Influence of arbuscular mycorrhizal (AM) symbiosis on phosphorus leaching through soil cores. Plant and soil, 275(1), pp.181-193.

Asmaranto, R., Suhartanto, E. and Permana, B.A., 2012. Aplikasi Sistem Informasi Geografis (SIG) untuk identifikasi lahan kritis dan arahan fungsi lahan Daerah Aliran Sungai Sampean. Jurnal Teknik Pengairan: Journal of Water Resources Engineering, 1(2), pp.84-105.

Azcon, R. and El-Atrash, F., 1997. Influence of arbuscular mycorrhizae and phosphorus fertilization on growth, nodulation and N2 fixation (15N) inMedicago sativa at four salinity levels. Biology and fertility of soils, 24(1), pp.81-86.

Badan Ketahanan Pangan dan Penyuluh Pertanian (BKPPP) Aceh dan Balai Pengkajian tekologi Pertanian (BPTP) NAD. 2009. Budidaya Tanaman Padi. 20 p.

Badan Litbang Pertanian. 2007. Petunjuk Teknis Lapang Pengelolaan Tanaman terpadu (PTT) Padi Sawah Irigasi. Badan Litbang Pertanian. Departemen Pertanian.

Balai Penelitian Tanah. 2009. Analisis Kimia Tanah, Tanaman, Air, dan Pupuk. Balai Besar Litbang Sumber Daya Lahan Pertanian Balai Pengembangan dan Penelitian Pertanian Departemen Pertanian. 215 hal.

Balota, E.L., Machineski, O. and Stenzel, N.M.C., 2011. Mycorrhizal efficiency in acerola seedlings with different levels of phosphorus. Brazilian Archives of Biology and Technology, 54, pp.457-464.

Barea, J.M., Azcón-Aguilar, C. and Azcón, R., 1987. Vesicular-arbuscular mycorrhiza improve both symbiotic N2 fixation and N uptake from soil as assessed with a 15N technique under field conditions. New Phytologist, 106(4), pp.717-725.

Barea, J.M., Azcón, R., and Azcón-Aguilar, C. 2002. Mycorrhizosphere interactions to improve plant fitness and soil quality. AVan Leeuw. 81 (1-4): 343–351.

Battisti, D.S., dan Naylor, R.L. 2009. Historical warnings of future food insecurity with unprecedented seasonal heat. Science. 323: 240–244.

BB Padi. 2015. Pengertian Umum Varietas, Genotipa, Inbrida, dan Hibrida. http://bbpadi.litbang.pertanian.go.id. (diakses 20 Desember 2020).

Bender, S.F., Conen, F. and Van der Heijden, M.G., 2015. Mycorrhizal effects on nutrient cycling, nutrient leaching and N2O production in experimental grassland. Soil Biology and Biochemistry, 80, pp.283-292.

Bender, S.F., Conen, F. and Van der Heijden, M.G., 2015. Mycorrhizal effects on nutrient cycling, nutrient leaching and N2O production in experimental grassland. Soil Biology and Biochemistry, 80, pp.283-292.

Biederbeck, V. O., Campbell, C. A., and Zentner, R. P. 1984. Effect of crop rotation and fertilization on some biological properties of a loam in Southwestern Saskatchewan. Can. J. Soil Sci. 64 (3): 355–367.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Biró, B., Köves-Pechy, K., Vörös, I., Takács, T., Eggenberger, P. and Strasser, R.J., 2000. Interrelations between Azospirillum and Rhizobium nitrogen-fixers and arbuscular mycorrhizal fungi in the rhizosphere of alfalfa in sterile, AMF-free or normal soil conditions. Applied Soil Ecology, 15(2), pp.159-168.

Blair, N., R.D Faulkner, A.R Till & G.J Crocker. 2006. Long-term management impacts on soil C, N, and physical fertility part III: Tamworth crop rotation experiment. Soil Tillage Res. 20: 48-56.

BPS. 2019. Publikasi Luas panen dan produksi padi di Indonesia 2019. www.bps.go.id. (diakses 10 Desember 2020).

Bremer, C., Braker, G., Matthies, D., Reuter, A., Engels, C. and Conrad, R., 2007. Impact of plant functional group, plant species, and sampling time on the composition of nirK-type denitrifier communities in soil. Applied and Environmental Microbiology, 73(21), pp.6876-6884.

Britz, S.J., and J.C. Sager. 1990. Photomorphogenesis and photoassimilation in sorghum grown under broad spectrum or blue-deficient light-source. Plant Physiol. 94: 448-454.

Bueno, C. S., and Ladha, J. K. 2009. Comparison of soil properties between continuously cultivated and adjacent uncultivated soils in rice-based systems. Biol. Fertil. Soils. 45 (5): 499-509.

Bustami., Sufardi, Bakhtiar. 2012. Nutrient uptake and efficiency fertilizing to growth variety local of rice. Manajemen Sumberdaya Lahan J. 1 (2): 159-170.

Calonego J.C., C. A.Rosolem. 2010. Soybean root growth and yield in rotation with cover crops under chiseling and no-till. European Journal of Agronomy. 33 (3): 242-249.

Cardoso, E.J.B.N., Vasconcellos, R.L.F., Bini, D., Miyauchi, M.Y.H., dos Santos, C.A., Alves, P.R.L., de Paula, A.M., Nakatani, A.S., Pereira, J.M. and Nogueira, M.A. 2013. Soil Health: looking for suitable indicator. What should be considered to assess the effects of use and management on soil health?. Scientia Agricola. 274-298.

Casieri, L., Ait Lahmidi, N., Doidy, J., Veneault-Fourrey, C., Migeon, A., Bonneau, L., Courty, P.E., Garcia, K., Charbonnier, M., Delteil, A. and Brun, A., 2013. Biotrophic transportome in mutualistic plant–fungal interactions. Mycorrhiza, 23(8), pp.597-625.

Cavagnaro, T.R., 2008. The role of arbuscular mycorrhizas in improving plant zinc nutrition under low soil zinc concentrations: a review. Plant and Soil, 304(1), pp.315-325.

Cavagnaro, T.R., Bender, S.F., Asghari, H.R. and van der Heijden, M.G., 2015. The role of arbuscular mycorrhizas in reducing soil nutrient loss. Trends in Plant Science, 20(5), pp.283-290.

Chalk, P.M., Souza, R.D.F., Urquiaga, S., Alves, B.J.R. and Boddey, R.M., 2006. The role of arbuscular mycorrhiza in legume symbiotic performance. Soil Biology and Biochemistry, 38(9), pp.2944-2951.

Chen, S., C. Xu., J. Yan., X. Zhang., X. Zhang., D. Wang. 2016. The influence of the type of crop residue on soil organic carbon fractions: an 11-year field study of rice-based cropping systems in Southeast China, Agric. Ecosyst. Environ. 223: 261–269.

Chen, S., Liu, S., Zheng, X., Yin, M., Chu, G., Xu, C., Yan, J., Chen, L., Wang, D. and Zhang, X., 2018. Effect of various crop rotations on rice yield and nitrogen use

UNIVERSITAS GADJAH MADA
Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI.WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

efficiency in paddy–upland systems in southeastern China. The Crop Journal, 6(6), pp.576-588.

Chen, S., X. Zhang, G. Zhang, D. Wang, and C. Xu. 2012. Grain yield and dry matter accumulation response to enhanced panicle nitrogen application under different planting methods (Oryza sativa L.). Australian Journal of Crop Science. 6(12): 1630-1636.

Chen, S., Zheng, X., Wang, D., Chen, L., Xu, C., Zhang, X. 2012. Effect of long-term paddy-uppland yearly rotations on rice (*Oryza sativa*) yield, soil properties, and bacteria community diversity. Sci. World J. 1 – 11.

Cheng, Y.S. 1983. Drainage of paddy soils in Taihu lake region and its effects. Soil Res.Rep. 8.I nst. Soil Sci. Academia Sinica. Nanjing. China. 1–18 p.

Chozin, M.A., Sopandie, D., Sastrosumarjo, S., Suwarno. 1999. Physiology and genetic of upland rice adaptability to shade. Final Report of Graduate Team Research Grant, URGE Project. Directorate General of Higher Education, Ministry of National Education. Jakarta.

Darch, T., Blackwell, M.S., Chadwick, D., Haygarth, P.M., Hawkins, J.M. and Turner, B.L., 2016. Assessment of bioavailable organic phosphorus in tropical forest soils by organic acid extraction and phosphatase hydrolysis. Geoderma, 284, pp.93-102.

Darwis. 1982. Efesiensi pemupukan nitrogen terhadap padi sawah pada berbagai agroklimat. Disertasi Doktor, Fakultas Pasca Sarjana IPB. Bogor.

Das, S., P. Krishnan, M. Nayak, B. Ramakrishnan. 2014. High temperature stress effects on pollens of rice (*Oryza sativa* L.) genotypes. Environ. Exper. Bot. 111:36-46

De Datta, S.K. 1981. Principles and practics of rice production. John Wiley and Sons. New York. 618 p.

De Vita, P., A.M. Mastrangelo, L. Matteu, E. Mazzucotelli, N. Virzi, M. Palumbo, M. Lo Storto, F. Rizza, L. Cattivelli. 2010. Genetic improvement effects on yield stability in durum wheat genotypes grown in Italy. Field Crop. Res. 11:68-77.

Dias, A.S., F.C. Lidon. 2010. Evaluation of grain filling rate and duration in bread and durum wheat, under heat stress after anthesis. J. Agron. Crop. Sci. 195:137-147.

Dick, W.A., Cheng, L., Wang, P. 2000. Soil acid and alkaline phosphatase activity as pH adjusment indicators. J. Soil Bio and Biochemistry. 32: 1915-1919.

Dijkman, T.J., Birkved, M., Saxe, H., Wenzel, H., Hauschild, M.Z. 2017. Environmental impacts of barley cultivation under current and future climatic conditions. J Clean Prod 140: 644–653.

Ding, Y. M. 2010. Occurrence of Sclerotinia Stem Rot of Oilseed Rape in Two Farming Systems and Biocontrol Using Coniothyrium minitans. The Central China Agricultural College.

Dingkuhn, M., H. F. Schnier, S. K. De Datta, K. Dorffling, and C. Javellana. 1991. Relationships between ripening-phase productivity and crop duration, canopy photosynthesis, and senescence in transplanted and direct-seeded lowland rice. Field Crops Res. 26:327-345.

Djufry, F dan A. Kasim. 2015. Uji adaptasi varietas unggul baru padi rawa pada lahan sawah bukaan baru di Kabupaten Merauke Provinsi Papua. J. Agrotan, 1(1): 99 – 109.

Djufry, F. 2013. Keragaman karakter morfologis plasma nutfah padi lokal Dataran Tinggi Tana Toraja Sulawesi Selatan. Prosiding Seminar Nasional Sumber Daya

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Genetik Pertanian, Balai Pengkajian Teknologi Pertanian Sulawesi Selatan 2013. 134-143p.

Dolinassou, S., J.B.N. Tchiagam, A.D. Kemoral, and N.N. Yanou. 2016. Genotype × environment interaction and kernel yieldstability of groundnut (Arachis hypogaea L.) in Northern Cameroon. J. Appl. Biol. Biotechnol. 4(01): 1–7.

Doran, J.W. and Parkin, T.B., 1994. Defining and assessing soil quality. Defining soil quality for a sustainable environment, 35, pp.1-21.

Doran, J.W. and Zeiss, M.R., 2000. Soil health and sustainability: managing the biotic component of soil quality. Applied soil ecology, 15(1), pp.3-11.

Drew, M.C. 1997. Oxygen deficiency and root metabolism: injury and acclimation under hypoxia and anoxia. Annu. Rev. Plant Physiol. Plant Mol. Biol. 48: 223–250.

Eberhart, S.A., and W.A. Russell. 1966. Stability parameters for comparing varieties. Crop Sci. 6(1): 36–40.

Endrizal dan J. Bobihoe. 2010. Pengujian beberapa galur unggulan padi dataran tinggi di Kabupaten Kerinci Propinsi Jambi. Jurnal Pengkajian dan Pengembangan Teknologi Pertanian 13(3): 175-184.

Estrada, B., Aroca, R., Maathuis, F.J., Barea, J.M. and RUIZ-LOZANO, J.M., 2013. Arbuscular mycorrhizal fungi native from a M editerranean saline area enhance maize tolerance to salinity through improved ion homeostasis. Plant, cell & environment, 36(10), pp.1771-1782.

Ethan, S. 2015. Effect of flooding on chemistry of paddy soils. J. Inovat. Sci. Eng. Techno. 2: 413-420.

Ezawa, T. and Saito, K., 2018. How do arbuscular mycorrhizal fungi handle phosphate? New insight into fine-tuning of phosphate metabolism. New phytologist, 220(4), pp.1116-1121.

Fadhillah, F., Y. Yuwariah., A.W. Irwan. 2021. Pengaruh berbagai sistem tanam terhadap fisiologi, pertumbuhan, dan hasil tiga genotipa tanaman padi di dataran medium. Jurnal Kultivasi. 20 (1): 7-14.

Fageria, N.K. 2007. Yield physiology of rice. Journal of Plant Nutrition. 30:843−879.

Fan, M.S., Jiang, R.F., Zhang, F.S., Liu, S.H., Liu, X.J. 2008. Nutrient managementstrategy of paddy rice-upland crop rotation system. Chin. J. Appl. Ecol. 2: 424–432.

FAO. 2014. FAO Statistical yearbook 2014 Asia and the Pacific Food and Agriculture. http://www.fao.org/3/a-i3590e.pdf (diakses 10 Desember 2020).

FAO. 2015. The Impact of Natural Hazards and Disasters on Agriculture and Food and Nutrition Security – A Call for Action to Build Resilient Livelihood. www.fao.org (diakses 14 Januari 2021).

FAOSTAT. 2019. United Nations Food and Agricultural Organisation. URL http://www. fao.org/faostat/en/#data (diakses 10 Desember 2020).

Farshadfar, E., Rashidi, M., Jowkar, M.M., Zali, H. 2013. GGE biplot analysis of genotype x environment interaction in chickpea genotypes. Euro. J. Exp. Biol. 3(1): 417-423.

Farshadfar, E., Sadeghi, M. 2014. GGE biplot analysis of genotype × environment interaction in wheatagropyron disomic addition lines. Agric. Commun. 2(3): 1-7.

Finlay, K.W., and G.N. Wilkinson. 1963. The analysis of adaptation in a plant-breeding programme. Aust. J. Agric. Res. 14(6): 742– 754.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Fiorini, A., Boselli, R., Amaducci, S., Tabaglio, V., 2018. Effects of no-till on root architecture and root-soil interactions in a three-year crop rotation. Eur. J. Agron. 99: 156–166.

Follett, R.F. 2001. Soil management concepts and carbon sequestration in cropland soils. Soil Tillage Res. 61:77–92.

Fuhrmann, I., Maarastawi, S., Neumann, J., Amelung, W., Frindte, K., Knief, C., and Siemens, J. 2019. Preferential flow pathways in paddy rice soils as hot spots for nutrient cycling. Geoderma. 337: 594–606.

Ganapathy, S., Ganesh, S.K., Shanmugasundaram, P., Babu, R.C. (2010. Studies on root traits for drought tolerance in rice (Oryza sativa L.) under controlled (PVC pipes) condition. Elect. J. Plant. Breed. 1: 1016–1020.

Ganghua, L., L. Xue., G. Wie., C. Yang., S. Wang., Q. Ling., X. Qin., Y. Ding. 2009. Comparison of yield components and plant type characteristic of high-yield rice between Taoyuan, a 'special eco-site' and Nanjing, China. Field Crop. Res. 112: 214-221.

Gao, J.S., Xu, M.G., Dong, C.H., Huang, J., Cao, W.D., Zeng, X.B., Wen, S.L., Nie, J. 2013. Effects of long-term rice-rice-green manure cropping rotation on rice yield and soil fertility. Acta Agron Sin. 39: 343.

Garcia, K., Chasman, D., Roy, S. and Ané, J.M., 2017. Physiological responses and gene co-expression network of mycorrhizal roots under K+ deprivation. Plant Physiology, 173(3), pp.1811-1823.

Garcia, K., Doidy, J., Zimmermann, S.D., Wipf, D. and Courty, P.E., 2016. Take a trip through the plant and fungal transportome of mycorrhiza. Trends in Plant Science, 21(11), pp.937-950.

Gardner, F. P., R. B. Pearce dan R. L. Mitchell. 2007. Fisiologi Tanaman. PT Gramedia. Jakarta.

Gardner, F.P, R.B. Pearce, dan R.L. Mitchell. 1991. Physiology of Crop Plant (Fisiologi Tanaman Budidaya, alih bahasa D.H. Goenadi). Gadjah Mada University Press. Yogyakarta.

Gianinazzi, S., Gollotte, A., Binet, M.N., van Tuinen, D., Redecker, D. and Wipf, D., 2010. Agroecology: the key role of arbuscular mycorrhizas in ecosystem services. Mycorrhiza, 20(8), pp.519-530.

Gil-Sotres, F., Trasar-Cepeda, C., Leirós, M.C. and Seoane, S., 2005. Different approaches to evaluating soil quality using biochemical properties. Soil biology and biochemistry, 37(5), pp.877-887.

Gil, S.V., Meriles J., Conforto, C., Basanta, M., Radl, V., Hagn, A., Schloter, M., March, G.J. 2011. Response of soil microbial communities to different management practices in surface soils of a soybean agroecosystem in Argentina. Eur J. Soil Sci. 47: 55–60.

Govindarajan, M., Balandreau, J., Kwon, S. W., Weon, H. Y., & Lakshminarasimhan, C. 2008. Effects of the inoculation of Burkholderia vietnamensis and related endophytic diazotrophic bacteria on grain yield of rice. Microb. Ecol. 55(1): 21-37.

Govindarajulu, M., Pfeffer, P.E., Jin, H., Abubaker, J., Douds, D.D., Allen, J.W., Bücking, H., Lammers, P.J. and Shachar-Hill, Y., 2005. Nitrogen transfer in the arbuscular mycorrhizal symbiosis. Nature, 435(7043), pp.819-823.

Grandy, A. S., Porter, G. A., & Erich, M. S. 2002. Organic amendment and rotation crop effects on the recovery of soil organic matter and aggregation in potato cropping systems. Soil Sci Soc Am J. 664: 1311-1319.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Gregorich, E.G., Carter, M.R., Angers, D.A., Monreal, C. and Ellert, B., 1994. Towards a minimum data set to assess soil organic matter quality in agricultural soils. Canadian journal of soil science, 74(4), pp.367-385.

Griffiths, B. S., and Philippot, L. 2013. Insights into the resistance and resilience of the soil microbial community. FEMS microbiology reviews. 37(2): 112-129.

Griffiths, B.S. and Philippot, L., 2013. Insights into the resistance and resilience of the soil microbial community. FEMS microbiology reviews, 37(2), pp.112-129.

Grimoldi, A.A., Kavanová, M., Lattanzi, F.A. and Schnyder, H., 2005. Phosphorus nutrition-mediated effects of arbuscular mycorrhiza on leaf morphology and carbon allocation in perennial ryegrass. New Phytologist, 168(2), pp.435-444.

Grzebisz, W., Łukowiak, R., & Sassenrath, G. F. 2018. Virtual nitrogen as a tool for assessment of nitrogen management at the field scale: A crop rotation approach. Field. Crops Res. 218: 182-194.

Guan, P., Wang, R., Nacry, P., Breton, G., Kay, S.A., Pruneda-Paz, J.L., Davani, A. and Crawford, N.M. 2014. Nitrate foraging by Arabidopsis roots is mediated by the transcription factor TCP20 through the systemic signaling pathway. Proceedings of the National Academy of Sciences. 111 (42): 15267-15272.

Gupta, R. K., & Jaggi, I. K. 1979. Soil physical conditions and paddy (Oryza) yield as influenced by depth of puddling. Zeitschrift fuer Acker-und Pflanzenbau Germany. FR.

Guswara, A., & Samaullah, M. Y. 2008. Penampilan beberapa varietas unggul baru pada sistem pengelolaan tanaman dan sumberdaya terpadu di lahan sawah irigasi. In Prosiding Seminar Nasional Padi: Inovasi Teknologi Padi Mengantisipasi Perubahan Iklim Global Mendukung Ketahanan Pangan. Balai Besar Tanaman Padi. Balitbangtan. Deptan. Vol. 2. 629-637 p.

Guswara. 2007. Peningkatan hasil tanaman padi melalui pengembangan padi hibrida. Dalam kumpulan RDTP/ROPP. Balai Besar Penelitian Padi. Sukamandi.

Hakata, M., H. Wada, C. Masumoto-Kubo, R. Tanaka, H. Sato, S. Morita. 2017. Development of a new heat tolerance assay system for rice spikelet sterility. Plant Methods. 13:34.

Hanum, C. 2008. Teknik Budidaya Tanaman: Jilid 1. Departmen Pendidikan Nasional.

Haro, R. and Benito, B., 2019. The role of soil fungi in K+ plant nutrition. International Journal of Molecular Sciences, 20(13), p.3169.

Hartati dan Suwarto. 2004. Hasil dan kualitas dua varietas unggul padi gogo yang ditanam tumpangsari dengan perlakuan pupuk hayati. Agronomika. 4(1): 1–9.

Hasanuddin, A. 2005. Peranan proses sosialisasi terhadap adopsi varietas unggul padi tipe baru dan pengelolaannya in Lokakarya Pemuliaan Partisipatif dan Pengembangan Varietas Unggul Tipe Baru (VUTB). Balai Penelitian Tanaman Padi. Sukamandi.

Henriksen, T. M., & Breland, T. A. 1999. Nitrogen availability effects on carbon mineralization, fungal and bacterial growth, and enzyme activities during decomposition of wheat straw in soil. Soil Biology and Biochemistry. 31(8): 1121-1134.

Hodge, A. and Storer, K., 2015. Arbuscular mycorrhiza and nitrogen: implications for individual plants through to ecosystems. Plant and soil, 386(1), pp.1-19.

Huang, G. Q., Xiong, Y. M., Qian, H. Y., Wang, S. B., Liu, L. W., & Zhao, Q. G. (2006). Ecological analysis on crop rotation systems of paddy field. Acta Ecol Sin. 26(4): 1159-1164.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Huang, L. M., Thompson, A., Zhang, G. L., Chen, L. M., Han, G. Z., & Gong, Z. T. 2015. The use of chronosequences in studies of paddy soil evolution: a review. Geoderma. 237: 199-210.

Hunt, R. 1978. Plant growth analysis. Studies in Biology. Edward Arnold (Publishers) limited.

Ikhwani. 2014. Cultivation Technology of the New Improved Rice Varieties in Two Cropping Seasons. Informatika Pertanian. 23 (1): 19–28.

IPCC. 2014. Climate Change 2014: Impacts, Adaptation, and Vulnerability. Cambridge University Press Cambridge. New York.

IRRI (International Rice Research Institute). 1980. Descriptors for (Oryza sativa L). Manila, Philippines.

IRRI (International Rice Research Institute). 2019: IRRI, 2019. World Rice Statistics.

Ishag, K. 2015. Resources Management and Risk Efficiency of Crop Rotation Systems in Sudan Gezira Scheme. Sustainabile Agriculture Research. 4(4): 38-48.

Islam, K.R. and Weil, R.R., 2000. Land use effects on soil quality in a tropical forest ecosystem of Bangladesh. Agriculture, Ecosystems & Environment, 79(1), pp.9-16.

Jagadish, S. K., Craufurd, P. Q., & Wheeler, T. R. 2007. High temperature stress and spikelet fertility in rice (Oryza sativa L.). Journal of experimental botany. 58(7): 1627-1635.

Jaisyurahman, U., Wirnas, D., & Purnamawati, H. 2019. Dampak suhu tinggi terhadap pertumbuhan dan hasil tanaman padi. Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy). 47(3): 248-254.

Jia, Y., Gray, V.M. and Straker, C.J., 2004. The influence of Rhizobium and arbuscular mycorrhizal fungi on nitrogen and phosphorus accumulation by Vicia faba. Annals of botany, 94(2), pp.251-258.

Jiang, S.K., X.J. Zhang, Z.J. Xu, W.F. Chen. 2010. Comparison between QTLs for chlorophyll content and genes controlling chlorophyll biosynthesis and degradation in Japonica rice. Acta Agronomica Sinica. 36: 376-384.

Ju, C., Buresh, R. J., Wang, Z., Zhang, H., Liu, L., Yang, J., & Zhang, J. 2015. Root and shoot traits for rice varieties with higher grain yield and higher nitrogen use efficiency at lower nitrogen rates application. Field Crops Research. 175: 47-55.

Kafle, A., Cope, K.R., Raths, R., Krishna Yakha, J., Subramanian, S., Bücking, H. and Garcia, K., 2019. Harnessing soil microbes to improve plant phosphate efficiency in cropping systems. Agronomy, 9(3), p.127.

Kafle, A., Garcia, K., Wang, X., Pfeffer, P.E., Strahan, G.D. and Bücking, H., 2019. Nutrient demand and fungal access to resources control the carbon allocation to the symbiotic partners in tripartite interactions of Medicago truncatula. Plant, cell & environment, 42(1), pp.270-284.

Kardol, P. and Wardle, D.A., 2010. How understanding aboveground–belowground linkages can assist restoration ecology. Trends in ecology & evolution, 25(11), pp.670-679.

Kardol, P. and Wardle, D.A., 2010. How understanding aboveground–belowground linkages can assist restoration ecology. Trends in ecology & evolution, 25(11), pp.670-679.

Karthikeyan, A.S. and Raghothama, K.G., 2005. Phosphate acquisition. Plant Soil, 274, pp.37-49.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Kaschuk, G., Kuyper, T.W., Leffelaar, P.A., Hungria, M. and Giller, K.E., 2009. Are the rates of photosynthesis stimulated by the carbon sink strength of rhizobial and arbuscular mycorrhizal symbioses?. Soil Biology and Biochemistry, 41(6), pp.1233-1244.

Khadijah, E. R., Chairuman, N., & Harnowo, D. 2010. Keragaan pertumbuhan komponen hasil dan produksi tiga varietas padi unggul baru di lokasi Primatani Kabupaten Mandailing Natal. Jurnal Pengkajian dan Pengembangan Teknologi Pertanian. 13 (1): 42-51.

Khan, A.S., M. Imran, M. Ashfaq. 2009. Estimation of genetic variability and correlation for grain yield component in rice (*Oryza sativa* L.). J. Agric. Environ. Sci. 6: 585-590.

Kögel-Knabner, I. 2002. The macromolecular organic composition of plant and microbial residues as inputs to soil organic matter. Soil Biol Biochem. 34:139–162.

Kokobun, M. 2013. Genetic and cultural improvement of soybean for waterlogged conditions in Asia. Field Crop Res. 152: 3–7.

Ladygina, N., & K. Hedlund. 2010. Plant species influence microbial diversity and carbon allocation in the rhizosphere. Soil Biology and Biochemistry. 42 (2): 162–168.

Lakitan, B. 2007. Dasar-Dasar Fisiologi Tumbuhan. Jakarta. Raja Grafindo Persada.

Lance, A.C., Carrino-Kyker, S.R., Burke, D.J. and Burns, J.H., 2020. Individual plant-soil feedback effects influence tree growth and rhizosphere fungal communities in a temperate forest restoration experiment. Frontiers in Ecology and Evolution, 7, p.500.

Lance, A.C., Carrino-Kyker, S.R., Burke, D.J. and Burns, J.H., 2020. Individual plant-soil feedback effects influence tree growth and rhizosphere fungal communities in a temperate forest restoration experiment. Frontiers in Ecology and Evolution, 7, p.500.

Lange, T. 1998. Molecular biology of gibberellin synthesis. Planta. 204 (4): 409–419.

Larimer, A. L., Bever, J. D., & Clay, K. 2010. The interactive effects of plant microbial symbionts: a review and meta-analysis. Symbiosis. 51(2): 139-148.

Larimer, A.L., Clay, K. and Bever, J.D., 2014. Synergism and context dependency of interactions between arbuscular mycorrhizal fungi and rhizobia with a prairie legume. Ecology, 95(4), pp.1045-1054.

Larkin, R.P. 2008. Relative effects of biological amendments and crop rotations on soil microbial communities and soilborne diseases of potato. Soil Biol Biochem. 40: 1341–1351.

Las, I. 2004. Perkembangan varietas dalam perpadian nasional in Prosiding Seminar Inovasi Pertanian Tanaman Pangan. Badan Penelitian dan Pengembangan Pertanian. Bogor.

Lazcano, C., Barrios-Masias, F.H. and Jackson, L.E., 2014. Arbuscular mycorrhizal effects on plant water relations and soil greenhouse gas emissions under changing moisture regimes. Soil Biology and Biochemistry, 74, pp.184-192.

Lazcano, C., Barrios-Masias, F.H. and Jackson, L.E., 2014. Arbuscular mycorrhizal effects on plant water relations and soil greenhouse gas emissions under changing moisture regimes. Soil Biology and Biochemistry, 74, pp.184-192.

Lecomte, J., St-Arnaud, M. and Hijri, M., 2011. Isolation and identification of soil bacteria growing at the expense of arbuscular mycorrhizal fungi. FEMS microbiology letters, 317(1), pp.43-51.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Leff, B., Ramankutty, N., & Foley, J.A. 2004. Geographic distribution of major crops across the world. Glob. Biogeochem. 18 (1).

Lesk, C., Rowhani, P., & Ramankutty, N. 2016. Influence of extreme weather disasters on global crop production. Nature. 529 (7584): 84-87.

Li, H.Y., Shi, Z., Webster, R. and Triantafilis, J., 2013. Mapping the three-dimensional variation of soil salinity in a rice-paddy soil. Geoderma, 195, pp.31-41.

Li, R. H., Guo, P. G., Michael, B., Stefania, G., & Salvatore, C. 2006. Evaluation of chlorophyll content and fluorescence parameters as indicators of drought tolerance in barley. Agricultural Sciences in China. 5(10): 751-757.

Li, X., W. Yan, H. Agrama, L. Jia, A. Jackson, K. Moldenhauer, K. Yeater, A. McClung, and D. Wu. 2012. Unraveling the complex trait of harvest index with association mapping in rice (*Oryza sativa* L.). Plos One. 7(1): 1-10.

Liang, Y., C. Bai., L. Mu. & M. Zhou. 2014. Soil respiration in cucumber field under crop rotation in solar greenhouse. Sci. Agric. 71: 337-341.

Liao, C. T., & Lin, C. H. 2001. Physiological adaptation of crop plants to flooding stress. Proceedings of the National Science Council, Republic of China. Part B. Life Sciences. 25(3): 148-157.

Limbong, W. M. M., Sabrina, T., & LUBIS, A. 2017. Perbaikan beberapa sifat fisika tanah sawah ditanami semangka melalui pemberian bahan organik. Jurnal Agroekoteknologi Universitas Sumatera Utara. 5(1): 109493.

Liu, A., Hamel, C., Hamilton, R.I., Ma, B.L. and Smith, D.L., 2000. Acquisition of Cu, Zn, Mn and Fe by mycorrhizal maize (Zea mays L.) grown in soil at different P and micronutrient levels. Mycorrhiza, 9(6), pp.331-336.

Liu, C. W., Cheng, S. W., Yu, W. S., & Chen, S. K. 2003. Water infiltration rate in cracked paddy soil. Geoderma. 117(1-2): 169-181.

Liu, D., Ishikawa, H., Nishida, M., Tsuchiya, K., Takahashi, T., Kimura, M., & Asakawa, S. 2015. Effect of paddy-upland rotation on methanogenic archaeal community structure in paddy field soil. Microbial ecology. 69(1): 160-168.

Liu, J., Liu, J., Liu, J., Cui, M., Huang, Y., Tian, Y., Chen, A. and Xu, G., 2019. The potassium transporter SlHAK10 is involved in mycorrhizal potassium uptake. Plant Physiology, 180(1), pp.465-479.

Liu, J., Wiberg, D., Zehnder, A.J. and Yang, H., 2007. Modeling the role of irrigation in winter wheat yield, crop water productivity, and production in China. Irrigation Science, 26(1), pp.21-33.

Liu, L., Wang, L., Deng, F., Huang, Y., Liu, D., Ren, W., & Yang, W. 2012. Osmotic regulation substance contents and activities of protective enzymes in leaves of different hybrid rice combinations as affected by shading. Chinese Journal of Rice Science, 26(5): 569-575.

Liu, Y., Lu, H., Yang, S. and Wang, Y., 2016. Impacts of biochar addition on rice yield and soil properties in a cold waterlogged paddy for two crop seasons. Field crops research, 191, pp.161-167.

Loveless. 1989. Prinsip – Prinsip Biologi Tumbuhan untuk Daerah Tropik 2. PT Gramedia. Jakarta.

Lu, S., Lepo, J. E., Song, H. X., Guan, C. Y., & Zhang, Z. H. 2018. Increased rice yield in long-term crop rotation regimes through improved soil structure, rhizosphere microbial communities, and nutrient bioavailability in paddy soil. Biology and Fertility of Soils. 54(8): 909-923.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D ; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Marsum, F. Q. A., Kurniasih, B., & Ambarwati, E. 2016. Pertumbuhan dan hasil padi sawah (Oryza sativa L.) pada beberapa takaran kompos jerami dan zeolit. Vegetalika. 5(3): 29-40.

Macholdt, J., Styczen, M.E., Macdonald, A., Pipepho, H.P. Honermeier. 2020. Long-term analysis from a cropping system perspective: Yield stability, environmental adaptability, and production risk of winter barley. European Journal of Agronomy. 117.

Maclean, J., Hardy, B., & Hettel, G. 2013. Rice Almanac: Source book for one of the most important economic activities on earth. IRRI. Los Banos, Philippines.

Mae, T., A. Inaba, Y., Kaneta, S., Masaki, M., Sasaki, M., Aizawa, S., Okawa, S., Hasegawa, A., Makino. 2006. A large-grain rice cultivar, Akita 63, exhibits high yields with high physiological N-use efficiency, Field Crop Res. 97: 227–237.

Maiti, D., Singh, R.K. and Variar, M., 2012. Rice-based crop rotation for enhancing native arbuscular mycorrhizal (AM) activity to improve phosphorus nutrition of upland rice (Oryza sativa L.). Biology and Fertility of Soils, 48(1), pp.67-73.

Makarim & Suhartatik, 2008. Morfologi dan Fisiologi Tanaman Padi. Balai Besar Penelitian Tanaman Padi. Jakarta.

Makarim, A.K., E. Suhartatik. 2009. Morfologi dan Fisiologi Tanaman Padi. Iptek Tanaman Pangan. Balai Besar Penelitian Tanaman Padi. Sukamandi.

Marpaung, I. S., & Ratmini, N. 2014. Efektifitas pupuk organik untuk meningkatkan produktifitas padi di lahan pasang surut. Balai pengkajian teknologi pertanian Sumatera Selatan.

Marschner, H. and Dell, B., 1994. Nutrient uptake in mycorrhizal symbiosis. Plant and soil, 159(1), pp.89-102.

Marschner, P. 2012. Mineral Nutrition of Higher Plants Ed-3. USA-AP.

Martínez-García, L.B., De Deyn, G.B., Pugnaire, F.I., Kothamasi, D. and van der Heijden, M.G., 2017. Symbiotic soil fungi enhance ecosystem resilience to climate change. Global Change Biology, 23(12), pp.5228-5236.

Martínez-García, L.B., De Deyn, G.B., Pugnaire, F.I., Kothamasi, D. and van der Heijden, M.G., 2017. Symbiotic soil fungi enhance ecosystem resilience to climate change. Global Change Biology, 23(12), pp.5228-5236.

Matsushima. 1975. Verental response to nitrogen and spacing. In the Mineral Nutrien of the Rice Plant. Proceeding of Symposium at The IRRI. The John Hopkins Press. Baltimor.

Mature, M. M. 2012. Influence of rice rotation systems on soil nematode trophic groups in Arkansas. Journal of Agricultural Science. 4 (2): 11–20.

Mazzoncini, M., Canali, S., Giovannetti, M., Castagnoli, M., Tittarelli, F., Antichi, D., Nannelli, R., Cristani, C. and Bàrberi, P., 2010. Comparison of organic and conventional stockless arable systems: A multidisciplinary approach to soil quality evaluation. Applied soil ecology, 44(2), pp.124-132.

McDaniel, M.D., Grandy, A.S., Tiemann, L.K. and Weintraub, M.N., 2014. Crop rotation complexity regulates the decomposition of high and low quality residues. Soil Biology and Biochemistry, 78, pp.243-254.

McLaughlin, M.J., Fillery, I.R.P. and Till, A.R., 1992. Operation of the phosphorus, sulphur and nitrogen cycles.

Mejaya, M.J., Satoto, P. Sasmita, Y. Baliadi, A. Guswara, dan Suharna. 2014. Deskripsi varietas unggul baru padi. Badan Penelitian dan Pengembangan Pertanian. Jakarta.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Miller, R.M. and Jastrow, J.D., 2002. Mycorrhizal influence on soil structure. Arbuscular mycorrhizae: molecular biology and physiology. Kluwer Academic Publishers, Dordrecht, The Netherlands, pp.3-18.

Misak, R. F., Al-Awadhi, J. M., Omar, S. A., & Shahid, S. A. 2002. Soil degradation in Kabd area, southwestern Kuwait City. Land degradation & development. 13(5): 403-415.

Morgan, J. A. W., Bending, G. D., & White, P. J. 2005. Biological costs and benefits to plant–microbe interactions in the rhizosphere. Journal of experimental botany. 56(417): 1729-1739.

Motschenbacher, J., Brye, K. R., & Anders, M. M. 2011. Long-term rice-based cropping system effects on near-surface soil compaction. Agricultural Sciences. 2(02): 117.

Munarso, Y.P. 2011. Keragaan hasil beberapa varietas padi hibrida pada beberapa teknik pengairan. J. Agron. Indonesia 39: 147-152.

Munkholm, L. J., Heck, R. J., & Deen, B. 2013. Long-term rotation and tillage effects on soil structure and crop yield. Soil and Tillage Research. 127: 85-91

Murchie, E.H., J. Yang., S. Hubbart., P. Horton., S. Peng. 2002. Are there association between grain-filling rate and photosynthesis in the flag leaves of field-grown rice. J. Exp. Bot. 53: 2217-2224.

Nandakumar, R., Babu, S., Viswanathan, R., Raguchander, T. & R. Samiyappan. 2001. Induction of systemic resistance in rice against sheath blight disease by Pseudomonas fluorescens. Soil Biology and Biochemistry. 33 (4-5): 603–612.

Nannipieri, P., Kandeler, E. and Ruggiero, P., 2002. Enzyme activities and microbiological and biochemical processes in soil. Enzymes in the Environment, pp.1-33.

Noerwijati, K., Nasrullah, Taryono, and D. Prajitno. 2014. Fresh tuber yield stability analysis of fifteen cassava genotypes across five environments in East Java (Indonesia) using GGE Biplot Energy Procedia (47): 156-165.

Noor, A., Lubis, I., Ghulamahdi, M., Chozin, M. A., Anwar, K., & Wirnas, D. 2012. Pengaruh konsentrasi besi dalam larutan hara terhadap gejala keracunan besi dan pertumbuhan tanaman padi. Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy). 40(2): 91-98.

Nor, K.M., and F.B. Cady. 1979. Methodology for identifying wide adaptability in crops. Agron. J. 71: 556–559.

Nurazizah A., Aris, H., dan Damanhuri. 2019. Uji daya hasil dan pendugaan parameter genetik karakter agronomi genotipe padi gogo (*Oryza sativa* L.). Jurnal Produksi Tanaman. 7 (12): 2223–2229.

Nurhayanti, N., M. Nugroho. 2016. Sensitivitas produksi padi terhadap perubahan iklim di Indonesia tahun 1974-2015. Agro Ekonomi. 27:183-196.

Nuryanto, B., A. Priyatmojo. dan B. Hadisutrisno. 2014. Pengaruh tinggi tempat dan tipe tanaman terhadap keparahan penyakit hawar pelepah. Jurnal Penel. Pert. Tanaman Pangan. 33(1): 1-8.

Nyakpa, M. Y., A. M Lubis., M. A Pulung., A. G. Amrah., A. Munawar., G. B. Hong dan N. Hakim. 1988. Kesuburan Tanah. Universitas Lampung. Bandar Lampung.

Ohtomo, R. and Saito, M., 2005. Polyphosphate dynamics in mycorrhizal roots during colonization of an arbuscular mycorrhizal fungus. New Phytologist, 167(2), pp.571-578.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Okiobe, S. T. 2019. Potential Effects of Arbuscular Mycorrhiza Fungi on Denitrification Potential Activity and Nitrous Oxide (N 2 O) Emissions From a Fertile Agricultural Soil. Freie Universitaet Berlin (Germany).

Oktavia, Y., Yartiwi. 2016. Uji adaptasi beberapa varietas unggul baru (VUB) padi sawah di kabupaten Rejang Lebong Provinsi Bengkulu. Prosiding Seminar Nasional Agroinovasi Spesifik Lokasi Untuk Ketahanan Pangan Pada Era Masyarakat Ekonomi ASEAN. http://repository.pertanian.go.id/handle/123456789/6522.

Olesen, J.E., M. Trnka., K.C. Kersebaum., A.O. Skjelvag., B. Seguin., P. Peltonen-Sainio., F. Rossi., J. Kozyra., F. Micale. 2011. Impacts and adaptation of European crop production systems to climate change. European Jurnal of Agronomy. 34 (2): 96-112.

Pallon, J., Wallander, H., Hammer, E., Marrero, N.A., Auzelyte, V., Elfman, M., Kristiansson, P., Nilsson, C., Olsson, P.A. and Wegdén, M., 2007. Symbiotic fungi that are essential for plant nutrient uptake investigated with NMP. Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms, 260(1), pp.149-152.

Palobo, F. dan Adnan. 2019. Uji adaptasi 5 varietas unggul baru padi di Kabupaten Merauke. Jurnal Ziraa'ah. 44(2): 134 – 141.

Pantuwan, G., S. Fukai., M. Cooper. 2002. Yield response of rice (*Oryza sativa* L.) genotypes to drought under rainfed lowland: 3. Selection of drought resistance genotype. Field Crop. Res. 73: 169-180.

Panwar, V., Meghvansi, M.K. and Siddiqui, S., 2011. Short-term temporal variation in sporulation dynamics of arbuscular mycorrhizal (AM) fungi and physico-chemical edaphic properties of wheat rhizosphere. Saudi journal of biological sciences, 18(3), pp.247-254.

Paranavithana, T. M., Marasinghe, S., Perera, G. A. D., & Ratnayake, R. R. 2021. Effects of crop rotation on enhanced occurrence of arbuscular mycorrhizal fungi and soil carbon stocks of lowland paddy fields in seasonaly dry tropics. Paddy and Water Environment. 19(1): 217-226.

Patil, M. D., Das, B. S., & Bhadoria, P. B. 2011. A simple bund plugging technique for improving water productivity in wetland rice. Soil and Tillage Research. 112(1): 66-75.

Peng, S., Huang, J., Sheehy, J.E., Laza, R.C., Visperas, R.M., Zhong, X., Centeno, G.S., Khush, G.S. and Cassman, K.G. 2004. Rice yields decline with higher night temperature from global warming. Proceedings of the National Academy of Sciences. 101(27): 9971-9975.

Peng, S., R.C. Laza, RM. Visperas, Al.L. Sanico, K.G. Cassman, and G.S. Khush. 2000. Grain yield of rice cultivars and lines developed in the Philippines since 1966. Crop. Sci. 40.

Pierik, R., Cuppens, M. L., Voesenek, L. A., & Visser, E. J. 2004. Interactions between ethylene and gibberellins in phytochrome-mediated shade avoidance responses in tobacco. Plant Physiology. 136(2): 2928-2936.

Plassard, C., Becquer, A. and Garcia, K., 2019. Phosphorus transport in mycorrhiza: how far are we?. Trends in plant science, 24(9), pp.794-801.

Ponnamperuma, F. N. 1972. The chemistry of submerged soils. Advances in Agronomy. 24: 29–96.

Ponnamperuma, F.N. 1985. Chemical kinetics of wetland rice soil relative to soil fertility In Wetland Soils: Characterization, Classification and Utilization. International Rice Research Institute. Los Banos.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Prasetyo, H.P., J.S. Adiningsih, K. Subagyono, dan R. D.M. Simanungkalit. 2004. Mineralogi, Kimia, Fisika, dan Biologi Lahan Sawah. dalam Tanah Sawah dan Teknologi Pengelolaannya. Pusat Penelitian dan Pengembangan Tanah dan Agroklimat, Badan Litbang Pertanian.Saptana., I.W. Rusastra., H.P. Saliem., Supriati.2004. Prospek Pengembangan Pola Tanam dan Diversifikasi Tanaman Pangan di Indonesia. Pusat Penelitian dan Pengembangan Sosial Ekonomi Pertanian. Bogor.

Purwanto. 2009 Pertumbuhan dan Hasil Empat Varietas Padi (Oryza sativa L.) Pada Sistem Pertanian Organik, Semiorganik dan Pertanian Konvensional. Thesis Agronomi. Universitas Gadjah Mada. Yogyakarta.

Purwoko, B. S., Syukur, M., & Guntoro, D. 2016. Toleransi galur harapan padi sawah (Oryza sativa L.) pada persaingan dengan gulma Echinochloa crus-galli. Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy). 44(2): 111-118.

Purwoko, B.S., D. Wirnas, and S. Dewi. 2014. Potensi dan stabilitas hasil, serta adaptabilitas galur-galur padi gogo tipe baru hasil kultur antera. J. Agron. Indones. 42(1): 9–16.

Purwono & Heni, P. 2007. Budidaya 8 Jenis Pangan Unggul. Depok. Penebar Swadaya.

Qiao, J., Yang, L., Yan, T., Xue, F., & Zhao, D. 2012. Nitrogen fertilizer reduction in rice production for two consecutive years in the Taihu Lake area. Agriculture, Ecosystems & Environment. 146(1): 103-112.

Rahayu, S., A.K. Dewi, Yulidar, D. Wirnas, dan H. Aswidinnoor. 2013. Analisis stabilitas dan adaptabilitas beberapa galur padi dataran tinggi hasil mutasi induksi. A Sci. J. Appl. Isot. Radiat. 9(2): 81–90.

Rahmah, R., H. Aswidinnoor. 2013. Uji daya hasil lanjutan 30 galur padi tipe baru generasi F6 hasil dari 7 kombinasi persilangan. Jurnal Buletin. Agrohortikultura. 1 (4): 1–8.

Rahman, Ab., Singh, Pieterse., Schenk. 2018. Emerging microbial biocontrol strategies for plant pathogens. Plant Sci. 267:102–111.

Rahman, M.M., M.S. Azirun, and A.N. Boyce. 2013. Response of nitrogen fertilizer and legumes residues on biomass production and utilization in rice-legumes rotation. J. Animal Plant Sci. 23: 589-595.

Rasyad, A., Idwar. 2010. Interaksi genetik x lingkungan dan stabilitas komponen hasil berbagai genotipe kedelai di Provinsi Riau. J. Agron. Indonesia 38: 25-29.

Ratnayake, R. R., Perera, B. M. A. C. A., Rajapaksha, R. P. S. K., Ekanayake, E. M. H. G. S., Kumara, R. K. G. K., & Gunaratne, H. M. A. C. 2017. Soil carbon sequestration and nutrient status of tropical rice based cropping systems: Rice-Rice, Rice-Soya, Rice-Onion and Rice-Tobacco in Sri Lanka. Catena. 150: 17-23.

Reidsma, P., Ewert, F., Lansink, A. O., & Leemans, R. 2010. Adaptation to climate change and climate variability in European agriculture: the importance of farm level responses. European journal of agronomy. 32(1): 91-102.

Rengel, Z. 2000. Mineral nutrition of crops, fundamental mechanisms and implications. Food Production Press. Binghamton.

Rillig, M.C., 2004. Arbuscular mycorrhizae and terrestrial ecosystem processes. Ecology letters, 7(8), pp.740-754.

Rillig, M.C., Mummey, D.L., Ramsey, P.W., Klironomos, J.N. and Gannon, J.E., 2006. Phylogeny of arbuscular mycorrhizal fungi predicts community composition of symbiosis-associated bacteria. FEMS Microbiology Ecology, 57(3), pp.389-395.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Roy-Boduc, A. and Hiri, M., 2011. The use of mycorrhizae to enhance phosphorus uptake: a way out the phosphorus crisis. J. Biofertil. Biopestici, 2(104), pp.1-5.

Ruytinx, J., Kafle, A., Usman, M., Coninx, L., Zimmermann, S.D. and Garcia, K., 2020. Micronutrient transport in mycorrhizal symbiosis; zinc steals the show. Fungal Biology Reviews, 34(1), pp.1-9.

Ryan, P.R., Delhaize, E. and Jones, D.L., 2001. Function and mechanism of organic anion exudation from plant roots. Annual review of plant biology, 52, p.527.

Saha, D., Kukal, S.S. and Sharma, S., 2011. Landuse impacts on SOC fractions and aggregate stability in typic ustochrepts of Northwest India. Plant and Soil, 339(1), pp.457-470.

Sakata, T., T. Oshino, S. Miura, M. Tomabechi, Y. Tsunaga, N. Higashitani, Y. Miyazawa, H. Takahashi, M. Watanabe, A. Higashitani. 2010. Auxins reverse plant male sterility caused by high temperatures. Natl. Acad. Sci. 107:8569-8574.

Salisbury, F.B. and C.W.Ross.1995. Fisiologi Tumbuhan. Jilid II. Penerjemah: Lukman dan Sumaryono Bandung: Penerbit ITB.

Salisbury, F.B., C.W. Ross. 1992. Plant Physiology. Wadsworth Pub. Co. 540 p.

Sander, T., Gerke, H. H., & Rogasik, H. 2008. Assessment of Chinese paddy-soil structure using X-ray computed tomography. Geoderma. 145(3-4): 303-314.

Saniaty, A. 2012. Uji daya hasil pendahuluan 100 galur zuriat F5 padi tipe baru hasil dari kombinasi 3 Persilangan IPB117-F-5-1-1 x IR64, IPB98-F-5-1-1 x IR64, dan Cimelatix IPB97-F-31-1-1. Skripsi: Institut Pertanian Bogor. p 18

Santoso, B.B., & Hariyadi. 2008. Metode Pengukuran Luas Daun Jarak Pagar (*Jatropa curcas* L.). Jurnal Ilmu Pertanian. 8(1): 17-22.

Saputro, N.W., M.B.R. Khamid. 2016. Mekanisme tanaman padi (Oryza sativa L.) dalam menghadapi cekaman suhu tinggi pada stadia generatif. J. Agrotek Indonesia 1:129-139.

Schachtman, D.P. and Reid, R.J., AYLING,. M., 1998. Phosphorus Uptake by Plants: From Soil to Cell. Plant Physiol, 116, pp.447-453.

Scheloske, S., Maetz, M., Schneider, T., Hildebrandt, U., Bothe, H. and Povh, B., 2004. Element distribution in mycorrhizal and nonmycorrhizal roots of the halophyte Aster tripolium determined by proton induced X-ray emission. Protoplasma, 223(2), pp.183-189.

Schimel, J. and Schaeffer, S.M., 2012. Microbial control over carbon cycling in soil. Frontiers in microbiology, 3, p.348.

Schloter, M., Nannipieri, P., Sørensen, S. J., & van Elsas, J. D. 2018. Microbial indicators for soil quality. Biology and Fertility of Soils. 54(1): 1-10.

Sembiring, H. 2008. Kebijakan penelitian dan rangkuman hasil penelitian BB Padi dalam mendukung peningkatan produksi beras nasional. Prosiding seminar apresiasi hasil penelitian padi menunjang P2BN. Balai Besar Penelitian Tanaman Padi Sukamandi.

Shafi, M., Bakht, J., Jan, M. T., & Shah, Z. 2007. Soil C and N dynamics and maize (Zea may L.) yield as affected by cropping systems and residue management in North-western Pakistan. Soil and Tillage Research. 94(2): 520-529.

Shiddieq, D., P. Sudira & Tohari. 2018. Aspek dasar agronomi berkelanjutan. Gadjah Mada University Press. Yogyakarta. 331 p.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Sinaga, R. 2008. Keterkaitan nisbah tajuk akar dan efisiensi penggunaan air pada rumput gajah dan rumput raja akibat penurunan ketersediaan air tanah. Jurnal Biologi Sumatera, 3 (1): 29–35.

Singh, U. P., Singh, Y., Singh, R. G., & Gupta, R. K. 2011. Opportunities for increasing food legume production through Conservation Agriculture based resource conserving technologies in rice wheat System. In 5 th World Congress on Conservation Agriculture. New Delhi. India.

Siregar, H, 1981. Budidaya Tanaman Padi di Indonesia. Sastra Budaya. Bogor.

Sitaresmi, T., Wening, R. H., Rakhmi, A. T., Yunani, N., & Susanto, U. 2013. Pemanfaatan plasma nutfah padi varietas lokal dalam perakitan varietas unggul. Balai Besar Penelitian Tanaman Padi. Subang.

Šmilauer, P., Košnar, J., Kotilínek, M. and Šmilauerová, M., 2020. Contrasting effects of host identity, plant community, and local species pool on the composition and colonization levels of arbuscular mycorrhizal fungal community in a temperate grassland. New Phytologist, 225(1), pp.461-473.

Smith, S.E. and Read, D.J., 2010. Mycorrhizal symbiosis. Academic press.

Solaiman, M.Z. and Hirata, H., 1997. Responses of directly seeded wetland rice to arbuscular mycorrhizal fungi inoculation. Journal of Plant Nutrition, 20(11), pp.1479-1487.

Srividya, A., Ramanarao, P.V., Sridhar, S., Jayaprada, M., Anuradha, G., Srilakshmi, B., Reddy, H.K., Hariprasad, A.S., Siddiq, E.A. and Vemireddy, L.R. 2011. Molecular mapping of QTLs for drought related traits at seedling stage under PEG induced stress conditions in rice. American Journal of Plant Sciences. 2(02): 190.

Stoate, C., Boatman, N. D., Borralho, R. J., Carvalho, C. R., De Snoo, G. R., & Eden, P. 2001. Ecological impacts of arable intensification in Europe. Journal of environmental management. 63(4): 337-365.

Stone, E. C., & Hornberger, G. M. 2016. Impacts of management alternatives on rice yield and nitrogen losses to the environment: A case study in rural Sri Lanka. Science of The Total Environment. 542: 271-276.

Storer, K., Coggan, A., Ineson, P. and Hodge, A., 2018. Arbuscular mycorrhizal fungi reduce nitrous oxide emissions from N2O hotspots. New Phytologist, 220(4), pp.1285-1295.

Stuart, A. M., Palenzuela, A. N., Bernal, C. C., Ramal, A. F., & Horgan, F. G. 2014. Effects of fertiliser applications on survival and recruitment of the apple snail, Pomacea canaliculata (Lamarck). Crop Protection. 64: 78-87.

Suastika, I.W., Basrudin., & Tumarlan. 1997. Budidaya Padi Sawah di Lahan Pasang Surut. Badan Penelitian dan Pengembangan Pertanian. Jakarta.

Sudadi, U., Ramadhan, L. M. A. H., Nugroho, B., & Hartono, A. 2017. Dinamika fraksi fosfor dan sifat kimia tanah sawah terkait indeks pertanaman padi sawah dan praktik pengairan. Jurnal Ilmu Tanah dan Lingkungan. 19(1): 19-25.

Sudarmaji, H. N., & Herawati. 2008. Ekologi tikus sawah dan teknologi pengendaliannya. Padi: innovasi teknologi produksi–Book. 2: 295-322.

Sugiono, D., & Saputro, N. W. 2016. Respon pertumbuhan dan hasil beberapa genotip padi (Oryza sativa L.) pada berbagai sistem tanam. Jurnal Agrotek Indonesia (Indonesian Journal of Agrotech). 1(2): 105-114.

Sugiyanta., F. Rumawas., M.A Chozin., W.Q. Mugnisyah & M. Ghulamahdi. 2008. Studi Serapan Hara N, P, K dan Potensi Hasil Lima Varietas Padi Sawah (*Oryza sativa* L.) pada Pemupukan Anorganik dan Organik. Bul. Agron. 36 (3): 196 – 203.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Suhendrata, T. 2008. Peran inovasi teknologi pertanian dalam peningkatan produktivitas padi sawah untuk mendukung ketahanan pangan. Prosiding Seminar Nasianal Teknik Pertanian 2008. Yogyakarta 18-19 November 2008.

Sujinah, S., Hairmansis, A., Sasmita, P., & Nugraha, Y. 2020. Hubungan Fenologi Pertumbuhan Tanaman Padi dengan Hasil Gabah, Umur Panen, Biomasa, dan Pengaruh Pemupukan. Jurnal Penelitian Pertanian Tanaman Pangan. 4(2): 63-71.

Sujitno, E., T. Fahmi., dan S. Teddy. 2011. Kajian adaptasi beberapa varietas unggul padi gogo pada lahan kering dataran rendah di Kabupaten Garut. Jurnal Pengkajian dan Pengembangan Teknologi Pertanian. 14(1): 62-69.

Sumenda, L., H.L. Rampe, F.K. Mantiri. 2011. Analisis kandungan klorofil daun mangga (*Mangifera indic*a L.) pada tingkat perkembangan daun yang berbeda. J. Bioslogos. 20-24.

Suphendi, S., Rustiadi, E., & Juanda, B. 2014. Optimasi pendapatan petani melalui System of Rice Intensification di Kabupaten Indramayu. Jurnal Pengkajian dan Pengembangan Teknologi Pertanian. 17(2): 139865.

Suprayogi dan Ismangil. 2004. Laju Akumulasi Bahan Kering, Kemampuan Serapan N, P, dan Na beberapa varietas padi pada cekaman garam, perlakuan nitrogen, dan phosphat. Dalam Jurnal Agronomika (4)1 :11-17.

Supriatna, A. 2012. Meningkatkan indeks pertanaman padi sawah menuju IP padi 400. Agrin.16 (1): 155-161.

Suprihatin, A., & Johanes A. 2018. The Effect of Various Crop Rotation on the Improvement of Soil Properties of Irrigation Paddy Field. Jurnal Sumberdaya Lahan. 12 (1): 49-57.

Supriyadi, S. 2008. Kandungan bahan organik sebagai dasar pengelolaan tanah di lahan kering Madura. Embryo. 5:176-183.

Suriyasak, C., K. Harano, K. Tanamachi, K. Matsuo, A. Tamada, M. Iwaya-Inoue, Y. Ishibashi. 2017. Reactive oxygen species induced by heat stress during grain filling of rice (*Oryza sativa* L.) are involved in occurrence of grain chalkiness. J. Plant Physiol. 216:52-57.

Susanto, U., Rohaeni, W. R., Johnson, S. B., & Jamil, A. 2015. GGE biplot analysis for genotype x environment interaction on yield trait of high Fe content rice genotypes in Indonesian irrigated environments. AGRIVITA Journal of Agricultural Science. 37(3): 265-275.

Sutanto, Rachman. 2002. Penerapan Pertanian Organik : Pemasyarakatan & Penerapannya. Karisius. Yogyakarta.

Sutaryo, B. 2012. Ekspresi daya hasil dan beberapa karakter agronomi enam padi hibrida *Indica* di lahan sawah berpengairan teknis. Jurnal Ilmu Pertanian. 15 (2): 19-29.

Suwarto. 2003. Penampilansifat agronomik populasi F2 hasil persilangan danau tempe x mentikwangi dan resiproknya untuk perakitan gogo aromatik. Agronomika. 3(1): 54–62.

Syukur, M., S. Sujiprihati, dan R. Yunianti. 2012. Teknik Pemuliaan Tanaman. Penebar Swadaya, Bogor.

Taiz, L. and E. Zeiger. 2002. Plant Physiology. Sinauer Associates, Inc., Publisher. Sunderland, Massa-chusetts.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Takai, T. S., Matsuura, T., Nishio, A., Ohsumi, T., Shiraiwa, and T. Horie. 2006. Rice yield potential is closely related to crop growth rate during late reproductive period. South African Journal of Botany. 93: 137-141.

Tan, Z. G., & Qian, Y. L. 2003. Light intensity affects gibberellic acid content in Kentucky bluegrass. HortScience. 38(1): 113-116.

Taylor, H.M. 1972. Effect of drying on water ritention of a puddled soil. Soil Sci. Sco. Am, Proc. 36: 972 – 973.

Tenorio, F.A., C. Ye, E. Redoña, S. Sierra, M. Laza, M.A.Argayoso. 2013. Screening rice genetic resources for heat tolerance. SABRAO J. Breeding Gen. 45:371-381.

Tian, C., Kasiborski, B., Koul, R., Lammers, P.J., Bücking, H. and Shachar-Hill, Y., 2010. Regulation of the nitrogen transfer pathway in the arbuscular mycorrhizal symbiosis: gene characterization and the coordination of expression with nitrogen flux. Plant physiology, 153(3), pp.1175-1187.

Tiessen, H. J. W. B., Stewart, J. W. B., & Bettany, J. R. 1982. Cultivation effects on the amounts and concentration of carbon, nitrogen, and phosphorus in grassland soils 1. Agronomy journal. 74(5): 831-835.

Tisdall, J.M. and OADES, J.M., 1982. Organic matter and water-stable aggregates in soils. Journal of soil science, 33(2), pp.141-163.

Toro, M., Azcon, R. and Barea, J., 1997. Improvement of arbuscular mycorrhiza development by inoculation of soil with phosphate-solubilizing rhizobacteria to improve rock phosphate bioavailability ((sup32) P) and nutrient cycling. Applied and environmental microbiology, 63(11), pp.4408-4412.

Tran, D. D., van Halsema, G., Hellegers, P. J., Ludwig, F., & Wyatt, A. 2018. Questioning triple rice intensification on the Vietnamese mekong delta floodplains: An environmental and economic analysis of current land-use trends and alternatives. Journal of environmental management. 217: 429-441.

Triplett Jr, G. B., & Dick, W. A. 2008. No-tillage crop production: A revolution in agriculture!. Agronomy journal. 100: S-153.

Tulung, S. M., & Demmassabu, S. 2011. Pertumbuhan dan hasil paprika (Capsicum annuum var-grossum) pada beberapa jenis naungan. EUGENIA. 17(2).

Turmuktini, T., Kantikowati, E., Natalie, B., Setiawati, M., Yuwariah, Y., Joy, B., & Simarmata, T. 2012. Restoring the health of paddy soil by using straw compost and biofertilizers to increase fertilizer efficiency and rice production with SOBARI (System of Organic Based Aerobic Rice Intensification) technology. Asian Journal of Agriculture and Rural Development. 2(393-2016-23872): 519-526.

Urruty, N., Tailliez-Lefebvre, D., & Huyghe, C. 2016. Stability, robustness, vulnerability and resilience of agricultural systems. A review. Agronomy for sustainable development. 36(1): 15.

Van der Voorde, T. F., van der Putten, W. H., & Martijn Bezemer, T. 2011. Intra-and interspecific plant–soil interactions, soil legacies and priority effects during old-field succession. Journal of Ecology. 99(4): 945-953.

Van Der Heijden, M.G., 2010. Mycorrhizal fungi reduce nutrient loss from model grassland ecosystems. Ecology, 91(4), pp.1163-1171.

Van Der Heijden, M.G., Bruin, S.D., Luckerhoff, L., Van Logtestijn, R.S. and Schlaeppi, K., 2016. A widespread plant-fungal-bacterial symbiosis promotes plant biodiversity, plant nutrition and seedling recruitment. The ISME journal, 10(2), pp.389-399.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Van Der Heijden, M.G., Bruin, S.D., Luckerhoff, L., Van Logtestijn, R.S. and Schlaeppi, K., 2016. A widespread plant-fungal-bacterial symbiosis promotes plant biodiversity, plant nutrition and seedling recruitment. The ISME journal, 10(2), pp.389-399.

Van Der Heijden, M.G., Streitwolf-Engel, R., Riedl, R., Siegrist, S., Neudecker, A., Ineichen, K., Boller, T., Wiemken, A. and Sanders, I.R., 2006. The mycorrhizal contribution to plant productivity, plant nutrition and soil structure in experimental grassland. New phytologist, 172(4), pp.739-752.

Van Nguyen, S., Nguyen, P.T.K., Araki, M., Perry, R.N., Tran, L.B., Chau, K.M., Min, Y.Y. and Toyota, K. 2020. Effects of cropping systems and soil amendments on nematode community and its relationship with soil physicochemical properties in a paddy rice field in the Vietnamese Mekong Delta. Applied Soil Ecology. 156: 103683.

Vance, C.P., 2001. Symbiotic nitrogen fixation and phosphorus acquisition. Plant nutrition in a world of declining renewable resources. Plant physiology, 127(2), pp.390-397.

Veresoglou[a], S.D., Shaw, L.J., Hooker, J.E. and Sen, R., 2012. Arbuscular mycorrhizal modulation of diazotrophic and denitrifying microbial communities in the (mycor) rhizosphere of Plantago lanceolata. Soil Biology and Biochemistry, 53, pp.78-81.

Veresoglou[b], S.D., Chen, B. and Rillig, M.C., 2012. Arbuscular mycorrhiza and soil nitrogen cycling. Soil Biology and Biochemistry, 46, pp.53-62.

Wendi, W., Gusmiatun, G., & Amir, N. 2014. Evaluasi Pertumbuhan dan Produksi Beberapa Padi Gogo (Oryza Sativa L.) Varietas Jati Luhur dan Situ Bagendit pada Perbedaan Jumlah Benih yang Ditanam. Klorofil: Jurnal Penelitian Ilmu-Ilmu Pertanian. 9(2): 94-99.

West, T. O., & Post, W. M. 2002. Soil organic carbon sequestration rates by tillage and crop rotation: a global data analysis. Soil Science Society of America Journal. 66(6): 1930-1946.

White, P.J., George, T.S., Dupuy, L.X., Karley, A.J., Valentine, T.A., Wiesel, L. and Wishart, J., 2013. Root traits for infertile soils. Frontiers in plant science, 4, p.193.

White, Philip J. "Efficiency of Soil and Fertilizer Phosphorus Use: Reconciling Changing Concepts of Soil Phosphorus Behaviour with Agronomic Information. By JK Syers, AE Johnston and D. Curtin. Rome: Food and Agricultural Organization of the United Nations (2008), pp. 108, US $49.00. ISBN 978-92-5-105929-6." Experimental agriculture 45, no. 1 (2009): 128-128.

Wibisono, S., D.R. Anugrahwati., dan Sumarjan. 2016. Uji daya hasil galur-galur harapan padi (*Oryza sativa* L.) pada lahan kering di Dusun Jugil Kabupaten Lombok Utara. Jurnal Crop Agronomy. 9(2): 75-82.

Widyaswari, E., Mudji, S., Moch. D.Maghfoer. 2017. Analisis pertumbuhan dua varietas tanaman padi (*Oryza sativa* L.) pada berbagai perlakuan pemupukan. Jurnal Biotropika. 5 (3): 73-77.

Winarso, S. 2005. Kesuburan Tanah. Dasar Kesehatan dan Kualitas Tanah. Gaya Media.

Wirnas, D., R.H. Mubarrozzah, M. Noviarini, S. Marwiyah, Trikoesoemaningtyas, H. Aswidinnoor, H.S. Sutjahjo. 2015. Contribution of genetic x temperature interaction to performance and variance of rice yield in Indonesia. IJAAR. 6:112-119.

Witt, C., Cassman, K. G., Olk, D. C., Biker, U., Liboon, S. P., Samson, M. I., & Ottow, J. C. G. 2000. Crop rotation and residue management effects on carbon

UNIVERSITAS GADJAH MADA
Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

sequestration, nitrogen cycling and productivity of irrigated rice systems. Plant and Soil. 225(1): 263-278.

Woźniak, Andrzej. 2019. Efect of crop rotation and cereal monoculture on the yield and quality of winter wheat grain and on crop infestation with weeds and soil properties. International Journal of Plant Production. 13:177–182.

Xie, X., Huang, W., Liu, F., Tang, N., Liu, Y., Lin, H. and Zhao, B., 2013. Functional analysis of the novel mycorrhiza-specific phosphate transporter A s PT 1 and PHT 1 family from A stragalus sinicus during the arbuscular mycorrhizal symbiosis. New Phytologist, 198(3), pp.836-852.

Xu, H., Shao, H. and Lu, Y., 2019. Arbuscular mycorrhiza fungi and related soil microbial activity drive carbon mineralization in the maize rhizosphere. Ecotoxicology and Environmental Safety, 182, p.109476.

Xuan, D. T., Guong, V. T., Rosling, A., Alström, S., Chai, B., & Högberg, N. 2012. Different crop rotation systems as drivers of change in soil bacterial community structure and yield of rice, Oryza sativa. Biology and Fertility of Soils. 48(2): 217-225.

Yaliang, W., W. Lei, Z. Jianxia, H. Shengbo, C. Huizhe, X. Jing, Z. Yikai, Z. Yongjun, S. Qinghua, Z. Defeng, Z. Yuping. 2019. Research progress on heat stress of rice at flowering stage. Rice Sci. 26:1-10.

Yang, W., S. Peng, M. L. Dionisio-Sese, R.C. Laza, and R.M. Visperas. 2008. Grain filling duration, a crucial determinant of genotypic variation of grain yield in field-grown tropical irrigated rice. F. Crop. Res. 105: 221-227.

Yanni, Y.G., Rizk, R.Y., Corich, V., Squartini, A., Ninke, K., Philip-Hollingsworth, S., Orgambide, G., De Bruijn, F., Stoltzfus, J., Buckley, D. and Schmidt, T.M., 1997. Natural endophytic association between Rhizobium leguminosarum bv. trifolii and rice roots and assessment of its potential to promote rice growth. In Opportunities for biological nitrogen fixation in rice and other non-legumes (pp. 99-114). Springer, Dordrecht.

Yanni, Y.G., Rizk, R.Y., Corich, V., Squartini, A., Ninke, K., Philip-Hollingsworth, S., Orgambide, G., De Bruijn, F., Stoltzfus, J., Buckley, D. and Schmidt, T.M. 1997. Natural endophytic association between Rhizobium leguminosarum bv. trifolii and rice roots and assessment of its potential to promote rice growth. In Opportunities for biological nitrogen fixation in rice and other non-legumes. Springer, Dordrecht. Plant and Soil. 194 (1-2): 99–114.

Yao, F.X., J.L. Huang., L.X., Nie., K.H. Cui., S.B. Peng., F. Wang. 2016. Dry matter and N contributions to the formation of sink size in early- and late-maturing rice under various n rates in Central China, Int. J. Agric. Biol. 18: 46–51.

Ye, S., Yang, Y., Xin, G., Wang, Y., Ruan, L., & Ye, G. 2015. Studies of the Italian ryegrass–rice rotation system in southern China: Arbuscular mycorrhizal symbiosis affects soil microorganisms and enzyme activities in the Lolium mutiflorum L. rhizosphere. Applied Soil Ecology. 90: 26-34.

Ye, Z., Zeng, J., Li, X., Zeng, F. and Zhang, G., 2017. Physiological characterizations of three barley genotypes in response to low potassium stress. Acta Physiologiae Plantarum, 39(10), pp.1-10.

Yi, J., Qiu, W., Hu, W., Zhang, H., Liu, M., Zhang, D., Wu, T., Tian, P. and Jiang, Y. 2020. Effects of cultivation history in paddy rice on vertical water flows and related soil properties. Soil and Tillage Research. 200: 104613.

Ying, J., S. Peng, Q. He, H. Yang, C. Yang, R.M. Visperas, and K.G. Cassman. 1998. Comparison of high yield rice in tropical and subtropical environments I. Determinants of grain and dry matter yields. Field Crop Research. 57: 71-84.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D.; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Yoshida, S. 1981. Fundamentals of rice crop science. IRRI. Los Banos. Laguna. Philippines.

Yoshida, S., D. Forno., J.H. Cock., K.A. Gomez. 1976. Laboratory manual for physiological studies of rice. International Rice Research Institute. Manila. Philippines.

Yu, Y., Lihong X., Linzhang Yang. 2014. Winter legumes in rice crop rotations reduces nitrogen loss, and improves rice yield and soil nitrogen supply. Agron. Sustain. Dev. 34: 633–640.

Yu, Y., Xue, L. and Yang, L., 2014. Winter legumes in rice crop rotations reduces nitrogen loss, and improves rice yield and soil nitrogen supply. Agronomy for sustainable development, 34(3), pp.633-640.

Yuan, Q., Pump, J., & Conrad, R. 2012. Partitioning of CH_4 and CO_2 production originating from rice straw, soil and root organic carbon in rice microcosms. PloS one. 7(11): e49073.

Yudarwati, R. 2010. Analisis faktor-faktor fisik yang mempengaruhi produktivitas padi sawah dengan aplikasi sistem informasi geografis. Disertasi. Institut Pertanian Bogor. Bogor.

Yuwono, N.W. 2003. Panduan Analisis Kimia Tanah. Jurusan Tanah Fakultas Pertanian Universitas Gadjah Mada Yogyakarta. Yogyakarta.

Zakariyya, F., 2016. Menimbang indeks luas daun sebagai variabel penting pertumbuhan tanaman kakao. Warta Pusat Penelitian Kopi dan Kakao Indonesia, 28(3), pp.8-12.

Zhang, B., Li, Y., Ren, T., Tian, Z., Wang, G., He, X., & Tian, C. 2014. Short-term effect of tillage and crop rotation on microbial community structure and enzyme activities of a clay loam soil. Biology and fertility of soils. 50(7): 1077-1085.

Zhang, H., Xie, X., Kim, M. S., Kornyeyev, D. A., Holaday, S., & Paré, P. W. 2008. Soil bacteria augment Arabidopsis photosynthesis by decreasing glucose sensing and abscisic acid levels in planta. The Plant Journal. 56(2): 264-273.

Zhang, S., Wang, L., Ma, F., Bloomfield, K.J., Yang, J. and Atkin, O.K., 2015. Is resource allocation and grain yield of rice altered by inoculation with arbuscular mycorrhizal fungi?. Journal of Plant Ecology, 8(4), pp.436-448.

Zhang, X., J. Cai, B. Wollenweber, F. Liu, T. Dai, W. Cao, D. Jiang. 2013. Multiple heat and drought events affect grain yield and accumulations of high molecular weight glutenin subunits and glutenin macropolymers in wheat. J. Cereal Sci. 57:134-140.

Zheng, S., Hu, J., Chen, K., Yao, J., Yu, Z., & Lin, X. 2009. Soil microbial activity measured by microcalorimetry in response to long-term fertilization regimes and available phosphorous on heat evolution. Soil Biology and Biochemistry. 41(10): 2094-2099.

Zhou, W., Lv, T. F., Chen, Y., Westby, A. P., & Ren, W. J. 2014. Soil physicochemical and biological properties of paddy-upland rotation: a review. The Scientific World Journal. 8563.

Zhou, W., T. Lv., Z. Yang., T. Wang., Y. Fu., Y. Chen., B. Hu., and W. Ren. 2017. Morphophysiological mechanism of rice yield increase in response to optimized nitrogen management. Scientific Reports. 7(17226): 1-10.

Zobel, M. and Öpik, M., 2014. Plant and arbuscular mycorrhizal fungal (AMF) communities–which drives which?. Journal of Vegetation Science, 25(5), pp.1133-1140.

Pertumbuhan dan Hasil Genotipa Padi (Oryza sativa L.) pada Berbagai Pola Pergiliran Tanaman Lahan
Sawah
BELA TRI WIJAYANTI, Ir. Budiastuti Kurniasih, M.Sc., Ph.D ; Dr. Ir. Taryono, M.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Zuber, S.M., Behnke, G.D., Nafziger, E.D. and Villamil, M.B., 2015. Crop rotation and tillage effects on soil physical and chemical properties in Illinois. Agronomy Journal, 107(3), pp.971-978.