

## DAFTAR PUSTAKA

- Abbott, W.S. 1925. A method for computing the effectiveness of an insecticide. *Journal of Economic Entomology*. 18: 265-267.
- Adebisi, O., S.K. Dolma, P. K. Verma, B.Singh & S. G. E. Reddy. 2018. Volatile, non-volatile composition and insecticidal activity of *Eupatorium adenophorum* Spreng against diamondback moth, *Plutella xylostella* (L.), and aphid, *Aphis craccivora* Koch. *Toxin Reviews*. Vol. 38 (2):143-150 doi.org/10.1080/15569543.2018.1434795
- Adeyemi, M. & Mohammed, M. (2014). Prospect of antifeedat secondary metabolis as post harvest material. *International Journal of Innovative Research in Science, Engineering and Technology*, 3, 8701–8708.
- Ahmed, U.A.M., S. Zuhua, N. H. H. Bashier, K. Muafi, H. Zhongping & G. Yuling. 2006. Evaluation Of Insecticidal Potentialities Of Aqueous Extracts From *Calotropis Procera* Against *H. enosepilachna elaterii* Rossi. *Journal of Applied Science*. Vol. 6(1): 2466-2470
- Ahmed, M., Q. Peiwen, Z. Gu, I.Y. Liu, A. Sikandar, D. Hussain, A. Javeed, J. Shafi, M.F. Iqbal, R. Ar, H. Guo, Y. Du, W. Wang, Y. Zhang, & M. Ji. 2020. Insecticidal activity and biochemical composition of *Citrullus colocynthis*, *Cannabis indica* and *Artemisia argyi* extracts against cabbage aphid (*Brevicoryne brassicae* L.). *Scientific Reports*. 10: 522. doi: 10.1038/s41598-019-57092-5
- Ajayi, O., E. Balusu, R. Morawo, T. O. Zebelo & Fadamiro, H. 2015. Semiochemical modulation of host preference of *Callosobruchus maculatus* on legume seeds. *Journal of Stored Products Research*, 63, 31–37. <https://doi.org/10.1016/j.jspr.2015.05.003>
- Akhtar, Y. & Isman M.B. 2002. Comparative growth inhibitory and antifeedant effects of plant extracts and pure allelochemicals on four phytophagous insect species. *J Appl Entomol* 2004; 128: 32- 38.
- Akhtar, M. S., M. A. Hossain & S. A. Said. 2017. Isolation And Characterization Of Antimicrobial Compound From The Stem Bark Of The Traditionally Used Medicinal Plant *Adenium obesum*. *Journal of Asia-Pacific Entomology*. Vol. 20: 381–385
- Alam. M. A., M. R. Habib & F. Nikkon. 2009. Insecticidal Activity of Root Bark of *Calotropis gigantea* L. Against *Tribolium castaneum* (Herbst). *World Journal of Zoology*. Vol. 4 (2) : 90-95, 2009
- Al Sulaibi, M. A. M., C. Thiemann & T. Thiemann. 2020. Chemical Constituents and Uses of *Calotropis Procera* and *Calotropis Gigantea* – A Review (Part I – The Plants as Material and Energy Resources). *Open Chemistry Journal*, 7(1). <https://doi.org/10.2174/1874842202007010001>

- Altaf, M. M., M.S.A. Khan, & I. Ahmad. 2019. Chapter 2—Diversity of Bioactive Compounds and Their Therapeutic Potential. In M. S. Ahmad Khan, I. Ahmad, & D. Chattopadhyay (Eds.), *New Look to Phytomedicine* (pp. 15–34). Academic Press. <https://doi.org/10.1016/B978-0-12-814619-4.00002-1>
- Amelia, K. A., R. Khaerunnisa, & Haeruddin. 2020. Analisis Ekstrak Kulit Batang Tanaman Biduri Terhadap Kematian Jentik Nyamuk *Aedes Aegypti*. *Window of Health : Jurnal Kesehatan*, Vol. 3 (3):211-217
- Arivoli, S & S. Tennyson. 2013. Ovicidal Activity Of Plant Extract Against *Spodoptera litura* (Fab.) (Lepidoptera: Noctuidae). *Bulletin of Environment, Pharmacology and Life Sciences*. Vol. 2 (10): 140–145.
- Baccaria, W., M. Znatia, A. Zardi-Bergaouia, I. Chaiebb. G. Flaminic, R. Ascrizzic & H. B. Jannet. 2016 Composition and insecticide potential against *Tribolium castaneum* of the fractionated essential oil from the flowers of the Tunisian endemic plant *Ferula tunetana* Pomel ex Batt. *Industrial Crops and Products*. Vol. 143. 111888. <https://doi.org/10.1016/j.indcrop.2019.111888>
- Barbehenn, R. V. & P. C. Constabel. 2011. Tannins in plant–herbivore interactions. *Phytochemistry*, Vol. 72(13), 1551–1565. <https://doi.org/10.1016/j.phytochem.2011.01.040>
- Balabanidoua, V., L. Grigorakib & J. Vontasa. 2018. Insect cuticle: a critical determinant of insecticide resistance. *Insect Sci*. Vol. ;27::68-74. doi: 10.1016/j.cois.2018.03.001.
- Begum. N., B. Sharma & R. S. Pandey. 2013. *Calotropis procera* and *Annona squamosa*: Potential Alternatives to Chemical Pesticides . *British Journal of Applied Science & Technology*. Vol. 3(2): 254-267
- Belete, T. 2018. Defense mechanisms of plants to insect pests: From morphological to biochemical approach. *Trends in Technical & Scientific Research*, 2(2): 1-9. <https://doi.org/10.19080/TTSR.2018.02.555584>
- Bernays, E. A., & R. F. Chapman.. 1994. *Host-Plant Selection by Phytophagous Insects*. Chapman & Hall, 312 pages
- Bernhoft, A. 2010. A Brief Review On Bioactive Compounds In Plants. In: *Proceedings From A Symposium Held at The Norwegian Academy of Science and Letters, Oslo, Norway*. Vol. 2; 11 -17
- Boiteau G., & C. Noronha. 2007. Topical, residual and ovicidal contact toxicity of three reduced-risk insecticides against the European corn borer, *Ostrinia nubilalis* (Lepidoptera: Crambidae), on potato. *Pest Management Science*. Vol. 63:1230–1238. doi: 10.1002/ps.1454.

- Bhandary, M.J & K.R. Chandrashekar. 2014. Diversity and use of ethnomedicinal plants in coastal Karnataka, India. *Biodiversitas*. Vol.5 (1):89-93. 10.13057/biodiv/d150113
- Block, A., M. Vaughan, Schmelz, E. & S. Christensen. 2019. Biosynthesis and function of terpenoid defense compounds in maize (*Zea mays*). *Planta*, 249, 1–10. <https://doi.org/10.1007/s00425-018-2999-2>
- Boeckler, G. A., J. Gershenzon & S.B. Unsicker. 2011. Phenolic glycosides of the Salicaceae and their role as anti-herbivore defenses. *Phytochemistry*, 72(13), 1497–1509. <https://doi.org/10.1016/j.phytochem.2011.01.038>
- Cai. C., Y. Chen, S. Zhong, Y. Zhang, J. Jiang, H. Xu & G. Shi. 2016. Synergistic Effect of Compounds from a Chinese Herb: Compatibility and Dose Optimization of Compounds from N-Butanol Extract of *Ipomoea stolonifera*. *Scientific Reports* 6(1):27014 DOI: 10.1038/srep27014
- Cameron L. M., M. Rogers, M. Aalhus, B. Seward, Y. Yu & E. Plettner. 2014. Feeding deterrence of cabbage looper (Lepidoptera: Noctuidae) by 1-Allyloxy-4-Propoxybenzene, Alone and Blended with Neem Extract. *J. Econ. Entomol.* 107(6): 2119-2129
- Castilhos, R., A. Grützmacher & J. Coats. 2017. Acute Toxicity and Sublethal Effects of Terpenoids and Essential Oils on the Predator *Chrysoperla externa* (Neuroptera: Chrysopidae). *Neotropical Entomology*, 47. <https://doi.org/10.1007/s13744-017-0547-6>
- Cavoski, I., P. Caboni & Miano. 2011. Natural pesticides and future perspectives. In Margarita Stoytcheva (Eds.), *Pesticides in the Modern World - Pesticides Use and Management*, (pp. 169- 190). Rijeka : InTech Europe.
- Capinera. J. L. 2000. Diamondback Moth, *Plutella xylostella* (Linnaeus)(Insecta: Lepidoptera: Plutellidae). <http://edis.ifas.ufl.edu/pdf/IN/IN27600.pdf>. (06 juni 2017).
- Carlini. C. R & M. F. Grossi. 2004. Plant Toxic Proteins With Insecticidal Properties. A review on the potentialities as bioinsecticides. *Toxicon* . Vol. 40:1515- 39.
- Cerda, H., C. Carpio, A.C. Ledezma-Carrizalez, J. Sánchez, L. Ramos, C. Muñoz-Shugulí, M. Andino & M. Chiurato. 2019. Effects of Aqueous Extracts from Amazon Plants on *Plutella xylostella* (Lepidoptera: Plutellidae) and *Brevicoryne brassicae* (Homoptera: Aphididae) in Laboratory, Semifield, and field trials. *Journal of Insect Science*, 19(5). <https://doi.org/10.1093/jisesa/iez068>

- Chanda, S. & M. Kaneria. 2011. Indian nutraceutical plant leaves as a potential source of natural antimicrobial agents. A. Mendezi Vilas (Ed.), *cience against Microbial Pathogens: Communicating Current Research and Technological Advances*. pp.2: 1251-1259
- Cipollini, D., R. Stevenson, S. Enright & A. Eyles. 2008. Phenolic metabolites in leaves of the invasive shrub, *Lonicera maackii*, and their potential phytotoxic and anti-herbivore effects. *J. Chem. Ecol.* Vol. 34, 144–152.
- Chacko. A, P. H. Christy, K. S. Kavya. 2015. Study on larvicidal activity of crude extracts of *Ruta graveolens* against *Aedes aegypti* and *Anopheles stephensi*. *International Journal of Mosquito Research*. Vol. 2(4): 01-06
- Sarkar, S., S. Chakraverty & A. Ghosh. 2014. *Calotropis gigantea* Linn.-A Complete Busket Of Indian Traditional Medicine, *Int. J. Pharm. Res. Sci.*, Vol. 2(1),7–17.
- Chan. N.W., K. T. Moe. & N. N. O. Weine. 2008. Study On The Biology Of Diamondback Moth, *Plutella xylostella* (L.), On Cabbage. GMSARN International Conference on Sustainable Development: Issues and Prospects for the GMS 12-14 Nov 2008. p.1-3
- Chen. W., M. B. Isman & S. F. Chiu. 1995. Antifeedant and growth inhibitory effects of the limonoid toosendanin and *Melia toosendan* extracts on the variegated cutworm, *Peridromasauca* (Lep., Noctuidae). *Jour. Applied Entomology*. 119. 367- 370
- Chapman, R. . F. 1995. Chemosensory regulation in feeding In “ Chemical Ecology”(R. T. Grade and W. I. Bell. Eds). pp. 103-136. Chapman & Hall. New York
- Dadang. D. & K. Ohsawa. 2000. Penghambatan aktivitas makan larva *Plutella xylostella* (Lepidoptera: Yponomeutidae) yang diperlakukan ekstrak biji *Swietenia mahogani* Jacq. (Meliaceae). *Buletin Hama dan Penyakit Tumbuhan*. Vol. 12(1): 27– 32
- Datta. R., A. Kaur, I. Saraf, I, P. Singh & S. Kaur. 2018. Effect of crude extracts and purified compounds of *Alpinia galanga* on nutritional physiology of a polyphagous Lepidopteran pest, *Spodoptera litura* (Fabricius). *Ecotoxicology and Environmental Safety*. Vol. 168; 324-329
- De Geyter, E., L. Swevers, S. Caccia, D. Geelen & G. Smagghe. 2012. Saponins show high entomotoxicity by cell membrane permeation in Lepidoptera. *Pest Manag. Sci.* Vol. 68, 1199–1205.
- Deletre, E., B. Schatz. D. Bourguet, F.Chandre, L.Williams, A. Ratnadass & T. Martin. 2016. Prospects for repellent in pest control: current developments and future challenges. *Chemoecology* Vol.26:127–142 DOI 10.1007/s00049-016-0214-0

- Devanand. P. & P. U. Rani. 2011. Insect Growth Regulatory Activity Of The Crude And Purified Fractions from *Solanum melongena* L., *Lycopersicum esculentum* Mill. and *Capsicum annum* L. Journal of Biopesticides. Vol. 4 (2): 118-130
- Dewi G.D., D.P. Mastra & N. Jirna. 2018, Perbedaan Zona Hambat Pertumbuhan *Staphylococcus aureus* Pada Berbagai Konsentrasi Ekstrak Etanol Daun Biduri Secara In Vitro. Meditory : The Journal of Medical Laboratory. Vol. 6 (1): 39-45
- Deka. D., & D. K. Jha. 2020. Bioactivity assessmen of endophytic fungi associated with *Citrus macroptera* Mortr : an endengered ethomedicinal plant used folk medicines in North-East India. Indian Phytopathology. Vol. 3:21-23
- Demirak, M.. S. S & E. Canpolat. 2022. Plant-Based Bioinsecticides for Mosquito Control: Impact on Insecticide Resistance and Disease Transmission. Insects. 13, 162. <https://doi.org/10.3390/insects13020162>
- Dobler, S., Petschenka, G. & H. Pankoke. 2011. Coping with toxic plant compounds the insect's perspective on iridoid glycosides and cardenolides. Phytochemistry 72, 1593–1604.
- Dhivya, R., & K. Manimegalai, 2013. Preliminary Phytochemical Screening and GC-MS profiling of ethanolic flower extract of *Calotropis gigantea* Linn. J. of Pharmacognosy and Phytochemistry. Vol. 2 (3) : 28-32.
- Dixit, G., A. Praveen, T.Tripathi, V. K.Y. Praveen & C.Vermaad. 2017. Herbivore- responsive cotton phenolics and their impact on insect performance and biochemistry. Journal of Asia-Pacific Entomology. Vol. 20(2,); 341-351
- Djojosumarto, P. 2020. Pestisida dan Aplikasinya, PT. Agromedia Pustaka, Jakarta
- Elsharkaw, E. R. 2019. Allelopathic Effects of Alkaloid Contents of *Hyoscyamus muticus* and *Withania somnifera* on the Germination of *Cichorium intybus* Seeds. Biosceince Biotechnology Resesearch Communication. Vol 12 (4); :953-960
- Elango, G., A. Bagavan & C. Kamaraj. 2009. Oviposition-Deterrent, Ovicidal, And Repellent Activities Of Indigenous Plant Extracts Against *Anopheles subpictus* Grassi (Diptera: Culicidae). Parasitol Res. Vol. 105(6):1567e76
- Elsayed, G., 2011. Plant secondary substances and insects behaviour. Archives of Phytopathology and Plant Protection Vol. 44 (16);1534–1549
- El-Wakeil, N. E. 2013. Rected Article: Botanical Pesticides and Their Mode of Action. Gesunde Pflanzen vol. 65-125–149 (2013)

- Fateha, R.N., M. Grasela, M.N. Ichwan, E. Wahyuning, Purwanti, & I. Kurniasari. 2021. Larvacidal and antifeedant activities of clove leaf oil against *Spodoptera litura* (F.) on soybean. *J. HPT Tropica*. 21(1); 20–25
- Faradillah, M. & H. Maysarah. 2019. Potensi Biduri (*Calotropis gigantea* (L.) W.T. Aiton) sebagai Tanaman Obat. *Jurnal Ilmu Kefarmasian Indonesia*. Vol. 17 (2); 246-250
- Finney. D.J. 1971. Probit analysis. London: Cambridge University Press; p. 333
- Fleischer, J., & Krieger, J. 2018. Insect Pheromone Receptors – Key Elements in Sensing Intraspecific Chemical Signals. *Frontiers in Cellular Neuroscience*, Vol. 1- 1-14. doi:10.3389/fncel.2018.00425
- Freitas. C. D. T., J. S. Oliveira, M. R. A. Miranda, N. M. R. Macedo, M. P. Sales, L. A. Villas-Boas. & M. V. Ramos. 2017. Enzymatic Activities and Protein Profile Of Latex From *Calotropis procera*. *Plant Physiology and Biochemistry*. Vol. 45; 781-789
- Furlong, M.J., D.J. Wright,, & Lloyd M. Dosdall. 2013. Diamondback Moth Ecology and Management: Problems, Progress, and Prospects. *Annu. Rev. Entomol*. 58:517–41
- Fürstenberg-Hägg, J., M. Zagrobelny & S. Bak. 2013. Plant Defense against Insect Herbivores. *Int. J. Mol. Sci*. Vol14; 10242-10297; doi:10.3390/ijms140510242
- Gahukar, R. T. 2014. Potential and Utilization of Plant Products in Pest Control. *Integrated Pest Management*. 125–139. doi:10.1016/b978-0-12-398529-3.00009-9
- Gerolt. P. 1983. Insecticides: Their Route of entry, mechanism of transport ad mode of action. First published: May 1983. *Bid. Rev.* (1983), 58, pp. 233–274 . <https://doi.org/10.1111/j.1469-185X.1983.tb00389.x> diakses 18 mei 2020
- Glendinning, J. I., J. Gresack & A. C. Spector. 2002. A High-throughput Screening Procedure for Identifying Mice with Aberrant Taste and Oromotor Function. *Chemical Senses*, Vol. 27(5); 461–474, <https://doi.org/10.1093/chemse/27.5.461>
- Geyter, E.D., L. Swevers, S. Caccia, D. Geelen & G. Smagghe. 2012. Saponins show high entomotoxicity by cell membrane permeation in Lepidoptera. *Pest Manag. Sci*. Vol. 68, 1199–1205.
- Gong, M., T.X. Lin, Q.L. Guan, Q.L., & S. L. Wu. 2015. Insecticidal activity of crude extract of the seeds of *Milletia pachyarpa* benth. on the larvae of *Pieris rapae* Linne. *Bangladesh. Jour. Bototani*. 44, 807–811.



- Goodwin, T.W. & E.I. Mercerl. 1983. Introduction to Plant Biochemistry. Second Edition. Pergamon Press.
- Golizadeh, A., K. Kamali, Y. Fathipour. & H. Abbasipour. 2009. Life table of the Diamondback Moth, *Plutella xylostella* (L.) (Lepidoptera: Plutellidae) on five cultivated Brassicaceous host plants. J. Agric. Sci. Technol. 11:115-124.
- Gullan, P.J. S. & P. S. Cranston. 2014. The Insects. An Outline of Entomology. Fifth Ed. John Wiley & Sons, Ltd. 632 p.
- Gharsan, F.N. 2019. A Review of the Bioactivity of Plant Products Against *Aedes aegypti* (Diptera: Culicidae). *Journal of Entomological Science* . Vol. 54 (3): 256–274. doi.org/10.18474/JES18-82
- Ghule. S. D., G. Vidyasagar, P. Sharma & A. P. Gunjal. 2014. CNS Activity Of Leaves Extract Of *Calotropis gigantea*. Asian Pacific Journal of Tropical Disease. Vol. 4(2): 902-905
- Glendinning. J. I. 1996. Is Chemosensory Input Essential For The Rapid Rejection Of Toxic Foods?. The Journal of Experimental Biology 199:1523–1534
- Habib, M.R. & M. R. Karim. 2016. Chemical characterization and Insecticidal activity of *Calotropis gigantea* L. Flower extract Against *Tribolium castaneum* (Herbst). Asian Pacific Journal of Tropical Disease. Vol. 6(12): 996-999
- Han. S. S., S. C. Lo, Y. W. Choi, J. H. Kim, & S. H. Baek. 2004. Antioxidant Activity of Crude Extract and Pure Compounds of *Acer ginnala* Max. *Bull. Korean Chem. Soc.* Vol. 25 (3): 389-391
- Harborne. J. B. 1980. Phytochemical methods. Chapman and hall. Ltd. 11 New fetter Lane. London EC4P 4EE firts issued as a Science Paperback.
- Hasyim, A., W. Setiawati, L. S. Marhaeni, L. Lukman. & Hudayya A. 2017. Bioaktivitas Enam Ekstrak Tumbuhan untuk Pengendalian Hama Tungau Kuning Cabai Polyphagotarsonemus latus Banks (Acari: Tarsonemidae) di Laboratorium. J. Hortikultura. Vol. 27 (2):217-230. DOI: <http://dx.doi.org/10.21082/jhort.v27n2.2017.p217-230>
- Hikal, W.M., R. S. Baeshen & H. A. H. Said-Al Ahl. 2017. Botanical Insecticide as Simple Extractives For Pest Control. *Cogent Biology* ., 3: 1404274. <https://doi.org/10.1080/23312025.2017.1404274>
- Hillock, D. 2012. Botanical Pest Controls. Oklahoma State University <http://osufacts.pkstate.edu>. Diakses 23 Agustus 2020
- Hodgson. E. 2010. Metabolism of pesticides. In. Krieger .R, editor. Hayes' handbook of pesticide toxicology. 3rd ed. New York: Academic Press; 2010. pp. 893–921.

- Hong. T-k., H. Perumalsamy. K-h. Jang, E-s. Na & Y-j. Ahn. 2018. Ovicidal And Larvicidal Activity And Possible Mode Of Action Of Phenylpropanoids And Ketone Identified In *Syzygium Aromaticum* Bud Against *Bradysia procera*. *Pesticide Biochemistry and Physiology*. Vol. 145; 29-38
- Hussain, M., B. Debnath, M.Qasim, B.S. Bamisile, W. Islam, M.S.Hameed. L. Wang & D. Qiu. 2019. Role of Saponins in Plant Defense Against Specialist Herbivores. *Review. Meolecules*. Vol. 24(11): 1-21
- Ibanez, S, C. Gallet & L. Després. 2012. Plant Insecticidal Toxins in Ecological Networks. *Toxins*. Vol. 4, 228-243
- Ingle. K. P., A. G. Deshmukh, D. A. Padole, M. S. Dudhare, M. P Moharil & V. C. Khelurkar. 2017. Phytochemicals: Extraction Methods, Identification And Detection Of Bioactive Compounds From Plant Extracts. *Journal of Pharmacognosy and Phytochemistry*. vol. 6(1): 32-36
- Isaiah, S., C. A. Kumar. & N.S. Selvan. 2016. Phytochemical Screening, Anti-microbial Activity and GC-MS Analysis of *Corchorus tridens* L. *International Journal of Pharmacology Research*, 6 (12): 353-357
- Isman, M. B. & M. L. Grieneisen. 2014. Botanical insecticide research: many Publications, limited useful data. *Trends in Plant Science* 19, 140–145.
- Isman, M. B., O. Koul, A. Luczynski & J. Kaminski. 1990. Insecticidal And Antifeedant Bioactivities Of Neem Oils And Their Relationship To Azadirachtin Content. *J. Agric.Food Chem*. 38, 1406-1411
- Isman, M.B. 2006. Botanical Insecticides, Deterrents, And Repellents In Modern Agriculture And An Increasingly Regulated World. *Annu. Rev. Entomol*. Vol. 51: 45–66. doi: 10.1146/annurev.ento.51. 110104.151146.
- Isman. M. B & C. M. Machial. 2006. Pesticides Based On Plant Essential Oils: From Traditional Practice To Commercialization. *Naturally occurring bioactive compounds*. Rai and Carpinella (eds.). 29-44.
- Isman, M.B., S. Miresmailli & C. Machial. 2011. Commercial opportunities for pesticides based on plant essential oils in agriculture, industry and consumer products. *Phytochemistry Reviews* vol. 10-197–204
- Jadhav D.R., N. Mallikarjuna, A. Rathore. & D. Pokle. 2012. Effect of Some Flavonoids on Survival and Development of *Helicoverpa armigera* (Hübner) and *Spodoptera litura* (Fab) (Lepidoptera: Noctuidae). *Asian Journal of Agricultural Sciences*. Vol: 4(4): 298-307
- Jahan, N., Mushir, A., & A. Ahmed. 2016. A review on Phytochemical and biological properties of *Calotropis gigantea* (Linn) R.Br. *Discovery Phytomedicine*, Vol. 3(2); 15-21  
<https://doi.org/10.15562/phytomedicine.2016.32>



- Jaleel, W., S. Saeed, Q. Seed, M.N. Naqqash, M.U. Sial, Q.U. Aine, L. Yanyuang, Z. Rui, Y. He & L.Lu.2017. Effects of three different cultivars of cruciferous plants on the age-stage, two-sex life table traits of *Plutella xylostella* (L.) (Lepidoptera: Plutellidae). The Entomological Society of Korea and John Wiley & Sons Australia. 1-7.doi: 10.1111/1748-5967.12270
- Jemâa, M-B. J. & N. Tersim. 2011. Composition and Repellent Efficacy of Essential Oil from *Laurus nobilis* against Adults of the Cigarette Beetle *Lasioderma serricorne* (Coleoptera: Anobiidae). Tunisian Journal of Plant Protection. Vol. 6 (1); 29-42
- Joseph, B., J. George., & S. Charles. 2013. Pharmacological And Biological Overview On *Calotropis Gigantea*: A Comprehensive Review. *International Research Journal of Pharmaceutical and Applied Sciences*, Vol. 3, 219–223.
- Junio, H.A., A.A. Sy-Cordero, K. A. Ettefagh, J. T. Burns, K. T. Micko, T. N Graf, S. J. Richter, R. E. Cannon, N. H. Oberlies & N. B. Cech. 2011. Synergy-directed fractionation of botanical medicines: a case study with goldenseal (*Hydrastis canadensis*). *Journal Natural product*.22;74(7):1621-9. PMID: 21661731 DOI: 10.1021/np200336g
- Juric, I., Salzburger & O. Balmer. 2017. Spread and global population structure of the diamondback moth *Plutella xylostella* (Lepidoptera: Plutellidae) and its larval parasitoids *Diadegma semiclausum* and *Diadegma fenestrale* (Hymenoptera: Ichneumonidae) based on mtDNA. *Bulletin of Entomological Research*.107, 155–164
- Kalshoven, L.G. E. 1981. The Pests of Cops In Indonesia. Revised and Translated by P.A. Van der Laan. PT. Ichtiar Baru. Van Hoeve. Jakarta. 710p.
- Kogan, M. 1994. Plant resistance in pest management. In: Metcalf and Luckmann (Eds.). Introduction to insect pest management. 3rd edition. A Wiley-Interscience Publication. 73-128p
- Koraag, M., E. Murni, Isnawati R. & Gunawan. 2016. Efektivitas Getah Widuri Terhadap Larva Nyamuk *Aedes aegypti*. *Jurnal Vektor Penyakit* Vol. 9(2); 53-58. DOI:10.22435/vektor.v9i2.5794.
- Katagi, T. 2010. Bioconcentration, bioaccumulation, and metabolism of pesticides in aquatic organisms. *Rev Environ Contam Toxicol*. 204:1–132
- Kovendan. K., K. Murugan, S. P. Shanthakumar, S. Vincent. & J. S. Hwang. 2012. Larvicidal activity of *Morinda citrifolia* L. (Noni) (Family: Rubiaceae) leaf extract against *Anopheles stephensi*, *Culex quinquefasciatus*, and *Aedes aegypti*. *Parasitology Research*. Vol. 111(4) : 1481–1490

- Koul, O. 2008. Phytochemicals and Insect Control: An Antifeedant Approach. *Critical Reviews in Plant Sciences*, 27:1–24, 2008 Copyright c Taylor & Francis Group, LLC ISSN: 0735-2689 print / 1549-7836 online DOI: 10.1080/07352680802053908
- Kumar. P., E. Suresh. & S. Kalavathy .2013. Review On a Potential herb *Calotropis gigantea* (L.) R. Br. *Sch. Acad. Journal Pharm.* 2:2:135-143
- Khan, S., C. N. T. Taning, E. Bonneure, S. Mangelinckx, G. Smagghe. & M. M. Shah. 2017. Insecticidal activity of plant-derived extracts against different economically important pest insects. *Phytoparasitica*. Vol: 45:113–124 DOI 10.1007/s12600-017-0569-y
- Khater, H. 2012. Prospects of Botanical Biopesticides in Insect Pest Management. *Pharmacologia*. Vol. 3(12); 641-656
- Knolhoff, L.M. & D.G. Heckel. 2013. Behavioral Assays for Studies of Host Plant Choice and Adaptation in Herbivorous Insects. *Annu. Rev. Entomol.* Vol.59:263–78. doi: 10.1146/annurev-ento-011613-161945
- Krenn, H. W. 2019. *Insect Mouthparts Cornell* (H. W. Krenn (ed.); 5th ed.). Springer Nature, 2019.<http://www.springer.com/series/15188%0Ahttps://link.springer.com/content/pdf/10.1007%2F978-3-030-29654-4.pdf>
- Laxmishree, C., & Nandita, S. (2017). Botanical pesticides, a major alternative to chemical pesticides: A review. *Int. J. of Life Sciences*, 5(4), 722–729. <https://pdfs.semanticscholar.org/b671/6384b468fddd7bc4770b094ecc890d32e696.pdf>
- Lakshmi, C.N.D.M., J.P.R. Prabhakara ,K.Saritha, D.P. Raju & N.J. Sushma. 2018. Phytoconstituen profil of *Clitoria ternate* By GC-MS and its age-related anticholinergic activity against aluminum and restrain stress. *Int. Res. J. Pharm.* Vol. 9 (2): 38-43
- Lengai, G.W.M., J. M. Muthomi.& E. R. Mbega. 2020. Phytochemical activity and role of botanical pesticides in pest management for sustainable agricultural crop production. *Scientific African*. Vol. 7: 1-13
- Leslie. A. R. 1989. Integrated pest management for turgress and ornamentals. U. S. environmental protection agency wasington, D. C.
- Li. B., B. M. Gilbert & W. D. Stevens. 2015. *Calotropis gigantea* (Linnaeus) W. T. Aiton. *Hortus Kew. Flora of China online*. Ed.2. 2: 78. 1811
- Lina, E., D. Dadang, S. Manuwoto & G. Syahbirin. 2015. Gangguan fisiologi dan biokimia *Crociodolomia pavonana* (F.) (Lepidoptera: Crambidae) akibat perlakuan ekstrak campuran *Tephrosia vogelli* Hook. dan *Piper aduncum* L. *Jurnal Entomologi Indonesia*, Vol. 12(2); 100–107. <https://doi.org/10.5994/jei.12.2.100>

- Ling, B., G-c. Wang, J. Ya, M-x. Zhang & G-w. Liang. 2008. Antifeedant Activity and Active Ingredients Against *Plutella xylostella* from *Momordica charantia* Leaves. *Agricultural Sciences in China*. Vol. 7(12): 1466-1473
- Liu, X., P. G. L. Klinkhamer. & K. Vrieling. 2017. The effect of structurally related metabolites on insect herbivores: A case study on pyrrolizidine alkaloids and western flower thrips. *Phytochemistry*, 138, 93–103. <https://doi.org/10.1016/j.phytochem.2017.02.027>
- Luckmann, R.L. & W. H. Metcalf. 1975. introduction to insect pest management. Wiley. New York. DOI:5860/choice.32-2128
- Lushchak. V. I., T. M. Matviishyn , V. V. Husak , J. M. Storey & K. B. Storey. 2018. Pesticide Toxicity: A Mecanistic Aproach. *EXCLI Journal* Vol. 17:1101-1136
- Ma, N., J. Huang & B.Z. Hua. 2013. Functional morphology and sexual dimorphism of mouthparts of the short-faced scorpionfly *Panorpodes kuandianensis* (Mecoptera: Panorpididae). *PLOS ONE*, 8 ;3 (2013), p. e60351, 10.1371/journal.pone.0060351
- Machekano, H., B. M. Mvumi & C. Nyamukondiwa. 2017. Diamondback Moth, *Plutella xylostella* (L.) in Southern Africa: Research Trends, Challenges and Insights on Sustainable Management Options. *Journal. Sustainability* ,Vol. 9(91) ; 2-23. doi:10.3390/su9020091
- Makmur, A., A. H, S. Sjam & A. Rosmana. 2016. Control of white stem borer *Schirpophaga innotata* Walker and earhead bug *Leptocoris oratorius* Fabricius by using formulated *Calotropis gigantea* linn extract in rice field. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*. 7(5); 3012-3018.
- Manahan, S. E. 2010. Toxicological chemistry and biochemistry. 3<sup>ed</sup>. A CRC Press Company. Boca Rotan, London New York Wasihington, D.C. pp. 288
- Martínez, A. M., A. J. Aguado-Pedraza, E. Viñuela, C. L. Rodríguez-Enríquez, P. Lobit, B. Gómez & Pineda, S. (2017). Effects of Ethanolic Extracts of *Argemone ochroleuca* (Papaveraceae) on the Food Consumption and Development of *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Florida Entomologist*, 100(2), 339–345. <https://doi.org/10.1653/024.100.0232>
- Mason. P. A. & M. S. Singer. 2015. Defensive mixology: combining acquired chemicals towards defence. *Funct. Ecol.* 29, 441–450. 10.1111/1365-2435.12380

- Matsuura, H. & A. G. Fett-Neto. 2015. Plant Alkaloids: Main Features, Toxicity, and Mechanisms of Action. *Plant Toxins*. 1-15  
[https://doi.org/10.1007/978-94-007-6728-7\\_2-1](https://doi.org/10.1007/978-94-007-6728-7_2-1)
- Medhini, N., Y. G. Divakar & D. Manjulakumari. 2012. Effect of *Calendula officinalis* extracts on the nutrient components of different tissues of tobacco cutworm, *Spodoptera litura* Fabricius. *Jour. Biopesticide*. 5 (Supplementary) : 139 – 144.
- Mierziak, J., K. Kostyn & A. Kulma, 2014. Flavonoids as important molecules of plant interactions with the environment. *Molecules* 1Vol. 9: 16240–16265.
- Mithofer, A. & W. Boland. 2012. Plant Defense Against Herbivores: Chemical Aspects. *The Annual Review of Plant Biology*. Vol. 63(25);1–25.
- Metcalf, R. L. & M. Kogan, 1987. Plant volatiles as insect attractants. *Critical Reviews in Plant Sciences* 5 (3): 251-301.
- Miresmailli, S., & M. B. Isman. 2014. Botanical insecticides inspired by plant–herbivore chemical interactions. *Trends in Plant Science*, Vol. 19(1), 29–35. <https://doi.org/10.1016/j.tplants.2013.10.002>
- Moshe, R. 2020. A Brief Review on Botanicals As a Source for Innovative Biopesticides – The Case of the Australian Tea Tree Oil. *Research Information. Outlooks on Pest Management*, Vol. 31 (6). [https://doi.org/10.1564/v31\\_dec\\_08](https://doi.org/10.1564/v31_dec_08)
- Mundim, F. M., H. T. Alborn, E. H. M. Vieira-Neto & Bruna, E. M. 2017 A whole-plant perspective reveals unexpected impacts of above- and belowground herbivores on plant growth and defense. *Ecology*, Vol. 98(1), 70–78. <https://doi.org/10.1002/ecy.1619>
- Mustapha, A. B, A. Zardi-Bergaoui, I. Chaieb, G. Flamini, R. Ascrizzi, & H. B. Jannet. 2020. Chemical Composition and Insecticidal Activity of *Crithmum Maritimum* L. Essential Oil against Stored-Product Beetle *Tribolium Castaneum*. *Chem. Biodiversity*, 17, 1-13. Wiley-VHCA AG, Zurich, Switzerland
- Mouden, S., P. G. L. Klinkhamer & Y. H. Choi & K. A. Leiss. 2017. Towards eco-friendly crop protection: natural deep eutectic solvents and defensive secondary metabolites. *Phytochem Rev*. Vol. 16:935–951
- Moussian, B. 2010. Recent advances in understanding mechanisms of insect cuticle differentiation. *Insect Biochemistry and Molecular Biology*. Vol. 40 (5) ; 363-375
- Ningombam, A, V. Ahluwalia, C. Srivastava & S. Walia. 2017. Antifeedant Activity And Phytochemical Investigation Of *Millettia Pachycarpa* Extracts Against Tobacco Leaf Eating Caterpillar, *Spodoptera litura*

(Fabricius) (Lepidoptera: Noctuidae). Journal of Asia-Pacific Entomology Vol. 20 ; 381–385

Neog, K., B. Unni, & G. Ahmed. 2011. Studies on the influence of host plants and effect of chemical stimulants on the feeding behavior in the muga silkworm, *Antheraea assamensis*. Journal of Insect Science, Vol. 11(1) : 133, <https://doi.org/10.167>

Nugroho, A. 2017. Teknologi bahan alam. Lambung Mangkurat University Press. 155 hlm

Nuryanti, N. S. P., E. Martono, E. S. Ratna & Dadang. 2018. The Bioactivities of selected Piperaceae and Asteraceae plant extracts against Brown planthopper (*Nilaparvata lugens* Stål.). J. ISSAAS Vol. 24 (2) : 70-78.

Oguh C. E., Okpaka C. O. Ubani C. S, Okekeaji U, Joseph P. S, & Amadi E. U. 2019. Natural Pesticides (Biopesticides) and Uses in Pest Management- A Critical Review. *Asian Journal of Biotechnology and Genetic Engineering* Vol. 2(3): 1-18.

Ojo, J. A. & A. A. Omoloye. 2016. Development and life history of *Sitophilus zeamais* (Coleoptera: Curculionidae) on Cereal Crops. Hindawi Publishing Corporation Advances in Agriculture Vol.6 :1-8  
Doi.org/10.1155/2016/7836379

Pal. G & Sinha NK. Isolation, crystallization and properties of calotropins D1 and D2 from *Calotropis gigantea*. Archives of Biochemistry and Biophys. 1980; 202:321–329.

Pandian, S. kumar, E. Suresh & S. Kalavathy, 2013. Review on a potential herb *Calotropis gigantea* ( L . ) R . Br. Scholars Academic Journal of Pharmacy (SAJP), Vol. 2(2), 135–143

Pavela, R. .2016. History, Presence and Perspective of Using Plant Extracts as Commercial Botanical Insecticides and Farm Products for Protection against Insects – a Review. Plant Protect. Sci. Vol. 52 (4): 229–241

Parulava, G., M. Gergedava & G. Imerlishvili. 2008 Structural Peculiarities of Caterpillar's Cuticle of *Archips podana* Sc. (Lepidoptera, Tortricidae). Bulletin of the Georgian National academy of Sciences. vol. 2 (4); 135-137.

Parvin, S., M. A. Kader, A. U. Chouduri, M. A. S. Rafshanjani, & M. E. Haque. 2014. Antibacterial, Antifungal And Insecticidal Activities Of The N-Hexane And Ethyl-Acetate Fractions Of Methanolic Extract Of The Leaves Of *Calotropis gigantea* Linn. Journal of Pharmacognosy and Phytochemistry. Vol 2 (5) : 47-51

Pennisi, E. 2017. How do gut microbes help herbivores counting the ways. *Science* 355, 236. doi: 10.1126/science.355.6322.236

- Peschel, W., F. Sanchez-Rabaneda & W. Diekmann. 2006. An industrial approach in the search of natural antioxidants from vegetable and fruit wastes. *Food Chemistry*, vol. 97 (1); 137–150,
- Politi, Y., B. Bar-On & H. O. Fabritius. 2019. Mechanics of Arthropod Cuticle-Versatility by Structural and Compositional Variation. In Y. Estrin, Y. Bréchet, J. Dunlop, & P. Fratzl (Eds.), *Architected Materials in Nature and Engineering: Archimats* (pp. 287–327). Springer International Publishing. [https://doi.org/10.1007/978-3-030-11942-3\\_10](https://doi.org/10.1007/978-3-030-11942-3_10)
- Plata-Rueda, A., J. M. Campos, G. da Silva Rolim, L. C. Martínez, M. H. Dos Santos, F. L. Fernandes, J. E. Serrão, & Zanuncio, J. C. 2018. Terpenoid constituents of cinnamon and clove essential oils cause toxic effects and behavior repellency response on granary weevil, *Sitophilus granarius*. *Ecotoxicology and Environmental Safety*, 156, 263–270. <https://doi.org/10.1016/j.ecoenv.2018.03.033>
- Patra, D. K., C. Pradhan & H. K. Patra. 2018. Chelate based phytoremediation study for attenuation of chromium toxicity stress using lemongrass: *Cymbopogon flexuosus* (nees ex steud.) W. Watson. *International Journal of Phytoremediation*. VOL. 20 (13)1324–1329 <https://doi.org/10.1080/15226514.2018.1488812>
- Prabaningrum, L., T. S. Uhan, U. Nurwahidah, Karmin & Hendra. 2019. Resistensi *Plutella xylostella* terhadap Insektisida yang Umum Digunakan oleh Petani Kubis di Sulawesi Selatan (Resistance of *Plutella xylostella* to Insecticides Used by Farmers on Cabbage in South Sulawesi). *J. Hort.* Vol. 23(2):164-173
- Prabhu, S., P. Priyadharshini, & A. Thangamalar. 2017. Study on larvicidal effect of different plant parts of milk weed plant(*Calotropis gigantea* R. Br.) against *Helicoverpa armigera*. *International Journal of Current Microbiology and Applied Sciences*, Vol. 6(10), 655–660.
- Qasim, M., W. Islam, H. Javaria, I. Ali & L. Wang. 2020. Saponins in Insect Pest Control (pp. 897–924). [https://doi.org/10.1007/978-3-319-76887-8\\_39-1](https://doi.org/10.1007/978-3-319-76887-8_39-1)
- Qin, D., P. Zhang, Y. Zhou, B. Liu, & C. Xiao. 2020. Antifeeding effects of azadirachtin on the fifth instar *Spodoptera litura* larvae and the analysis of azadirachtin on target sensilla around mouthparts', *Archives of Insect Biochemistry and Physiology*, Vol. 103(4) ; 1–12. doi: 10.1002/arch.21646.
- Vincent, J. F. & U. Wegst. 2004. Design and mechanical properties of insect cuticle. Article in *Arthropod structure & development*. Vol. 33(3):187-99
- Rajkumar, V, C. Gunasekaran, I.K. Christy, J. Dharmaraj, P. Chinnaraj & C. A. Paula. 2019. Toxicity, antifeedant and biochemical efficacy of *Mentha piperita* L. essential oil and their major constituents against stored grain pest. *Pesticide Biochemistry and Physiology*. Vol. 156:138-144



- Ramos, M. V., Demarco, D. I. C. da Costa Souza, & C. T. D. de Freitas, 2019. Laticifers, Latex, and Their Role in Plant Defense. *Trends in Plant Science*. Vol. 24 (6) 553-567. doi:10.1016/j.tplants.2019.03.00
- Ranjan, N., S. Singh & C. Kumari. 2017. Biological Morphology and Ethano-Pharmacological Importance of *Calotropis* Species-A Review . *International Journal of Current Microbiology and Applied Sciences* . Vol. 6(4): 1640-1648
- Rasoanaivo, P., C. W. Wright , M. L Willcox & B. Gilbert. 2011. Whole plant extracts versus single compounds for the treatment of malaria: synergy and positive interactions. *Malaria Journal* . Vol. 10(1); 1-12. doi: 10.1186/1475-2875-10-S1-S4
- Rattan, R. S. 2010. Mechanism Of Action Of Insecticidal Secondary Metabolites Of Plant Origin. *Crop Protection*. Vol. 29; 913 - 920
- Renou, M., & S. Anton. 2020. Insect olfactory communication in a complex and changing world. *Current Opinion in Insect Science*, 42, 1–7. doi.org/10.1016/j.cois.2020.04.004
- Richards, L. A., E. A. Glassmire, K. M. Ochsenrider, A. M. Smilanich, C. D. odson, C. S. Jeffrey & L. A. Dyer. 2016. Phytochemical diversity and synergistic effects on herbivores. *Phytochem Rev* Vol.15:1153–1166 DOI 10.1007/s11101-016-9479-8
- Rharrabe, K., A. Bakrim, N. Ghailani & F. Sayah. 2007. Bioinsecticidal effect of harmaline on *Plodia interpunctella* development (Lepidoptera: Pyralidae). *Pesticide Biochemistry and Physiology*, 89(2), 137–145. <https://doi.org/10.1016/j.pestbp.2007.05.002>
- Rosenthal, G. A. & M. R. Berenbaum. 1992. The Chemical Participants: Herbivores Their Interactions With Secondary Plant Metabolites. 2<sup>nd</sup>. Book Reviw. Vol. 1. 308- 325. Academica Press, New York.
- Saeed, S., W. Jaleel, M. Nadir Naqqash, Q. Saeed, S. Muhammad Zaka, Z. M. Sarwar & M. J. Ansari. 2018. Fitness parameters of *Plutella xylostella* (L.) (Lepidoptera; Plutellidae) at four constant temperatures by using age-stage, two-sex life tables. *Saudi Journal of Biological Sciences*. Vol. 26 (7): 1661-1667 doi:10.1016/j.sjbs.2018.08.026
- Saha, T., Chandran, N. & S. Sha. 2017. Role of phytochemicals in Insect pest management. In *Biopesticides and Bioagents*. Apple Academic Press. 21 pp
- Saratha, V. & S.P. Subramanian. 2010. Evaluation of antifungal activity of *Calotropis gigantea* latex extract: an in vitro study. *IJPSR*. Vol. 1(9): 88-96.
- Saunders, J. A., N. R. O'Neill & J.T .Romeo. 1992. Alkaloid Chemistry and Feeding Specificity of Insect Herbivores. In: Pelletier SW, editor.

Alkaloids: Chemical and Biological Perspective. Springer-Verlag; New York: 1992. pp. 151–196.

Scalerandi, E., G. A. Flores, M. Palacio, M. T. Defago, M.C. Carpinella, G. Valladares, A. Bertoni & S. M. Palacios. 2018. Understanding Synergistic Toxicity of Terpenes as Insecticides: Contribution of Metabolic Detoxification in *Musca domestica*. *Frontiers in Plant Science*, 1-9. doi:10.3389/fpls.2018.01579

Shalan, E. A-S., D. Canyon, M. W. F. Younes, H. Abdel-Wahab & A-H. Mansoura. 2005. A review of botanical phytochemicals with mosquitocidal potential. *Environment International*. Vol. 31 (8): 1149-1166

Selin-Rani, S., S. Senthil-Nathan, K. Revathi, R. Chandrasekaran, A. Thanigaivel, P. V. Srinivasan, A. Ponsankar, E. S. Edwin, & V. Prade. 2016. Toxicity of *Alangium salvifolium* Wang chemical constituents against the tobacco cutworm *Spodoptera litura* Fab. *Pesticide Biochemistry and Physiology*. Vol. 126: 92-101

Singh, R., O. Koul, P. J. Rup & J. Jindal. 2009. Toxicity of some essential oil constituents and their binary mixtures against *Chilo partellus* (Lepidoptera: Pyralidae). *International Journal of Tropical Insect Science*. *International Journal of Tropical Insect Science* Vol. 29 (2); 93–101,

Sumathi, R., D. Rajasugunasekar, D. S. Babu, N. Senthilkumar & S. Murugesan. 2017 . Insecticidal Property of *Calotropis Gigantea* against Papaya Mealybug (*Paracoccus marginatus*) on *Ailanthus Excelsa*. *International Journal for Innovative Research in Science & Technology*. Vol. 4(1); 232- 236

Soetan K.O, Ajibade T.O. and Akinrinde A. S. 2015. 20 Saponins – A Ubiquitous Phytochemical: A Review of Its Biochemical, Physiological and Pharmacological Effects. *Recent Progress in Medicinal Plants*, pp 44.

Sengonca, C., B. Liu & Y. J. Zhu.. 2006. Insecticidal activity and antifeedant effect of a new type biocide GCSC-BtA against *Plutella xylostella* L. (Lepidoptera: Plutellidae). *J. Pest Science*. Vol. 79: 3–8.

Scalerandi, E., G. A. Flores, M. Palacio, M.T. Defago, M.C. Carpinella, G. Valladares, A. Bertoni & S. M. Palacios. 2018. Understanding Synergistic Toxicity of Terpenes as Insecticides: Contribution of Metabolic Detoxification in *Musca domestica*. *Frontiers in Plant Science*, 1-9. doi:10.3389/fpls.2018.01579 .

Sharma, M., S. Tandon, V. Aggarwal, K. G. Bhat, D. Kappadi, P. Chandrashekhar, & R. Dorwal. 2015. Evaluation of antibacterial activity of *Calotropis gigantea* against *Streptococcus utans* and *Lactobacillus*

*acidophilus*: An in vitro comparative study. Journal of Conservative Destistry. Vol. 18(6): 457–460. doi: 10.4103/0972-0707.168809

Sharma, S., A. Kumari & M. Sharma. 2016. Comparative GC-MS Analysis of Bioactive Compounds in Methanolic Extract of *Calotropis gigantea* (L) W.T. Aiton Leaf and Latex. International Journal of Pharmacognosy and Phytochemical Research. Vol. 8(11); 1823-1827

Shahabuddin & F. Pasaru. 2009. Pengujian Efek Penghambatan Ekstrak Daun Widuri Terhadap Pertumbuhan Larva *Spodoptera Exigua* Hubn. (Lepidoptera: Noctuidae) Dengan Menggunakan Indeks Pertumbuhan Relatif. J. Agroland 16 (2) : 148 – 154

Sharma, S., A. Kumari & M. Sharma. 2016. Comparative GC-MS Analysis of Bioactive Compounds in Methanolic Extract of *Calotropis gigantea* (L) W.T. Aiton Leaf and Latex. International Journal of Pharmacognosy and Phytochemical Research. Vol. 8(11); 1823-1827

Shaalana, E. A. S., D. Canyon, M. W. F. Younes & A-H Mansour. 2005. A review of botanical phytochemicals with mosquitocidal potential. Environment International Vol. 1; 1149 – 1166

Shelton, A., N. Turner, D. Giga, D. Wilkinson, P. Zitzaanza, & W. D. Utete. 1995. Diamondback Month. Zimbabwe. Horticultural Crop Past Management. NYSAES. Genewa. 2pp.

Shivkumara, K. T., G.N. Manjesh & P. Manivel. 2019. Botanical insecticides; prospects and way forward in India. A review. Journal of Entomology and Zoology. Vol. Studies 2019; 7(3): 206-211

Singh B, & A. Kaur. 2018. Control of insect pests in crop plants and stored food grains using plant saponins: A review. LWT - Food Science and Technology. Vol. 87; 93–101. doi:10.1016/j.lwt.2017.08.077

Sjam, S., A. Rosmana, V.S. Dewi, D. E. Sari, U.S. Tresnaputra & A. Herawati. 2017. Oviposition deterrent and ovicidal properties of *Calotropis gigantea* (L.) leaf extract to *araucosmetus pallicornis* (Dallas) in rice. Journal of Plant Protection Research 57:3; 243-247

Smita. V, G. Dilip & M. Sirivastava. 2016. *Calotropis Gigantea*: A Review On Its Pharmacological Activity. World Journal of Pharmacy and Pharmaceutical Sciences. Vol. 5(11); 1586-1598

Sparkman, O. D., Z. Penton & F. G. Kitson. 2011. *Gas Chromatography and Mass Spectrometry: A Practical Guide*. Academic Press. ISBN 978-0-08-092015-3.

Taylor, W. G., P. G. Fields & D. H. Sutherland. 2004. Insecticidal components from field pea extracts: Soyasaponins and lysolecithins. Journal of Agricultural and Food Chemistry 52, 7484-7490

- Tak, J. H., E. Jovel, & M. B. Isman. 2016. Comparative and synergistic activity of *Rosmarinus officinalis* L. essential oil constituents against the larvae and an ovarian cell line of the cabbage looper, *Trichoplusia ni* (Lepidoptera: Noctuidae). *Pest Management Sci.*, Vol. 72- 474-480. <https://doi.org/10.1002/ps.4010>
- Tafesse. G, Y. Mekonnen, E. Makonnen, R. R. T. Majinda, G. Bojase-Moleta & S.O. Yeboah. 2018. Antibacterial activity of crude extracts and pure compounds isolated from *Vernonia galamensis* leaves. *African Journal of Pharmacy and Pharmacology*. Vol. 12(11), pp. 136-141, 22 March, 2018 DOI: 10.5897/AJPP2018.4888
- Tafokou, R .B. I, 2010. *Calotropis gigantea* (L.) W.T.Aiton. [Internet] Record from PROTA4U. Schmelzer, G.H. & Gurib-Fakim, A. (Editors). PROTA (Plant Resources of Tropical Africa / Ressources végétales de l'Afrique tropicale), Wageningen, Netherlands. Protologue: Hort. kew. 2, 2: 78 (1811).<<http://www.prota4u.org/search.asp>>Accessed 22 October 2017.
- Tegos, G, F. R. Stermitz, O. Lomovskaya & K. Lewis. 2002. Multidrug pump inhibitors uncover remarkable activity of plant antimicrobials. *Antimicrob Agents hemother.* Vol. 46:3133–3141. doi: 10.1128/AAC.46.10.3133-3141
- Tewari, H., K. N. Jyothi, V. K. Kasana, A. R. Prasad, & A.L. Prasuna. 2015. Insect attractant and oviposition enhancing activity of hexadecanoic acid ester derivatives for monitoring and trapping *Caryedon serratus*. *Journal of Stored Products Research*. Vol. 61; 32-38
- Tripathi, P.K., S. Awasthi, S. Kanojiya, V. Tripathi & D.K. Mishra. 2013. Callus Culture And In Vitro Biosynthesis Of Cardiac Glycosides From *Calotropis gigantea* (L.) Ait. *In Vitro Cell Dev. Journal Biol-Plant*. Vol.13 (49) : 455–460
- Trumble, J.T. 2002. Caveat emptor: safety considerations for natural products used in arthropod control. *American Entomologist* Vol. 48, 7–13.
- Talukder, F. A. 2006. Plant Products As Potential Stored-Product Insect Management Agents-A mini review. *Emirates Journal of Food and Agriculture*. Vol. 18(1); 17–32.
- Tripathi, P.K., S. Awasthi, S. Kanojiya, V. Tripathi & D.K. Mishra. 2013. Callus Culture And In Vitro Biosynthesis Of Cardiac Glycosides From *Calotropis gigantea* (L.) Ait. *In Vitro Cell Dev. Journal Biol-Plant*. Vol. 13(49): 455–460
- Uddin, R. O and O. K. Oyedare. 2019. Potentials of *Calotropis gigantea* and *Allamanda cathartica* in controlling *Callosobruchus maculatus* in stored cowpea. *Albanian j. agric. sciences*. Vol. 8 (2-3): 39-49
- Velasques, J., M. Cardoso, G. Abrantes, B. E. Frihling, O. Franco, & L. Migliolo. 2017. The rescue of botanical insecticides: A bioinspiration for

new niches and needs. *Pesticide Biochemistry and Physiology*, 143. <https://doi.org/10.1016/j.pestbp.2017.10.003>

Van Vuuren, S. & A. Viljoen. 2011. Plant-Based Antimicrobial Studies – Methods and Approaches to Study the Interaction between Natural Products. *Planta Med.* 77: 1168–1182

Ventrella, E., P. Marciniak, P. Adamski, Z. G. Rosinski, S. Chowanski, P. Falabella, & S. A. Bufo. 2015. Cardioactive properties of *Solanaceae* plant extracts and pure lycoalkaloids on *Zophobas atratus* Fab. *Insect Science*, Vol. 22(2), 251–262.

Wallingford, A. K., Cha, D. H., Linn, C. E., Wolfin, M. S., & Loeb, G. M. 2017. Robust manipulations of pest insect behavior using repellents and practical application for integrated pest management. *Environmental Entomology*, 46(5), 1041–1050. <https://doi.org/10.1093/ee/nvx125>

Wang, Z. N., M. Y. Wang, W. L. Mei, Z. Han & H. F. Dai. 2008. Anew Cytotoxic Pregnanone From *Calotropis gigantea*. *Journal.Molecules*. Vol. 13:3033–3039

Xiao, L., J. Ding, J. Zhang, W. Huang & E. Siemann. 2020. Chemical responses of an invasive plant to herbivory and abiotic environments reveal a novel invasion mechanism. *Science of The Total Environment*, 741, 140452. <https://doi.org/10.1016/j.scitotenv.2020.140452>

Yahouédo, G. A., F. Chandre, M. Rossignol, C. Ginibre, V. Balabanidou, N. G. A. Mendez, O. Pigeon, J. Vontas & S. Cornelie. 2017. Contributions of cuticle permeability and enzyme detoxification to pyrethroid resistance in the major malaria vector *Anopheles gambiae*. *Scientific Reports*, Vol. 7(1), 11091. <https://doi.org/10.1038/s41598-017-11357-z>

Yang, H., X. Piao, L. Zhang, S. Song & Y. Xu. 2018. Ginsenosides from the stems and leaves of *Panax ginseng* show antifeedant activity against *Plutella xylostella* (Linnaeus). *Industrial Crops & Products*. Vol. 124: 412–417.

Yan, Z., L. Zeng, H. Jin & B. Qin. 2015. Potential ecological roles of flavonoids from *Stellera chamaejasme*. *Plant Signaling & Behavior*, 10(3), e1001-225. doi:10.1080/15592324.2014.1001225

Yang, H., X. Piao, L. Zhang, S. Song, & Y. Xu. 2018. Ginsenosides from the stems and leaves of *Panax ginseng* show antifeedant activity against *Plutella xylostella* (Linnaeus). *Industrial Crops and Products*. Vol. 124, 412–417. <https://doi.org/10.1016/j.indcrop.2018.07.054>

Yu, S.J. 2011. *The Toxicology and Biochemistry of Insecticides*. CRC Press. Taylor and Francis group. 276 p.

- Yudi. V. 2004. Analisis spektroskopi senyawa bioaktif alkaloid dan terpenoid daun widuri (*Calotropis gigantea* R.Br.). J. Sains Tek. Vol. 10 (1): 35-42.
- Wink, M. 2008. Plant Secondary Metabolism: Diversity, Function and its Evolution. Natural Product Communications Vol. 3 (8); 1025-1016
- Wink, M. 2015. Modes of action of herbal medicines and plant secondary metabolites. Medicines 2, 251–286. 10.3390/medicines2030251
- Zakaria, N. A, D. Ibrahim, S. F. Sulaiman & A. Supardy. 2011. Assessment of Antioxidant of Activity, Total Phenolic, Content and in vitro of Malaysian red seaweed *Acanthopora spicifera*. Journal Chem. Pharm. Res. Vol. 3 - 182 -191
- Zoubiri, S .& A. Baaliouamer. 2012. Chemical composition and insecticidal properties of *Lantana camara* L. leaf essential oils from Algeria. Journal of Essential Oil Research. Vol. 24 (4): 377-383
- Zaynab ,M., Y. Sharif, S. ,Abbas, M. Z. Afzal, M. Qasim, A. Khalofah, M. J. Ansari, K. A. Khanhi, L. Tao & S. Li. 2021. Saponin toxicity as key player in plant defense against pathogens. Toxicon. Vol. 193 (15); 21-27 doi.org/10.1016/j.toxicon.2021.01.009
- Züst, T., G. Petschenka, A. P. Hastings & A. A.Agrawal. 2018. Toxicity of Milkweed Leaves and Latex: Chromatographic Quantification Versus Biological Activity of Cardenolides in 16 *Asclepias* Species. Journal of Chemical Ecology. doi:10.1007/s10886-018-1040-3