



## DAFTAR PUSTAKA

- Alam, T., Lee, P.S., Yap, C.R., Jin L. 2013. *A comparative study of flow boiling heat transfer and pressure drop characteristics in microgap and microchannel heat sink and an evaluation of microgap heat sink for hotspot mitigation*, Int. J. Heat Mass Transf. 58 (1–2), 335–347.
- Ali, M.I., Sadatomi, M., Kawaji, M., 1994. *Two-phase flow in narrow channels between two flat plates*. Chan. J. Chem. Eng. 71, 1411-1435.
- Arcanjo, A.A., Tibiriçá, C.B., Ribatski, G., 2010. *Evaluation of flow patterns and elongated bubble characteristics during the flow boiling of halocarbon refrigerants in a micro-scale channel*. Exp. Therm. Fluid sci. 34, 766–775.
- Abdollahi A., Norris, S.E., Sharma, R. N., 2019, *Heat transfer measurement techniques in microchannels for single and two-phase Taylor flow*. Applied Thermal Engineering 162, pp. 114280.
- Bagaskoro, F.I., 2021. *Studi Eksperimental Mengenai Karakteristik Aliran Dua Fasa Dan Pola Aliran Slug Fluida Newtonian Serta Perbandingannya Terhadap Fluida Non-Newtonian pada Upstream Square Microchannels*. Skripsi: Universitas Gadjah Mada.
- Baker, O. 1953. *Design of pipelines for the simultaneous flow of oil and gas*. Oil & Gas Journal, 53, 185– 190.
- Betz, A.R., Attinger, D., 2010, *Can segmented flow enhance heat transfer in microchannel heat sinks?*, Int. J. Heat Mass Transf. 53 (19–20), pp. 3683–3691.
- Benchabane, A., Bekkour, K., 2008. *Rheological properties of carboxymethyl cellulose (CMC) solutions*. Colloid Polym Sci (2008) 286:1173–1180
- Basu, S., Ndao, S., Michna, G.J., Peles, Y., Jensen, M.K., 2011. *Flow boiling of R134a in circular microtubes—Part I: study of heat transfer characteristics*. J. Heat Transf. 133, 051502-051502-9.
- Bird, R.B., Stewart, W.E., Lightfoot, E.N., 2006. *Transport Phenomena, Revised 2<sup>nd</sup> Edition*, John Wiley Sons, Inc., pp. 1–912.



Brauner, N., Moalem Maron, D. 1992. *Flow pattern transitions in two-phase liquid-liquid flow in horizontal tubes*. International Journal of Multiphase Flow, 1992, 18 (1), pp. 123–140

Chen, L., Tian, Y.S., Karayiannis, T.G., 2006. *The effect of tube diameter on vertical two-phase flow regimes in small tubes*. Int. J. Heat Mass Transf. 49, pp. 4220–4230.

Chung, P.M.-Y., Kawaji, M., 2004, *The effect of channel diameter on adiabatic two-phase flow characteristics in microchannels*. International Journal of Multiphase Flow, 30 (7-8 SPEC. ISS.), pp. 735-761.

Choe, W. G., & Weisman, J. 1974. *Flow Patterns and Pressure Drop in Cocurrent, Vapor/Liquid Flow*. In University of Cincinnati Report.

Colgan, E.G., Furman, B., Gaynes, M., Graham, W. S., LaBianca, N. C., Magerlein, J. H., Polastre, R. J., Rothwell, M.B., Bezama, R., Choudhary, R., 2007. *A practical implementation of silicon microchannel coolers for high power chips*, IEEE Trans. Compon. Packag. Technol. vol 30. pp 218–225

Dai, B., Li, M., Dang, C., Ma, Y. Chen, Q. 2014. *Investigation on convective heat transfer characteristics of single phase liquid flow in multi-port micro-channel tubes*, Int. J. Heat Mass Transf. vol 70 pp114–118.

Garstecki, P, Fuerstman, M.J., Stone, H.A., Whiteside, G.M., 2006. *Formation of droplets and bubbles in a microfluidic T-junction – Scaling and mechanism of break-up*, Lab Chip 2.

Houshmand, F., Peles, Y. 2014. *Heat transfer enhancement with liquid–gas flow in microchannels and the effect of thermal boundary layer*, Int. J. Heat Mass Transf. 70, pp. 725–733.

Huang, H., Thome, J.R., 2017. *An experimental study on flow boiling pressure drop in multi-microchannel evaporators with different refrigerants*. Exp.Therm. Fluid sci. 80, pp. 391–407.

Huo, X., Chen, L., Tian, Y.S., Karayiannis, T.G., 2004. *Flow boiling and flow regimes in small diameter tubes*. Appl. Therm. Eng. 24, 1225–1239.



Kaji, M., Sawai, T., Ueda, T., 2005. *Frictional Pressure Drop Characteristics of Gas-Liquid Two-Phase Flow in Small Bore Tubes*. Mem. School B.O.S.T. Kinki University, 15, 65-74.

Kawahara, A., Chung, P. M. Y., Kawaji, M., 2002. *Investigation of two-phase flow pattern, void fraction and pressure drop in a microchannel*. Int. Journal of Multiphase Flow 28, 1411-1435.

Keepaiboon, C., Thiangtham, P., Mahian, O., Dalkılıç, A.S., Wongwises, S., 2016. *Pressure drop characteristics of R134a during flow boiling in a single rectangular micro-channel*. Int. Commun. Heat Mass Transf. 71, 245–253

Kew, P.A., Cornwell, K., 1997. *Correlations for the prediction of boiling heat transfer in small-diameter channels*. Appl. Therm. Eng. 17, 705–715.

Tripplett, K. A., Ghiaasiaan, S. M., Abdel-Khalik, S. I., & Sadowski, D. L. 1999. *Gas-liquid two-phase flow in microchannels part I: Two-phase flow patterns*. International Journal of Multiphase Flow, 25(3), 377–394.

Kusumaningsih, H., Hamidi, N., Sabila, A. F. 2019. *Pola Aliran Dua Fase Gas - Fluida Non Newtonian Melalui Belokan Pipa*. Rekayasa Mesin eISSN 2477-6041 artikel 12, pp. 317-326.

Mandhane, J. M., Gregory, G. A., & Aziz, K. 1974. *A flow pattern map for gasliquid flow in horizontal pipes*. International Journal of Multiphase Flow, 1(4), 537–553.

Martin-Callizo, C., Palm, B.R., Owhaib, W., Ali, R., 2010. *Flow boiling visualization of R-134a in a vertical channel of small diameter*. J. Heat Transf. 132, 031001

Mishima, K., Hibiki, T., 1996. *Some characteristics of air-water two-phase flow in small diameter vertical tubes*. International Journal of Multiphase Flow 22 (4), 703-712.

Mondal, S., Field, R.W., 2018. *Theoretical analysis of the viscosity correction factor for heat transfer in pipe flow*. Chem. Eng. Sci. 187, 27–32

Nayak, S. K., Mondal, S., 2021. *Viscosity correction in convective heat transfer correlation of non-Newtonian fluid pipe flow: Revisited*. Chemical Engineering Science. vol 235. pp 116472



Nukiyama, S., 1966. *The maximum and minimum values of the heat Q transmitted from metal to boiling water under atmospheric pressure*. International Journal of Heat and Mass Transfer, 9 (12), 1419–1433.

Oliveira, J.D., Copetti, J.B., Passos, J.C., 2016. *An experimental investigation on flow boiling heat transfer of R-600a in a horizontal small tube*. Int. J. Refrig. 72, 97–110.

Ong, C.L., Thome, J.R., 2011. *Macro-to-microchannel transition in two-phase flow: part 2—Flow boiling heat transfer and critical heat flux*. Exp. Therm. Fluid sci. 35, 873–886.

Owhaib, W., Martin-Callizo, C., Palm, B.R., 2008. *Two-phase flow pressure drop of r-134a in a vertical circular mini/micro channel*. In: Proceedings of the ASME 2008 6th International Conference on Nanochannels, Microchannels, and Minichannels. Darmstadt, Germany, pp. 343–353. June 23–25, 2008.

Peng, X., F., G.P. Peterson, *Convective heat transfer and flow friction for water flow in microchannel structures*, Int. J. Heat Mass Transf. 39 (12) (1996) 2599–2608.

Petukhov, B.S., 1970. *Heat Transfer and Friction in Turbulent Pipe Flow with Variable Physical Properties*. Adv. Heat Transf.

Rao, M. A., Walter, R. H., Cooley, H. J. 1981. *Effect of Heat Treatment on the Flow Properties of Aqueous Guar Gum and Sodium Carboxymethylcellulose (CMC) Solutions*. Journal of Food Science 46, 896-899.

Revellin, R., Thome, J.R., 2007. *Experimental investigation of R-134a and R-245fa two-phase flow in microchannels for different flow conditions*. Int. J. Heat Fluid Flow 28, 63–71.

Rimbault, B., Nguyen, C.T., Galanis, N., 2014. *Experimental investigation of CuO–water nanofluid flow and heat transfer inside a microchannel heat sink*, Int. J. Therm. Sci. vol 84 pp 275–292.

Rouhani, S. Z., dan Sohal, M. S. 1983. *Two-phase flow patterns: A review of research results*. Progress in Nuclear Energy, 11(3), 219–259.

Saisorn, S., Kaew-On, J., Wongwises, S., 2010. *Flow pattern and heat transfer characteristics of R-134a refrigerant during flow boiling in a horizontal circular mini-channel*. Int. J. Heat Mass Transf. 53, 4023–4038.



Saisorn S., Kuaseng P., Wongwises S., 2014. *Heat transfer characteristics of gas-liquid flow in horizontal rectangular micro-channels*. Experimental Thermal and Fluid Science, Vol. 55, Pages 54 – 61.

Saisorn, S., Wongpromma, P., Wongwises, S. 2018. *The difference in flow pattern, heat transfer and pressure drop characteristics of mini-channel flow boiling in horizontal and vertical orientations*. International Journal of Multiphase Flow 101, 97–112.

Shenoy, A., 2018. In: *Heat Transfer to Non-Newtonian Fluids: Fundamentals and Analytical Expressions*. Wiley VCH, Weinheim.

Sieder, E.N., Tate, G.E., 1936. *Heat Transfer and Pressure Drop of Liquids in Tubes*. Ind. Eng. Chem. vol 28, pp 1429–1435.

Steiner, D., Taborek, J., 1992. *Flow Boiling Heat Transfer in Vertical Tube Correlated by an Asymptotic Model*, Heat Transfer Engineering, Vol. 13, No. 2, pp 43-69.

Suwankamnerd P., Wongwises S. 2015. *An experimental study of two-phase air-water flow and heat transfer characteristics of segmented flow in a microchannel*. Experimental Thermal and Fluid Science. Vol. 62, Pages 29 – 39.

Thome, J.R., 2006. *Wolverine Engineering Data Book III*. Swiss: Wolverine Tube Inc.

Tuckerman, D.B., Pease, R.F.W., 1981. *High-performance heat sinking for VLSI*. IEEE Electron. Device Lett. 2, 126–129.

Ullmann, A., Brauner, N. 2006 , *Closure relations for two-fluid models for two-phase stratified smooth and stratified wavy flows*. International Journal of Multiphase Flow, 32 (1), pp. 82-105.

Ullmann, A., Brauner, N., 2007, *The prediction of flow pattern maps in minichannels*. Multiphase Science and Technology, 19 (1), pp. 49-73.

Weinmueller, C., Hotz, N., Mueller, A., Poulikakos, D., 2009. *On two-phase flow patterns and transition criteria in aqueous methanol and CO<sub>2</sub> mixtures in adiabatic, rectangular microchannels*. International Journal of Multiphase Flow 35, 760–772.



Wen-Hong Liu, T. Leon Yu, Hsiu-Li Lin, 2007, *Shear thickening behavior of dilute poly(diallyl dimethyl ammonium chloride) aqueous solutions*. Polymer 48 (14). Pp 4152-4165.

Whesti, N. L., 2021. *Studi Eksperimental Karakteristik Aliran Dua Fasa Fluida Non-Newtonian Carbomexymethyl Cellulose (CMC) Dan Nitrogen Pada Square Microchannel*. Skripsi: Universitas Gadjah Mada.

Yang, Z.C., Bi, Q.C., Liu, B., Huang, K.X. 2010. *Nitrogen/non-Newtonian fluid two-phase upward flow in non-circular microchannels*. International Journal of Multiphase Flow vol. 36. 1. Pages 60-70.

Zhang, T., Cao, B., Fan, Y., Gonthier, Y., Luo, L., Wang, S., 2011. *As-liquid flow in circular microchannel. Part I: Influence of liquid physical properties and channel diameter on flow patterns*. Chemical Engineering Science 66, pp. 5791–5803.

Zhang, B., Wang, Y., Zhang, J., Li, Q., 2017. *Experimental research on pressure drop fluctuation of two-phase flow in single horizontal mini-channels*, Exp. Therm. Fluid Sci. 88, pp. 160–170.

Zuber N., Findlay, J.A., 1965, *Average volumetric concentration in two-phase flow systems*. Journal of Heat Transfer, Vol. 87, 4, 453 – 468.