

DAFTAR PUSTAKA

- Akalu, Y., and Belsti, Y. (2020). Hypertension and its associated factors among type 2 diabetes mellitus patients at Debre Tabor general hospital, northwest Ethiopia. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 13, 1621–1631. <https://doi.org/10.2147/DMSO.S254537>
- Akin, S., Aydin, Z., Yilmaz, G., Aliustaoglu, M., and Keskin, O. (2019). Evaluation of The Relationship Between Glycaemic Regulation Parameters and Neutrophil-to-Lymphocyte Ratio in Type 2 Diabetic Patients. *European Medical Journal*, November 2019, 91–96. <https://www.emjreviews.com/diabetes/article/evaluation-of-the-relationship-between-glycaemic-regulation-parameters-and-neutrophil-to-lymphocyte-ratio-in-type-2-diabetic-patients/>
- Alvarado, L. (2017). Systemic immune inflammatory index in sepsis. *Med Int Méx*. 2017 May;33(3):303-309.
- Andrade-Oliveira, V., Foresto-Neto, O., Watanabe, I. K. M., Zatz, R., and Câmara, N. O. S. (2019). Inflammation in renal diseases: New and old players. *Frontiers in Pharmacology*, 10(October), 1–19. <https://doi.org/10.3389/fphar.2019.01192>
- André, S., Picard, M., Cezar, R., Roux-Dalvai, F., Alleaume-Butaux, A., Soundaramourty, C., Cruz, A. S., Mendes-Frias, A., Gotti, C., Leclercq, M., Nicolas, A., Tauzin, A., Carvalho, A., Capela, C., Pedrosa, J., Castro, A. G., Kundura, L., Loubet, P., Sotto, A., Estaquier, J. (2022). T cell apoptosis characterizes severe Covid-19 disease. *Cell Death & Differentiation*. <https://doi.org/10.1038/s41418-022-00936-x>
- Akboga, S. A., Gokce, A., Hatipoglu, M., Beyoglu, M. A., Inan, K., Sezen, A. I., Dal, H. C., Akkas, Y., Turan, S., & Kocer, B. (2022). The relationship between mortality and inflammatory markers and the systemic immune inflammatory index in patients in the intensive care unit with a pneumothorax as a complication of COVID-19 disease. *Irish Journal of Medical Science (1971 -)*, 191(4), 1931–1936. <https://doi.org/10.1007/s11845-021-02740-x>
- Anka, A. U., Tahir, M. I., Abubakar, S. D., Alsabbagh, M., Zian, Z., Hamedifar, H., Sabzevari, A., and Azizi, G. (2021). Coronavirus disease 2019 (COVID-19): An overview of the immunopathology, serological diagnosis and management. In *Scandinavian Journal of Immunology* (Vol. 93, Issue 4). <https://doi.org/10.1111/sji.12998>
- Apicella, M., Campopiano, M. C., Mantuano, M., Mazoni, L., Coppelli, A., and Del Prato, S. (2020). COVID-19 in people with diabetes: understanding the reasons for worse outcomes. *The Lancet Diabetes and Endocrinology*, 8(9), 782–792. [https://doi.org/10.1016/S2213-8587\(20\)30238-2](https://doi.org/10.1016/S2213-8587(20)30238-2)
- Archana, B., Shyamsunder, S., & Das, R. (2021). Validity of markers and indexes

of systemic inflammation in predicting mortality in COVID 19 infection: A hospital based cross sectional study. *MedRxiv*.

- Atmosudigdo, I. S., Lim, M. A., Radi, B., Henrina, J., Yonas, E., Vania, R., & Pranata, R. (2021). Dyslipidemia increases the risk of severe COVID-19: A systematic review, meta-analysis, and meta-regression. *Clinical Medicine Insights: Endocrinology and Diabetes*, *14*, 1179551421990675.
- Badawi, A., Klip, A., Haddad, P., Cole, D. E., Bailo, B. G., El-Sohemy, A., and Karmali, M. (2010). Type 2 diabetes mellitus and inflammation: Prospects for biomarkers of risk and nutritional intervention. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, *173*. <https://doi.org/10.2147/dmsott.s9089>
- Bellia, A., Andreadi, A., Giudice, L., De Taddeo, S., Maiorino, A., D'Ippolito, I., Giorgino, F. M., Ruotolo, V., Romano, M., & Magrini, A. (2021). Atherogenic dyslipidemia on admission is associated with poorer outcome in people with and without diabetes hospitalized for COVID-19. *Diabetes Care*, *44*(9), 2149–2157.
- Benjamin, E. J., Virani, S. S., Callaway, C. W., Chamberlain, A. M., Chang, A. R., Cheng, S., Chiuve, S. E., Cushman, M., Delling, F. N., Deo, R., De Ferranti, S. D., Ferguson, J. F., Fornage, M., Gillespie, C., Isasi, C. R., Jiménez, M. C., Jordan, L. C., Judd, S. E., Lackland, D., Muntner, P. (2018). Heart disease and stroke statistics - 2018 update: A report from the American Heart Association. In *Circulation* (Vol. 137, Issue 12). <https://doi.org/10.1161/CIR.0000000000000558>
- Berbudi, A., Rahmadika, N., Tjahjadi, A. I., and Ruslami, R. (2019). Type 2 Diabetes and its Impact on the Immune System. *Current Diabetes Reviews*, *16*(5), 442–449. <https://doi.org/10.2174/1573399815666191024085838>
- Blaszczak, A. M., Jalilvand, A., & Hsueh, W. A. (2021). Adipocytes, Innate Immunity and Obesity: A Mini-Review. *Frontiers in Immunology*, *12*, 650768. <https://doi.org/10.3389/fimmu.2021.650768>
- Citu, C., Gorun, F., Motoc, A., Sas, I., Gorun, O. M., Burlea, B., Tuta-Sas, I., Tomescu, L., Neamtu, R., & Malita, D. (2022). The predictive role of NLR, d-NLR, MLR, and SIRI in COVID-19 mortality. *Diagnostics*, *12*(1), 122.
- Cao, W., Chen, J., Chen, Y., Chen, X., and Liu, P. (2014). Advanced glycation end products promote heart failure through inducing the immune maturation of dendritic cells. *Applied Biochemistry and Biotechnology*, *172*(8), 4062–4077. <https://doi.org/10.1007/s12010-014-0804-7>
- Cavalcante-Silva, L. H. A., Carvalho, D. C. M., Lima, É. de A., Galvão, J. G. F. M., da Silva, J. S. d. F., Sales-Neto, J. M. de, and Rodrigues-Mascarenhas, S. (2021). Neutrophils and COVID-19: The road so far. *International Immunopharmacology*, *90*, 107233. <https://doi.org/10.1016/j.intimp.2020.107233>

- Ceyhun, H. A., & Gürbüz, N. (2022). New Hematological Parameters as Inflammatory Biomarkers: Systemic Immune Inflammation Index, Platerethritis, and Platelet Distribution Width in Patients with Adult Attention Deficit Hyperactivity Disorder. *Advances in Neurodevelopmental Disorders*, 1–13.
- Cevik, M., Kuppalli, K., Kindrachuk, J., and Peiris, M. (2020). Virology, transmission, and pathogenesis of SARS-CoV-2. *The BMJ*, 371, 1–8. <https://doi.org/10.1136/bmj.m3862>
- Coperchini, F., Chiovato, L., Ricci, G., Croce, L., Magri, F., & Rotondi, M. (2021). The cytokine storm in COVID-19: Further advances in our understanding the role of specific chemokines involved. *Cytokine & Growth Factor Reviews*, 58, 82–91.
- Corrao, S., Pinelli, K., Vacca, M., Raspanti, M., and Argano, C. (2021). Type 2 Diabetes Mellitus and COVID-19: A Narrative Review. *Frontiers in Endocrinology*, 12(March), 1–10. <https://doi.org/10.3389/fendo.2021.609470>
- Crouse, A. B., Grimes, T., Li, P., Might, M., Ovalle, F., and Shalev, A. (2021). Metformin Use Is Associated With Reduced Mortality in a Diverse Population With COVID-19 and Diabetes. *Frontiers in Endocrinology*, 11(January), 1–8. <https://doi.org/10.3389/fendo.2020.600439>
- Dahlan, M. S. (2013). *Besar Sampel dan Cara Pengambilan Sampel* (Tiga). Salemba Medika.
- Delshad, M., Tavakolinia, N., Pourbagheri-Sigaroodi, A., Safaroghli-Azar, A., Bagheri, N., & Bashash, D. (2021). The contributory role of lymphocyte subsets, pathophysiology of lymphopenia and its implication as prognostic and therapeutic opportunity in COVID-19. *International Immunopharmacology*, 95, 107586. <https://doi.org/10.1016/j.intimp.2021.107586>
- Duman, T. T., Aktas, G., Atak, B. M., Kocak, M. Z., Erkus, E., and Savli, H. (2019). Neutrophil to lymphocyte ratio as an indicative of diabetic control level in type 2 diabetes mellitus. *African Health Sciences*, 19(1), 1602–1606. <https://doi.org/10.4314/ahs.v19i1.35>
- Eissa, M., Shaarawy, S., & Abdellateif, M. S. (2021). The role of different inflammatory indices in the diagnosis of COVID-19. *International Journal of General Medicine*, 14, 7843.
- Eketunde, A. O., Mellacheruvu, S. priyanka, and Oreoluwa, P. (2020). A Review of Postmortem Findings in Patients With COVID-19. *Cureus*, 12(7), 5–9. <https://doi.org/10.7759/cureus.9438>
- Engin, A. B., Engin, E. D., & Engin, A. (2020). Two important controversial risk factors in SARS-CoV-2 infection: Obesity and smoking. *Environmental Toxicology and Pharmacology*, 78, 103411.
- Fajgenbaum, D. C., and June, C. H. (2020). Cytokine Storm. *New England Journal*

of Medicine, 383(23), 2255–2273. <https://doi.org/10.1056/nejmra2026131>

Fan, W. (2017). Epidemiology in diabetes mellitus and cardiovascular disease. *Cardiovascular Endocrinology*, 6(1), 8–16. <https://doi.org/10.1097/XCE.0000000000000116>

Ferrando, C., Mellado-Artigas, R., Gea, A., Arruti, E., Aldecoa, C., Bordell, A., Adalia, R., Zattera, L., Ramasco, F., Monedero, P., Maseda, E., Martínez, A., Tamayo, G., Mercadal, J., Muñoz, G., Jacas, A., Ángeles, G., Castro, P., Hernández-Tejero, M., ... Hernández-Sanz, M. L. (2020). Patient characteristics, clinical course and factors associated to ICU mortality in critically ill patients infected with SARS-CoV-2 in Spain: A prospective, cohort, multicentre study. *Revista Espanola de Anestesiologia y Reanimacion*, 67(8), 425–437. <https://doi.org/10.1016/j.redar.2020.07.003>

Fois, A. G., Paliogiannis, P., Scano, V., Cau, S., Babudieri, S., Perra, R., Ruzzittu, G., Zinellu, E., Pirina, P., Carru, C., Arru, L. B., Fancellu, A., Mondoni, M., Mangoni, A. A., and Zinellu, A. (2020). The systemic inflammation index on admission predicts in-hospital mortality in COVID-19 patients. *Molecules*, 25(23), 1–13. <https://doi.org/10.3390/molecules25235725>

Frimat, M., Daroux, M., Litke, R., Nevière, R., Tessier, F. J., and Boulanger, E. (2017). Kidney, heart and brain: Three organs targeted by ageing and glycation. *Clinical Science*, 131(11), 1069–1092. <https://doi.org/10.1042/CS20160823>

Grasselli, G., Zangrillo, A., Zanella, A., Antonelli, M., Cabrini, L., Castelli, A., Cereda, D., Coluccello, A., Foti, G., Fumagalli, R., Iotti, G., Latronico, N., Lorini, L., Merler, S., Natalini, G., Piatti, A., Ranieri, M. V., Scandroglio, A. M., Storti, E., ... Pesenti, A. (2020). Baseline Characteristics and Outcomes of 1591 Patients Infected with SARS-CoV-2 Admitted to ICUs of the Lombardy Region, Italy. *JAMA - Journal of the American Medical Association*, 323(16), 1574–1581. <https://doi.org/10.1001/jama.2020.5394>

Guo, T., Shen, Q., Ouyang, X., Guo, W., Li, J., He, W., Yu, B., Wu, C., Zhou, Z., Luo, H., & Peng, H. (2021). Clinical Findings in Diabetes Mellitus Patients with COVID-19. *Journal of Diabetes Research*, 2021, e7830136. <https://doi.org/10.1155/2021/7830136>

Guo, W., Li, M., Dong, Y., Zhou, H., Zhang, Z., Tian, C., Qin, R., Wang, H., Shen, Y., Du, K., Zhao, L., Fan, H., Luo, S., and Hu, D. (2020). Diabetes is a risk factor for the progression and prognosis of COVID-19. *Diabetes/Metabolism Research and Reviews*, 36(7). <https://doi.org/10.1002/dmrr.3319>

Gupta, A., Nayan, N., Nair, R., Kumar, K., Joshi, A., Sharma, S., Singh, J., & Kapoor, R. (2021). Diabetes Mellitus and Hypertension Increase Risk of Death in Novel Corona Virus Patients Irrespective of Age: A Prospective Observational Study of Co-morbidities and COVID-19 from India. *SN Comprehensive Clinical Medicine*, 3(4), 937–944.

<https://doi.org/10.1007/s42399-021-00851-1>

- Hamad, D. A., Aly, M. M., Abdelhameid, M. A., Ahmed, S. A., Shaltout, A. S., Abdel-Moniem, A. E., Ragheb, A. M. R., Attia, M. N., & Meshref, T. S. (2022). Combined Blood Indexes of Systemic Inflammation as a Mirror to Admission to Intensive Care Unit in COVID-19 Patients: A Multicentric Study. *Journal of Epidemiology and Global Health*, *12*(1), 64–73.
- Henry, B. M., Cheruiyot, I., Vikse, J., Mutua, V., Kipkorir, V., Benoit, J., Plebani, M., Bragazzi, N., & Lippi, G. (2020). Lymphopenia and neutrophilia at admission predicts severity and mortality in patients with COVID-19: A meta-analysis. *Acta Bio Medica: Atenei Parmensis*, *91*(3), e2020008.
- Iglay, K., Hannachi, H., Howie, P. J., Xu, J., Li, X., Engel, S. S., Moore, L. M., and Rajpathak, S. (2016). Prevalence and co-prevalence of comorbidities among patients with type 2 diabetes mellitus. *Current Medical Research and Opinion*, *32*(7), 1243–1252. <https://doi.org/10.1185/03007995.2016.1168291>
- Ingelsson, E., & McCarthy, M. I. (2018). Human genetics of obesity and type 2 diabetes mellitus: Past, present, and future. *Circulation: Genomic and Precision Medicine*, *11*(6), e002090.
- Jafarzadeh, A., Nemati, M., Jafarzadeh, S., Chauhan, P., and Saha, B. (2021). The immunomodulatory potentials of interleukin-27 in airway allergies. *Scandinavian Journal of Immunology*, *93*(2), 1–16. <https://doi.org/10.1111/sji.12959>
- Jones, S. A., and Cerfolio, R. J. (2020). Factors associated with hospitalization and critical illness among 4,103 patients with Covid-19 disease in New York City. *MedXRiv*, 646.
- Jose, R. J., and Manuel, A. (2020). COVID-19 cytokine storm: the interplay between inflammation and coagulation. *The Lancet Respiratory Medicine*, *8*(6), e46–e47. [https://doi.org/10.1016/S2213-2600\(20\)30216-2](https://doi.org/10.1016/S2213-2600(20)30216-2)
- Joshi, M. B., Lad, A., Bharath Prasad, A. S., Balakrishnan, A., Ramachandra, L., and Satyamoorthy, K. (2013). High glucose modulates IL-6 mediated immune homeostasis through impeding neutrophil extracellular trap formation. *FEBS Letters*, *587*(14), 2241–2246. <https://doi.org/10.1016/j.febslet.2013.05.053>
- Kang, I. S., & Kong, K. A. (2021). Indeks Massa Tubuh and severity/fatality from coronavirus disease 2019: A nationwide epidemiological study in Korea. *PLOS ONE*, *16*(6), e0253640. <https://doi.org/10.1371/journal.pone.0253640>
- Kashyap, V. K., Dhasmana, A., Massey, A., Kotnala, S., Zafar, N., Jaggi, M., Yallapu, M. M., & Chauhan, S. C. (2020). Smoking and COVID-19: Adding fuel to the flame. *International Journal of Molecular Sciences*, *21*(18), 6581.
- Kautzky-Willer, A. (2021). Does diabetes mellitus mitigate the gender gap in COVID-19 mortality? *European Journal of Endocrinology*, *185*(5), C13–C17.

- Kudlinski, B., Zgoła, D., Stolińska, M., Murkos, M., Kania, J., Nowak, P., Noga, A., Wojciech, M., Zaborniak, G., & Zembron-Lacny, A. (2022). Systemic Inflammatory Predictors of In-Hospital Mortality in COVID-19 Patients: A Retrospective Study. *Diagnostics*, 12(4), 859.
- Kumela Goro, K., Desalegn Wolide, A., Kerga Dibaba, F., Gashe Fufa, F., Wakjira Garedow, A., Edilu Tufa, B., & Mulisa Bobasa, E. (2019). Patient awareness, prevalence, and risk factors of chronic kidney disease among diabetes mellitus and hypertensive patients at Jimma University Medical Center, Ethiopia. *BioMed Research International*, 2019.
- Lee, S., Liu, T., Zhou, J., Zhang, Q., Wong, W. T., & Tse, G. (2021). Predictions of diabetes complications and mortality using HbA1c variability: A 10-year observational cohort study. *Acta Diabetologica*, 58(2), 171–180. <https://doi.org/10.1007/s00592-020-01605-6>
- Lee, W. G., Wells, C. I., McCall, J. L., Murphy, R., & Plank, L. D. (2019). Prevalence of diabetes in liver cirrhosis: A systematic review and meta-analysis. *Diabetes/Metabolism Research and Reviews*, 35(6), e3157.
- Lehrke, M., and Marx, N. (2017). Diabetes Mellitus and Heart Failure. *American Journal of Cardiology*, 120(1), S37–S47. <https://doi.org/10.1016/j.amjcard.2017.05.014>
- Leon-Abarca, J. A., Memon, R. S., Rehan, B., Iftikhar, M., & Chatterjee, A. (2020). The impact of COVID-19 in diabetic kidney disease and chronic kidney disease: A population-based study. *Acta Bio Medica: Atenei Parmensis*, 91(4).
- Levey, A. S., Bilous, R., and Shlipak, M. G. (2016). CKD and diabetes: What can we learn from their similarities and differences? *American Journal of Kidney Diseases*, 67(3), 360–363. <https://doi.org/10.1053/j.ajkd.2015.12.003>
- Li, H., Huang, J., Pan, W., Zhang, C., Chang, X., and Yang, B. (2020). *Systemic Immune-Inflammatory Index predicts prognosis of patients with COVID-19: a retrospective study*. 1–37. <https://doi.org/10.21203/rs.3.rs-30701/v1>
- Li, X., Jiao, Y., Xing, Y., and Gao, P. (2019). Diabetes Mellitus and Risk of Hepatic Fibrosis/Cirrhosis. *BioMed Research International*, 2019(2). <https://doi.org/10.1155/2019/5308308>
- Li, X., Zhong, X., Wang, Y., Zeng, X., Luo, T. and Liu, Q., 2021. Clinical determinants of the severity of COVID-19: A systematic review and meta-analysis. *PLOS ONE*, 16(5), p.e0250602.
- Lim, S., Bae, J. H., Kwon, H. S., and Nauck, M. A. (2021). COVID-19 and diabetes mellitus: from pathophysiology to clinical management. *Nature Reviews Endocrinology*, 17(1), 11–30. <https://doi.org/10.1038/s41574-020-00435-4>
- Liu, Y., Sun, W., Guo, Y., Chen, L., Zhang, L., Zhao, S., Long, D., & Yu, L. (2020). Association between platelet parameters and mortality in coronavirus disease 2019: Retrospective cohort study. *Platelets*, 31(4), 490–496.

- Liu, J., Li, S., Zhang, S., Liu, Y., Ma, L., Zhu, J., Xin, Y., Wang, Y., Yang, C., and Cheng, Y. (2019). Systemic immune-inflammation index, neutrophil-to-lymphocyte ratio, platelet-to-lymphocyte ratio can predict clinical outcomes in patients with metastatic non-small-cell lung cancer treated with nivolumab. *Journal of Clinical Laboratory Analysis*, 33(8), 1–8. <https://doi.org/10.1002/jcla.22964>
- Ma, M., Yu, N., and Wu, B. (2019). High systemic immune-inflammation index represents an unfavorable prognosis of malignant pleural mesothelioma. *Cancer Management and Research*, 11, 3973–3979. <https://doi.org/10.2147/CMAR.S201269>
- Martinez, N., Ketheesan, N., Martens, G. W., West, K., Lien, E., and Kornfeld, H. (2016). Defects in early cell recruitment contribute to the increased susceptibility to respiratory *Klebsiella pneumoniae* infection in diabetic mice. *Microbes and Infection*, 18(10), 649–655. <https://doi.org/10.1016/j.micinf.2016.05.007>
- Moisa, E., Corneci, D., Negoita, S., Filimon, C. R., Serbu, A., Negutu, M. I., & Grintescu, I. M. (2021). Dynamic changes of the neutrophil-to-lymphocyte ratio, systemic inflammation index, and derived neutrophil-to-lymphocyte ratio independently predict invasive mechanical ventilation need and death in critically ill COVID-19 patients. *Biomedicines*, 9(11), 1656.
- Muhammad, S., Fischer, I., Naderi, S., Faghieh Jouibari, M., Abdolreza, S., Karimialavijeh, E., Aslzadeh, S., Mashayekhi, M., Zojaji, M., Kahlert, U. D., & Hänggi, D. (2021). Systemic Inflammatory Index Is a Novel Predictor of Intubation Requirement and Mortality after SARS-CoV-2 Infection. *Pathogens*, 10(1), 58. <https://doi.org/10.3390/pathogens10010058>
- Muniyappa, R., and Gubbi, S. (2020). COVID-19 pandemic, coronaviruses, and diabetes mellitus. *American Journal of Physiology - Endocrinology and Metabolism*, 318(5), E736–E741. <https://doi.org/10.1152/ajpendo.00124.2020>
- Nanayakkara, N., Curtis, A. J., Heritier, S., Gadowski, A. M., Pavkov, M. E., Kenealy, T., Owens, D. R., Thomas, R. L., Song, S., Wong, J., Chan, J. C.-N., Luk, A. O.-Y., Penno, G., Ji, L., Mohan, V., Amutha, A., Romero-Aroca, P., Gasevic, D., Magliano, D. J., ... Zoungas, S. (2021). Impact of age at type 2 diabetes mellitus diagnosis on mortality and vascular complications: Systematic review and meta-analyses. *Diabetologia*, 64(2), 275–287. <https://doi.org/10.1007/s00125-020-05319-w>
- Nalbant, A., Demirci, T., Kaya, T., Aydın, A., Altındış, M., & Güçlü, E. (2021). Can prognostic nutritional index and systemic immune-inflammatory index predict disease severity in COVID-19? *International Journal of Clinical Practice*, 75(10), e14544.
- Nashiry, A., Sarmin Sumi, S., Islam, S., Quinn, J. M., & Moni, M. A. (2021). Bioinformatics and system biology approach to identify the influences of

- COVID-19 on cardiovascular and hypertensive comorbidities. *Briefings in Bioinformatics*, 22(2), 1387–1401.
- Ohishi, M. (2018). Hypertension with diabetes mellitus: Physiology and pathology. *Hypertension Research*, 41(6), 389–393.
- Ozdemir, A., Kocak, S. Y., Karabela, S. N., & Yılmaz, M. (2021). Can systemic immune inflammation index at admission predict in-hospital mortality in chronic kidney disease patients with SARS-CoV-2 infection? *Nefrología*.
- Palaiodimos, L., Kokkinidis, D. G., Li, W., Karamanis, D., Ognibene, J., Arora, S., Southern, W. N., and Mantzoros, C. S. (2020). Severe obesity is associated with higher in-hospital mortality in a cohort of patients with COVID-19 in the Bronx, New York. *Metabolism: Clinical and Experimental*, 108, 154262. <https://doi.org/10.1016/j.metabol.2020.154262>
- Paliogiannis, P., Zinellu, A., Scano, V., Mulas, G., de Riu, G., Pascale, R. M., Arru, L. B., Carru, C., Pirina, P., Mangoni, A. A., and Fois, A. G. (2020). Laboratory test alterations in patients with COVID-19 and non COVID-19 interstitial pneumonia: A preliminary report. *Journal of Infection in Developing Countries*, 14(7), 685–690. <https://doi.org/10.3855/jidc.12879>
- Pazoki, M., Keykhaei, M., Kafan, S., Montazeri, M., Mirabdolhagh Hazaveh, M., Sotoodehnia, M., Kazemian, S., Talebpour, M., Ashraf, H., & Shariat Moharari, R. (2021). Risk indicators associated with in-hospital mortality and severity in patients with diabetes mellitus and terkonfirmasi or clinically suspected COVID-19. *Journal of Diabetes & Metabolic Disorders*, 20(1), 59–69.
- Pelaia, C., Tinello, C., Vatrella, A., De Sarro, G., & Pelaia, G. (2020). Lung under attack by COVID-19-induced cytokine storm: Pathogenic mechanisms and therapeutic implications. *Therapeutic Advances in Respiratory Disease*, 14, 175346662093350. <https://doi.org/10.1177/1753466620933508>
- Peng, X., Wang, Y., Xi, X., Jia, Y., Tian, J., Yu, B., & Tian, J. (2021). Promising therapy for heart failure in patients with severe COVID-19: Calming the cytokine storm. *Cardiovascular Drugs and Therapy*, 35(2), 231–247.
- Prasad, S., Patel, S., Behera, A., Sahu, D., Shah, S., Nanda, R., & Mohapatra, E. (2022). Influence of laboratory biomarkers on inflammatory indices for assessing severity progression in COVID-19 cases. *Journal of Family Medicine and Primary Care*, 11(5), 2056. https://doi.org/10.4103/jfmpc.jfmpc_2014_21.
- Qu, R., Ling, Y., Zhang, Y. hui zhi, Wei, L. ya, Chen, X., Li, X. mian, Liu, X. yong, Liu, H. mian, Guo, Z., Ren, H., and Wang, Q. (2020). Platelet-to-lymphocyte ratio is associated with prognosis in patients with coronavirus disease-19. *Journal of Medical Virology*, 92(9), 1533–1541. <https://doi.org/10.1002/jmv.25767>

- Radzeviciene, L., and Ostrauskas, R. (2018). Smoking habits and type 2 diabetes mellitus in women. *Women and Health*, 58(8), 884–897. <https://doi.org/10.1080/03630242.2017.1358794>
- Rehman, K., and Akash, M. S. H. (2016). Mechanisms of inflammatory responses and development of insulin resistance: How are they interlinked? *Journal of Biomedical Science*, 23(1), 1–18. <https://doi.org/10.1186/s12929-016-0303-y>
- Richardson Jr, T. L., Hackstadt, A. J., Hung, A. M., Greevy, R. A., Grijalva, C. G., Griffin, M. R., Elasy, T. A., & Roumie, C. L. (2021). Hospitalization for heart failure among patients with diabetes mellitus and reduced kidney function treated with metformin versus sulfonylureas: A retrospective cohort study. *Journal of the American Heart Association*, 10(8), e019211.
- Rodriguez, B. A. T., and Johnson, A. D. (2020). Platelet Measurements and Type 2 Diabetes: Investigations in Two Population-Based Cohorts. *Frontiers in Cardiovascular Medicine*, 7(July), 1–12. <https://doi.org/10.3389/fcvm.2020.00118>
- Rokni, M., Ahmadikia, K., Asghari, S., Mashaei, S., and Hassanali, F. (2020). Comparison of clinical, para-clinical and laboratory findings in survived and deceased patients with COVID-19: diagnostic role of inflammatory indications in determining the severity of illness. *BMC Infectious Diseases*, 20(1), 1–11. <https://doi.org/10.1186/s12879-020-05540-3>
- Roumie, C. L., Min, J. Y., D’Agostino McGowan, L., Presley, C., Grijalva, C. G., Hackstadt, A. J., Hung, A. M., Greevy, R. A., Elasy, T., & Griffin, M. R. (2017). Comparative safety of sulfonylurea and metformin monotherapy on the risk of heart failure: A cohort study. *Journal of the American Heart Association*, 6(4), e005379.
- Santos, A., Magro, D. O., Evangelista-Poderoso, R., & Saad, M. J. A. (2021). Diabetes, obesity, and insulin resistance in COVID-19: Molecular interrelationship and therapeutic implications. *Diabetology & Metabolic Syndrome*, 13(1), 23. <https://doi.org/10.1186/s13098-021-00639-2>
- Schwartz, S. S., Epstein, S., Corkey, B. E., Grant, S. F. A., Gavin, J. R., and Aguilar, R. B. (2016). The time is right for a new classification system for diabetes: Rationale and implications of the β -cell-centric classification schema. *Diabetes Care*, 39(2), 179–186. <https://doi.org/10.2337/dc15-1585>
- Shereen, M. A., Khan, S., Kazmi, A., Bashir, N., and Siddique, R. (2020). COVID-19 infection: Origin, transmission, and characteristics of human coronaviruses. *Journal of Advanced Research*, 24, 91–98. <https://doi.org/10.1016/j.jare.2020.03.005>
- Shahwan, M. J., Jairoun, A. A., Farajallah, A., & Shanabli, S. (2019). Prevalence of dyslipidemia and factors affecting lipid profile in patients with type 2 diabetes. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 13(4), 2387–2392.

- Sharma, P., Behl, T., Sharma, N., Singh, S., Grewal, A. S., Albarrati, A., Albratty, M., Meraya, A. M., & Bungau, S. (2022). COVID-19 and diabetes: Association intensify risk factors for morbidity and mortality. *Biomedicine & Pharmacotherapy*, 113089.
- Singh, A. K., Gupta, R., Ghosh, A., & Misra, A. (2020). Diabetes in COVID-19: Prevalence, pathophysiology, prognosis and practical considerations. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 14(4), 303–310. <https://doi.org/10.1016/j.dsx.2020.04.004>
- Singh, S., Gupta, N. R., Raza, S. T., Kapoor, A., & Singh, P. (2021). Association of hypertension and its risk factor in type II diabetes mellitus patients. *Asian Journal of Medical Sciences*, 12(1), 28–33.
- Sliwiska-Mosson, M., and Milnerowicz, H. (2017). The impact of smoking on the development of diabetes and its complications. *Diabetes and Vascular Disease Research*, 14(4), 265–276. <https://doi.org/10.1177/1479164117701876>
- Søgaard, D., Lund, M., Scheuer, C., Dehlbaek, M., Dideriksen, S., Abildskov, C., Christensen, K., Dohlmann, T., Larsen, S., & Vigelsø, A. (2018). High-intensity interval training improves insulin sensitivity in older individuals. *Acta Physiologica*, 222(4), e13009.
- Susilo, A., Rumende, C. M., Pitoyo, C. W., Santoso, W. D., Yulianti, M., Herikurniawan, H., Sinto, R., Singh, G., Nainggolan, L., Nelwan, E. J., Chen, L. K., Widhani, A., Wijaya, E., Wicaksana, B., Maksum, M., Annisa, F., Jasirwan, C. O. M., and Yuniastuti, E. (2020). Coronavirus Disease 2019: Tinjauan Literatur Terkini. *Jurnal Penyakit Dalam Indonesia*, 7(1), 45. <https://doi.org/10.7454/jpdi.v7i1.415>
- Tafazoli, A., Anil Kumar, S. and Othman, M., 2021. Thrombocytopenia vs Platelet hyper-reactivity in COVID-19: diverse pathologies, disease outcomes and therapeutic implications. *Platelets*, 33(1), pp.48-53.
- Tang, L., Yin, Z., Hu, Y., & Mei, H. (2020). Controlling cytokine storm is vital in COVID-19. *Frontiers in Immunology*, 11, 570993.
- Tessaro, F. H. G., Ayala, T. S., Nolasco, E. L., Bella, L. M., and Martins, J. O. (2017). Insulin Influences LPS-Induced TNF- α and IL-6 Release Through Distinct Pathways in Mouse Macrophages from Different Compartments. *Cellular Physiology and Biochemistry*, 42(5), 2093–2104. <https://doi.org/10.1159/000479904>
- Tomkin, G., & Owens, D. (2017). Diabetes and dyslipidemia: Characterizing lipoprotein metabolism. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 10, 333–343. <https://doi.org/10.2147/DMSO.S115855>
- Tramunt, B., Smati, S., Grandgeorge, N., Lenfant, F., Arnal, J. F., Montagner, A., and Gourdy, P. (2020). Sex differences in metabolic regulation and diabetes susceptibility. In *Diabetologia* (Vol. 63, Issue 3, pp. 453–461).

<https://doi.org/10.1007/s00125-019-05040-3>

- Tsalamandris, S., Antonopoulos, A. S., Oikonomou, E., Papamikroulis, G., and Vogiatzi, G. (2019). Risk Factors and Cardiovascular Disease Prevention The Role of Inflammation in Diabetes : Current Concepts and Future Perspectives. *European Cardiology Review*, *14*(1), 50–59.
- Usul, E., Şan, İ., Bekgöz, B., & Şahin, A. (2020). Role of hematological parameters in COVID-19 patients in the emergency room. *Biomarkers in Medicine*, *14*(13), 1207–1215.
- Velazquez, S., Madurga, R., Castellano, J. M., Rodriguez-Pascual, J., de Aguiar Diaz Obregon, S. R., Jimeno, S., Montero, J. I., Wichner, P. S. V., & López-Escobar, A. (2021). Hemogram-derived ratios as prognostic markers of ICU admission in COVID-19. *BMC Emergency Medicine*, *21*(1), 1–9.
- Wang, Z., Du, Z., and Zhu, F. (2020). Glycosylated hemoglobin is associated with systemic inflammation, hypercoagulability, and prognosis of COVID-19 patients. *Diabetes Research and Clinical Practice*, *164*, 108214. <https://doi.org/10.1016/j.diabres.2020.108214>
- Wensveen, F. M., Jelenčić, V., Valentić, S., Šestan, M., Wensveen, T. T., Theurich, S., Glasner, A., Mendrila, D., Štimac, D., Wunderlich, F. T., Brüning, J. C., Mandelboim, O., and Polić, B. (2015). NK cells link obesity-induced adipose stress to inflammation and insulin resistance. *Nature Immunology*, *16*(4), 376–385. <https://doi.org/10.1038/ni.3120>
- Wu, Y., Ding, Y., Tanaka, Y., and Zhang, W. (2014). Risk factors contributing to type 2 diabetes and recent advances in the treatment and prevention. *International Journal of Medical Sciences*, *11*(11), 1185–1200. <https://doi.org/10.7150/ijms.10001>
- Xu, P., Zhou, Q., and Xu, J. (2020). Mechanism of thrombocytopenia in COVID-19 patients. *Annals of Hematology*, *99*(6), 1205–1208. <https://doi.org/10.1007/s00277-020-04019-0>
- Yang, M. (2020). Cell Pyroptosis, a Potential Pathogenic Mechanism of 2019-nCoV Infection. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.3527420>
- Yang, X., Yang, Q., Wang, Y., Wu, Y., Xu, J., Yu, Y., & Shang, Y. (2020). Thrombocytopenia and its association with mortality in patients with COVID-19. *Journal of Thrombosis and Haemostasis*, *18*(6), 1469–1472.
- Yang, Y., Wu, C., Hsu, P., Chen, S., Huang, S., Chan, W. L., Lin, S., Chou, C., Chen, J., & Pan, J. (2020). Systemic immune-inflammation index (SII) predicted clinical outcome in patients with coronary artery disease. *European Journal of Clinical Investigation*, *50*(5), e13230.
- Yang, P., Feng, J., Peng, Q., Liu, X., Fan, Z., and Luca, M. (2019). Advanced Glycation End Products: Potential Mechanism and Therapeutic Target in

Cardiovascular Complications under Diabetes. *Oxidative Medicine and Cellular Longevity*, 2019. <https://doi.org/10.1155/2019/9570616>

Yuki, K., Fujiogi, M., and Koutsogiannaki, S. (2020). COVID-19 pathophysiology: A review. *Clinical Immunology*, 215(April). <https://doi.org/10.1016/j.clim.2020.108427>

Zeng, Z., Yu, H., Chen, H., Qi, W., Chen, L., Chen, G., Yan, W., Chen, T., Ning, Q., Han, M., and Wu, D. (2020). Longitudinal changes of inflammatory parameters and their correlation with disease severity and outcomes in patients with COVID-19 from Wuhan, China. *Critical Care*, 24(1), 1–12. <https://doi.org/10.1186/s13054-020-03255-0>

Zhu, L., She, Z. G., Cheng, X., Qin, J. J., Zhang, X. J., Cai, J., Lei, F., Wang, H., Xie, J., Wang, W., Li, H., Zhang, P., Song, X., Chen, X., Xiang, M., Zhang, C., Bai, L., Xiang, D., Chen, M. M., ... Li, H. (2020). Association of Blood Glucose Control and Outcomes in Patients with COVID-19 and Pre-existing Type 2 Diabetes. *Cell Metabolism*, 31(6), 1068–1077.e3. <https://doi.org/10.1016/j.cmet.2020.04.021>

Zinellu, A., Scano, V., Masotto, E., de Riu, G., Vaira, L. A., Carru, C., Pirina, P., Babudieri, S., Mangoni, A. A., & Fois, A. G. (2021). The Systemic Inflammation Index on admission is independently associated with length of stay in hospitalized COVID-19 patients. *Minerva*, 60(3), 65–72

Wool, G. and Miller, J., 2020. The Impact of COVID-19 Disease on Platelets and Coagulation. *Pathobiology*, 88(1), pp.15-27.

World Health Organization. (2021). COVID-19 weekly epidemiological update, 10 August 2021.