

DAFTAR PUSTAKA

- Adugnaw A, Mesele Y. 2016. Species composition, relative abundance and habitat association of rodents in Yekoche Forest, East Gojjam, Ethiopia. *Int J Biodivers Conserv.* 8(9):216–223.
- Alvarez-Alvarez EA, Almazán-Núñez RC, Corcuera P, González-García F, Brito-Millán M, Alvarado-Castro VM. 2022. Land use cover changes the bird distribution and functional groups at the local and landscape level in a Mexican shaded-coffee agroforestry system. *Agric Ecosyst Environ.* 330:107882.
- Bakermans MH, Rodewald AD, Vitz AC, Rengifo C. 2012. Migratory bird use of shade coffee: The role of structural and floristic features. *Agrofor Syst.* 85(1):85–94.
- Bali A, Kumar A, Krishnaswamy J. 2007. The mammalian communities in coffee plantations around a protected area in the Western Ghats, India. *Biol Conserv.* 139(1–2):93–102.
- Beer J, Muschler R, Kass D, Somarriba E. 1998. Shade management in coffee and cacao plantations. *Agrofor Syst.* 38:139–164.
- Bhagwat SA, Willis KJ, Birks HJB, Whittaker RJ. 2008. Agroforestry: a refuge for tropical biodiversity? *Trends Ecol Evol.* 23(5):261–267.
- Bibby CJ, Burgess ND, Hill DA. 1993. *Bird Census Techniques*. Third Edit. Academic Press Limited.
- BirdLife International. 2016. *Loriculus pusillus*. The IUCN Red List of Threatened Species 2016:e.T22685422A93072296. <http://dx.doi.org/10.2305/IUCN.UK.2016-3.RLTS.T22685422A93072296.en>.
- BirdLife International. 2018. *Prinia familiaris*. The IUCN Red List of Threatened Species 2018:e.T22713598A131851023.<http://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T22713598A131851023.en>.
- BirdLife International. 2020. *Alophoixus bres.* The IUCN Red List of Threatened Species 2020: e.T103821243A182418500. <https://dx.doi.org/10.2305/IUCN.UK.2020-3.RLTS.T103821243A182418500.en>.
- Blaum N, Mosner E, Schwager M, Jeltsch F. 2011. How functional is functional? Ecological groupings in terrestrial animal ecology: Towards an animal functional type approach. *Biodivers Conserv.* 20(11):2333–2345.
- Bohada-Murillo M, Castaño-Villa GJ, Fontúrbel FE. 2020. The effects of forestry and agroforestry plantations on bird diversity: A global synthesis. *L Degrad Dev.* 31(5):646–654.
- Boreux V, Vaast P, Madappa LP, Cheppudira KG, Garcia C, Ghazoul J. 2016. Agroforestry coffee production increased by native shade trees, irrigation, and liming. *Agron Sustain Dev.* 36(3):1–9.
- Buckland ST, Anderson DR, Burnham KP, LAke JL. 1993. *Distance Sampling: Estimating abundance of biological populations*. First edit. United Kingdom: Chapman&Hall.
- Buechley ER, Şekercioğlu ÇH, Atickem A, Gebremichael G, Ndungu JK, Mahamued BA, Beyene T, Mekonnen T, Lens L. 2015. Importance of Ethiopian shade coffee farms for forest bird conservation. *Biol Conserv.* 188(2015):50–60.
- Cabral JP, Faria D, Morante-Filho JC. 2021. Landscape composition is more important

- than local vegetation structure for understory birds in cocoa agroforestry systems. *For Ecol Manage.* 481(2021):118704.
- Campera M, Hedger K, Birot H, Manson S, Balestri M, Budiadi B, Imron MA, Nijman V, Nekaris KAI. 2021. Does the presence of shade trees and distance to the forest affect detection rates of terrestrial vertebrates in coffee home gardens? *Sustain.* 13(15):1–12.
- Cassano CR, Barlow J, Pardini R. 2012. Large Mammals in an Agroforestry Mosaic in the Brazilian Atlantic Forest. *Biotropica.* 0(0):1–8.
- Caudill SA, DeClerck FJA, Husband TP. 2015. Connecting sustainable agriculture and wildlife conservation: Does shade coffee provide habitat for mammals? *Agric Ecosyst Environ.* 199:85–93.
- Caudill SA, Vaast P, Husband TP. 2014. Assessment of small mammal diversity in coffee agroforestry in the Western Ghats, India. *Agrofor Syst.* 88(1):173–186.
- Chang CH, Karanth KK, Robbins P. 2018. Birds and beans: Comparing avian richness and endemism in arabica and robusta agroforests in India's Western Ghats. *Sci Rep.* 8(1):1–9.
- Chao A, Chazdon RL, Colwell RK, Shen T. 2005. A new statistical approach for assessing compositional similarity based on incidence and abundance data. *Ecol L.* 8:148–159.
- Chao A, Lee SM. 1992. Estimating the number of classes via sample coverage. *J Am Stat Assoc.* 87(417):210–217.
- Chao A, Ma K., Hsieh TC, Chiu C. 2016. User's Guide for Online Program SpadeR (Species-Richness Prediction and Diversity Estimation in R). Natl Tsing Hua Univ Taiwan. (August):1–88.
- Chao A, Shen T. 2003. Nonparametric estimation of Shannon's diversity index when there are unseen species in sample. *Environ Ecol Stat.* 10(4):429–443.
- Chao A, Yang MCK. 1993. Stopping Rules and Estimation for Recapture Debugging with Unequal Failure Rates. *Biometrika.* 80(1):193–201.
- Chettri N, Deb DC, Sharma E, Jackson R. 2005. The Relationship Between Bird Communities and Habitat. *Mt Res Dev.* 25(3):235–243.
- Clough Y, Dwi Putra D, Pitopang R, Tschardt T. 2009. Local and landscape factors determine functional bird diversity in Indonesian cacao agroforestry. *Biol Conserv.* 142(5):1032–1041.
- Cook RN, Ramirez-Parada T, Browne L, Ellis M, Karubian J. 2020. Environmental correlates of richness, community composition, and functional traits of terrestrial birds and mammals in a fragmented tropical landscape. *Landsc Ecol.* 35(12):2825–2841.
- Corlett RT. 2007. The impact of hunting on the mammalian fauna of tropical Asian forests. *Biotropica.* 39(3):292–303.
- DaMatta FM. 2004. Ecophysiological constraints on the production of shaded and unshaded coffee: a review. *F Crop Res.* 86(2–3):99–114.
- Diaz M, Telleria JL. 1996. Granivorous birds in a stable and isolated open habitat within the Amazonian rainforest. *J Trop Ecol.* 12(3):419–425.
- Etana B, Atickem A, Tsegaye D, Bekele A, De Beenhouwer M, Hundera K, Lens L, Fashing PJ, Stenseth NC. 2021. Traditional shade coffee forest systems act as refuges for medium- and large-sized mammals as natural forest dwindles in

- Ethiopia. *Biol Conserv.* 260:109219.
- Ferreira AS, Peres CA, Bogoni JA, Cassano CR. 2018. Use of agroecosystem matrix habitats by mammalian carnivores (Carnivora): a global-scale analysis. *Mamm Rev.* 48(4):312–327.
- Fuller RJ, Langslow DR. 1984. Estimating numbers of birds by point counts: How long should counts last? *Bird Study.* 31(3):195–202.
- Gallina S, Mandujano S, Gonzalez-Romero A. 1996. Conservation of mammalian biodiversity in coffee plantations of Central Veracruz, Mexico. *Agrofor Syst.* 1(33):13–27.
- González-Salazar C, Martínez-Meyer E, López-Santiago G. 2014. A hierarchical classification of trophic guilds for North American birds and mammals. *Rev Mex Biodivers.* 85(3):931–941.
- Gordon C, Manson R, Sundberg J, Cruz-Angón A. 2007. Biodiversity, profitability, and vegetation structure in a Mexican coffee agroecosystem. *Agric Ecosyst Environ.* 118(1–4):256–266.
- Häger A, Fernández Otárola M, Stuhlmacher MF, Acuña Castillo R, Contreras Arias A. 2015. Effects of management and landscape composition on the diversity and structure of tree species assemblages in coffee agroforests. *Agric Ecosyst Environ.* 199:43–51.
- Hambali, K, Ismail, A, & Md-Zain, BM. 2012. Daily activity budget of long-tailed macaques (*Macaca fascicularis*) in Kuala Selangor Nature Park. *Int J Basic Appl Sci IJBAS-IJENS.* 12(04):47–52.
- Harvey CA, Gonzalez J, Somarriba E. 2006. Dung beetle and terrestrial mammal diversity in forests, indigenous agroforestry systems and plantain monocultures in Talamanca, Costa Rica. *Biodivers Conserv.* 15(2):555–585.
- Harvey CA, Villalobos JAG. 2007. Agroforestry systems conserve species-rich but modified assemblages of tropical birds and bats. *Biodivers Conserv.* 16(8):2257.
- Hernandez-Aguilera JN, Conrad JM, Gómez MI, Rodewald AD. 2019. The Economics and Ecology of Shade-grown Coffee: A Model to Incentivize Shade and Bird Conservation. *Ecol Econ.* 159(May 2018):110–121.
- Holmes R. T., Bonney R. E. J., Pacala S. W. 1979. Guild Structure of the Hubbard Brook Bird Community : A Multivariate Approach. *Ecology.* 60(3):512–520.
- Imron MA, Campera M, Al Bihad D, Rachmawati FD, Nugroho FE, Budiadi B, Wianti KF, Suprpto E, Nijman V, Nekarisi KAI. 2022. Bird Assemblages in Coffee Agroforestry Systems and Other Human Modified Habitats in Indonesia. *Biology (Basel).* 11(2):310.
- IUCN 2022. The IUCN Red List of Threatened Species. Version 2022-1. [accessed 2022 Jun 30]. <https://www.iucnredlist.org>.
- Jaksić FM. 1981. Abuse and Misuse of the Term “Guild” in Ecological Studies. *Oikos.* 37(3):397.
- Johns AD. 1991. Responses of Amazonian rain forest birds to habitat modification. *J Trop Ecol.* 7(4):417–437.
- Kaban A, Mardiasuti A, Mulyani YA. 2017. Response of Bird Community to Various Plantation Forests in Gunung Walat, West Java, Indonesia. *HAYATI J Biosci.* 24(2):72–78.
- Jones MJ, Marsden SJ, Linsley MD. 2003. Effects of habitat change and geographical variation on the bird communities of two Indonesian islands. *Biodivers Conserv.*

- 12(5):1013–1032.
- Karanth KK, Sankararaman V, Dalvi S, Srivathsa A, Parameshwaran R, Sharma S, Robbins P, Chhatre A. 2016. Producing diversity: Agroforests sustain avian richness and abundance in India's Western Ghats. *Front Ecol Evol.* 4(111).
- Kellermann JL, Johnson MD, Stercho AM, Hackett SC. 2008. Ecological and economic services provided by birds on Jamaican Blue Mountain coffee farms. *Conserv Biol.* 22(5):1177–1185.
- Keuling O, Leus K. 2019. Sus scrofa, Wild Boar. The IUCN Red List of Threatened Species 2019: e.T41775A44141833. <http://dx.doi.org/10.2305/IUCN.UK.2019-3.RLTS.T41775A44141833.en>. Kiros S, Afework B, Legese K. 2018. A preliminary study on bird diversity and abundance from Wabe fragmented forests around Gubre subcity and Wolkite town, Southwestern Ethiopia. *Int J Avian Wildl Biol.* 3(4).
- Komar O. 2006. Priority contribution. Ecology and conservation of birds in coffee plantations: A critical review. *Bird Conserv Int.* 16(1):1–23.
- Korňan M, Kropil R. 2014. What are ecological guilds? Dilemma of guild concepts. *Russ J Ecol.* 45(5):445–447.
- Krisanti AA, Widiyanti T, Imron MA. 2017. Species diversity and population distribution of arboreal mammals in Kemuning Forest, Temanggung, Central Java, Indonesia. *Biodiversitas.* 18(3):1190–1195.
- Kumawat MM, Singh KM, Sen D, Tripathi RS. 2013. Threatened Rodent Species of Arunachal Pradesh. *Int J Agric Environ Biotechnol.* 6(4):657–668.
- Lacher TE, Davidson AD, Fleming TH, Gómez-Ruiz EP, McCracken GF, Owen-Smith N, Peres CA, Vander Wall SB. 2019. The functional roles of mammals in ecosystems. *J Mammal.* 100(3):942–964.
- MacKinnon J, Phillipps K, VanBalen B. 2010. Burung-Burung di Sumatera, Jawa, Bali, dan Kalimantan (termasuk Sabah, Serawak, dan Brunei Darussalam). Terjem dari Fieldguide to Birds Borneo, Sumatra, Java, Bali.
- Madden H, Van Andel T, Miller J, Stech M, Verdel K, Eggermont E. 2019. Vegetation associations and relative abundance of rodents on St. Eustatius, Caribbean Netherlands. *Glob Ecol Conserv.* 20:e00743.
- Magioli M, de Barros Ferraz KMPM, Rodrigues MG. 2014. Medium and large-sized mammals of an isolated Atlantic Forest remnant, southeast São Paulo State, Brazil. *Check List.* 10(4):850–856.
- Magioli M, Rios E, Benchimol M, Casanova DC, Ferreira AS, Rocha J, Melo FR de, Dias MP, Narezi G, Crepaldi MO, et al. 2021. The role of protected and unprotected forest remnants for mammal conservation in a megadiverse Neotropical hotspot. *Biol Conserv.* 259:109173.
- Magurran A. 1988. *Ecological Diversity and Its Measurement*. UK: Croom Helm Ltd.
- Maharadatunkamsi M, Phadmacanty NLPR, Sulistyadi E, Inayah N, Dwijayanti E, Farida WR, Wirdateti W, Wiantoro S, Nugraha RTP, Fitriana YS, et al. 2020. Status Konservasi dan Peran Mamalia di Pulau Jawa.
- Marliana SN. 2012. *Vegetation Types of the Dieng Mountains and Their Influences on Bird and Mammalian Communities*. Georg-August-Universität Göttingen.

- McNeely JA, Schroth G. 2006. Agroforestry and biodiversity conservation - Traditional practices, present dynamics, and lessons for the future. *Biodivers Conserv.* 15(2):549–554.
- Mengesha G, Mamo Y, Bekele A. 2011. A comparison of terrestrial bird community structure in the undisturbed and disturbed areas of the Abijata Shalla lakes national park, Ethiopia. *Int J Biodivers Conserv.* 3(9):389–404.
- Menteri Lingkungan Hidup dan Kehutanan. 2016. Peraturan Menteri Lingkungan Hidup dan Kehutanan Republik Indonesia Nomor: P.8/MENLHK/SETJEN/KUM.1/3/2019. :1–45.
- Mertens JEJ, Emsens WJ, Jocqué M, Geeraert L, De Beenhouwer M. 2020. From natural forest to coffee agroforest: Implications for communities of large mammals in the Ethiopian highlands. *Oryx.* 54(5):715–722.
- Moguel P, Toledo VM. 1999. Biodiversity conservation in traditional coffee systems of Mexico. *Conserv Biol.* 13(1):11–21.
- Mueller-Dombois D, Ellenberg H. 1974. *Aims and Methods of Vegetation Ecology.* New York: John Wiley & Sons Inc.
- Nally R Mac. 1994. Habitat-specific guild structure of forest birds in south- eastern Australia: a regional scale perspective. *J Anim Ecol.* 63(4):988–1001.
- Narango DL, Tallamy DW, Snyder KJ, Rice RA. 2019. Canopy tree preference by insectivorous birds in shade-coffee farms: Implications for migratory bird conservation. *Biotropica.* 51(3):387–398.
- Nor SM. 2012. Elevational Diversity Patterns of Small Mammals on Mount Kinabalu, Sabah, Malaysia. *Glob Ecol Biogeogr.* 10(1):41–62.
- O’Connell TJ, Jackson LE, Brooks RP. 2000. Bird guilds as indicators of ecological condition in the central Appalachians. *Ecol Appl.* 10(6):1706–1721.
- Ongole S, Sankaran M, Karanth KK. 2018. Responses of aerial insectivorous bats to local and landscape-level features of coffee agroforestry systems in Western Ghats, India. *PLoS One.* 13(8):1–16.
- Pabico LA, Duya M V, Fidelino JS. 2020. Bird Feeding Guild Assemblage along a Disturbance Gradient in the Pantabangan-Carranglan Watershed and Forest Reserve, Central Luzon Island, Philippines. *Philipp J Sci.* 150(S1):237–255.
- Pearman PB. 2002. The scale of community structure: Habitat variation and avian guilds in tropical forest understory. *Ecol Monogr.* 72(1):19–39.
- Pejchar L, Pringle RM, Ranganathan J, Zook JR, Duran G, Oviedo F, Daily GC. 2008. Birds as agents of seed dispersal in a human-dominated landscape in southern Costa Rica. *Biol Conserv.* 141(2):536–544.
- Peng Y, Bloomfield KJ, Prentice IC. 2020. A theory of plant function helps to explain leaf-trait and productivity responses to elevation. *New Phytol.* 226(5):1274–1284.
- Perfecto I, Armbrrecht I, Philpott SM, Soto-Pinto L, Dietsch T V. 2007. Shaded coffee and the stability of rainforest margins in northern Latin America. In: *Stability of tropical rainforest margins.* p. 225–261.
- Perfecto I, Vandermeer J, Mas A, Pinto LS. 2005. Biodiversity, yield, and shade coffee certification. *Ecol Econ.* 54(4):435–446.
- Petit LJ, Petit DR. 2003. Evaluating the importance of human-modified lands for

- neotropical bird conservation. *Conserv Biol.* 17(3):687–694.
- Philpott SM, Bichier P. 2012. Effects of shade tree removal on birds in coffee agroecosystems in Chiapas, Mexico. *"Agriculture, Ecosyst Environ.* 149(2012):171–180.
- Ramesh T, Kalle R, Downs CT. 2016. Predictors of mammal species richness in KwaZulu-Natal, South Africa. *Ecol Indic.* 60:385–393.
- Recher HF, Holmes RT, Schulz M, Shields J, Kavanagh R. 1985. Foraging patterns of breeding birds in eucalypt forest and woodland of southeastern Australia. *Aust J Ecol.* 10(4):399–419.
- Rodrigues P, Dorresteijn I, Senbeta F, Fischer J. 2019. Living on the edge: Rapid assessment of the mammal community in a coffee forest in south-western Ethiopia. *Afr J Ecol.* 57(2):279–285.
- Rodrigues P, Shumi G, Dorresteijn I, Schultner J, Hanspach J, Hylander K, Senbeta F, Fischer J. 2018. Coffee management and the conservation of forest bird diversity in southwestern Ethiopia. *Biol Conserv.* 217(2018):131–139.
- Root RB. 1967. The Niche Exploitation Pattern of the Blue-Gray Gnatcatcher. *Ecol Monogr.* 37(4):317–350.
- Sargis EJ. 2017. *Tupaia glis* (errata version published in 2018). The IUCN Red List of Threatened Species 2017: e.T111872341A123796056.
- Sari DF, Budiadi, Imron MA. 2020. The utilization of trees by endangered primate species Javan slow loris (*Nycticebus javanicus*) in shade-grown coffee agroforestry of Central Java. *IOP Conf Ser Earth Environ Sci.* 449(1).
- Sekercioglu CH. 2006. Increasing awareness of avian ecological function. *Trends Ecol Evol.* 21(8):464–471.
- Sekercioglu CH. 2012. Bird functional diversity and ecosystem services in tropical forests, agroforests and agricultural areas. *J Ornithol.* 153(1):153–161.
- Sethy J, Samal D, Sethi S, Baral B, Jena S, Payra A, Das GN, Boruah B, Sahu HK. 2015. Species Diversity and Abundance of Birds in and around North Orissa University, Takatpur, Baripada, Mayurbhanj, Odisha. *Zool Stud.* 4(2):300–311.
- Silva AA de S, Alvarez MRDV, Mariano-Neto E, Cassano CR. 2020. Is shadier better? The effect of agroforestry management on small mammal diversity. *Biotropica.* 52(3):470–479.
- Simberloff D, Dayan T. 1991. The guild concept and the structure of ecological communities. *Annu Rev Ecol Syst.* 22(1):115–143.
- Soulopoulou P, Padilla Blanco MA, Molina JAA, Damos P. 2022. Relation between Climate, Agricultural Land Cover and Bird Richness in a Mediterranean Natura 2000 Wetland. *Eur J Environ Earth Sci.* 3(2):96–104.
- Stratford JA, Stouffer PC. 2015. Forest fragmentation alters microhabitat availability for Neotropical terrestrial insectivorous birds. *Biol Conserv.* 188:109–115.
- Sutherland WJ. 2006. *Ecological Census Techniques: a handbook*. Second Edi. Cambridge University Press.
- Sutherland WJ, Newton I, Green R. 2004. *Bird Ecology and Conservation: a handbook of techniques*. Vol 1. OUP Oxford.
- Tejeda-Cruz C, Sutherland WJ. 2004. Bird responses to shade coffee production. *Anim Conserv.* 7(2):169–179.

- Thomas L, Buckland ST, Rexstad EA, Laake JL, Strindberg S, Hedley SL, Bishop JRB, Marques TA, Burnham KP. 2010. Distance software: Design and analysis of distance sampling surveys for estimating population size. *J Appl Ecol.* 47(1):5–14.
- Thurfjell H, Ball JP, Åhlén PA, Kornacher P, Dettki H, Sjöberg K. 2009. Habitat use and spatial patterns of wild boar *Sus scrofa* (L.): Agricultural fields and edges. *Eur J Wildl Res.* 55(5):517–523.
- Valencia V, García-Barrios L, West P, Sterling EJ, Naeem S. 2014. The role of coffee agroforestry in the conservation of tree diversity and community composition of native forests in a Biosphere Reserve. *Agric Ecosyst Environ.* 189:154–163.
- Whelan CJ, Şekercioğlu ÇH, Wenny DG. 2015. Why birds matter: from economic ornithology to ecosystem services. *J Ornithol.* 156(1):227–238.
- Widodo W. 2021. Perbandingan Komunitas Burung di Lahan Perkebunan Kopi dengan Naungan Pohon Alami. *Bioedusains J Pendidik Biol dan Sains.* 4(2):336–345.
- Williams-Guillén K, McCann C, Martínez Sánchez JC, Koontz F. 2006. Resource availability and habitat use by mantled howling monkeys in a Nicaraguan coffee plantation: Can agroforests serve as core habitat for a forest mammal? *Anim Conserv.* 9(3):331–338.
- Wilson GJ, Delahay RJ. 2001. A review of methods to estimate the abundance of terrestrial carnivores using field signs and observation. *Wildl Res.* 28(1):151–164.
- Withaningsih S, Parikesit, Alham RF. 2020. Diversity of bird species in the coffee agroforestry landscape: Case study in the Pangalengan Sub-District, Bandung District, West Java, Indonesia. *Biodiversitas.* 21(6):2467–2480.