

## DAFTAR PUSTAKA

- Arfian, N., Muflikhah, K., Soeyono, S. K., Sari, D. C., Tranggono, U., Anggorowati, N., & Romi, M. M. (2016). Vitamin D Attenuates Kidney Fibrosis via Reducing Fibroblast Expansion, Inflammation, and Epithelial Cell Apoptosis. *Kobe Journal of Medical Science*, 38-44.
- Arfian, N., Suzuki, Y., Hartopo, A. B., Anggorowati, N., Nugrahaningsih, D. A., & Emoto, N. (2020). Endothelin Converting Enzyme-1 (ECE-1) Deletion in Association with Endothelin-1 Downregulation Ameliorates Kidney Fibrosis in Mice. *Life Sciences*, 258.
- Arora, S. (2010). Renal Function in Diabetic Nephropathy. *World Journal of Diabetes*, 1(2), 48-56.
- Balaji, R., Duraisamy, R. & Kumar, M.P., 2019. Complications of Diabetes Mellitus: A Review. *Drug Invention Today*, 12(1), pp.98–103.
- Bagdas, D. et al. (2014) ‘Pharmacologic overview of systemic chlorogenic acid therapy on experimental wound healing’, pp. 1101–1116. Available at: <https://doi.org/10.1007/s00210-014-1034-9>.
- Bagdas, D. et al. (2015) ‘In vivo systemic chlorogenic acid therapy under diabetic conditions: Wound healing effects and cytotoxicity/genotoxicity profile’, *Food and Chemical Toxicology*, 81, pp. 54–61. Available at: <https://doi.org/10.1016/j.fct.2015.04.001>.
- Bao, L. et al. (2018). Chlorogenic acid prevents diabetic nephropathy by inhibiting oxidative stress and inflammation through modulation of the Nrf2/HO-1 and NF- $\kappa$ B pathways. *International Immunopharmacology*. Elsevier, 54(October 2017), pp. 245–253. doi: 10.1016/j.intimp.2017.11.021.
- Biernacka, A., Dobaczewski, M., & Frangogiannis, N. G. (2011). TGF- $\beta$  Signaling in Fibrosis. *Growth Factors*, 29(5), 196-202.
- Bruaene N, Derycke L, Novo CAP. TGF $\beta$  signaling and collagen deposition in chronic rhinosinusitis. *J Allergy Clin Immunol* 2009;124: 253-259.
- Buhl, E.M. et al. (2020) ‘Dysregulated mesenchymal PDGFR-  $\beta$  drives kidney fibrosis’, pp. 1–20. Available at: <https://doi.org/10.15252/emmm.201911021>.
- Calone I, Souchelnytskyi S. Inhibition of TGF- $\beta$  signaling and its implication in anticancer treatment. *J Exp Oncol* 2012;10:1, 9-16.
- Chansky, M. & Haddad, G., 2008. Acute Diabetic Emergencies, Hypoglycemia, and Glycemic Control. *Critical Care Medicine*, pp.1245–1267.
- Ciarimboli, G., Lancaster, C. S., Schlatter, E., & al., e. (2012). Proximal Tubular Secretion of Creatinine by Organic Cation Transporter OCT2 in Cancer Patients. *Clinical Cancer Research*, 1101-1108.

- Coffin, A. *et al.* (2015). Radioanatomy of the retroperitoneal space. *Diagnostic and Interventional Imaging*. Elsevier Masson SAS, 96(2), pp. 171–186. doi: 10.1016/j.diii.2014.06.015.
- Delanaye, P., Cavalier, E., & Pottel, H. (2017). Serum Creatinine: Not So Simple! *Nephron*, 136, 302-308.
- Dennler S, Goumans MJ, Dijke P. Transforming growth factor  $\beta$  signal transduction. *J Leuk Biol* 2002;71:731- 740.
- Dewi, P.R.P., Hairrudin and Normasari, R. (2016) ‘Pengaruh Stres Fisik terhadap Kadar Kreatinin Serum Tikus Wistar Jantan (*Rattus norvegicus*)’, *Jurnal Pustaka Kesehatan*, 4(2), pp. 218–221.
- Ehrmann, B.J., 2014. Diabetes. *A Comprehensive Guide to Geriatric Rehabilitation*, pp.329–336.
- Farah, A., Monteiro, M., Donangelo, C. M., & Lafay, S. (2008). Chlorogenic Acids from Green Coffee Extract are Highly Bioavailable in Humans. *The Journal of Nutrition: Biochemical, Molecular, and Genetic Mechanisms*, 2309-2315.
- Feng, Y., Yu, Y. H., Wang, S. T., Ren, J., Camer, D., Hua, Y. Z., Zhang, Q., Huang, J., Xue, D. L., Zhang, X. F., Huang, X. F., & Liu, Y. (2016). Chlorogenic acid protects d -galactose-induced liver and kidney injury via antioxidation and anti-inflammation effects in mice. *Pharmaceutical Biology*, 54(6), 1027–1034. <https://doi.org/10.3109/13880209.2015.1093510>
- Fischbach, F. T., & Dunning, M. B. (2014). *A Manual of Laboratory and Diagnostic Test, 9th Edition*. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins.
- Gewin, L., & Zent, R. (2012). How does TGF- $\beta$  mediate tubulointerstitial fibrosis? *Seminars in Nephrology*, 32(3), 228-235.
- Guyton JE HAC. (2016). *Guyton and Hall textbook of medical physiology*. 13th ed. Philadelphia: PA Saunders/Elsevier.
- Hornigold, N. *et al.* (2013) ‘Inhibition of collagen I accumulation reduces glomerulosclerosis by a Hic-5-dependent mechanism in experimental diabetic nephropathy’, *Laboratory Investigation*, 93, pp. 553–565. Available at: <https://doi.org/10.1038/labinvest.2013.42>.
- Huang F, Chen YG. Regulation of TGF $\beta$  receptor activity. In: Rhalwani, ed. *Cell and Boiscience*. Beijing: BioMed Central; 2012. p.1-10.
- Husna, F. *et al.* (2019) ‘Animal Model in Diabetes Research’, *Pharmaceutical Sciences and Research*, 6(3), pp. 131–141.
- Jin S, Chang C, Zhang L, Liu Y, Huang X, Chen Z (2015) Chlorogenic Acid Improves Late Diabetes through Adiponectin Receptor Signaling Pathways in db/db Mice. *PLoS ONE* 10(4):e0120842. doi:10.1371/journal.pone.0120842
- Kaiser, N., Leibowitz, G. & Nesher, R., 2003. Glucotoxicity and  $\beta$ -Cell Failure in type

- 2 Diabetes Mellitus. *Journal of Pediatric Endocrinology and Metabolism*, 16(1).
- Lee KY, Bae SC. TGF- $\beta$  dependent cell growth arrest and apoptosis. *J Biochemistry Molecular Biology* 2002;35:47-53.
- Levey, A. S., Perrone, R. D., & Madias, N. E. (1988). Serum Creatinine and Renal Function. *Annual Review of Medicine*, 465-490.
- Liu, R., & Desai, L. P. (2015). Reciprocal Regulation of TGF- $\beta$  and Reactive Oxygen Species: A Perverse Cycle for Fibrosis. *Redox Biology*, 6, 565-577.
- Lou, J., Gu, X., Xing, Y., Cui, J., Lv, W., & Zhang, Y. (2016). Chlorogenic acid slows down proteinuria and renal fibrosis in 5 / 6-nephrectomized rats by anti-oxidation and inhibiting accumulation of extracellular matrix.
- Mack, M., & Yanagita, M. (2015). Origin of myofibroblasts and cellular events triggering fibrosis. *Kidney International*, 87(2), 297–307. <https://doi.org/10.1038/ki.2014.287>
- McAnulty, R. J. (2007). Fibroblasts and Myofibroblasts: Their Source, Function, and Role In Disease. *International Journal of Biochemistry and Cell Biology*, 39, 666-671.
- Miao, M. and Xiang, L. (2020) Pharmacological action and potential targets of chlorogenic acid. 1st edn, *Advances in Pharmacology*. 1st edn. Elsevier Inc. doi: 10.1016/bs.apha.2019.12.002.
- Moore, K., Agur, A. & Dalley, A. (2014). Clinically oriented anatomy. 7th ed. Philadelphia: Lippincott Williams & Wilkins
- Nogueira, A., Pires, M. J., & Oliveira, P. A. (2017). Pathophysiological Mechanisms of Renal Fibrosis: A Review of Animal Models and Therapeutic Strategies. *in vivo*, 31, 1-22.
- Oka, A. A., & Fu, S. (2018). Effect of glomerulosclerosis index, tubular index, and matrix metalloprotein against serum creatinine and estimated glomerular filtration rate in obstructive kidney stone patients in Sanglah General Hospital Denpasar Bali. *Bali Medical Journal*, 7(2), 379-384.
- Paul, D. & Paul, K., 2012. Diabetes Mellitus and Its Complications: A Review. *International Journal of Current Pharmaceutical Research*, 4(2), pp.12–17.
- Ramzi F, Manel J. TGF- $\beta$ , Eosinophils and IL-13 in Allergic Airway Remodeling: A Critical with Therapeutic Consideration. In: Amal A. Al Garawi, ed. *Inflammation & Allergy-Drug targets*. Ontario: Bentham Science Publishers Ltd; 2008.p. 224-236.
- Rifa'i M, Pramana A, Djati MS dkk. Signal Transduksi dan Sistem Petahanan Tubuh. dalam: Widodo, Sasmito Djati, eds. *Buku ajar fisiologi*. Malang: Galaxy Science; 2010. p. 1-6.
- Rodriguez-Iturbe, B., Johnson, R. J., & Herrera-Acosta, J. (2005). Tubulointerstitial Damage and Progression of Renal Failure. *Kidney International*, 68(90), 82-86.

- Sherwood, L. (2016). Human Physiology from Cells to Systems Eighth Edition. Virginia: Brooks/Cole.
- Soelistijo, S.A. et al., 2015. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015, Jakarta, Indonesia: Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB PERKENI).
- Srinivasan, K. *et al.* (2005) 'Combination of high-fat diet-fed and low-dose streptozotocin-treated rat: A model for type 2 diabetes and pharmacological screening', *Pharmacological Research*, 52(4), pp. 313–320. Available at: <https://doi.org/10.1016/j.phrs.2005.05.004>.
- Stasi, A., Franzin, R., Divella, C., Gesualdo, L., Stallone, G. and Castellano, G. (2020). Double Labeling of PDGFR- $\beta$  and  $\alpha$ -SMA in Swine Models of Acute Kidney Injury to Detect Pericyte-to-Myofibroblast Transdifferentiation as Early Marker of Fibrosis. *Bio-protocol* 10(19): e3779. DOI: 10.21769/BioProtoc.3779.
- Suthahar, N., Meijers, W. C., Silljé, H. H. W., & de Boer, R. A. (2017). From Inflammation to Fibrosis—Molecular and Cellular Mechanisms of Myocardial Tissue Remodelling and Perspectives on Differential Treatment Opportunities. *Current Heart Failure Reports*, 14(4), 235–250. <https://doi.org/10.1007/s11897-017-0343-y>
- Todorova Dinkova-Kostova, A. et al. (2021) 'Signaling Pathways Involved in Diabetic Renal Fibrosis', *Front. Cell Dev. Biol*, 9, p. 696542. Available at: <https://doi.org/10.3389/fcell.2021.696542>.
- Tortora, G. & Derrickson, B. (2014). Principles of anatomy & physiology. 13th ed. Hoboken, N.J.: John Wiley & Sons.
- Tosh, A.K. & Orr, D.P., 2008. Diabetes Mellitus. *Adolescent Medicine*, pp.82–89.
- Tuleta, I., & Frangogiannis, N. G. (2021). Diabetic fibrosis. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1867(4), 166044. <https://doi.org/10.1016/J.BBADIS.2020.166044>
- Typiak, M. and Piwkowska, A. (2021). Antiinflammatory Actions of Klotho: Implications for Therapy of Diabetic Nephropathy. *International Journal of Molecular Sciences*. *International Journal of Molecular Sciences*, 22(2), p. 956. doi: 10.3390/ijms22020956.
- Udler, M.S. & Florez, J.C., 2017. Diabetes. *Genomic and Precision Medicine*, pp.245–282.
- Von der Mark, K. Structure, biosynthesis and gene regulation of collagens in cartilage and bone, *Dynamics of Bone and Cartilage Metabolism*, Academic Press, Orlando, 1999, pp. 3 – 29.
- Yadav, R., Tiwari, P. & Dhanaraj, E., 2008. Risk Factors and Complications of Type 2 Diabetes in Asians. *Current Research & Information on Pharmaceutical Sciences*, 9(2), pp.8–12.

- Yan, Y. et al. (2020). Use of Chlorogenic Acid against Diabetes Mellitus and Its Complications. *Journal of Immunology Research*, 2020. doi: 10.1155/2020/9680508.
- Yashin, A., Yashin, Y., Wang, J. Y., & Nemzer, B. (2013). Antioxidant and Antiradical Activity of Coffee. *Antioxidants*, 2, 230-245.
- Yunus, J., Salman, M., Bamba, G., Lintin, R., Muchtar, M., Ratna, D. C., Arfian, N., & Romi, M. M. (n.d.). *Chlorogenic acid attenuates kidney fibrosis via antifibrotic action of BMP-7 and HGF*. 7, 5–9.
- Zhou, D., & Liu, Y. (2016). Renal fibrosis in 2015: Understanding the mechanisms of kidney fibrosis. *Nature Reviews Nephrology*, 12(2), 68–70. <https://doi.org/10.1038/nrneph.2015.215>