

## DAFTAR PUSTAKA

- Alende-Castro, V., Alonso-Sampedro, M., Vazquez-Temprano, N., Tuñez, C., Rey, D., García-Iglesias, C., Sopeña, B., Gude, F., & Gonzalez-Quintela, A. (2019). Factors influencing erythrocyte sedimentation rate in adults: New evidence for an old test. *Medicine*, 98(34), e16816. <https://doi.org/10.1097/MD.00000000000016816>
- Allam, N., Gaber. W., and Helaly, M., 2017. “Antibody Clustering in Systemic lupus Erythematosus and their clinical correlates” *EJAE* 4(8): 218–226.
- Aringer, Martin., 2020. Inflammatory markers in systemic lupus erythematosus, *Journal of Autoimmunity* Volume 110, doi: 10.1016/j.jaut.2019.102374
- Bai, Y., Tong, Y., Liu, Y., & Hu, H. (2018). Self-dsDNA in the pathogenesis of systemic lupus erythematosus. *Clinical and experimental immunology*, 191(1), 1–10. <https://doi.org/10.1111/cei.13041>
- Barbhaiya, M., and Costenbader, K. H., 2016 “Environmental exposures and the development of systemic lupus erythematosus” *Current Opinion in Rheumatology* 28(5): 497–505. doi: 10.1097/BOR.0000000000000318.
- Bintang, M., 2010, *Biokimia Teknik Penelitian*, Erlangga, Jakarta.
- Brown, S. B., & Dransfield, I. (2008). Electric fields and inflammation: may the force be with you. *TheScientific World Journal*, 8, 1280–1294. <https://doi.org/10.1100/tsw.2008.158>
- Cansu, D. Ü., Teke H. U., and Korkmaz C., 2017 “Survival Analysis of Turkish Patients with Systemic Lupus Erythematosus: Older Age at Diagnosis Affects Mortality” *Archives of Rheumatology* 32(2): 141–148. doi: 10.5606/ArchRheumatol.2017.6173.
- Carter, E. E., Barr, S. G., and Clarke, A. E. 2016 “The global burden of SLE: prevalence, health disparities and socioeconomic impact” *Nature Reviews Rheumatology* 12(10): 605–620. doi: 10.1038/nrrheum.2016.137.

- Ceccarelli, F., Sciandrone, M., Perricone, C., Galvan, G., Morelli, F., Vicente, L. N., et al., 2017 “Prediction of chronic damage in systemic lupus erythematosus by using machine-learning models” *PLoS ONE* 12(3): 1–13. doi: 10.1371/journal.pone.0174200.
- Cervera, R., Khamashta, M. A., Font, J., Sebastiani, G. D., Antonio, G., Lavilla, P., et al., 2003 “Morbidity and mortality in systemic lupus erythematosus during a 10-year period: A comparison of early and late manifestations in a cohort of 1,000 patients” *Medicine* 82(5): 299–308. doi: 10.1097/01.md.0000091181.93122.55.
- Cunha, J. S., and Gilek-Seibert, K., 2016 “Systemic Lupus Erythematosus: A Review of the Clinical Approach to Diagnosis and Update on Current Targeted Therapies” *Rhode Island Medical Journal* 99(12): 23–27.
- Delgado-García, G., Galarza-Delgado, D. A., Colunga-Pedraza, I., Borjas-Almaguer, O. D., Mandujano-Cruz, I., Benavides-Salgado, D., et al. (2016) “Mean Platelet Volume is Decreased in Adults with Active Lupus Disease” *Revista Brasileira De Reumatologia* 56(6): 504–508. doi: 10.1016/j.rbre.2016.03.003.
- Emamikia, S.; Gentline, C.; Enman, Y.; Parodis, I. How Can We Enhance Adherence to Medications in Patients with Systemic Lupus Erythematosus? Results from a Qualitative Study. *J. Clin. Med.* 2022, 11, 1857. <https://doi.org/10.3390/jcm11071857>
- Ginzler, E., and Taylor, J. American College of Rheumatology. © 2012 American College of Rheumatology. (Updated January 2012)
- Gitlin, I., Carbeck, J. D., & Whitesides, G. M. (2006). Why are proteins charged? Networks of charge-charge interactions in proteins measured by charge ladders and capillary electrophoresis. *Angewandte Chemie (International ed.inEnglish)*, 45(19), 3022–3060. <https://doi.org/10.1002/anie.200502530>
- Han BK, Rathwell E, Ng B, Wener M. Evaluation of Erythrocyte Sedimentation Rate As a Marker of Disease Activity in Patients with Systemic Lupus Erythematosus. *Arthritis Rheumatol.* 2018; 70 (suppl 10). <https://acrabstracts.org/abstract/evaluation-of-erythrocyte-sedimentation->

rate-as-a-marker-of-disease-activity-in-patients-with-systemic-lupus-erythematosus/. Accessed August 30, 2022.

- Hashemi, R, Majidi A, Motamed H, Amini A, Najari, F., and Tabatabaey, A., 2015. "Erythrocyte Sedimentation Rate Measurement Using as a Rapid Alternative to the Westergren Method" *Emergency (Tehran)* 3(2): 50-53.
- Hulley, S. B., Cummings, S. R., Browner, W. S., Grady, D. G., and Newman, T. B., 2013. *Designing Clinical Research*. Fourth Edition. Philadelphia: Wolters Kluwer.
- Jou, J. M., Lewis, S. M., Briggs, C., Lee, S. H., De La Salle, B., McFadden, S; International Council for Standardization in Haematology, 2011. "ICSH Review of the Measurement of Erythrocyte Sedimentation Rate" *International Journal of Laboratory Hematology* 33(2): 125-132. doi: 10.1111/j.1751-553X.2011.01302.x.
- Kasjmir, Y. Wijaya, L.K., Hamijoyo, L., Albar, Z., Kalim, H., Hermansyah et al. (2011) *Rekomendasi Perhimpunan Reumatologi Indonesia: Diagnosis dan Pengelolaan Lupus Eritematosus Sistemik*. Jakarta: Perhimpunan Reumatologi Indonesia.
- Kee, J. L. E., 2007. *Pedoman Pemeriksaan Laboratorium dan Diagnostic*. Jakarta: Buku Kedokteran ECG
- Lam, G. K. W., and Petri, M., 2005. "Assessment of systemic lupus erythematosus" *Clinical and Experimental Rheumatology* 23(Suppl. 39): S120-S132.
- Lehman, T. J. A., Taber, S. F., and Nuruzzaman, F., 2007. "Systemic lupus erythematosus in childhood and adolescence" *Dalam: Wallace DJ, Hahn BH, penyunting. Dubois' lupus erythematosus*. Edisi ke-7. Philadelphia: Lippincott Williams and Wilkins pp 520-531.
- Liu, C. C., Kao, A. H., Manzi, S., & Ahearn, J. M. 2013. Biomarkers in systemic lupus erythematosus: challenges and prospects for the future. *Therapeutic advances in musculoskeletal disease*, 5(4), 210–233. <https://doi.org/10.1177/1759720X13485503>

- Maidhof, W., and Hilas, O., 2012. "Lupus: An Overview of the Disease and Management Options" *Pharmacy and Therapeutic* 37(4) 240-246.
- Mathew J, Sankar P, Varacallo M. Physiology, Blood Plasma. [Updated 2022 Apr 28]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK531504/>
- Mazur-Nicorici, L., Sadovici-Bobeica, V., Garabajiu, M., & Mazur, M. (2018). Therapeutic adherence in patients with systemic lupus erythematosus: a cross-sectional study. *Romanian journal of internal medicine = Revue roumaine de medecine interne*, 56(2), 109–115. <https://doi.org/10.2478/rjim-2018-0004>
- Mikdashi, J. and Nived, O., 2015. "Measuring Disease Activity in Adults With Systemic Lupus Erythematosus: The Challenges of Administrative Burden and Responsiveness to Patient Concerns in Clinical Research" *Arthritis Research & Therapy* 17(1) 183. doi: 10.1186/s13075-015-0702-6.
- Ngadikun, Widodo, U., Tasmini, Pradjatmo, H., Sadewa, H. A., Nugroho, K. A., 2019. "The Pattern of EDTA-Blood Photo Spectrum in Ovarian Cancer Patients: A Novel Biomarker" *International Journal on Advance Science Engineering Information Technology* 9(5): 1746-1753.
- Nugroho, K. A., Abraha, K., and Ngadikun, 2017. "The Mechanism of Erythrocytes Aggregation in EDTA-Blood of Ovarian Cancer Patients Viewed by Coulomb's Law" *International Journal on Advance Science Engineering Information Technology* 7(6): 2175-2182.
- Pack, P.E., 2010, *Cliffs Quick Review Anatomy and physiology*, Hungry Minds, New York.
- Podolska, M. J., Biermann, M. H. C., Maueröder, C., Hahn, J., and Herrmann, M., 2015 "Inflammatory etiopathogenesis of systemic lupus erythematosus: An update," *Journal of Inflammation Research* 8: 161–171. doi: 10.2147/JIR.S70325.
- Pusdatin Kemenkes RI. 2017 Situasi Lupus di Indonesia. Diakses: <https://pusdatin.kemkes.go.id/article/view/17072400003/situasi-penyakit-lupus-di-indonesia.html>
- Rahman, A., and Isenberg, D. A., 2008. "Systemic Lupus Erythematosus" *The New England Journal of Medicine* 358: 929-939.

- Rees, F., Doherty, M., Grainge, M. J., Lanyon, P. and Zhang, W., 2017 “The worldwide incidence and prevalence of systemic lupus erythematosus: a systematic review of epidemiological studies” *Rheumatology* 56(11): 1945-1961. doi: 10.1093/rheumatology/kex260.
- Rogers, K., 2011, *The human Body Blood Physiology and Circulation*, Britannica Educational Publishing, New York.
- Sacher, R. A., and McPherson R. A., 2009. *Tinjauan Klinis Hasil Pemeriksaan Laboratorium*, Edisi 11. Jakarta: Penerbit Buku Kedokteran EGC. ISBN 704486590
- Schäfer, V. B., Weiß, K., Krause, A. and Schmidt, W. A., 2018. “Does erythrocyte sedimentation rate reflect and discriminate flare from infection in systemic lupus erythematosus? Correlation with clinical and laboratory parameters of disease activity” *Clinical Rheumatology* 37(7):1835-1844. doi: 10.1007/s10067-018-4093-3
- Secomb, T. W., & Pries, A. R. 2013. Blood viscosity in microvessels: experiment and theory. *Comptes rendus. Physique*, 14(6), 470–478. <https://doi.org/10.1016/j.crhy.2013.04.002>
- Steiman A. J., Gladman D. D., Ibanez D., and Urowitz M. B., 2010. “Prolonged serologically active clinically quiescent systemic lupus erythematosus: Frequency and outcome” *Journal of Rheumatology* 37(9): 1822–1827.
- Tishkowski K, Gupta V. Erythrocyte Sedimentation Rate. [Updated 2022 May 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK557485/>
- Uribe A. G., Vilá L. M., McGwin G. Jr., Sanchez M. L., Reveille J. D., and Alarcón G. S., 2004. “The Systemic Lupus Activity Measure-revised, the Mexican Systemic Lupus Erythematosus Disease Activity Index (SLEDAI), and a modified SLEDAI-2K are adequate instruments to measure disease activity in systemic lupus erythematosus” *Journal of Rheumatology* 31(10):1934-1940.
- Vilá, L. M., Alarcón, G. S., McGwin, G., Jr, Bastian, H. M., Fessler, B. J., Reveille, J. D., & LUMINA Study Group (2005). Systemic lupus

erythematosus in a multiethnic cohort (LUMINA): XXIX. Elevation of erythrocyte sedimentation rate is associated with disease activity and damage accrual. *The Journal of rheumatology*, 32(11), 2150–2155.

Wang, Z., Li, M., Zhao, J., Wang, Q., and Zeng, Q. 2019. “220 Clinical characteristics and remission of patients with systemic lupus erythematosus in China: results from SLE treatment and research group (CSTAR) registry with a real-time collecting system Lupus” *Science & Medicine* 2019;6. doi: 10.1136/lupus-2019-lsm.220

Xiao, L. J., Liu, J. L., Pan, N. N., Cui, S. J., He, H. H., Ren, T. Y., Lan, X., Li, Q., & Zhou, Y. W. (2020). The Relationship between Erythrocyte Sedimentation Rate and Erythrocyte Sedimentation/Red Blood Cell Ratio and Disease Activity in Systemic Lupus Erythematosus. *Clinical laboratory*, 66(3),10.7754/Clin.Lab.2019.190622.  
<https://doi.org/10.7754/Clin.Lab.2019.190622>