



## DAFTAR PUSTAKA

- Abraham, B. dan Ledolter, J. (2005). *Statistical Methods for Forecasting*. New Jersey: Wiley-Interscience.
- Adeyinka, D.A. dan Muhajarine, N. (2020). Time series prediction of under-five mortality rates for Nigeria: comparative analysis of artificial neural networks, Holt-Winters exponential smoothing and autoregressive integrated moving average models. *BMC Medical Research Methodology*, 20, 1-11.
- Adya, M. dan Collopy, F. (1998). How effective are neural networks at forecasting and prediction? A review and evaluation. *Journal of Forecasting*, 17, 481-495.
- Anastasiadis, A. D., Magoulas, G. D., dan Vrahatis, M. N. (2005). New globally convergent training scheme based on the resilient propagation algorithm. *Neurocomputing*, 64, 253-270.
- Anders, U. dan Korn, O. (1999). Model selection in neural networks. *Neural Networks*, 12(2), 309-323.
- Araujo, M. B. dan New, M. (2007). Ensemble forecasting of species distributions. *Trends in Ecology and Evolution*, 22(1), 42-47.
- Balkin, S. D. dan Ord, J. K. (2000). Automatic neural network modeling for univariate time series. *International Journal of Forecasting*, 16(4), 509-515.
- Barrow, D., Crone, S. F., dan Kourentzes, N. (2010). An evaluation of neural network ensembles and model selection for time series prediction. *IEEE International Joint Conference on Neural Networks (IJCNN)*, Barcelona, 1-8.
- Bates, D. M. dan Watts, D. G. (1988). *Nonlinear Regression Analysis and Its Applications*. New York: John Wiley & Sons.



- Bengio, Y., Simard, P., dan Frasconi, P. (1994). Learning long-term dependencies with gradient descent is difficult. *IEEE Transactions on Neural Networks*, 5(2), 157-166.
- Bodyanskiy, Y. dan Popov, S. (2006). Neural network approach to forecasting of quasiperiodic financial time series. *European Journal of Operational Research*, 175(3), 1357-1366.
- Botev, Z. I., Grotowski, J. F., dan Kroese, D.P. (2010). Kernel density estimation via diffusion. *The Annals of Statistics*, 38(5), 2916-2957.
- Box, G. E., Jenkins, G. M., dan Reinsel, G. C. (1994). *Time Series Analysis: Forecasting and Control*. New Jersey: Prentice Hall.
- Brockwell, P. J. dan Davis, R. A. (2002). *Introduction to Time Series and Forecasting*. New York: Springer-Verlag.
- Callen, J. L., Kwan, C. C., Yip, P. C., dan Yuan, Y. (1996). Neural network forecasting of quarterly accounting earnings. *International Journal of Forecasting*, 12(4), 475-482.
- Campolo, M., Andreussi, P., dan Soldati, A. (1999). River flood forecasting with a neural network model. *Water Resources Research*, 35(4), 1191-1197.
- Chen, A. S. dan Leung, M. T. (2004). Regression neural network for error correction in foreign exchange forecasting and trading. *Computers and Operations Research*, 31(7), 1049-1068.
- Chen, S., Ren, Y., Friedrich, D., Yu, Z., dan Yu, J. (2020). Sensitivity analysis to reduce duplicated features in ANN training for district heat demand prediction. *Energy and AI*, 2, 100028.
- Chi, Y. N. (2021). Modeling and Forecasting Long-Term Records of Mean Sea Level at Grand Isle, Louisiana: SARIMA, NARNN, and Mixed SARIMA-NARNN Models. *Journal of Applied Data Sciences*, 2(2), 1-13.



- Chi, Y. N. (2021). Time Series Forecasting of Global Price of Soybeans using a Hybrid SARIMA and NARNN Model: Time Series Forecasting of Global Price of Soybeans. *Data Science: Journal of Computing and Applied Informatics*, 5(2), 85-101.
- Chu, B. B., Keys, K. L., German, C. A., Zhou, H., Zhou, J. J., Sobel, E. M., Sinsheimer, J. S., dan Lange, K. (2020). Iterative hard thresholding in genome-wide association studies: Generalized linear models, prior weights, and double sparsity. *GigaScience*, 9(6), 1-13.
- Cohen, J., Cohen, P., West, S. G., dan Aiken, L. S. (2003). *Applied Multiple Regression/Correlation Analysis for the Behavioral Sciences*. New Jersey: Lawrence Erlbaum Associates Publishers.
- Crone, S. F. dan Kourentzes, N. (2007). Input variable selection for time series prediction with neural networks an evaluation of visual, autocorrelation and spectral analysis for varying seasonality. *The 1st European Symposium on Time Series Prediction*, Helsinki, 195-205.
- Crone, S. F. dan Kourentzes, N. (2009). Input-variable specification for neural networks - An analysis of forecasting low and high time series frequency. *IEEE on International Joint Conference on Neural Networks*, Atlanta, 619-626.
- Crone, S. F. dan Kourentzes, N. (2009). Forecasting seasonal time series with multilayer perceptrons - an empirical evaluation of input vector specifications for deterministic seasonality. *Proceedings of International Conference on Data Mining*, Las Vegas, 232-238.
- Crone, S. F. dan Kourentzes, N. (2010). Feature selection for time series prediction - A combined filter and wrapper approach for neural networks. *Neurocomputing*, 73(10), 1923-1936.
- Curry, B. dan Morgan, P. H. (2006). Model selection in neural networks: Some difficulties. *European Journal of Operational Research*, 170(2), 567-577.



- Curry, B. (2007). Neural networks and seasonality: Some technical considerations. *European Journal of Operational Research*, 179(1), 267-274.
- Dawson, C. dan Wilby, R. (2001). Hydrological modelling using artificial neural networks. *Progress in physical Geography*, 25(1), 80-108.
- De Giorgi, M. G., Strafella, L., dan Ficarella, A. (2021). Neural Nonlinear Autoregressive Model with Exogenous Input (NARX) for Turboshaft Aeroengine Fuel Control Unit Model. *Aerospace*, 8(8), 1-19.
- Dennis, J. E. dan Schnabel, R. B. (1996). *Numerical Methods for Unconstrained Optimization and Nonlinear Equations*. Philadelphia: SIAM.
- Diaconescu, E. (2008). The use of NARX neural networks to predict chaotic time series. *WSEAS Transactions on Computer Research*, 3(3), 182-191.
- Di Nunno, F. dan Granata, F. (2020). Groundwater level prediction in Apulia region (Southern Italy) using NARX neural network. *Environmental Research*, 190, 110062.
- Di Nunno, F., Granata, F., Gargano, R., dan de Marinis, G. (2021). Prediction of spring flows using nonlinear autoregressive exogenous (NARX) neural network models. *Environmental Monitoring and Assessment*, 193(6), 1-17.
- Faraway, J. dan Chatfield, C. (1998). Time series forecasting with neural networks: A comparative study using the airline data. *Journal of the Royal Statistical Society*, 47(2), 231-250.
- Fausett, L. (1994). *Fundamental of Neural Network (Arhitectures, Algorithms, and Applications)*. New Jersey: Printice.
- Fildes, R. dan Kourentzes, N. (2011). Validation and forecasting accuracy in models of climate change. *International Journal of Forecasting*, 27(4), 968-995.
- Gardner, E. S. (1985). Exponential smoothing: the state of art. *Journal of Forecasting*, 4, 1-28.



- Ghysels, E., Osborn, D. R., dan Sargent, T. J. (2001). *The Econometric Analysis of Seasonal Time Series*. Cambridge: Cambridge University Press.
- Gujarati, D. N., Porter, D. C., dan Gunasekar, S. (2012). *Basic Econometrics*. New Delhi: McGraw-Hill Education.
- Gunther, F. dan Fritsch, S. (2010). Neuralnet: Training of neural networks. *The R Journal*, 2(1), 30-38.
- Hanke, J.E. dan Wichern, D.W. (2005). *Bussiness Forecasting* (8th Edition). New Jersey: Prentice-Hall.
- Hassan, M. K., Ariffin, S. H., Syed-Yusof, S. K., Ghazali, N. E., dan Kanona, M. E. (2021). Analysis of hybrid non-linear autoregressive neural network and local smoothing technique for bandwidth slice forecast. *TELKOMNIKA (Telecommunication Computing Electronics and Control)*, 19(4), 1078-1089.
- Hastie, T., Tibshirani, R., dan Friedman, J. (2011). *The Elements of Statistical Learning*. New York: Springer.
- Haykin, S. (2004). *Neural Networks A Comprehensive Foundation* (2nd Edition). New Jersey: Prentice Hall.
- Hermansah, Rosadi, D., Utami, H., dan Abdurakhman. (2018). Perbandingan Akurasi Peramalan Runtun Waktu Multivariat Model Neural Network dan Vector Autoregressive Moving Average. *Prosiding IndoMS*, Konferensi Nasional Matematika XIX, Universitas Brawijaya Malang, 1149-1154.
- Hermansah, Rosadi, D., Utami, H., dan Abdurakhman. (2019). Hybrid Maximal Overlap Discrete Wavelet Transform-Autoregressive Moving Average Model for Indonesia Stock Exchange LQ45 Index Forecasting. *Proceedings of the International Conference on Science and Technology Innovation in Education (ICSTIE 2019)*, Universitas Mercubuana Yogyakarta, IOP Conference Series, Accepted.



Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2019). Comparison of ARIMA, neural network, and wavelet models for forecasting Indonesia sharia stock index, *Proceedings of the 62nd ISI World Statistics Congress 2019*, ISI, Kuala Lumpur, 286-293.

Hermansah, Rosadi, D., Utami, H., Abdurakhman, dan Darmawan, G. (2019). Hybrid MODWT-FFNN model for time series data forecasting. *Proceedings of the 8th SEAMS-UGM Conference 2019*, Universitas Gadjah Mada, AIP Conference Proceedings, 1-8.

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2020). Selection of input variables of nonlinear autoregressive neural network model for time series data forecasting. *Media Statistika*, 13(2), 116-124.

Hermansah, Rosadi, D., Abdurakhman, Utami, H., dan Darmawan, G. (2020). Multivariate Time Series Data Forecasting using Multi-Output NARNN Model. *Proceedings of the 7th International Conference on Research, Implementation, and Education of Mathematics and Sciences (ICRIEMS 2020)*, Universitas Negeri Yogyakarta, Atlantis Press, 288-294.

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2021). Automatic time series forecasting using nonlinear autoregressive neural network model with exogenous input. *Bulletin of Electrical Engineering and Informatics*, 10(5), 2836-2844.

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2021). A comparison of learning algorithms for seasonal time series forecasting using NARX model. *Journal of Mathematical and Computational Science*, 11(6), 6638-6656.

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2021). Time series forecasting with trend and seasonal patterns using NARX network ensembles. *Mathematics and Statistics*, 9(4), 511-520.

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2021). Determining



optimal parameterization of nonlinear auto-regressive model with exogenous input. *Hacettepe Journal of Mathematics and Statistics*, Submitted.

Hermansah, Rosadi, D., Abdurakhman, Utami, H., dan Darmawan, G. (2021). Differencing Effect in Series-Parallel Architecture of NARX Model for Time Series Forecasting. *Proceedings of the International Conference on Mathematics: Pure, Applied, and Computation (ICoMPAC 2021)*, Institut Teknologi Sepuluh Nopember, AIP Conference Proceedings, Accepted.

Hermansah, Rosadi, D., dan Novianti, P. (2021). Short-term forecasting of Covid-19 cases in East Java of Indonesia using NARX-NN model. *Proceedings of the IndoMS International Conference on Mathematics and Its Applications (IICMA 2021)*, Universitas Sanata Dharma, AIP Conference Proceedings, Submitted.

Hill, T., O'Connor, M., dan Remus, W. (1996). Neural network models for time series forecasts. *Management Science*, 42(7), 1082-1092.

Hippert, H. S., Pedreira, C. E., dan Souza, R. C. (2001). Neural networks for short term load forecasting: A review and evaluation. *IEEE Transactions on Power Systems*, 16(1), 44-55.

Hippert, H. S., Bunn, D. W., dan Souza, R. C. (2005). Large neural networks for electricity load forecasting: Are they overfitted?. *International Journal of Forecasting*, 21(3), 425-434.

Hornik, K., Stinchcombe, M., dan White, H. (1989). Multilayer feedforward networks are universal approximators. *Neural Networks*, 2(5), 359-366.

Hornik, K. (1991). Approximation capabilities of multilayer feedforward networks. *Neural Networks*, 4(2), 251-257.

Hyndman, R. J., Koehler, A. B., Snyder, R. D., dan Grose, S. D. (2002). A state space framework for automatic forecasting using exponential smoothing methods. *International Journal of Forecasting*, 18(3), 439-454.



- Hyndman, R. J. dan Khandakar, Y. (2008). Automatic time series forecasting: The forecast package for R. *Journal of Statistical Software*, 27(3), 1-22.
- Hyndman, R. J., Koehler, A. B., Ord, J. K., dan Snyder, R. D. (2008). *Forecasting with Exponential Smoothing: The State Space Approach*. Germany: Springer Science and Business Media.
- Hyndman, R. J. dan Athanasopoulos, G. (2021). *Forecasting: Principles and Practice* (3rd Edition). Australia: OTexts.
- Ingrassia, S. dan Morlini, I. (2007). Equivalent number of degrees of freedom for neural networks. *Advances in Data Analysis*, Springer, Berlin, Heidelberg, 229-236.
- Inoue, A. dan Kilian, L. (2008). How useful is bagging in forecasting economic time series? A case study of us consumer price inflation. *Journal of the American Statistical Association*, 103(482), 511-522.
- Izenman, A. J. (2008). *Modern Multivariate Statistical Techniques: Regression, Classification, and Manifold Learning*. New York: Springer.
- Jiang, C. dan Song, F. (2011). Sunspot forecasting by using chaotic time-series analysis and NARX network. *Journal of Computers*, 6(7), 1424-1429.
- Jose, V. R. R. dan Winkler, R. L. (2008). Simple robust averages of forecasts: Some empirical results. *International Journal of Forecasting*, 24(1), 163-169.
- Kao, J. J. dan Huang, S. S. (2000). Forecasts using neural network versus Box-Jenkins methodology for ambient air quality monitoring data. *Journal of the Air and Waste Management Association*, 50(2), 219-226.
- Khalid, A. dan Sarwat, A. I. (2021). Unified univariate-neural network models for lithium-ion battery state-of-charge forecasting using minimized akaike information criterion algorithm. *IEEE Access*, 9, 39154-39170.
- Kirbas, I., Sozen, A., Tuncer, A. D., dan Kazancioglu, F. S. (2020). Comparative analysis and forecasting of COVID-19 cases in various



European countries with ARIMA, NARNN and LSTM approaches. *Chaos, Solitons & Fractals*, 138, 110015.

Kohavi, R. (1995). A study of cross-validation and bootstrap for accuracy estimation and model selection. *International Joint Conference on Artificial Intelligence*, 14(2), 1137-1145.

Kourentzes, N. dan Crone, S. F. (2008). Automatic modelling of neural networks for time series prediction - In search of a uniform methodology across varying time frequencies. *The 2nd European Symposium on Time Series Prediction*, Helsinki, 195-205.

Kourentzes, N. (2009). *Input Variable Selection for Time Series Forecasting with Artificial Neural Networks - An Empirical Evaluation across Varying Time Series Frequencies*. PhD Thesis. Department of Management Science, Lancaster University, Lancaster.

Kourentzes, N. dan Crone, S. F. (2010). Frequency independent automatic input variable selection for neural networks for forecasting. *IEEE on the International Joint Conference on Neural Networks (IJCNN)*, Barcelona, 1-8.

Kourentzes, N., Barrow, B. K., dan Crone, S. F. (2014). Neural network ensemble operators for time series forecasting. *Expert Systems with Applications*, 41(9), 4235-4244.

Langella, G., Basile, A., Bonfante, A., dan Terribile, F. (2010). High-resolution space-time rainfall analysis using integrated ann inference systems. *Journal of Hydrology*, 387(3), 328-342.

Laria de la Cruz, J. C. (2020). *Variable Selection Algorithms in Generalized Linear Models*. Thesis. Universidad Carlos III de Madrid.

Lima, E., Hyde, R., dan Green, M. (2021). Model selection for inferential models with high dimensional data: synthesis and graphical representation of multiple techniques. *Scientific Reports*, 11(1), 1-15.



- Lin, T., Horne, B. G., Tino, P., dan Giles, C. L. (1996). Learning long-term dependencies in NARX recurrent neural networks. *IEEE Transactions on Neural Networks*, 7(6), 1329-1338.
- Liu, Q., Chen, W., Hu, H., Zhu, Q., dan Xie, Z. (2020). An optimal NARX neural network identification model for a magnetorheological damper with force-distortion behavior. *Frontiers in Materials*, 7, 1-12.
- Makridakis, S., Wheelwright, S. C., Hyndman, R. J. (1998). *Forecasting: Methods and Applications*. New York: John Wiley & Sons.
- Mallows, C. (1991). Another comment on ocinneide. *The American Statistician*, 45(3), 257.
- Martinez, F., Frias, M. P., Perez, M. D., dan Rivera, A. J. (2017). A methodology for applying k-nearest neighbor to time series forecasting. *Artificial Intelligence Review*, 52(3), 2019-2037.
- Martinez, F., Charte, F., Rivera, A. J., dan Frias, M. P. (2019). Automatic time series forecasting with GRNN: A comparison with other models. *Proceedings of the International Work Conference on Artificial Neural Networks*, Springer, Gran Canaria, Spain, 198-209.
- Massias, M., Vaiter, S., Gramfort, A., dan Salmon, J. (2020). Dual extrapolation for sparse generalized linear models. *Journal of Machine Learning Research*, 21(234), 1-33.
- McAdam, P. dan McNelis, P. (2005). Forecasting inflation with thick models and neural networks. *Economic Modelling*, 22(5), 848-867.
- Moller, M. (1997). *Efficient Training of Feed-Forward Neural Networks*. Ph.D. Thesis. Aarhus University.
- Montgomery, D. C., Peck, E. A., dan Vining, G. G. (2021). *Introduction to Linear Regression Analysis*. New York: John Wiley and Sons.



- Nelson, M., Hill, T., Remus, W., dan O'Connor, M. (1999). Time series forecasting using neural networks: Should the data be deseasonalized first?. *Journal of Forecasting*, 18(5), 359-367.
- Nocedal, J. (1992). Theory of algorithms for unconstrained optimization. *Acta Numerica*, 1, 199-242.
- Ord, J. K., Koehler, A. B., dan Snyder, R. D. (1997). Estimation and prediction for a class of dynamic nonlinear statistical models. *Journal of the American Statistical Association*, 92(440), 1621-1629.
- Ouyang, H. (2017). Nonlinear autoregressive neural networks with external inputs for forecasting of typhoon inundation level. *Environ Monit Assess*, 189(376), 1-13.
- Pattie, D. C. dan Snyder, J. (1996). Using a neural network to forecast visitor behavior. *Annals of Tourism Research*, 23(1), 151-164.
- Pegels, C. C. (1969). Exponential forecasting: some new variations. *Management Science*, 15(5), 311-315.
- Potdar, K. dan Kinnekar, R. (2017). A non-linear autoregressive neural network model for forecasting Indian index of industrial production. *IEEE Region 10 Symposium (TENSYMP)*, Cochin, India, 1-5.
- Riedmiller, M. dan Braun, H. (1993). A direct adaptive method for faster backpropagation learning: The RPROP algorithm. *IEEE International Conference on Neural Networks*, San Francisco, 586-591.
- Riedmiller, M. (1994). *RPROP - Description and Implementation Details*. Technical Report. University of Karlsruhe.
- Ripley, B. D. (1996). *Pattern Recognition and Neural Networks*. Cambridge: Cambridge University Press.



Roebber, P. J., Butt, M. R., Reinke, S. J., dan Grafenauer, T. J. (2007). Real-time forecasting of snowfall using a neural network. *Weather and Forecasting*, 22(3), 676-684.

Rosadi, D. (2014). *Analisis Runtun Waktu dan Aplikasinya dengan R*. Yogyakarta: Gajah Mada University Press.

Ruiz, L. G. B., Cuellar, M. P., Calvo-Flores, M. D., dan Jimenez, M. D. C. P. (2016). An application of non-linear autoregressive neural networks to predict energy consumption in public buildings. *Energies*, 9(9), 684.

Rumelhart, D. E. dan McClelland, J. L. (1986). *Parallel Distributed Processing: Explorations in the Microstructure of Cognition*. Cambridge: MIT Press.

Samarasinghe, S. (2007). *Neural Networks for Applied Sciences and Engineering: From Fundamentals to Complex Pattern Recognition*. New York: Auerbach Publications.

Seber, G. A. F. dan Wild, C. J. (1989). *Nonlinear Regression*. New York: John Wiley & Sons.

Shao, L., Hu, Y., dan Xu, G. (2020). A high precision on-line detection method for IGBT junction temperature based on stepwise regression algorithm. *IEEE Access*, 8, 186172-186180.

Siegelmann, H. T., Horne, B. G., dan Giles, C. L. (1997). Computational capabilities of recurrent NARX neural networks. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 27(2), 208-215.

Sihabuddin, A., Subanar, Rosadi, D., dan Winarko, E. (2014). A second correlation method for multivariate exchange rates forecasting. *International Journal of Advanced Computer Science and Applications*, 5(7), 30-33.

Sihabuddin, A., Subanar, Rosadi, D., dan Winarko, E. (2015). Exchange rates forecasting using variable length moving average - NARX. *International Journal of Computer Science and Information Security*, 13(9), 15-18.



Sihabuddin, A. (2016). *Variable Length Moving Average dan Korelasi Kedua pada Model Peramalan Multivariabel Valuta dengan Jaringan Saraf Tiruan*. Disertasi. Universitas Gadjah Mada.

Silverman, B. W. (1981). Using kernel density estimates to investigate multimodality, *Journal of the Royal Statistical Society*, 43(1), 97-99.

Silverman, B. W. (1986). *Density estimation for statistics and data analysis*. London: Chapman and Hall.

Siotani, M., Hayakawa, T., dan Fujikoshi, Y. (1985). *Modern Multivariate Statistical Analysis*. Columbus: American Sciences Press.

Soman, P. C. (2008). *An Adaptive NARX Neural Network Approach for Financial Time Series Prediction*. PhD Thesis. The State University of New Jersey.

Stock, J. H. dan Watson, M. W. (2004). Combination forecasts of output growth in a seven-country data set. *Journal of Forecasting*, 23(6), 405-430.

Suhartono. (2007). *Feedforward Neural Networks untuk Pemodelan Runtun Waktu*. Disertasi. Universitas Gadjah Mada.

Tang, L., Zhou, L., dan Song, P. X. K. (2020). Distributed simultaneous inference in generalized linear models via confidence distribution. *Journal of Multivariate Analysis*, 176, 104567.

Taylor, J. W. dan Buizza, R. (2002). Neural network load forecasting with weather ensemble predictions. *IEEE Transactions on Power Systems*, 17(3), 626-632.

Tay, J. K., Narasimhan, B., dan Hastie, T. (2021). Elastic net regularization paths for all generalized linear models. *arXiv preprint*, arXiv:2103.03475, 1-21.

Tibshirani, R. (1996). Regression shrinkage and selection via the LASSO. *Journal of the Royal Statistical Society: Series B (Methodological)*, 58(1), 267-288.

Tibshirani, R. (2013). *Model Selection and Validation 1: Cross Validation, Statistics and Data Science*. Lecture Note. Carnegie Mellon University.



- Tibshirani, R. dan Wasserman, L. (2017). *Sparsity, the LASSO, and Friends*. Pittsburgh: Carnegie Mellon University.
- Trapero, J. R., Kourentzes, N., dan Fildes, R. (2012). Impact of information exchange on supplier forecasting performance. *Omega*, 40(6), 738-747.
- Treadgold, N. K. dan Gedeon, T. D. (1998). Simulated annealing and weight decay in adaptive learning: The SARPROP algorithm. *IEEE Transactions on Neural Networks*, 9(4), 662-668.
- Versace, M., Bhatt, R., Hinds, O., dan Shiffer, M. (2004). Predicting the exchange traded fund DIA with a combination of genetic algorithms and neural networks. *Expert Systems with Applications*, 27(3), 417-425.
- Vilsen, S. B. dan Stroe, D. I. (2021). Battery state-of-health modelling by multiple linear regression. *Journal of Cleaner Production*, 290, 125700.
- Vrahatis, M. N., Androulakis, G. S., Lambrinos, J. N., dan Magoulas, G. D. (2000). A class of gradient unconstrained minimization algorithms with adaptive stepsize. *Journal of Computational and Applied Mathematics*, 114(2), 367-386.
- Walczak, S. (2001). An empirical analysis of data requirements for financial forecasting with neural networks. *Journal of Management Information Systems*, 17(4), 203-222.
- Wand, M. P. dan Jones, M. C. (1995). *Kernel Smoothing*. London: Chapman & Hall.
- Warner, B. dan Misra, M. (1996). Understanding neural networks as statistical tools. *The American Statistician*, 50(4), 284-293.
- Wolfe, P. (1969). Convergence conditions for ascent methods, *Society for Industrial and Applied Mathematics*, 11(2), 226-235.
- Wolfe, P. (1971). Convergence conditions for ascent methods II: Some corrections. *Society for Industrial and Applied Mathematics*, 13(2), 185-188.



- Yamashita, T., Yamashita, K., dan Kamimura, R. (2007). A stepwise AIC method for variable selection in linear regression. *Communications in Statistics: Theory and Methods*, 36, 2395-2403.
- Yan, W. (2012). Toward automatic time-series forecasting using neural networks. *IEEE Transactions on Neural Networks and Learning Systems*, 23(7), 1028-1039.
- Yeung, D. S., Cloete, I., Shi, D., dan Wing, W. Y. (1998). *Sensitivity Analysis of Neural Networks*. New York: Springer.
- Yu, L., Wang, S., dan Lai, K. K. (2008). Forecasting crude oil price with an EMD based neural network ensemble learning paradigm. *Energy Economics*, 30(5), 2623-2635.
- Yu, C. S., Chang, S. S., Chang, T. H., Wu, J. L., Lin, Y. J., Chien, H. F., dan Chen, R. J. (2021). A COVID-19 pandemic artificial intelligence-based system with deep learning forecasting and automatic statistical data acquisition: development and implementation study. *Journal of Medical Internet Research*, 23(5), e27806.
- Zhang, G. Q., Patuwo, B. E., dan Hu, M. Y. (1998). Forecasting with artificial neural networks: The state of the art. *International Journal of Forecasting*, 14(1), 35-62.
- Zhang, G. P. (2001). An investigation of neural networks for linear time series forecasting. *Computers and Operations Research*, 28(12), 1183-1202.
- Zhang, G. P., Patuwo, B. E., dan Hu, M. Y. (2001). A simulation study of artificial neural networks for nonlinear time-series forecasting. *Computers and Operations Research*, 28(4), 381-396.
- Zhang, G. P. dan Berardi, V. L. (2001). Time series forecasting with neural network ensembles: An application for exchange rate prediction. *Journal of the Operational Research Society*, 52, 652-664.
- Zhang, G. P. (2003). Time series forecasting using a hybrid ARIMA and neural network model. *Neurocomputing*, 50, 159-175.



Zhang, G. P. (2004). *Neural Networks in Business Forecasting*. Hershey: IGI Global.

Zhang, G. P. (2004). *Neural Network in Business Forecasting*. New York: Idea Grup Publising.

Zhang, G. P. dan Qi, M. (2005). Neural network forecasting for seasonal and trend time series. *European Journal Of Operational Research*, 160(2), 501-514.

Zhang, Z. dan Liu, Z. P. (2021). Robust biomarker discovery for hepatocellular carcinoma from high-throughput data by multiple feature selection methods. *BMC Medical Genomics*, 14(1), 1-12.

Zhou, Q., Li, Y., Tian, Y., dan Jiang, L. (2020). A novel method based on nonlinear auto-regression neural network and convolutional neural network for imbalanced fault diagnosis of rotating machinery. *Measurement*, 161, 107880.

Zogala-Siudem, B. dan Jaroszewicz, S. (2021). Fast stepwise regression based on multidimensional indexes. *Information Sciences*, 549, 288-309.

Zou, H. dan Hestie, T. (2005). Regularization and variable selection via the elastic net. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 67(2), 301-320.