UNIVERSITAS
GADJAH MADA
Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abraham, B. dan Ledolter, J. (2005). *Statistical Methods for Forecasting*. New Jersey: Wiley-Interscience.

Adeyinka, D.A. dan Muhajarine, N. (2020). Time series prediction of under-five mortality rates for Nigeria: comparative analysis of artificial neural networks, Holt-Winters exponential smoothing and autoregressive integrated moving average models. *BMC Medical Research Methodology*, 20, 1-11.

Adya, M. dan Collopy, F. (1998). How effective are neural networks at forecasting and prediction? A review and evaluation. *Journal of Forecasting*, 17, 481-495.

Anastasiadis, A. D., Magoulas, G. D., dan Vrahatis, M. N. (2005). New globally convergent training scheme based on the resilient propagation algorithm. *Neurocomputing*, 64, 253-270.

Anders, U. dan Korn, O. (1999). Model selection in neural networks. *Neural Networks*, 12(2), 309-323.

Araujo, M. B. dan New, M. (2007). Ensemble forecasting of species distributions. *Trends in Ecology and Evolution*, 22(1), 42-47.

Balkin, S. D. dan Ord, J. K. (2000). Automatic neural network modeling for univariate time series. *International Journal of Forecasting*, 16(4), 509-515.

Barrow, D., Crone, S. F., dan Kourentzes, N. (2010). An evaluation of neural network ensembles and model selection for time series prediction. *IEEE International Joint Conference on Neural Networks (IJCNN)*, Barcelona, 1-8.

Bates, D. M. dan Watts, D. G. (1988). *Nonlinear Regression Analysis and Its Applications*. New York: John Wiley & Sons.

UNIVERSITAS
GADJAH MADA
Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Bengio, Y., Simard, P., dan Frasconi, P. (1994). Learning long-term dependencies with gradient descent is difficult. *IEEE Transactions on Neural Networks*, 5(2), 157-166.

Bodyanskiy, Y. dan Popov, S. (2006). Neural network approach to forecasting of quasiperiodic financial time series. *European Journal of Operational Research*, 175(3), 1357-1366.

Botev, Z. I., Grotowski, J. F., dan Kroese, D.P. (2010). Kernel density estimation via diffusion. *The Annals of Statistics*, 38(5), 2916-2957.

Box, G. E., Jenkins, G. M., dan Reinsel, G. C. (1994). *Time Series Analysis: Forecasting and Control*. New Jersey: Prentice Hall.

Brockwell, P. J. dan Davis, R. A. (2002). *Introduction to Time Series and Forecasting*. New York: Springer-Verlag.

Callen, J. L., Kwan, C. C., Yip, P. C., dan Yuan, Y. (1996). Neural network forecasting of quarterly accounting earnings. *International Journal of Forecasting*, 12(4), 475-482.

Campolo, M., Andreussi, P., dan Soldati, A. (1999). River flood forecasting with a neural network model. *Water Resources Research*, 35(4), 1191-1197.

Chen, A. S. dan Leung, M. T. (2004). Regression neural network for error correction in foreign exchange forecasting and trading. *Computers and Operations Research*, 31(7), 1049-1068.

Chen, S., Ren, Y., Friedrich, D., Yu, Z., dan Yu, J. (2020). Sensitivity analysis to reduce duplicated features in ANN training for district heat demand prediction. *Energy and AI*, 2, 100028.

Chi, Y. N. (2021). Modeling and Forecasting Long-Term Records of Mean Sea Level at Grand Isle, Louisiana: SARIMA, NARNN, and Mixed SARIMA-NARNN Models. *Journal of Applied Data Sciences*, 2(2), 1-13.

UNIVERSITAS
GADJAH MADA
**Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan
Data Runtun Waktu**
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Chi, Y. N. (2021). Time Series Forecasting of Global Price of Soybeans using a Hybrid SARIMA and NARNN Model: Time Series Forecasting of Global Price of Soybeans. *Data Science: Journal of Computing and Applied Informatics*, 5(2), 85-101.

Chu, B. B., Keys, K. L., German, C. A., Zhou, H., Zhou, J. J., Sobel, E. M., Sinsheimer, J. S., dan Lange, K. (2020). Iterative hard thresholding in genome-wide association studies: Generalized linear models, prior weights, and double sparsity. *GigaScience*, 9(6), 1-13.

Cohen, J., Cohen, P., West, S. G., dan Aiken, L. S. (2003). *Applied Multiple Regression/Correlation Analysis for the Behavioral Sciences.* New Jersey: Lawrence Erlbaum Associates Publishers.

Crone, S. F. dan Kourentzes, N. (2007). Input variable selection for time series prediction with neural networks an evaluation of visual, autocorrelation and spectral analysis for varying seasonality. *The 1st European Symposium on Time Series Prediction*, Helsinki, 195-205.

Crone, S. F. dan Kourentzes, N. (2009). Input-variable specification for neural networks - An analysis of forecasting low and high time series frequency. *IEEE on International Joint Conference on Neural Networks*, Atlanta, 619-626.

Crone, S. F. dan Kourentzes, N. (2009). Forecasting seasonal time series with multilayer perceptrons - an empirical evaluation of input vector specifications for deterministic seasonality. *Proceedings of International Conference on Data Mining*, Las Vegas, 232-238.

Crone, S. F. dan Kourentzes, N. (2010). Feature selection for time series prediction - A combined filter and wrapper approach for neural networks. *Neurocomputing*, 73(10), 1923-1936.

Curry, B. dan Morgan, P. H. (2006). Model selection in neural networks: Some difficulties. *European Journal of Operational Research*, 170(2), 567-577.

UNIVERSITAS
GADJAH MADA
**Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan
Data Runtun Waktu**
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Curry, B. (2007). Neural networks and seasonality: Some technical considerations. *European Journal of Operational Research*, 179(1), 267-274.

Dawson, C. dan Wilby, R. (2001). Hydrological modelling using artificial neural networks. *Progress in physical Geography*, 25(1), 80-108.

De Giorgi, M. G., Strafella, L., dan Ficarella, A. (2021). Neural Nonlinear Autoregressive Model with Exogenous Input (NARX) for Turboshaft Aeroengine Fuel Control Unit Model. *Aerospace*, 8(8), 1-19.

Dennis, J. E. dan Schnabel, R. B. (1996). *Numerical Methods for Unconstrained Optimization and Nonlinear Equations*. Philadelphia: SIAM.

Diaconescu, E. (2008). The use of NARX neural networks to predict chaotic time series. *WSEAS Transactions on Computer Research*, 3(3), 182-191.

Di Nunno, F. dan Granata, F. (2020). Groundwater level prediction in Apulia region (Southern Italy) using NARX neural network. *Environmental Research*, 190, 110062.

Di Nunno, F., Granata, F., Gargano, R., dan de Marinis, G. (2021). Prediction of spring flows using nonlinear autoregressive exogenous (NARX) neural network models. *Environmental Monitoring and Assessment*, 193(6), 1-17.

Faraway, J. dan Chatfield, C. (1998). Time series forecasting with neural networks: A comparative study using the airline data. *Journal of the Royal Statistical Society*, 47(2), 231-250.

Fausett, L. (1994). *Fundamental of Neural Network (Arthitectures, Algorithms, and Applications)*. New Jersey: Printice.

Fildes, R. dan Kourentzes, N. (2011). Validation and forecasting accuracy in models of climate change. *International Journal of Forecasting*, 27(4), 968-995.

Gardner, E. S. (1985). Exponential smoothing: the state of art. *Journal of Forecasting*, 4, 1-28.

Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan
Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Ghysels, E., Osborn, D. R., dan Sargent, T. J. (2001). *The Econometric Analysis of Seasonal Time Series*. Cambridge: Cambridge University Press.

Gujarati, D. N., Porter, D. C., dan Gunasekar, S. (2012). *Basic Econometrics*. New Delhi: McGraw-Hill Education.

Gunther, F. dan Fritsch, S. (2010). Neuralnet: Training of neural networks. *The R Journal*, 2(1), 30-38.

Hanke, J.E. dan Wichern, D.W. (2005). *Bussiness Forecasting* (8th Edition). New Jersey: Prentice-Hall.

Hassan, M. K., Ariffin, S. H., Syed-Yusof, S. K., Ghazali, N. E., dan Kanona, M. E. (2021). Analysis of hybrid non-linear autoregressive neural network and local smoothing technique for bandwidth slice forecast. *TELKOMNIKA (Telecommunication Computing Electronics and Control)*, 19(4), 1078-1089.

Hastie, T., Tibshirani, R., dan Friedman, J. (2011). *The Elements of Statistical Learning*. New York: Springer.

Haykin, S. (2004). *Neural Networks A Comprehensive Foundation* (2nd Edition). New Jersey: Prentice Hall.

Hermansah, Rosadi, D., Utami, H., dan Abdurakhman. (2018). Perbandingan Akurasi Peramalan Runtun Waktu Multivariat Model Neural Network dan Vector Autoregressive Moving Average. *Prosiding IndoMS*, Konferensi Nasional Matematika XIX, Universitas Brawijaya Malang, 1149-1154.

Hermansah, Rosadi, D., Utami, H., dan Abdurakhman. (2019). Hybrid Maximal Overlap Discrete Wavelet Transform-Autoregressive Moving Average Model for Indonesia Stock Exchange LQ45 Index Forecasting. *Proceedings of the International Conference on Science and Technology Innovation in Education (ICSTIE 2019)*, Universitas Mercubuana Yogyakarta, IOP Conference Series, Accepted.

UNIVERSITAS
GADJAH MADA
Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2019). Comparison of ARIMA, neural network, and wavelet models for forecasting Indonesia sharia stock index, *Proceedings of the 62nd ISI World Statistics Congress 2019*, ISI, Kuala Lumpur, 286-293.

Hermansah, Rosadi, D., Utami, H., Abdurakhman, dan Darmawan, G. (2019). Hybrid MODWT-FFNN model for time series data forecasting. *Proceedings of the 8th SEAMS-UGM Conference 2019*, Universitas Gadjah Mada, AIP Conference Proceedings, 1-8.

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2020). Selection of input variables of nonlinear autoregressive neural network model for time series data forecasting. *Media Statistika*, 13(2), 116-124.

Hermansah, Rosadi, D., Abdurakhman, Utami, H., dan Darmawan, G. (2020). Multivariate Time Series Data Forecasting using Multi-Output NARNN Model. *Proceedings of the 7th International Conference on Research, Implementation, and Education of Mathematics and Sciences (ICRIEMS 2020)*, Universitas Negeri Yogyakarta, Atlantis Press, 288-294.

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2021). Automatic time series forecasting using nonlinear autoregressive neural network model with exogenous input. *Bulletin of Electrical Engineering and Informatics*, 10(5), 2836-2844.

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2021). A comparison of learning algorithms for seasonal time series forecasting using NARX model. *Journal of Mathematical and Computational Science*, 11(6), 6638-6656.

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2021). Time series forecasting with trend and seasonal patterns using NARX network ensembles. *Mathematics and Statistics*, 9(4), 511-520.

Hermansah, Rosadi, D., Abdurakhman, dan Utami, H. (2021). Determining

UNIVERSITAS
GADJAH MADA
**Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan
Data Runtun Waktu**
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

optimal parameterization of nonlinear auto-regressive model with exogenous input. *Hacettepe Journal of Mathematics and Statistics*, Submitted.

Hermansah, Rosadi, D., Abdurakhman, Utami, H., dan Darmawan, G. (2021). Differencing Effect in Series-Parallel Architecture of NARX Model for Time Series Forecasting. *Proceedings of the International Conference on Mathematics: Pure, Applied, and Computation (ICoMPAC 2021)*, Institut Teknologi Sepuluh Nopember, AIP Conference Proceedings, Accepted.

Hermansah, Rosadi, D., dan Novianti, P. (2021). Short-term forecasting of Covid-19 cases in East Java of Indonesia using NARX-NN model. *Proceedings of the IndoMS International Conference on Mathematics and Its Applications (IICMA 2021)*, Universitas Sanata Dharma, AIP Conference Proceedings, Submitted.

Hill, T., O'Connor, M., dan Remus, W. (1996). Neural network models for time series forecasts. *Management Science*, 42(7), 1082-1092.

Hippert, H. S., Pedreira, C. E., dan Souza, R. C. (2001). Neural networks for short term load forecasting: A review and evaluation. *IEEE Transactions on Power Systems*, 16(1), 44-55.

Hippert, H. S., Bunn, D. W., dan Souza, R. C. (2005). Large neural networks for electricity load forecasting: Are they overfitted?. *International Journal of Forecasting*, 21(3), 425-434.

Hornik, K., Stinchcombe, M., dan White, H. (1989). Multilayer feedforward networks are universal approximators. *Neural Networks*, 2(5), 359-366.

Hornik, K. (1991). Approximation capabilities of multilayer feedforward networks. *Neural Networks*, 4(2), 251-257.

Hyndman, R. J., Koehler, A. B., Snyder, R. D., dan Grose, S. D. (2002). A state space framework for automatic forecasting using exponential smoothing methods. *International Journal of Forecasting*, 18(3), 439-454.

UNIVERSITAS
GADJAH MADA
Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Hyndman, R. J. dan Khandakar, Y. (2008). Automatic time series forecasting: The forecast package for R. *Journal of Statistical Software*, 27(3), 1-22.

Hyndman, R. J., Koehler, A. B., Ord, J. K., dan Snyder, R. D. (2008). *Forecasting with Exponential Smoothing: The State Space Approach*. Germany: Springer Science and Business Media.

Hyndman, R. J. dan Athanasopoulos, G. (2021). *Forecasting: Principles and Practice* (3rd Edition). Australia: OTexts.

Ingrassia, S. dan Morlini, I. (2007). Equivalent number of degrees of freedom for neural networks. *Advances in Data Analysis*, Springer, Berlin, Heidelberg, 229-236.

Inoue, A. dan Kilian, L. (2008). How useful is bagging in forecasting economic time series? A case study of us consumer price inflation. *Journal of the American Statistical Association*, 103(482), 511-522.

Izenman, A. J. (2008). *Modern Multivariate Statistical Techniques: Regression, Classification, and Manifold Learning*. New York: Springer.

Jiang, C. dan Song, F. (2011). Sunspot forecasting by using chaotic time-series analysis and NARX network. *Journal of Computers*, 6(7), 1424-1429.

Jose, V. R. R. dan Winkler, R. L. (2008). Simple robust averages of forecasts: Some empirical results. *International Journal of Forecasting*, 24(1), 163-169.

Kao, J. J. dan Huang, S. S. (2000). Forecasts using neural network versus Box-Jenkins methodology for ambient air quality monitoring data. *Journal of the Air and Waste Management Association*, 50(2), 219-226.

Khalid, A. dan Sarwat, A. I. (2021). Unified univariate-neural network models for lithium-ion battery state-of-charge forecasting using minimized akaike information criterion algorithm. *IEEE Access*, 9, 39154-39170.

Kirbas, I., Sozen, A., Tuncer, A. D., dan Kazancioglu, F. S. (2020). Comparative analysis and forecasting of COVID-19 cases in various

UNIVERSITAS
GADJAH MADA
Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

European countries with ARIMA, NARNN and LSTM approaches. *Chaos, Solitons & Fractals*, 138, 110015.

Kohavi, R. (1995). A study of cross-validation and bootstrap for accuracy estimation and model selection. *International Joint Conferrence on Artificial Intelegent*, 14(2), 1137-1145.

Kourentzes, N. dan Crone, S. F. (2008). Automatic modelling of neural networks for time series prediction - In search of a uniform methodology across varying time frequencies. *The 2nd European Symposium on Time Series Prediction*, Helsinki, 195-205.

Kourentzes, N. (2009). *Input Variable Selection for Time Series Forecasting with Artificial Neural Networks - An Empirical Evaluation across Varying Time Series Frequencies*. PhD Thesis. Department of Management Science, Lancaster University, Lancaster.

Kourentzes, N. dan Crone, S. F. (2010). Frequency independent automatic input variable selection for neural networks for forecasting. *IEEE on the International Joint Conference on Neural Networks (IJCNN)*, Barcelona, 1-8.

Kourentzes, N., Barrow, B. K., dan Crone, S. F. (2014). Neural network ensemble operators for time series forecasting. *Expert Systems with Applications*, 41(9), 4235-4244.

Langella, G., Basile, A., Bonfante, A., dan Terribile, F. (2010). High-resolution space-time rainfall analysis using integrated ann inference systems. *Journal of Hydrology*, 387(3), 328-342.

Laria de la Cruz, J. C. (2020). *Variable Selection Algorithms in Generalized Linear Models*. Thesis. Universidad Carlos III de Madrid.

Lima, E., Hyde, R., dan Green, M. (2021). Model selection for inferential models with high dimensional data: synthesis and graphical representation of multiple techniques. *Scientific Reports*, 11(1), 1-15.

UNIVERSITAS
GADJAH MADA
Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Lin, T., Horne, B. G., Tino, P., dan Giles, C. L. (1996). Learning long-term dependencies in NARX recurrent neural networks. *IEEE Transactions on Neural Networks*, 7(6), 1329-1338.

Liu, Q., Chen, W., Hu, H., Zhu, Q., dan Xie, Z. (2020). An optimal NARX neural network identification model for a magnetorheological damper with force-distortion behavior. *Frontiers in Materials*, 7, 1-12.

Makridakis, S., Wheelwright, S. C., Hyndman, R. J. (1998). *Forecasting: Methods and Applications*. New York: John Willey & Sons.

Mallows, C. (1991). Another comment on ocinneide. *The American Statistician*, 45(3), 257.

Martinez, F., Frias, M. P., Perez, M. D., dan Rivera, A. J. (2017). A methodology for applying k-nearest neighbor to time series forecasting. *Artificial Intelligence Review*, 52(3), 2019-2037.

Martinez, F., Charte, F., Rivera, A. J., dan Frias, M. P. (2019). Automatic time series forecasting with GRNN: A comparison with other models. *Proceedings of the International Work Conference on Artificial Neural Networks*, Springer, Gran Canaria, Spain, 198-209.

Massias, M., Vaiter, S., Gramfort, A., dan Salmon, J. (2020). Dual extrapolation for sparse generalized linear models. *Journal of Machine Learning Research*, 21(234), 1-33.

McAdam, P. dan McNelis, P. (2005). Forecasting inflation with thick models and neural networks. *Economic Modelling*, 22(5), 848-867.

Moller, M. (1997). *Efficient Training of Feed-Forward Neural Networks*. Ph.D. Thesis. Aarhus University.

Montgomery, D. C., Peck, E. A., dan Vining, G. G. (2021). *Introduction to Linear Regression Analysis*. New York: John Wiley and Sons.

UNIVERSITAS
GADJAH MADA
Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Nelson, M., Hill, T., Remus, W., dan O'Connor, M. (1999). Time series forecasting using neural networks: Should the data be deseasonalized first?. *Journal of Forecasting*, 18(5), 359-367.

Nocedal, J. (1992). Theory of algorithms for unconstrained optimization. *Acta Numerica*, 1, 199-242.

Ord, J. K., Koehler, A. B., dan Snyder, R. D. (1997). Estimation and prediction for a class of dynamic nonlinear statistical models. *Journal of the American Statistical Association*, 92(440), 1621-1629.

Ouyang, H. (2017). Nonlinear autoregressive neural networks with external inputs for forecasting of typhoon inundation level. *Environ Monit Assess*, 189(376), 1-13.

Pattie, D. C. dan Snyder, J. (1996). Using a neural network to forecast visitor behavior. *Annals of Tourism Research*, 23(1), 151-164.

Pegels, C. C. (1969). Exponential forecasting: some new variations. *Management Science*, 15(5), 311-315.

Potdar, K. dan Kinnerkar, R. (2017). A non-linear autoregressive neural network model for forecasting Indian index of industrial production. *IEEE Region 10 Symposium (TENSYMP)*, Cochin, India, 1-5.

Riedmiller, M. dan Braun, H. (1993). A direct adaptive method for faster backpropagation learning: The RPROP algorithm. *IEEE International Conference on Neural Networks*, San Francisco, 586-591.

Riedmiller, M. (1994). *RPROP - Description and Implementation Details.* Technical Report. University of Karlsruhe.

Ripley, B. D. (1996). *Pattern Recognition and Neural Networks.* Cambridge: Cambridge University Press.

UNIVERSITAS
GADJAH MADA
Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Roebber, P. J., Butt, M. R., Reinke, S. J., dan Grafenauer, T. J. (2007). Real-time forecasting of snowfall using a neural network. *Weather and Forecasting*, 22(3), 676-684.

Rosadi, D. (2014). *Analisis Runtun Waktu dan Aplikasinya dengan R*. Yogyakarta: Gajah Mada University Press.

Ruiz, L. G. B., Cuellar, M. P., Calvo-Flores, M. D., dan Jimenez, M. D. C. P. (2016). An application of non-linear autoregressive neural networks to predict energy consumption in public buildings. *Energies*, 9(9), 684.

Rumelhart, D. E. dan McClelland, J. L. (1986). *Parallel Distributed Processing: Explorations in the Microstructure of Cognition*. Cambridge: MIT Press.

Samarasinghe, S. (2007). *Neural Networks for Applied Sciences and Engineering: From Fundamentals to Complex Pattern Recognition*. New York: Auerbach Publications.

Seber, G. A. F. dan Wild, C. J. (1989). *Nonlinear Regression*. New York: John Wiley & Sons.

Shao, L., Hu, Y., dan Xu, G. (2020). A high precision on-line detection method for IGBT junction temperature based on stepwise regression algorithm. *IEEE Access*, 8, 186172-186180.

Siegelmann, H. T., Horne, B. G., dan Giles, C. L. (1997). Computational capabilities of recurrent NARX neural networks. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 27(2), 208-215.

Sihabuddin, A., Subanar, Rosadi, D., dan Winarko, E. (2014). A second correlation method for multivariate exchange rates forecasting. *International Journal of Advanced Computer Science and Applications*, 5(7), 30-33.

Sihabuddin, A., Subanar, Rosadi, D., dan Winarko, E. (2015). Exchange rates forecasting using variable length moving average - NARX. *International Journal of Computer Science and Information Security*, 13(9), 15-18.

UNIVERSITAS
GADJAH MADA
**Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan
Data Runtun Waktu**
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Sihabuddin, A. (2016). *Variable Length Moving Average dan Korelasi Kedua pada Model Peramalan Multivariabel Valuta dengan Jaringan Saraf Tiruan*. Disertasi. Universitas Gadjah Mada.

Silverman, B. W. (1981). Using kernel density estimates to investigate multimodality, *Journal of the Royal Statistical Society*, 43(1), 97-99.

Silverman, B. W. (1986). *Density estimation for statistics and data analysis*. London: Chapman and Hall.

Siotani, M., Hayakawa, T., dan Fujikoshi, Y. (1985). *Modern Multivariate Statistical Analysis*. Columbus: American Sciences Press.

Soman, P. C. (2008). *An Adaptive NARX Neural Network Approach for Financial Time Series Prediction*. PhD Thesis. The State University of New Jersey.

Stock, J. H. dan Watson, M. W. (2004). Combination forecasts of output growth in a seven-country data set. *Journal of Forecasting*, 23(6), 405-430.

Suhartono. (2007). *Feedforward Neural Networks untuk Pemodelan Runtun Waktu*. Disertasi. Universitas Gadjah Mada.

Tang, L., Zhou, L., dan Song, P. X. K. (2020). Distributed simultaneous inference in generalized linear models via confidence distribution. *Journal of Multivariate Analysis*, 176, 104567.

Taylor, J. W. dan Buizza, R. (2002). Neural network load forecasting with weather ensemble predictions. *IEEE Transactions on Power Systems*, 17(3), 626-632.

Tay, J. K., Narasimhan, B., dan Hastie, T. (2021). Elastic net regularization paths for all generalized linear models. *arXiv preprint*, arXiv:2103.03475, 1-21.

Tibshirani, R. (1996). Regression shrinkage and selection via the LASSO. *Journal of the Royal Statistical Society: Series B (Methodological)*, 58(1), 267-288.

Tibshirani, R. (2013). *Model Selection and Validation 1: Cross Validation, Statistics and Data Science*. Lecture Note. Carnegie Mellon University.

UNIVERSITAS
GADJAH MADA
Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Tibshirani, R. dan Wasserman, L. (2017). *Sparsity, the LASSO, and Friends*. Pittsburgh: Carnegie Mellon University.

Trapero, J. R., Kourentzes, N., dan Fildes, R. (2012). Impact of information exchange on supplier forecasting performance. *Omega*, 40(6), 738-747.

Treadgold, N. K. dan Gedeon, T. D. (1998). Simulated annealing and weight decay in adaptive learning: The SARPROP algorithm. *IEEE Transactions on Neural Networks*, 9(4), 662-668.

Versace, M., Bhatt, R., Hinds, O., dan Shiffer, M. (2004). Predicting the exchange traded fund DIA with a combination of genetic algorithms and neural networks. *Expert Systems with Applications*, 27(3), 417-425.

Vilsen, S. B. dan Stroe, D. I. (2021). Battery state-of-health modelling by multiple linear regression. *Journal of Cleaner Production*, 290, 125700.

Vrahatis, M. N., Androulakis, G. S., Lambrinos, J. N., dan Magoulas, G. D. (2000). A class of gradient unconstrained minimization algorithms with adaptive stepsize. *Journal of Computational and Applied Mathematics*, 114(2), 367-386.

Walczak, S. (2001). An empirical analysis of data requirements for financial forecasting with neural networks. *Journal of Management Information Systems*, 17(4), 203-222.

Wand, M. P. dan Jones, M. C. (1995). *Kernel Smoothing*. London: Chapman & Hall.

Warner, B. dan Misra, M. (1996). Understanding neural networks as statistical tools. *The American Statistician*, 50(4), 284-293.

Wolfe, P. (1969). Convergence conditions for ascent methods, *Society for Industrial and Applied Mathematics*, 11(2), 226-235.

Wolfe, P. (1971). Convergence conditions for ascent methods II: Some corrections. *Society for Industrial and Applied Mathematics*, 13(2), 185-188.

UNIVERSITAS
GADJAH MADA
**Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan
Data Runtun Waktu**
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Yamashita, T., Yamashita, K., dan Kamimura, R. (2007). A stepwise AIC method for variable selection in linear regression. *Communications in Statistics: Theory and Methods*, 36, 2395-2403.

Yan, W. (2012). Toward automatic time-series forecasting using neural networks. *IEEE Transactions on Neural Networks and Learning Systems*, 23(7), 1028-1039.

Yeung, D. S., Cloete, I., Shi, D., dan Wing, W. Y. (1998). *Sensitivity Analysis of Neural Networks*. New York: Springer.

Yu, L., Wang, S., dan Lai, K. K. (2008). Forecasting crude oil price with an EMD based neural network ensemble learning paradigm. *Energy Economics*, 30(5), 2623-2635.

Yu, C. S., Chang, S. S., Chang, T. H., Wu, J. L., Lin, Y. J., Chien, H. F., dan Chen, R. J. (2021). A COVID-19 pandemic artificial intelligence-based system with deep learning forecasting and automatic statistical data acquisition: development and implementation study. *Journal of Medical Internet Research*, 23(5), e27806.

Zhang, G. Q., Patuwo, B. E., dan Hu, M. Y. (1998). Forecasting with artificial neural networks: The state of the art. *International Journal of Forecasting*, 14(1), 35-62.

Zhang, G. P. (2001). An investigation of neural networks for linear time series forecasting. *Computers and Operations Research*, 28(12), 1183-1202.

Zhang, G. P., Patuwo, B. E., dan Hu, M. Y. (2001). A simulation study of artificial neural networks for nonlinear time-series forecasting. *Computers and Operations Research*, 28(4), 381-396.

Zhang, G. P. dan Berardi, V. L. (2001). Time series forecasting with neural network ensembles: An application for exchange rate prediction. *Journal of the Operational Research Society*, 52, 652-664.

Zhang, G. P. (2003). Time series forecasting using a hybrid ARIMA and neural network model. *Neurocomputing*, 50, 159-175.

UNIVERSITAS
GADJAH MADA
Otomatisasi Pemodelan Nonlinear Autoregressive Neural Network with Exogenous Inputs untuk Peramalan Data Runtun Waktu
HERMANSAH, Dr. Abdurakhman, M.Si.; Prof. Dr.rer.nat. Dedi Rosadi, M.Sc.; Dr. Herni Utami, M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, G. P. (2004). *Neural Networks in Business Forecasting*. Hershey: IGI Global.

Zhang, G. P. (2004). *Neural Network in Business Forecasting*. New York: Idea Grup Publising.

Zhang, G. P. dan Qi, M. (2005). Neural network forecasting for seasonal and trend time series. *European Journal Of Operational Research*, 160(2), 501-514.

Zhang, Z. dan Liu, Z. P. (2021). Robust biomarker discovery for hepatocellular carcinoma from high-throughput data by multiple feature selection methods. *BMC Medical Genomics*, 14(1), 1-12.

Zhou, Q., Li, Y., Tian, Y., dan Jiang, L. (2020). A novel method based on nonlinear auto-regression neural network and convolutional neural network for imbalanced fault diagnosis of rotating machinery. *Measurement*, 161, 107880.

Zogala-Siudem, B. dan Jaroszewicz, S. (2021). Fast stepwise regression based on multidimensional indexes. *Information Sciences*, 549, 288-309.

Zou, H. dan Hestie, T. (2005). Regularization and variable selection via the elastic net. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 67(2), 301-320.