

## DAFTAR PUSTAKA

- Abu Bakar, S. and Ribeiro, C., 2016, An insight toward the photocatalytic activity of S doped 1-D TiO<sub>2</sub> nanorods prepared via novel route: As promising platform for environmental leap, *J. Mol. Catal. A Chem.*, 412, 78–92.
- Ahmad, M.A. and Rahman, N.K., 2011, Equilibrium, kinetics and thermodynamic of Remazol Brilliant Orange 3R dye adsorption on coffee husk-based activated carbon, *Chem. Eng. J.*, 170, 154–161.
- Aksu, Z. and Akin, A.B., 2010, Comparison of Remazol Black B biosorptive properties of live and treated activated sludge, *Chem. Eng. J.*, 165, 184–193.
- Al-Mamun, M.R., Kader, S., Islam, M.S., and Khan, M.Z.H., 2019, Photocatalytic activity improvement and application of UV-TiO<sub>2</sub> photocatalysis in textile wastewater treatment: A review, *J. Environ. Chem. Eng.*, 7, .
- Ali, M.H.H., Al-Afify, A.D., and Goher, M.E., 2018, Preparation and characterization of graphene-TiO<sub>2</sub> nanocomposite for enhanced photodegradation of Rhodamine-B dye, *Egypt. J. Aquat. Res.*, 44, 263–270.
- Ansari, S.A., Khan, M.M., Ansari, M.O., and Cho, M.H., 2016, Nitrogen-doped titanium dioxide (N-doped TiO<sub>2</sub>) for visible light photocatalysis, *New J. Chem.*, 40, 3000–3009.
- Arcanjo, G.S., Mounteer, A.H., Bellato, C.R., Silva, L.M.M. da, Brant Dias, S.H., and Silva, P.R. da, 2018, Heterogeneous photocatalysis using TiO<sub>2</sub> modified with hydrotalcite and iron oxide under UV-visible irradiation for color and toxicity reduction in secondary textile mill effluent, *J. Environ. Manage.*, 211, 154–163.
- Bakar, S.A. and Ribeiro, C., 2016, A comparative run for visible-light-driven photocatalytic activity of anionic and cationic S-doped TiO<sub>2</sub> photocatalysts: A case study of possible sulfur doping through chemical protocol, *J. Mol. Catal. A Chem.*, 421, 1–15.
- Byrne, C., Subramanian, G., and Pillai, S.C., 2018, Recent advances in photocatalysis for environmental applications, *J. Environ. Chem. Eng.*, 6, 3531–3555.
- Chen, C., Cheng, M., and Chen, A., 2012, Photocatalytic decolorization of Remazol Black 5 and Remazol Brilliant Orange 3R by mesoporous TiO<sub>2</sub>, *J. Environ. Manage.*, 102, 125–133.
- Chen, C., Ma, W., and Zhao, J., 2010, Photocatalytic Degradation of Organic Pollutants by Co-Doped TiO<sub>2</sub> Under Visible Light Irradiation, *Curr. Org. Chem.*, 14, 630–644.
- Chen, C.Y., Cheng, M.C., and Chen, A.H., 2012, Photocatalytic decolorization of Remazol Black 5 and Remazol Brilliant Orange 3R by mesoporous TiO<sub>2</sub>, *J. Environ. Manage.*, 102, 125–133.

- Chen, X., Sun, H., Zhang, J., Guo, Y., and Kuo, D.H., 2019, Cationic S-doped TiO<sub>2</sub>/SiO<sub>2</sub> visible-light photocatalyst synthesized by co-hydrolysis method and its application for organic degradation, *J. Mol. Liq.*, 273, 50–57.
- Chen, Z., Ma, J., Yang, K., Feng, S., Tan, W., Tao, Y., Mao, H., and Kong, Y., 2017, Preparation of S-doped TiO<sub>2</sub>-three dimensional graphene aerogels as a highly efficient photocatalyst, *Synth. Met.*, 231, 51–57.
- Choi, J., Park, H., and Hoffmann, M.R., 2010, Effects of single metal-ion doping on the visible-light photoreactivity of TiO<sub>2</sub>, *J. Phys. Chem. C*, 114, 783–792.
- Cravanzola, S., Cesano, F., Gaziano, F., and Scarano, D., 2017, Sulfur-doped TiO<sub>2</sub>: Structure and surface properties, *Catalysts*, 7, .
- Crini, Ñ. and Badot, P., 2008, Application of chitosan, a natural aminopolysaccharide, for dye removal from aqueous solutions by adsorption processes using batch studies: A review of recent literature, *Prog. Polym. Sci.*, 33, 399–447.
- Danziger, N. and Bernstein, N., 2021, Light matters: Effect of light spectra on cannabinoid profile and plant development of medical cannabis (*Cannabis sativa* L.), *Ind. Crops Prod.*, 164, 113351.
- Das, K., Sharma, S.N., Kumar, M., and De, S.K., 2009, Morphology dependent luminescence properties of Co doped TiO<sub>2</sub> nanostructures, *J. Phys. Chem. C*, 113, 14783–14792.
- Devi, L.G. and Kavitha, R., 2014, Enhanced photocatalytic activity of sulfur doped TiO<sub>2</sub> for the decomposition of phenol: A new insight into the bulk and surface modification, *Mater. Chem. Phys.*, 143, 1300–1308.
- Dwiyanna, R., Roto, R., Suwondo, K.P., and Wahyuni, E.T., 2021, Enhanced photocatalytic degradation of remazol black under visible light illumination through s doped TiO<sub>2</sub> (S-TiO<sub>2</sub>) nanoparticles: Operational factors and kinetic study, *Glob. Nest J.*, 23, 323–332.
- Dwiyanna, R., Roto, R., and Wahyuni, E.T., 2021, Remazol Black Decontamination Study Using a Novel One-Pot Synthesized S and co Co-Doped TiO<sub>2</sub> Photocatalyst, *Photochem*, 1, 488–504.
- Eng, Y.Y., Sharma, V.K., and Ray, A.K., 2012, Degradation of anionic and cationic surfactants in a monolithic swirl-flow photoreactor, *Sep. Purif. Technol.*, 92, 43–49.
- Gaur, L.K., Kumar, P., Kushavah, D., Kiangte, K.R., Mathpal, M.C., Agrahari, V., Gairola, S.P., Soler, M.A.G., Swart, H.C., and Agarwal, A., 2019, Laser induced phase transformation influenced by Co doping in TiO<sub>2</sub> nanoparticles, *J. Alloys Compd.*, 780, 25–34.
- Ghoreishian, S.M., Badii, K., Norouzi, M., Rashidi, A., Montazer, M., Sadeghi, M., and Vafae, M., 2014, Decolorization and mineralization of an azo reactive dye using loaded nano-photocatalysts on spacer fabric: Kinetic study and operational factors, *J. Taiwan Inst. Chem. Eng.*, 45, 2436–2446.

- Hamadani, M., Reisi-Vanani, A., and Majedi, A., 2009, Preparation and characterization of S-doped TiO<sub>2</sub> nanoparticles, effect of calcination temperature and evaluation of photocatalytic activity, *Mater. Chem. Phys.*, 116, 376–382.
- Hamadani, M., Reisi-Vanani, A., Razi, P., Hoseinifard, S., and Jabbari, V., 2013, Photodeposition-assisted synthesis of novel nanoparticulate In, S-codoped TiO<sub>2</sub> powders with high visible light-driven photocatalytic activity, *Appl. Surf. Sci.*, 285, 121–129.
- Hamal, D.B. and Klabunde, K.J., 2011, Valence state and catalytic role of cobalt ions in cobalt TiO<sub>2</sub> nanoparticle photocatalysts for acetaldehyde degradation under visible light, *J. Phys. Chem. C*, 115, 17359–17367.
- Han, C., Andersen, J., Likodimos, V., Falaras, P., Linkugel, J., and Dionysiou, D.D., 2014, The effect of solvent in the sol-gel synthesis of visible light-activated, sulfur-doped TiO<sub>2</sub> nanostructured porous films for water treatment, *Catal. Today*, 224, 132–139.
- Hanaor, D.A.H. and Sorrell, C.C., 2011, Review of the anatase to rutile phase transformation, *J. Mater. Sci.*, 46, 855–874.
- Hoseini, S.N., Pirzaman, A.K., Aroon, M.A., and Pirbazari, A.E., 2017, Photocatalytic degradation of 2,4-dichlorophenol by Co-doped TiO<sub>2</sub> (Co/TiO<sub>2</sub>) nanoparticles and Co/TiO<sub>2</sub> containing mixed matrix membranes, *J. Water Process Eng.*, 17, 124–134.
- Isari, A.A., Payan, A., Fattahi, M., Jorfi, S., and Kakavandi, B., 2018, Photocatalytic degradation of rhodamine B and real textile wastewater using Fe-doped TiO<sub>2</sub> anchored on reduced graphene oxide (Fe-TiO<sub>2</sub>/rGO): Characterization and feasibility, mechanism and pathway studies, *Appl. Surf. Sci.*, 462, 549–564.
- Jabbari, V., Hamadani, M., Karimzadeh, S., and Villagrán, D., 2016, Enhanced charge carrier efficiency and solar light-induced photocatalytic activity of TiO<sub>2</sub> nanoparticles through doping of silver nanoclusters and C-N-S nonmetals, *J. Ind. Eng. Chem.*, 35, 132–139.
- Jacob, K.A., Peter, P.M., Jose, P.E., Balakrishnan, C.J., and Thomas, V.J., 2021, A simple method for the synthesis of anatase-rutile mixed phase TiO<sub>2</sub> using a convenient precursor and higher visible-light photocatalytic activity of Co-doped TiO<sub>2</sub>, *Mater. Today Proc.*, 49, 1408–1417.
- Jaihindh, D.P., Verma, A., Chen, C., Huang, Y., Dong, C., and Fu, Y., 2018, Study of oxidation states of Fe- and Co-doped TiO<sub>2</sub> photocatalytic energy materials and their visible-light-driven photocatalytic behavior, *Int. J. Hydrogen Energy*, 44, 15892–15906.
- Jaihindh, D.P., Verma, A., Chen, C.C., Huang, Y.C., Dong, C.L., and Fu, Y.P., 2019, Study of oxidation states of Fe- and Co-doped TiO<sub>2</sub> photocatalytic energy materials and their visible-light-driven photocatalytic behavior, *Int. J. Hydrogen Energy*, 44, 15892–15906.

- Khan, S. and Malik, A., 2014, Environmental and Health Effects of Textile Industry Wastewater, *Environ. Deterior. Hum. Heal.*, 55–71.
- Kumar, M.K., Godavarthi, S., Karthik, T.V.K., Mahendhiran, M., Hernandez-Eligio, A., Hernandez-Como, N., Agarwal, V., and Martinez Gomez, L., 2016, Green synthesis of S-doped rod shaped anatase TiO<sub>2</sub> microstructures, *Mater. Lett.*, 183, 211–214.
- Lin, Y., Hsueh, H., Chang, C., and Chu, H., 2016, The visible light-driven photodegradation of dimethyl sulfide on S-doped TiO<sub>2</sub>: Characterization, kinetics, and reaction pathways, *Appl. Catal. B Environ. Environ.*, 199, 1–10.
- Matos, J., Ocares-Riquelme, J., Poon, P.S., Montaña, R., García, X., Campos, K., Hernández-Garrido, J.C., and Titirici, M.M., 2019, C-doped anatase TiO<sub>2</sub>: Adsorption kinetics and photocatalytic degradation of methylene blue and phenol, and correlations with DFT estimations, *J. Colloid Interface Sci.*, 547, 14–29.
- Mital, G.S. and Manoj, T., 2011, A review of TiO<sub>2</sub> nanoparticles, *Chinese Sci. Bull.*, 56, 1639–1657.
- Moreira, A.J., Malafatti, J.O.D., Giralardi, T.R., Paris, E.C., Pereira, E.C., de Mendonça, V.R., Mastelaro, V.R., and Freschi, G.P.G., 2020, Prozac® photodegradation mediated by Mn-doped TiO<sub>2</sub> nanoparticles: Evaluation of by-products and mechanisms proposal, *J. Environ. Chem. Eng.*, 8, .
- Mugundan, S., Rajamannan, B., Viruthagiri, G., Shanmugam, N., Gobi, R., and Praveen, P., 2015, Synthesis and characterization of undoped and cobalt-doped TiO<sub>2</sub> nanoparticles via sol–gel technique, *Appl. Nanosci.*, 5, 449–456.
- Muruganandham, M., Sobana, N., and Swaminathan, M., 2006, Solar assisted photocatalytic and photochemical degradation of Reactive Black 5, *J. Hazard. Mater.*, 137, 1371–1376.
- Naseem, S., Khan, W., Khan, S., Husain, S., and Ahmad, A., 2019, Consequences of (Cr/Co) co-doping on the microstructure, optical and magnetic properties of microwave assisted sol-gel derived TiO<sub>2</sub> nanoparticles, *J. Lumin.*, 205, 406–416.
- Nasir, M., Xi, Z., Xing, M., Zhang, J., Chen, F., Tian, B., and Bagwasi, S., 2013, Study of synergistic effect of Ce- and S-codoping on the enhancement of visible-light photocatalytic activity of TiO<sub>2</sub>, *J. Phys. Chem. C*, 117, 9520–9528.
- Neppolian, B., Wang, Q., Jung, H., and Choi, H., 2008, Ultrasonic-assisted sol-gel method of preparation of TiO<sub>2</sub> nano-particles: Characterization, properties and 4-chlorophenol removal application, *Ultrason. Sonochem.*, 15, 649–658.
- Niu, Y., Xing, M., Zhang, J., and Tian, B., 2013, Visible light activated sulfur and iron co-doped TiO<sub>2</sub> photocatalyst for the photocatalytic degradation of phenol, *Catal. Today*, 201, 159–166.
- de Oliveira Pereira, L., Marques Sales, I., Pereira Zampiere, L., Silveira Vieira, S.,

- do Rosário Guimarães, I., and Magalhães, F., 2019, Preparation of magnetic photocatalysts from TiO<sub>2</sub>, activated carbon and iron nitrate for environmental remediation, *J. Photochem. Photobiol. A Chem.*, 382, 111907.
- Olowoyo, J.O., Kumar, M., Jain, S.L., Shen, S., Zhou, Z., Mao, S.S., Vorontsov, A. V., and Kumar, U., 2018, Reinforced photocatalytic reduction of CO<sub>2</sub> to fuel by efficient S-TiO<sub>2</sub>: Significance of sulfur doping, *Int. J. Hydrogen Energy*, 43, 17682–17695.
- Padmini, M., Balaganapathi, T., and Thilakan, P., 2021, Mesoporous rutile TiO<sub>2</sub>: Synthesis, characterization and photocatalytic performance studies, *Mater. Res. Bull.*, 144, 111480.
- Raguram, T. and Rajni, K.S., 2022, Synthesis and characterisation of Cu - Doped TiO<sub>2</sub> nanoparticles for DSSC and photocatalytic applications, *Int. J. Hydrogen Energy*, 47, 4674–4689.
- Ramacharyulu, P.V.R.K., Praveen Kumar, J., Prasad, G.K., and Sreedhar, B., 2014, Sulphur doped nano TiO<sub>2</sub>: Synthesis, characterization and photocatalytic degradation of a toxic chemical in presence of sunlight, *Mater. Chem. Phys.*, 148, 692–698.
- Sahel, K., Perol, N., Dappozze, F., Bouhent, M., Derriche, Z., and Guillard, C., 2010, Photocatalytic degradation of a mixture of two anionic dyes: Procion Red MX-5B and Remazol Black 5 (RB5), *J. Photochem. Photobiol. A Chem.*, 212, 107–112.
- Samet, L., Ben Nasseur, J., Chtourou, R., March, K., and Stephan, O., 2013, Heat treatment effect on the physical properties of cobalt doped TiO<sub>2</sub> sol-gel materials, *Mater. Charact.*, 85, 1–12.
- Siddiqa, A., Masih, D., Anjum, D., and Siddiq, M., 2015, Cobalt and sulfur co-doped nano-size TiO<sub>2</sub> for photodegradation of various dyes and phenol, *J. Environ. Sci.*, 37, 100–109.
- Singaram, B., Varadharajan, K., Jeyaram, J., Rajendran, R., and Jayavel, V., 2017, Preparation of cerium and sulfur codoped TiO<sub>2</sub> nanoparticles based photocatalytic activity with enhanced visible light, *J. Photochem. Photobiol. A Chem.*, 349, 91–99.
- Sinhmar, A., Setia, H., Kumar, V., Sobti, A., and Toor, A.P., 2020, Enhanced photocatalytic activity of nickel and nitrogen codoped TiO<sub>2</sub> under sunlight, *Environ. Technol. Innov.*, 18, 100658.
- Solanki, K., Parmar, D., Savaliya, C., Kumar, S., and Jethva, S., 2021, Surface morphology and optical properties of sol-gel synthesized TiO<sub>2</sub> nanoparticles: Effect of Co, Pd and Ni-doping, *Mater. Today Proc.*,
- Suhan, M.B.K., Shuchi, S.B., Anis, A., Haque, Z., and Islam, M.S., 2020, Comparative degradation study of remazol black B dye using electro-coagulation and electro-Fenton process: Kinetics and cost analysis, *Environ. Nanotechnology, Monit. Manag.*, 14, 100335.

- Sukhadeve, G.K., Janbandhu, S.Y., Kumar, R., Lataye, D.H., Ramteke, D.D., and Gedam, R.S., 2022, Visible light assisted photocatalytic degradation of Indigo Carmine dye and NO<sub>2</sub> removal by Fe doped TiO<sub>2</sub> nanoparticles, *Ceram. Int.*, 1–15.
- Thambiliyagodage, C., 2021, Activity enhanced TiO<sub>2</sub> nanomaterials for photodegradation of dyes-A review, *Environ. Nanotechnology, Monit. Manag.*, 16, 100592.
- Wahyuni, E.T., Aprilita, N.H., Hatimah, H., Wulandari, A.M., and Mudasir, M., 2015, Removal of Toxic Metal Ions in Water by Photocatalytic Method, *Am. Chem. Sci. J.*, 5, 194–201.
- Wang, F., Ma, Z., Ban, P., and Xu, X., 2017, C, N and S codoped rutile TiO<sub>2</sub> nanorods for enhanced visible-light photocatalytic activity, *Mater. Lett.*, 195, 143–146.
- Wang, H., Gao, Q., Li, H., Han, B., Xia, K., and Zhou, C., 2019, One-pot synthesis of a novel hierarchical Co(II)-doped TiO<sub>2</sub> nanostructure: Toward highly active and durable catalyst of peroxymonosulfate activation for degradation of antibiotics and other organic pollutants, *Chem. Eng. J.*, 368, 377–389.
- Wang, H., Wang, J., and Wu, Z., 2010, NO Catalytic Oxidation Behaviors over CoOx/TiO<sub>2</sub> Catalysts Synthesized by Sol–Gel Method, *Catal Lett*, 134, 295–302.
- Xie, C., Yang, S., Shi, J.W., Li, B., Wang, H., Li, G., and Niu, C., 2016, C-doped mesoporous anatase TiO<sub>2</sub> comprising 10 nm crystallites, *J. Colloid Interface Sci.*, 476, 1–8.
- XuDong, G., LiangLiang, L., ZhengHong, Z., NanNan, X., and GongPing, L., 2022, A simulation study on the electromagnetic structure and optical properties of Co doped TiO<sub>2</sub>, *Comput. Mater. Sci.*, 209, 111404.
- Yan, R., Luo, D., Fu, C., Tian, W., Wu, P., Wang, Y., Zhang, H., and Jiang, W., 2020, Simultaneous Removal of Cu(II) and Cr(VI) Ions from Wastewater by Photoreduction with TiO<sub>2</sub>–ZrO<sub>2</sub>, *J. Water Process Eng.*, 33, .
- Yan, X., Yuan, K., Lu, N., Xu, H., Zhang, S., Takeuchi, N., Kobayashi, H., and Li, R., 2017, The interplay of sulfur doping and surface hydroxyl in band gap engineering: Mesoporous sulfur-doped TiO<sub>2</sub> coupled with magnetite as a recyclable, efficient, visible light active photocatalyst for water purification, *Appl. Catal. B Environ.*, 218, 20–31.
- Yang, W., Hyeon, M., and Ham, S., 2007, Effect of calcination temperature on the low-temperature oxidation of CO over CoOx/TiO<sub>2</sub> catalysts, *Catal. Today*, 123, 94–103.
- Yermakov, A.Y., Zakharova, G.S., Uimin, M.A., Kuznetsov, M. V., Molochnikov, L.S., Konev, S.F., Konev, A.S., Minin, A.S., Mesilov, V. V., Galakhov, V.R., Volegov, A.S., Korolyov, A. V., Gubkin, A.F., Murzakayev, A.M., Svyazhin, A.D., and Melanin, K. V., 2016, Surface magnetism of cobalt-doped anatase

TiO<sub>2</sub> nanopowders, *J. Phys. Chem. C*, 120, 28857–28866.

- Yi, C., Liao, Q., Deng, W., Huang, Y., Mao, J., Zhang, B., and Wu, G., 2019, The preparation of amorphous TiO<sub>2</sub> doped with cationic S and its application to the degradation of DCFs under visible light irradiation, *Sci. Total Environ.*, 684, 527–536.
- Yu, J.C., Ho, W., Yu, J., Yip, H., Po, K.W., and Zhao, J., 2005, Efficient visible-light-induced photocatalytic disinfection on sulfur-doped nanocrystalline titania, *Environ. Sci. Technol.*, 39, 1175–1179.
- Zaleska, A., 2008, Doped-TiO<sub>2</sub>: A Review, *Recent Patents Eng.*, 2, 157–164.
- Zhang, J., Zhou, P., Liu, J., and Yu, J., 2014, New understanding of the difference of photocatalytic activity among anatase, rutile and brookite TiO<sub>2</sub>, *Phys. Chem. Chem. Phys.*, 16, 20382–20386.
- Zhang, X., Wang, Y., Wei, C., and Hu, Y., 2022, One-Step Synthesis of N-Doped Porous Wall TiO<sub>2</sub> Nanotube Arrays for Efficient Removal of Dibutyl Phthalate Under Visible Light, *SSRN Electron. J.*, 430, 113975.
- Zhang, Y. and Chu, W., 2021, Cooperation of multi-walled carbon nanotubes and cobalt doped TiO<sub>2</sub> to activate peroxymonosulfate for antipyrine photocatalytic degradation, *Sep. Purif. Technol.*, 282, 119996.
- Zhu, G., Yang, X., Liu, Y., Zeng, Y., Wang, T., and Yu, H., 2022, One-pot synthesis of C-modified and N-doped TiO<sub>2</sub> for enhanced visible-light photocatalytic activity, *J. Alloys Compd.*, 902, 163677.