

## DAFTAR PUSTAKA

- Aizpurua, A.B., Wijk, S.S., Rocca, H.B., Henkens, M., Heymans, S., Beussink-nelson, L., Shah, S.J. and Empel, V.P.M., 2020. Validation of the HFA-PEFF score for the diagnosis of heart failure with preserved ejection fraction. *European Journal of Heart Failure*, pp 413-421.
- Alingandula A., Murthy P.S., Komma S. 2016. Detection of Left Atrial Enlargement by Echocardiography and Electrocardiogram Correlation in Cardiac and Non-cardiac Diseases. *International Journal of Scientific Study*. 4(5):1-15.
- Alpert, M.A., Terry, B.E., Cohen, M. V., Fan, T.M., Painter, J.A. and Massey, C. V., 2000. The electrocardiogram in morbid obesity. *American Journal of Cardiology*, 85(7), pp.908–910.
- Beale, A. L., Meyer, P., Marwick, T. H., Lam, C. S. P., and Kaye, D. M., 2018. Sex differences in cardiovascular pathophysiology. *Circulation* 138, 198–205.
- Borlaug, B. A., Olson, T. P., Lam, C. S. P., Flood, K. S., Lerman, A., Johnson, B. D., 2010. Global cardiovascular reserve dysfunction in heart failure with preserved ejection fraction. *J. Am. Coll. Cardiol.* 56, 845–854.
- Borlaug, B.A., 2014. The pathophysiology of heart failure with preserved ejection fraction. *Nature Reviews Cardiology*, 11(9), pp.507–515.
- Brecht, A., Oerltelt-Prigione,S., Seeland, U., 2016. Left Atrial Function in Preclinical Diastolic Dysfunction: Two-Dimensional Speckle-Tracking Echocardiography–Derived Results from the BEFRI Trial. *Journal of the American Society of Echocardiography*, 29(8), pp.750–758.
- Brutsaert, D. L., 2003. Cardiac endothelial-myocardial signaling: its role in cardiac growth, contractile performance, and rhythmicity. *Physiol. Rev.* 83, 59–115.
- Burak, C., Cagdas, M., Ibrahim, R., Karabag, Y., Artac, I., Yesin, M., Cinar, T., Yildiz, I., Suleymanoglu, M., Tanboga, H.I., 2018. Association of P wave peak time with left ventricular end-diastolic pressure in patients with hypertension. *J Clin Hypertens*. Pp 608-615.

- Campbell, R.T. and McMurray, J.J.V., 2014. Comorbidities and Differential Diagnosis in Heart Failure with Preserved Ejection Fraction. *Heart Failure Clinics*, 10(3), pp.481–501.
- Casacang-Verzosa G., Gersh B.J., Tsang T.S.M. 2008. Structural and Functional Remodeling of the Left Atrium Clinical and Therapeutic Implications for Atrial Fibrillation. *Journal of the American College of Cardiology*, 51, 1, pp. 1-11.
- Chang, H.C. and Cheng, H.M., 2019. P wave peak time : A time window to evaluate left ventricular diastolic function. *J Clin Hypertens* , pp.616–617.
- Chistiakov, D. A., Orekhov, A. N., Bobryshev, Y. V., 2015. Endothelial barrier and its abnormalities in cardiovascular disease. *Front. Physiol.* 6:365.
- Collier, P., Watson, C. J., Voon, V., Phelan, D., Jan, A., Mak, G., 2011. Can emerging biomarkers of myocardial remodelling identify asymptomatic hypertensive patients at risk for diastolic dysfunction and diastolic heart failure? *Eur. J. Heart Fail.* 13, 1087–1095.
- Dahlan, M.S., 2013. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*, Salemba medika, Jakarta.
- Dahlan, M.S., 2014. *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat dan Multivariat Dilengkapi Aplikasi dengan Menggunakan SPSS Edisi 6*, Epidemiologi Indonesia, Jakarta.
- Dahlan, M.S., 2018. *Langkah-Langkah Membuat Proposal Penelitian Bidang Kedokteran dan Kesehatan*, Sagungseto, Jakarta.
- Dharma,S., Suyatna,F.D., Sukmawan, R., Arozal, W., 2019. *Buku Ajar Terapi Farmakologi Penyakit Kardiovaskular Edisi Pertama*, UI Publishing, Jakarta
- Dunlay, S.M., Roger, V.L., Redfield, M.M., 2017. Epidemiology of heart failure with preserved ejection fraction. *Nature Reviews Cardiology*, 14(10), pp.591–602.
- El Shear, F., 2019. Novel paradigms in the therapeutic management of heart failure with preserved ejection fraction : clinical perspectives. *Am J Cardiovasc Dis*, 9(5), pp.91–108.

- Ersin, Y., Günay, N., Bayam, E., Keskin, M., Ozturkeri, B., Selcuk, M., 2019. Relationship between paroxysmal atrial fibrillation and a novel electrocardiographic parameter P wave peak time. *Journal of Electrocardiology*, 57, pp.81–86.
- Faggiano P., Aloin A., Zanelli E., Gualeni A., Musetti P., Giordano A. 1997. Contribution of Left Atrial Pressure and Dimension to Signal-Averaged P-wave Duration in Patients with Chronic Congestive Heart Failure. *American Journal of Cardiology*, 79; pp. 219-22.
- Fonseca, C., Hoes, A.W., Wagenaar, K.P., Limburg, A., Landman, M.A.J., Rutten, F.H., 2017. Comment on “Epidemiology of heart failure: the prevalence of heart failure and ventricular dysfunction in older adults over time. A systematic review.” *Revista Portuguesa de Cardiologia*, 36(5), pp.405–407.
- Fraley, M.A., Birchem, J.A., Senkottaiyan, N. and Alpert, M.A., 2005. Obesity and the electrocardiogram. *Obesity Reviews*, 6(4), pp.275–281.
- Gazewood, J.D. and Turner, P.L., 2017. Heart Failure with Preserved Ejection Fraction: Diagnosis and Management. *American family physician*, 96(9), pp.582–588.
- Gevaert, A.B., Boen, J.R.A., Segers, V.F., Van Craenenbroeck, E.M., 2017. Heart failure with preserved ejection fraction: A review of cardiac and noncardiac pathophysiology. *Frontiers in Physiology*, 10:638.
- Hayiroğlu, M.İ., Çınar, T., Çiçek, V., Asal, S., Kılıç, Ş., Keser, N., Uzun, M. and Orhan, A.L., 2021. A simple formula to predict echocardiographic diastolic dysfunction—electrocardiographic diastolic index. *Herz*, 46(May), pp.159–165.
- Harada, T., Obokata, M. and Omote, K., 2021. Functional Tricuspid Regurgitation and Right Atrial Remodeling in Heart Failure With Preserved Ejection Fraction. *Am J Cardiol*, pp.129-135.
- Hefti M.A., Harder B.A., Eppenberger H.M., Schaub M.C. 1997. Signaling pathways in cardiac myocyte hypertrophy. *Journal of molecular and cellular cardiology*, 29, 11, pp.2873-2892.

- Ho, J.E. Enserro, D., Brouwers, F.P., Kizer, J., Shah, S.J., Psaty, B.M., Bartz, T.M., Santhanakrisnan, R., Lee, D.S., Chan, C., Liu, K., Blaha, M.J., Hillege, H.L., Harst, P.V.D., Gilst, W.H., Kop, W.J., Gansevort, R.T., Vasan, R.S., Gardin, J.M., Levy, D., Gottdiener, J.S., de Boer, R.A., Larson, M.G., 2016. Predicting Heart Failure with Preserved and Reduced Ejection Fraction: The International Collaboration on Heart Failure Infotypes. *Circulation: Heart Failure*, 9(6), pp.1–9.
- Hohendanner, F., Messroghli, D., Bode, D., Blaschke, F., Parwani, A., Boldt, L., Heinzl, F.R., Atrial Remodelling in Heart Failure: Recent Development and Relevance for Heart Failure with Preserved Ejection Fraction. *ESC Heart Failure*, pp. 211-221.
- Jia, G., Aroor, A. R., Hill, M. A., and Sowers, J. R., 2018. Role of Renin-Angiotensin-Aldosterone System Activation in Promoting Cardiovascular Fibrosis and Stiffness. *Hypertension* 72, pp. 537–548.
- Johri, A.M., Baranchuk, A., Simpson, C.S., Abdollah, H., Redfearn, D.P., 2009. ECG manifestations of multiple electrolyte imbalance: Peaked T wave to P wave (“Tee-Pee Sign”). *Annals of Noninvasive Electrocardiology*, 14(2), pp.211–214.
- Kim D.H., Kim G.C., Kim S.H., Yu H.K., Choi W.G., An I.S., Kwan J, Park K.S., Lee W.H. 2007. The Relationship between the Left atrial Volume and the Maximum P-wave and P-wave Dispersion in Patients with Congestive Heart Failure. *Yonsei Medical Journal*. Vol 48, No.5, pp. 810-817.
- Kinno, M., Waller, A.H. and Gardin, J.M., 2016. Approaches to Echocardiographic Assessment of Left Ventricular Mass: What Does Echocardiography Add? - American College of Cardiology. *Journal American College of Cardiology*, pp. 1-9.
- Klein, A.I. and Garcia, M., 2008. *Diastology : Clinical Approach to Diastolic Heart Failure*, Elsevier, Philadelphia
- Kossaify, A. and Nasr, M., 2019. Diastolic Dysfunction and the New Recommendations for Echocardiographic Assessment of Left Ventricular

- Diastolic Function: Summary of Guidelines and Novelties in Diagnosis and Grading. *Journal of Diagnostic Medical Sonography*, 35(4), pp.317–325.
- Kotecha,D., Lam,C.S.P., Veldhuisen, D.J.V., Van Gelder, I.C., Voors, A.A., Rienstra, M., 2016. Heart Failure with Preserved Ejection Fraction and Atrial Fibrillation.*Journal of The American College of Cardiology*, 68(20). Pp.2219-2227.
- Kraigher-krainer, E., Shah, A.M., Gupta, D.K., Santos,A., Clagget, B., Pieske, B., Zile, M.R., Voors, A., Lefkowitz, M.P., Packer, M., McMurray, J.J.V., Solomon, S.D., 2014. Impaired Systolic Function by Strain Imaging in Heart Failure With Preserved Ejection Fraction. *J. Am. Coll. Cardiol*, 63(5).
- Krepp, J.M., Lin, F., Min, J.K., Devereux, R.B., Okin, P.M., 2014. Relationship of Electrocardiographic Left Ventricular Hypertrophy to the Presence of Diastolic Dysfunction. *Annals of Noninvasive Electrocardiology*, 19(6), pp.552–560.
- Krüger, M. and Linke, W.A., 2009. Journal of Molecular and Cellular Cardiology Titin-based mechanical signalling in normal and failing myocardium. *Journal of Molecular and Cellular Cardiology*, 46(4), pp.490–498.
- Lam, C. S. P., Donal, E., Kraigher-Krainer, E., and Vasan, R. S., 2011. Epidemiology and clinical course of heart failure with preserved ejection fraction. *Eur. J. Heart Fail.* 13, 18–28.
- Lammerding, J., Kamm, R. D., and Lee, R. T., 2004. Mechanotransduction in cardiac myocytes. *Ann. N. Y. Acad. Sci.* 1015, 53–70.
- Lancellotti, P., Galderisi, M., Edvardsen, T., Donal, E., Goliash, G., Cardim, N., Magne, J., Laginha, S., Hagendorff, A., Haland, T.F., Aaberge, L., Martinez, C., Rapacciuolo, A., Santoro, C., Ilardi, F., Postolache, A., Dulgheru, R., Mateescu, A.D., Beladan, C.C., Deleanu, D., Marchetta, S., Auffret, V., Schwammenthal, E., Habib, G., Popescu, B.A., 2017. Echo-Doppler estimation of left ventricular filling pressure : results of the multicentre EACVI Euro-Filling study. *European Heart Journal-Cardiovascular Imaging*, pp.961–968.

- Lei, M., Wu, L., Huang, C.L.H., 2018. Modernized Classification of Cardiac Antiarrhythmic Drugs. *Circulation*, pp.1879–1896.
- Li, S., Zhang, X., Dong, M., Gong, S., Shang, Z., Jia, X., Chen, W., Yang, J. and Li, J., 2018. Effects of spironolactone in heart failure with preserved ejection fraction. *Medicine*. Pp.1-7.
- Lida, M., Yamamoto, M., Ishiguro, Y. and Honjo, H., 2018. Association of tricuspid regurgitation within normal range on the development of left ventricular diastolic dysfunction in patients with uncomplicated hypertension. *Blood Pressure*, pp. 141-150.
- Lilly, L.S. (Ed), 2016. *Pathophysiology of Heart Disease : a Collaborative Project of Medical Student and Faculty 6<sup>th</sup> Edition*, Wolter Kluwer, Philadelphia.
- Lim, S. L., Lam, C. S. P., Segers, V. F. M., Brutsaert, D. L., and De Keulenaer, G. W., 2015. Cardiac endothelium–myocyte interaction: clinical opportunities for new heart failure therapies regardless of ejection fraction. *Eur. Heart J.* 36, 2050–2060.
- Linke, W. A., and Hamdani, N., 2014. Gigantic business: titin properties and function through thick and thin. *Circ. Res.* 114, 1052–1068.
- Linke, W.A., 2008. Sense and stretchability : The role of titin and titin-associated proteins in myocardial stress-sensing and mechanical dysfunction. *Cardiovascular Research*, pp.637–648.
- Louch, W.E., Stokke, M.K., Sjaastad, I., Christensen, G., Sejersted, O.M., 2012. No rest for the weary: Diastolic calcium homeostasis in the normal and failing myocardium. *Physiology*, 27(5), pp.308–323.
- Madhok, V., Falk, G., Rogers, A., Struthers, A.D., Sullivan, F.M. and Fahey, T., 2008. The accuracy of symptoms, signs and diagnostic tests in the diagnosis of left ventricular dysfunction in primary care: A diagnostic accuracy systematic review. *BMC Family Practice*, pp.1–8.
- Magnani, J.W., Williamson, M., Ellinor, P.T., Monahan, K.M., Benjamin, E.J., 2009. P Wave Indexes : Current Status and Future Direction in Epidemiology, Clinical and Research Application. *Circ Arrhythm Electrophysiol.* pp 72-79.

- Mavrakanas, T.A., Khattak, A., Wang, W., Singh, K. and Charytan, D.M., 2019. Association of Chronic Kidney Disease with Preserved Ejection Fraction Heart Failure Is Independent of Baseline Cardiac Function. *Kidney and Blood Pressure Research*, 44(5), pp.1247–1258.
- McDonagh, T.A., Metra, M., Adamo, M., Gardner, R.S., Baumbach, A., Bohm, M., Burri, H., Butler, J., Celutkiene, J., Chioncel, O., Cleland, J.G.F., Coats, A.J.S., Crespo-Leiro, M.G., Farmakis, D., Gilard, M., Heymans, S., 2021. 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure Developed by the Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC). *European Heart Journal*, pp.1–128.
- Meagher, P., Adam, M., Civitarese, R., Bugyei-Twum, A. and Connelly, K.A., 2018. Heart Failure With Preserved Ejection Fraction in Diabetes: Mechanisms and Management, *Canadian Cardiovascular Society*. Pp. 632-643.
- Mentz, R. J., Kelly, J. P., von Lueder, T. G., Voors, A. A., Lam, C. S. P., Cowie, M. R., 2014. Noncardiac comorbidities in heart failure with reduced versus preserved ejection fraction. *J. Am. Coll. Cardiol.* 64, 2281–2293.
- Mohammed, S. F., Hussain, S., Mirzoyev, S. A., Edwards, W. D., Maleszewski, J. J., and Redfield, M. M., 2015. Coronary microvascular rarefaction and myocardial fibrosis in heart failure with preserved ejection fraction. *Circulation* 131, 550–559.
- Nagueh, S.F., Smiseth, O.A., Appleton, C.P., Byrd, B.F., Dokainish, H., Edvardsen, T., Flachskampf, F.A., Gillebert, T.C., Klein, A.L., Lancellotti, P., Marino, P., Propescu, B.A., Waggoner, A.D., 2016. Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *Journal of the American Society of Echocardiography*, 29(4), pp.277–314.
- Nishimura, R.A. and Borlaug, B.A., 2019. Diastology for The Clinician. *Journal of Cardiology*, 73(6), pp.445–452.



- Obokata, M., Kane, G.C., Reddy, Y.N., Olson, T.P., Melenovsky, V., Borlaug, B.A., 2017. Role of diastolic stress testing in the evaluation for heart failure with preserved ejection fraction: a simultaneous invasive-echocardiographic study. *Circulation*, 135:825–838.
- Obokata, M., Reddy, Y.N. V and Borlaug, B.A., 2020. Diastolic Dysfunction and Heart Failure with Preserved Ejection Fraction: Understanding Mechanisms with Non-Invasive Methods. *JACC Cardiovasc Imaging*, 13, pp.245–257.
- Oktay, A.A and Shah, S.J., 2015. Diagnosis and Management of Heart Failure with Preserved Ejection Fraction : 10 Key Lessons. *Current Cardiology Reviews*, pp.42–52.
- Packer, M., Lam, C.S.P., Lund, L.H., Redfield, M.M., 2020. Interdependence of Atrial Fibrillation and Heart Failure With a Preserved Ejection Fraction Reflects a Common Underlying Atrial and Ventricular Myopathy. *Circulation*, pp.4–6.
- Pathak R., Lau D.H., Mahajan R., Sanders P. 2014. Structural and Functional Remodelling of the Left Atrium: Clinical and Therapeutic Implications for Atrial Fibrillation. *Journal of Atrial Fibrillation*. pp.53-64.
- Paulus, W. J., and Tschöpe, C., 2013. A novel paradigm for heart failure with preserved ejection fraction. *J. Am. Coll. Cardiol.* 62, 263–271.
- PERKENI, 2021, *Pedoman Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 Dewasa di Indonesia 2021*, PB PERKENI, pp 6-12.
- PERKI, 2015. *Pedoman Tatalaksana Hipertensi pada Penyakit Kardiovaskular Edisi Pertama*, PERKI. pp 1-2.
- PERNEFRI, 2013. *Konsensus Dialisis Perhimpunan Nefrologi Indonesia*. PERNEFRI, p.13.
- Petersson R., Smith J.G., Holmgyst F. 2017, Orthogonal P-wave Morphology is Affected by Intra-Atrial Pressure. *BMC Cardiovasc Disord* 17,288.
- Pfeffer, M.A., Shah, A.M., Borlaug, B.A., 2019. Heart Failure with Preserved Ejection Fraction in Perspective. *Circulation Research*, 124(11), pp.1598–1617.



- Pieske, B., Tschope.C., de Boer, R.A., Fraser, A.G., Anker, S.D., Donal, E., 2019. How to diagnose heart failure with preserved ejection fraction: The HFA-PEFF diagnostic algorithm: A consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). *European Heart Journal*, 40(40), pp.3297–3317.
- Prasad, S.B., Holland, D.J., Atherton, J.J. and Whalley, G., 2019. New Diastology Guidelines : Evolution , Validation and Impact on Clinical Practice. *Heart, Lung and Circulation*, 28(9), pp.1411–1420.
- Pritchett, A.M., Mahoney, D.W., Jacobsen, S.J., Rodeheffer, R.J., Karon, B.L., Redfield, M.M., 2005. Diastolic Dysfunction and Left Atrial Volume. *Journal of the American College of Cardiology*, 45(1), pp.87–92.
- Reddy, Y.N.V., Carter, R.E., Obokata, M., Redfield, M.M., Borlaug, B.A., 2018. A simple, evidence-based approach to help guide diagnosis of heart failure with preserved ejection fraction. *Circulation*, 138(9), pp.861–870.
- Røe, Å. T., Aronsen, J. M., Skårdal, K., Hamdani, N., Linke, W. A., Danielsen, H. E., 2017. Increased passive stiffness promotes diastolic dysfunction despite improved kalsium handling during left ventricular concentric hypertrophy. *Cardiovasc. Res.* 113, 1161–1172.
- Rusticus, S.A. and Lovato, C.Y., 2014. Impact of sample size and variability on the power and type I error rates of equivalence tests: A simulation study. *Practical Assessment, Research and Evaluation*, 19(11), pp.1–10.
- Sastroasmoro, S. dan Ismael, S., 2011. Dasar-dasar Metodologi Penelitian Klinis Edisi 4. Sagungseto, Jakarta.
- Sato, K., Grant, A.D.M., Negishi, K., Cremer, P.C., Negishi, T., Kumar, A., Collier, P., Kapadia, S.R., Grimm, R.A., Desai, M.Y., Griffin, B.P., Popovic, Z.B., 2017. Reliability of updated left ventricular diastolic function recommendations in predicting elevated left ventricular filling pressure and prognosis. *American Heart Journal*, 189, pp.28–39.
- Savarese, G., Settergren, C., Schrage, B., Thorvaldsen, T., Lofman, I., Sartipy, U., Mellbin, L., Meyers, A., Farsani, S.F., Brueckmann, M., Brodovicz, K.G., 2020. Comorbidities and cause-specific outcomes in heart failure across the

- ejection fraction spectrum: A blueprint for clinical trial design. *International Journal of Cardiology*, 313, pp.76–82.
- Segers, V. F. M., Brutsaert, D. L., and De Keulenaer, G. W., 2018. Cardiac remodeling: endothelial cells have more to say than just no. *Front. Physiol.* 9:382.
- Segers,V.F.M. and Keulenaer, G.W.D., 2013. Pathophysiology of diastolic dysfunction in chronic heart failure.*Future Cardiol* (2013) 9 (5), pp.711–720.
- Shah, K.S., Xu, H., Matsouaka, R.A., Bhatt, D.L., Heidenreich, P.A., Hernandez, A.F., Devore, A.D., Yancy, C.W. and Fonarow, G.C., 2017. Heart Failure with Preserved, Borderline, and Reduced Ejection Fraction: 5-Year Outcomes. *Journal of the American College of Cardiology*, 70(20), pp.2476–2486.
- Shah,S.J., Kitzman, D.W., Borlaug, B.A., Heerebeek, L.V., Zile,M.R., Kass,D.A., Paulus,W.J., 2016. Phenotype-Specific Treatment of Heart Failure with Preserved Ejection Fraction.*Circulation*, pp.73–90.
- Sharma, A. and Klein, A.L., 2018. Diastolic Assessment: Application of the New ASE Guidelines. *Current Cardiovascular Imaging Reports*, 11(12), pp.1–15.
- Simpson D.G., Majeski M., Borg T.K. Terracio L. 1999. Regulation of cardiac myocyte protein turnover and myofibrillar structure in vitro by specific directions of stretch. *Circulation research*, 85, pp.e59-e69.
- Sumita, Y., Nakatani, S., Murakami, I. and Taniguchi, M., 2020. Significance of left atrial overload by electrocardiogram in the assessment of left ventricular diastolic dysfunction. *Journal of Echocardiography*, 18(2), pp.105–112.
- Tamer, T., Sayed, K., Saad, M., Samir, M., 2016. How accurate can electrocardiogram predict left ventricular diastolic dysfunction? *Egyptian Heart Journal*, 68(2), pp.117–123.
- Tsai, W.C., Lee K.T., Wu, M.T., Chu, C.S., Lin, T.H., Hsu, P.C., Su,H.M., Voon, W.C., Lai, W.T., Sheu,S.H., 2013. Significant correlation of p-wave parameters with left atrial volume index and left ventricular diastolic function. *American Journal of the Medical Sciences*, 346(1), pp.45–51.

- Tsujimoto,T. and Kajio,H., 2020. Spironolactone Use and Improved Outcome in Patient with Heart Failure with Preserved Ejection Fraction with Resistant Hypertension. *J Am Heart Assoc*.pp.1-25.
- Velden, J.V.D., 2011. Diastolic myofilament dysfunction in the failing human heart. *Eur J Physiol*, pp.155–163.
- Vidal-Gómez, X., Pérez-Cremades, D., Mompeón, A., Dantas, A. P., Novella, S., and Hermenegildo, C., 2018. MicroRNA as crucial regulators of gene expression in estradiol-treated human endothelial cells. *Cell. Physiol. Biochem.* 45, 1878–1892.
- Westermann, D., Lindner, D., Kasner, M., Zietsch, C., Savvatis, K., Escher, F., 2011. Cardiac inflammation contributes to changes in the extracellular matrix in patients with heart failure and normal ejection fraction. *Circ. Heart Fail.* 4, pp. 44–52.
- Wright, X.B.E., Watson, G.L., Selfridge, N.J., 2020. Curricular Integration of Physiology The Wright table of the cardiac cycle : a stand-alone supplement to the Wiggers diagram. *Adv Physiol Educ*, pp.554–563.
- Xiang, Y., Shi, W., Li, Z., Yang, Y., Wang, S.Y., Xiang, R., Feng, P., Wen, L. and Huang, W., 2019. Ef fi cacy and safety of spironolactone in the heart failure with mid-range ejection fraction and heart failure with preserved ejection fraction. *Medicine*. Pp.1-9.
- Yildiz, I., Özmen Yildiz, P., Burak, C., Rencüzoğulları, I., Gursöy, G.K., Kaya, B., Karabağ, Y. and Çağdaş, M., 2019. P Wave Peak Time for Predicting an Increased Left Atrial Volume Index in Hemodialysis Patients. *Medical Principles and Practice*, 29(3), pp.262–269.
- Yusuf,S., Pfeffer,M.A., Swedberg, K., Granger, C.B., Held,P., McMurray, J.J, Michelson,E.L., Olofsson,B., Ostergen,J.,2003. Effects of candesartan in patients with chronic heart failure and preserved left-ventricular ejection fraction: The CHARM-Preserved Trial. *Lancet*. pp.777–781.
- Zile, M.R., Baicu, C.F. and Gaasch, W.H., 2004. Diastolic Heart Failure — Abnormalities in Active Relaxation and Passive Stiffness of the Left Ventricle.*The New England Journal of Medicine*, pp.1953–1959.