

## DAFTAR PUSTAKA

- Anonim, (2004), Standar Kompetensi Farmasis Indonesia, Ikatan Sarjana Farmasi Indonesia.
- Accreditation Council for Pharmacy Education, Accreditation standards and guidelines for the professional program in pharmacy leading to the doctor of pharmacy degree, <https://www.acpe-accredit.org/pdf/FinalS2007Guidelines2.0.pdf>.
- Adrian, J. A. L., Zeszotarski, P. and Ma, C. (2015), “Developing pharmacy student communication skills through role-playing and active learning”, *American Journal of Pharmaceutical Education*, Vol.79 No. (3), pp. 1–8. doi: 10.5688/ajpe79344.
- Alvarez S, Schultz J. (2017), “Medical educators perception of communication training with simulated patients an explorative study approach”, *BMC Res Notes*. Vol.10 (650): 1–5. <https://doi.org/10.1186/s13104-017-2988-8>.
- Al-Aqeel S.A. (2013), “Pharmacy Students Feedback on The Use of Role-Play in Teaching Ethics”, *Pharmacy Education* Vol. 1 No. (3):140-14.
- Bagacean, et al., (2020), “ Simulated patient and role play methodologies for communication skills and empathy training of undergraduate medical students, *BMC Medical Education*.
- Bosse HM, Nickel M, Huwendiek S, Schultz JH, Nikendei C. (2015), “Cost-effectiveness of peer role play and standardized patients in undergraduate communication training approaches to teaching and learning”, *BMC Med Educ*.
- Bond, Rucha, Cone Catherine, (2012), “Improving Student Confidence in Skill Performance in a Pharmaceutical Care Lab Setting”. *Pharmacy Education*.
- Buring, S.M., Kirby, J. & Conrad, W.F. (2007), “A Structured Approach for Teaching Students to Counsel Self-care Patients”, *American Journal of Pharmaceutical Education* , Vol. 71 No. (1), 08. doi:10.5688/aj710108.
- Cherson R.S., Bilger R.B., Mohr S., Wuller C. (2005), “Instructional design and assessment design of a pharmaceutical care laboratory a survey of practitioners”. *American Journal of Pharmacy Education*, Vol. 69, 19-24.
- Cleland, et al., (2009), “The use of simulated patients in medical education”, *AMEE Guide* 42, Medical Teacher.
- David, et al., (2013), “Comparative effectiveness of instructional design features in simulation-based education *Systematic review and meta-analysis*”, *Medical teacher*.
- Deepa, Rao. (2011), “Skills Development Using Role-Play in a First-Year Pharmacy Practice Course”, *American Journal of Pharmaceutical Education* June 2011, Vol. 75 No. (5) 84; DOI: <https://doi.org/10.5688/ajpe75584>
- Depkes RI. (2007), *Pedoman Penggunaan Obat Bebas dan Bebas Terbatas*, Jakarta: Departemen Kesehatan RI.
- Dinkins Melissa M.* (2010), “Patient Counseling: A Pharmacist in Every OTC Aisle”. *U.S.Pharmacist*.

- Ducharne P, Maillhot C, Parent M. (1994), "Adaptation de la définition de "Pharmaceutical care" développée par Hepler et Strand.
- Egawa, T.; Shibata, T.; Taniguchi, R.; Ishimoto, A.; Okamatsu, S.; Matsuda, R. (2010), "Development of systematic communication training program for preclinical training using dialog simulator", *Jpn. J. Pharm. Health Care Sci.*, Vol. 36, 476–485.
- ElGeed et al., (2021), "The utilization of simulated patients for teaching and learning in the pharmacy curriculum: exploring pharmacy students' and recent alumni's perceptions using mixed-methods approach", *BMC medical education*.
- Evans E.W. (2007), "Implementation and assessment of an introductory pharmacy practice course sequence", *Journal of Pharmacy Teaching*, 14, 5-17.
- G.B. Korayem, and A.M. Alboghdadi. (2020), "Integrating simulation into advanced pharmacy practice experience curriculum An innovative approach to training", *Saudi Pharmaceutical Journal*.
- Gallimore, C., George, A.K., Brown, M.C. (2018), "Pharmacy students preferences for various types of simulated patients", *American Journal of Pharmaceutical Education*.
- Gelis A., et al., (2020), "Peer Role-Play for Training Communication Skills in Medical Students": A Systematic Review. *Simulation in Healthcare: The Journal of the Society for Simulation in Healthcare: April 2020 – Vol. 15 - Issue 2 - p 106-111* doi: 10.1097/SIH.0000000000000412.
- Giesbrecht, M.E, et al., (2014), " A mixed methods study of student perceptions of using standardized patients for learning and evaluation", *Advances in Medical Education and Practice*.
- Gillette C. et al., (2017), "Cost-Effectiveness of Using Standardized Patients to Assess Student-Pharmacist Communication Skills", *American Journal of Pharmaceutical Education* December, Vol. 81 No. (10) 6120; DOI: <https://doi.org/10.5688/ajpe6120>
- Hastings, J.K., Schwanda, K.F., Pace, A.C. & Spadaro, D. (2010), "An Objective Standardized Clinical Examination (OSCE) in an Advanced Nonprescription Medicines Course", *American Journal of Pharmaceutical Education*, Vol. 74 No. (6). doi: 10.5688/aj740698
- Ingunn B., et al., (2020), "A systematic review of the use of simulated patient methodology in pharmacy practice research from 2006 to 2016", *Journal of Pharmacy Practice* 2020, Vol. 28, pp. 13—25
- Jones K., 1982. "Simulations in Language Teaching Cambridge", University Press: Cambridge.
- J. P. Collins & R. M. Harden. (1998), "Real patients, simulated patients and simulators in clinical examinations", *AMEE Medical Education Guide* No. 13: Vol. 20, No. 6. Medical Teacher.
- Katoue MG, Awad AI, Schwinghammer TL, Kombian SB. (2014), "Pharmaceutical care education in Kuwait", pharmacy students' perspectives. *Pharmacy Practice*, Jul-Sep Vol. 12 No. 3 : 411.

- Kementerian Kesehatan Republik Indonesia, (2011), Modul Penggunaan Obat Rasional. Jakarta: Direktorat Jenderal Bina Pelayanan Kefarmasian.
- Kim, E.; Kim, S.S.; Kim, S. (2010), "Effects of Infection Control Education for Nursing Students Using Standardized Patients vs. Peer Role-Play". *Int. J. Environ. Res. Public Health*, Vol. 18 No. 107. <https://doi.org/10.3390/ijerph18010107>
- Kubota R. et al., (2018), "Clinical Pharmacy Education in Japan: Using Simulated Patients in Laboratory-Based Communication-Skills Training before Clinical Practice", *Pharmacy* 2018, Vol. 6 No. 49; doi:10.3390/pharmacy6020049
- Lavanya S.H et al., (2016), "Role-play as an educational tool in medication communication skills" Students' perspectives, *Indian J Pharmacol*. Oct; 48(Suppl 1): S33–S36. doi: [10.4103/0253-7613.193311](https://doi.org/10.4103/0253-7613.193311).
- Lindsay E. Davis. A. (2014), "Workshop Series Using Peer-grading to Build Drug Information, Writing, Critical-thinking, and Constructive Feedback Skills", *American Journal of Pharmaceutical Education*, Vol. 78 No. (10) Article 191.
- Low, Farrow Emtage. (2021), "Development an devaluation of pilot simulated patient centre": Learning from the experience. *Pharmacy Education*. (1) 771-780.
- Lupu AM, Stewart AL, O'Neil C. (2012), "Comparison of active-learning strategies for motivational interviewing skills, knowledge, and confidence in first-year pharmacy students", *Am J Pharm Educ*. Vol. 76 No. 2:Article 28.
- McCallian DJ, Cheigh NH. (2002), "The Pharmacist's Role in Self-Care", *Journal of the American Pharmaceutical Association* doi:10.1331/108658002764653743.
- Megan N. Willson a , Kimberly C. McKeirnan a , Andrew Yabusaki a , Christina R. Buchman b. Comparing trained student peers versus paid actors as standardized patients for simulated patient prescription counseling.. *Exploratory Research in Clinical and Social Pharmacy*.
- Mishore Km., et al., (2020), "Assessment of Knowledge and Attitude among Pharmacists toward Pharmaceutical Care in Eastern Ethiopia", *Hindawi BioMed Research International*.
- Motola. et al., (2013), "Simulation in healthcare education: A best evidence practical guide", *AMEE Guide* No. 82. *Medical Teacher*. "Papararan-Subdit-Farklin-2014-edt-020614."
- Park et al., (2019), "Group randomized trial of teaching tobacco-cessation counseling to senior medical students: a peer role-play module versus a standardized patient module", *BMC Medical Education*.
- Parkhurst C. (1994), "Assessing and improving students' verbal communication abilities in pharmacy courses". *Am J Pharm Educ*. Vol. 58 No. 1:50-55.
- Permenkes RI. (2014), *Riset Kesehatan Dasar 2013*, Jakarta: Badan Penelitian dan Pengembangan Kesehatan.
- Prince, M. (2004), "Does active learning work?" A review of the research, *Journal of Engineering Education*, Vol. 9 No. 3 (3), 223-231. doi:10.1002/j.2168-9830.2004.tb00809.x.

- Priyani., et al., (2019), “Simulation-based education workshop: perceptions of participants”. *Advances in Medical Education and Practice*.
- Perraudin et al., (2011), “The future of pharmaceutical care in France: a survey of final-year pharmacy students’ opinions”. *BMC Clinical Pharmacology*. <http://www.biomedcentral.com/1472-6904/11/6>.
- Republik Indonesia, “Peraturan Menteri Kesehatan Republik Indonesia Nomor 58 Tahun 2014 Tentang Standar Pelayanan Kefarmasian Di Rumah Sakit”, PhD Propos., Vol. 1, p. 24, 2015.
- Sari Puspita, I. (2001), Motivasi konsumen terhadap layanan informasi dan konsultasi obat di apotek kota Yogyakarta. *Majalah Farmasi Indonesia*, Vol. 12 No.2 79-83.
- Saraswathi Simansalam. (2012), “Empowering Malaysian Pharmacy Students in a Private University to Counsel for Nonprescription Drug Therapy”. *International Journal of Pharmacy Teaching & Practices*. Vol.3, Issue 2, 232-236.
- Seybert, A. L. (2011), “Patient Simulation in Pharmacy Education”, Vol. 75 No. 9 pp. 75–76.
- Smithson, J. et al., (2015), “Standardized patients in pharmacy education: An integrative literature review”, *Currents in Pharmacy Teaching and Learning*. Elsevier, Vol. 7 No. 6, pp. 851–863. doi: 10.1016/j.cptl.2015.08.002.
- Svensberg, K. et al., (2017), “Nordic Pharmacy Schools’ Experience in Communication Skills Training”, Vol. 81 No. 9. doi: 10.5688/ajpe6005.
- Thomason, A.R., et al., (2018), “Evaluation of pharmacy students in a self-care standardised patient simulation”. *Pharmacy Education*, Vol. 18 No.1 5 – 10.
- Tiew, L.H. and Creedy, D.K. (2012), “Development and preliminary validation of a composite Spiritual Care-Giving Scale”, *International Journal of Nursing Studies*, Vol. 49 No. 6, pp. 682–690.
- Van Ments, Morry, (1983), “The Effective Use Of Role Play A Handbook For Teacher and Trainers”, Pentonville Road, London.
- Wallman, A., Vaudan, C. and Ka, S. (2013), “Communications Training in Pharmacy Education”, 1995-2010’, Vol. 77 No. 2.
- Watson, M. C. et al., (2004), “Simulated patients in the community pharmacy setting: Using simulated patients to measure practice in the community pharmacy setting”, *Pharmacy World and Science*, Vol. 26 No. 1, pp. 32–37. doi: 10.1023/B:PHAR.0000013467.61875.ce.
- WHO, (1997), “The role of the pharmacist in the health care system: preparing the future pharmacist curricular development: report of a third WHO Consultative Group on the Role of the Pharmacist”, Vancouver. WHO/Pharm/97/599.
- WHO, (1998), “The role of the pharmacist in the health care system: preparing the future pharmacist: curricular development”: report of a third WHO Consultative Group on the Role of the Pharmacist’, The Hague. WHO/DAP/98.13.
- Wiedenmayer, K. et al., (2006) “Developing pharmacy practice A focus on patient care HANDBOOK – 2006 EDITION”, Available at:

<http://www.fip.org/files/fip/publications/DevelopingPharmacyPractice/DevelopingPharmacyPracticeEN.pdf>.

Wilby, K. J. et al., (2017), “Exploring the influence of cultural orientations on assessment of communication behaviours during patient- practitioner interactions”. BMC Medical Education, pp. 1–10. doi: 10.1186/s12909-017-0899-y.

Yamauchi K., et al., (2021), “Using peer role-playing to improve students’ clinical skills for musculoskeletal physical examination”, BMC medical education.