



DAFTAR PUSTAKA

- Abidin, M.N.Z., Goh, P.S., Ismail, A.F., Othman, M.H.D., Hasbullah, H., Said, N., Kadir, S.H.S.A., Kamal, F., Abdullah, M.S., and Ng, B.C., 2016, Antifouling polyethersulfone hemodialysis membranes incorporated with poly (citric acid) polymerized multi-walled carbon nanotubes, *Mater. Sci. Eng. C*, 68, 540–550.
- Abidin, M.N.Z., Goh, P.S., Ismail, A.F., Othman, M.H.D., Hasbullah, H., Said, N., Kadir, S.H.S.A., Kamal, F., Abdullah, M.S., and Ng, B.C., 2017, Development of biocompatible and safe polyethersulfone hemodialysis membrane incorporated with functionalized multi-walled carbon nanotubes, *Mater. Sci. Eng. C*, 77, 572–582.
- Afsarian, Z. and Mansourpanah, Y., 2018, Surface and pore modification of tripolyphosphate-crosslinked chitosan/polyethersulfone composite nanofiltration membrane; characterization and performance evaluation, *Korean J. Chem. Eng.*, 35, 1867–1877.
- Ajala, A.S., Adeoye, A.O., Olaniyan, S.A., and Fasonyin, O.T., 2020, A study on effect of fermentation conditions on citric acid production from cassava peels, *Sci. African*, 8, e00396.
- Alauhdin, M. and Widiarti, N., 2014, Sintesis dan Modifikasi Lapis Tipis Kitosan-Tripolifosfat, *J. MIPA*, 37, 105–114.
- Amiji, M.M., 1998, Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups, *Colloids Surfaces B Biointerfaces*, 10, 263–271.
- Amiji, M.M., 1996, Surface modification of chitosan membranes by complexation-interpenetration of anionic polysaccharides for improved blood compatibility in hemodialysis, *J. Biomater. Sci. Polym. Ed.*, 8, 281–298.
- Amri, C., 2015, Studi preparasi dan karakterisasi alginat teresterifikasi sebagai membran hemodialisis.,
- Amri, C., Mudasir, M., Siswanta, D., and Roto, R., 2015, In vitro hemocompatibility of PVA-alginate ester as a candidate for hemodialysis membrane., *Int. J. Biol. Macromol.*, 82, 8–53.
- Amri, C., Mudasir, M., Siswanta, D., and Roto, R., 2016, In vitro hemocompatibility of PVA-alginate ester as a candidate for hemodialysis membrane, *Int. J. Biol. Macromol.*, 82, 48–53.
- Amri, C., Mudasir Mudasir, Siswanta, D., and Roto, R., 2015, Characterization of butanediol-alginate ester as candidate oh hemodialysis membrane, *Indones. J. Chem.*, 15 (2), 36–40.
- Anonim, 2014, 7 th Report Of Indonesian Renal Registry 2014 7 th Report Of Indonesian Renal Registry 2014, Jakarta.



- Anraku, M., Tanaka, M., Hiraga, A., Nagumo, K., Imafuku, T., Maezaki, Y., Iohara, D., Uekama, K., Watanabe, H., Hirayama, F., Maruyama, T., and Otagiri, M., 2014, Effects of chitosan on oxidative stress and related factors in hemodialysis patients., *Carbohydr. Polym.*, 112, 152–7.
- Antoniou, J., Liu, F., Majed, H., Qi, J., Yokoyama, W., and Zhong, F., 2015, Physicochemical and morphological properties of size-controlled chitosan-tripolyphosphate nanoparticles, *Colloids Surfaces A Physicochem. Eng. Asp.*, 465, 137–146.
- Aoun, M., Makki, M., Azar, H., Matta, H., and Chelala, D.N., 2017, High Dephosphorylated-Uncarboxylated MGP in Hemodialysis patients: risk factors and response to vitamin K2, A pre-post intervention clinical trial, *BMC Nephrol.*, 18, 1–10.
- Ayuni, N.P.S., Yuningrat, N.W., and Citra, N.W., 2018, Kajian Transpor Kreatinin Menggunakan Membran Kitosan-Alginat Tertaut Silang Polivinil Alkohol (PVA), *J. Rekayasa Proses*, 12, 56.
- Azhar, O., Jahan, Z., Sher, F., Niazi, M.B.K., Kakar, S.J., and Shahid, M., 2021, Cellulose acetate-polyvinyl alcohol blend hemodialysis membranes integrated with dialysis performance and high biocompatibility, *Mater. Sci. Eng. C*, 126, 112127.
- Bagheri, M., Younesi, H., Hajati, S., and Borghei, S.M., 2015, Application of chitosan-citric acid nanoparticles for removal of chromium (VI), *Int. J. Biol. Macromol.*, 80, 431–444.
- Bahrami, S.B., Kordestani, S.S., Mirzadeh, H., and Mansoori, P., 2003, Poly (vinilalkohol)-chitosan blends: preparation, mechanical and physical properties, *J. Ir. polym.*, 12, 139–146.
- Balan, V. and Verestiu, L., 2014, Strategies to improve chitosan hemocompatibility: A review, *Eur. Polym. J.*, 53, 171–188.
- Barzin, J., Madaeni, S.S., Mirzadeh, H., and Mehrabzadeh, M., 2004, Effect of polyvinylpyrrolidone on morphology and performance of hemodialysis membranes prepared from polyether sulfone, *J. Appl. Polym. Sci.*, 92, 3804–3813.
- Beppu, M.M., Vieira, R.S., Aimoli, C.G., and Santana, C.C., 2007, Crosslinking of chitosan membranes using glutaraldehyde: Effect on ion permeability and water absorption, *J. Memb. Sci.*, 301, 126–130.
- Berger, J., Reist, M., Mayer, J.M., Felt, O., Peppas, N.A., and Gurny, R., 2004, Structure and interactions in covalently and ionically crosslinked chitosan hydrogels for biomedical applications, *Eur. J. Pharm. Biopharm.*, 57, 19–34.
- Bhumkar, R.D. and Pokharkar, V.B., 2006, Studies on effect of pH on cross-linking of Chitosan with sodium tripolyphosphate: A technical note, *AAPS PharmSciTech*, 7, 2–7.



- Bobu, E., Nicu, R., Lupei, M., Ciolacu, F.L., Desbrières, J., and Bobu, E., 2011, Synthesis and Characterization of N-Alkyl Chitosan for Papermaking Applications, *Cellul. Chem. Technol.*, 45, 619–625.
- Bostan, M.S., Mutlu, E.C., Kazak, H., Sinan Keskin, S., Oner, E.T., and Eroglu, M.S., 2014, Comprehensive characterization of chitosan/PEO/levan ternary blend films., *Carbohydr. Polym.*, 102, 993–1000.
- Cahyaningrum, S.E., Herdyastuti, N., Firdausa, A., and Yanrita, D., 2017, Synthesis and characterization chitosan-glutaraldehyde alginate blends for candidate hemodialysis membrane, *Rasayan J. Chem.*, 10, 959–966.
- Cairo, M.S., 2002, Prevention and treatment of hyperuricemia in hematological malignancies., *Clin. Lymphoma*, 3 Suppl 1, S26-31.
- Campelo, C.S., Lima, L.D., Rebêlo, L.M., Mantovani, D., Beppu, M.M., and Vieira, R.S., 2016, In vitro evaluation of anti-calcification and anti-coagulation on sulfonated chitosan and carrageenan surfaces, *Mater. Sci. Eng. C*, 59, 241–248.
- Carneiro, T.N., Novaes, D.S., Rabelo, R.B., Celebi, B., Chevallier, P., Mantovani, D., Beppu, M.M., and Vieira, R.S., 2013, BSA and fibrinogen adsorption on chitosan/κ-carrageenan polyelectrolyte complexes, *Macromol. Biosci.*, 13, 1072–1083.
- Chan, K.H., Wong, E.T., Khan, M.I., Idris, A., and Yusof, N.M., 2014, Fabrication of polyvinylidene difluoride nano-hybrid dialysis membranes using functionalized multiwall carbon nanotube for polyethylene glycol (hydrophilic additive) retention, *J. Ind. Eng. Chem.*, 20, 3744–3753.
- Clark, W.R. and Gao, D., 2002, Properties of Membranes Used for Hemodialysis Therapy., In, Clark,W.R. (ed), *Seminars in Dialysis*. Lexington, Kentucky, pp. 191–195.
- Clark, W.R., Gao, D., and Ronco, C., 2002, Membranes for Dialysis, *Hemodial. Technol.*, 70–77.
- Dahe, G.J., Teotia, R.S., Kadam, S.S., and Bellare, J.R., 2011, The biocompatibility and separation performance of antioxidative polysulfone/vitamin E TPGS composite hollow fiber membranes, *Biomaterials*, 32, 352–365.
- Deppisch, R., Storr, M., Buck, R., and Göhl, H., 1998a, Blood material interactions at the surfaces of membranes in medical applications, *Sep. Purif. Technol.*, 14, 241–254.
- Deppisch, R., Storr, M., Buck, R., and Göhl, H., 1998b, Blood material interactions at the surfaces of membranes in medical applications, *Sep. Purif. Technol.*, 14, 241–254.
- Dessi, M., Noce, A., Bertucci, P., Noce, G., Rizza, S., De Stefano, A., Manca di Villahermosa, S., Bernardini, S., De Lorenzo, A., and Di Daniele, N., 2014,



Plasma and erythrocyte membrane phospholipids and fatty acids in Italian general population and hemodialysis patients, *Lipids Heal. Dis.*, 13, 1–7.

Ding, W., Liang, C., Sun, S., He, L., and Gao, D., 2015, On-Chip Fabrication of Carbon Nanoparticle-Chitosan Composite Membrane, *J. Mater. Sci. Technol.*, 31, 1087–1093.

Djunaidi, M.C., Febriola, N.A., and Haris, A., 2021, Molecularly imprinted membrane for transport of urea, creatinine, and vitamin B12 as a hemodialysis candidate membrane, *Open Chem.*, 19, 806–817.

Djunaidi, M.C. and Wenten, I.G., 2019, Synthesis of eugenol-based selective membrane for hemodialysis, *IOP Conf. Ser. Mater. Sci. Eng.*, 509, .

Fajarwati, F.I., Sugiharto, E., and Siswanta, D., 2011, Film of Chitosan-carboxymethyl Cellulose Polyelectrolyte Complex as Methylene Blue Adsorvent, *Eksakta J. Ilmu-ilmu MIPA*, 36–45.

Farid, O., 2011, Investigating membrane selectivity based on polymer swelling,.

Fei-jun, W., Fang-su, L., Meng, C., and Zi-qiang, S., 2015, Biocompatible Microcapsule of Carboxymethyl Cellulose/Chitosan as Drug Carrier., *Adv. Mater. Res.* Vol 1118, 227–236.

Gan, P.G., Sam, S.T., and Faiq, A.M., 2018, Tensile Properties and Crystallinity of Crosslinked Nanocrystalline Cellulose/Chitosan Composite, *IOP Conf. Ser. Mater. Sci. Eng.*, 429, .

Gao, A., Liu, F., and Xue, L., 2014, Preparation and evaluation of heparin-immobilized poly (lactic acid) (PLA) membrane for hemodialysis, *J. Memb. Sci.*, 452, 390–399.

Gautham, A.M.J., Manavalan, M., and Najeeb, M.A., 2013, Hemodialysis membranes : past, present and future trends, *int. Res. J. Pharm.*, 4, 16–19.

Goddard, J.M. and Hotchkiss, J.H., 2007, Polymer surface modification for the attachment of bioactive compounds, *Prog. Polym. Sci.*, 32, 698–725.

Gupta, B., Agarwal, R., and Sarwar Alam, M., 2013, Preparation and characterization of polyvinyl alcohol-polyethylene oxide-carboxymethyl cellulose blend membranes, *J. Appl. Polym. Sci.*, 127, 1301–1308.

Han, B., Zhang, D., Shao, Z., Kong, L., and Lv, S., 2013, Preparation and characterization of cellulose acetate / carboxymethyl cellulose acetate blend ultrafiltration membranes, *Desalination*, 311, 80–89.

Hirano, S. and Noishiki, Y., 1985, The blood compatibility of chitosan and N-acetylation, *J. Biomed. Mater. Res.*, 19, 413–417.

Hoenich, N.A., 2004, Update on the Biocompatibility of Hemodialysis Membranes, *Hong Kong J. Nephrol.*, 6, 74–78.



- Hoven, V., Tangpasuthadol, V., Angkipaiboon, Y., Vallapa, N., and Kiatkamjornwong, S., 2007, Surface-charged chitosan: Preparation and protein adsorption, *Carbohydr. Polym.*, 68, 44–53.
- Idris, A., Hew, K.Y., and Chan, M.K., 2009, Preparation Of Cellulose Acetate Dialysis Membrane Using D-Glucose Monohydrate As Additive, *J. Teknol.*, 51, 67–76.
- Idris, A., Lee, K.Y., and Hing, H.K., 2005, Preparation of cellulose acetate dialysis membrane for separation of bovine serum albumin, *J. Teknol.*, 42, 35–46.
- Irfan, M., Idris, A., Yusof, N.M., Khairuddin, N.F.M., and Akhmal, H., 2014, Surface modification and performance enhancement of nano-hybrid f-MWCNT/PVP90/PES hemodialysis membranes, *J. Memb. Sci.*, 467, 73–84.
- Irfan, Muhammad, Irfan, Masooma, Shah, S.M., Baig, N., Saleh, T.A., Ahmed, M., Naz, G., Akhtar, N., Muhammad, N., and Idris, A., 2019, Hemodialysis performance and anticoagulant activities of PVP-k25 and carboxylic-multiwall nanotube composite blended Polyethersulfone membrane, *Mater. Sci. Eng. C*, 103, .
- Ismail, A.F., Abidin, M.N.Z., Mansur, S., Zailani, M.Z., Said, N., Raharjo, Y., Rosid, S.M., Othman, M.H.D., Goh, P.S., and Hasbullah, H., 2018, Hemodialysis membrane for blood purification process, Elsevier Inc.
- Ismiyarto, I., Saputri, N.W., Rahmatia, L.Z., Sarjono, P.R., Ngadiwiyana, N., Prasetya, N.B.A., and Bima, D.N., 2021, Synthesis of Mn(II) Complexes-Carboxymethyl Chitosan Schiff Base Salicylaldehyde and Antibacterial Activity, *J. Kim. Val.*, 7, 10–21.
- Jawad, A.H. and Abdulhameed, A.S., 2020, Facile synthesis of crosslinked chitosan-tripolyphosphate/kaolin clay composite for decolourization and COD reduction of remazol brilliant blue R dye: Optimization by using response surface methodology, *Colloids Surfaces A Physicochem. Eng. Asp.*, 605, 125329.
- Ji, M., Chen, X., Luo, J., and Wan, Y., 2019, Improved blood compatibility of polysulfone membrane by anticoagulant protein immobilization, *Colloids Surfaces B Biointerfaces*, 175, 586–595.
- Jin, J., Song, M., and Hourston, D.J., 2004, Novel chitosan-based films cross-linked by genipin with improved physical properties, *Biomacromolecules*, 5, 162–168.
- Kaleekkal, N.J., Thanigaivelan, A., Tarun, M., and Mohan, D., 2015, A functional PES membrane for hemodialysis - Preparation, Characterization and Biocompatibility, *Chinese J. Chem. Eng.*, 23, 1236–1244.
- Kawasaki, T., Nakaji-hirabayashi, T., Masuyama, K., and Fujita, S., 2016, Colloids and Surfaces B : Biointerfaces Complex film of chitosan and carboxymethyl cellulose nanofibers, *Colloids Surfaces B Biointerfaces*, 139, 95–99.



- Kee, C.M. and Idris, A., 2010, Permeability performance of different molecular weight cellulose acetate hemodialysis membrane, *Sep. Purif. Technol.*, 75, 102–113.
- Krajewska, B., 2005, Membrane-based processes performed with use of chitin/chitosan materials, *Sep. Purif. Technol.*, 41, 305–312.
- Li, L., Cheng, C., Xiang, T., Tang, M., Zhao, W., Sun, S., and Zhao, C., 2012, Modification of polyethersulfone hemodialysis membrane by blending citric acid grafted polyurethane and its anticoagulant activity, *J. Memb. Sci.*, 405–406, 261–274.
- Lin, W.-C., Liu, T.-Y., and Yang, M.-C., 2004, Hemocompatibility of polyacrylonitrile dialysis membrane immobilized with chitosan and heparin conjugate, *Biomaterials*, 25, 1947–1957.
- Lin, W.-C., Tseng, C.-H., and Yang, M.-C., 2005, In-Vitro Hemocompatibility Evaluation of a Thermoplastic Polyurethane Membrane with Surface-Immobilized Water-Soluble Chitosan and Heparin, *Macromol. Biosci.*, 5, 1013–1021.
- Lindberg, N., Engfors, H., and Ericsson, T., 1992, Encyclopedia of Pharmaceutical Technology, Effervescent Pharmaceutical in Swarbrick,,
- Liu, T., An, Q., Wang, X., Zhao, Q., Zhu, B., and Gao, C., 2014, Preparation and properties of PEC nanocomposite membranes with carboxymethyl cellulose and modified silica, *Carbohydr. Polym.*, 106, 403–409.
- Liu, Y., Li, G., Han, Q., Lin, H., Li, Q., Hua, J., and Liu, F., 2020, Anticoagulant dialyzer with enhanced Ca²⁺ chelation and hydrophilicity for heparin free hemodialysis, *J. Memb. Sci.*, 604, 118082.
- Liu, Z., Deng, X., Wang, M., Chen, J., Zhang, A., Gu, Z., and Zhao, C., 2009, BSA-Modified Polyethersulfone Membrane: Preparation, Characterization and Biocompatibility, *J. Biomater. Sci. Polym. Ed.*, 20, 377–397.
- Lusiana, R.A., 2014, Sintesis turunan kitosan melalui reaksi cangkok dan tautsilang dan aplikasinya sebagai membran hemodialisis.,
- Lusiana, R A, Isdadiyanto, Khabibi, Siswanta, D., and Mudasir, 2016, Urea Permeability of Citric Acid Crosslinked Chitosan-Poly (vinyl alcohol) Blend Membranes, *Int. J. Chem. Eng. Appl.*, 7, 186–189.
- Lusiana, R.A. and pranotoningtyas, W.P., 2018, Membran Kitosan Termodifikasi Tripolifosfat-Heparin Dan Aplikasinya Pada Permeasi Urea Dan Kreatinin, *Anal. Anal. Environ. Chem.*, 3, 11–21.
- Lusiana, R.A. and Prasetya, N.B.A., 2020, Indonesian Journal of Chemical Science Pengaruh Penambahan Aditif terhadap Karakterisasi Fisikokimia Membran Polisulfon, *Indones. J. Chem. Sci.*, 9, 197.
- Lusiana, R.A., Protoningtyas, W.P., Wijaya, A.R., Siswanta, D., Mudasir, and



- Santosa, S.J., 2017, Chitosan-tripoly phosphate (CS-TPP) synthesis through cross-linking process: The effect of concentration towards membrane mechanical characteristic and urea permeation, *Orient. J. Chem.*, 33, 2913–2919.
- Lusiana, R.A., Sangkota, V.D.A., Andre Sasongko, N., Santosa, S.J., and Othman, M.H.D., 2019, Chitosan based modified polymers designed to enhance membrane permeation capability, *IOP Conf. Ser. Mater. Sci. Eng.*, 509, 0–8.
- Lusiana, R.A., Sangkota, V.D.A., and Santosa, S.J., 2018, Chitosan succinate/PVA-PEG Membrane: Preparation, Characterization and Permeation Ability Test on Creatinine, *J. Kim. Sains dan Apl.*, 21, 80–84.
- Lusiana, R.A., Sangkota, V.D.A., Sasongko, N.A., Gunawan, G., Wijaya, A.R., Santosa, S.J., Siswanta, D., Mudasir, M., Abidin, M.N.Z., Mansur, S., and Othman, M.H.D., 2020, Permeability improvement of polyethersulfone-polietylene glycol (PEG-PES) flat sheet type membranes by tripolyphosphate-crosslinked chitosan (TPP-CS) coating, *Int. J. Biol. Macromol.*, 152, 633–644.
- Lusiana, Retno Ariadi, Siswanta, D., and Mudasir, 2016, Preparation of citric acid crosslinked chitosan/poly(Vinyl alcohol) blend membranes for creatinine transport, *Indones. J. Chem.*, 16, 144–150.
- Lusiana, R A, Siswanta, D., and Mudasir, 2016, Preparation of citric acid crosslinked chitosan/poly(Vinyl alcohol) blend membranes for creatinine transport, *Indones. J. Chem.*, 16, 144–150.
- Ma, L., Su, B., Cheng, C., Yin, Z., Qin, H., Zhao, J., Sun, S., and Zhao, C., 2014, Toward highly blood compatible hemodialysis membranes via blending with heparin-mimicking polyurethane: Study in vitro and in vivo, *J. Memb. Sci.*, 470, 90–101.
- Mahlicli, F.Y.A., 2007, Preparation and characterization of hemodialysis membranes, Izmir.
- Max, B., Salgado, J.M., Rodríguez, N., Cortés, S., Converti, A., and Domínguez, J.M., 2010, Biotechnological production of citric acid, *Brazilian J. Microbiol.*, 41, 862–875.
- Miao, J., Zhang, R., and Bai, R., 2015, Poly (vinyl alcohol)/ carboxymethyl cellulose sodium blend composite nano filtration membranes developed via interfacial polymerization, *J. Memb. Sci.*, 493, 654–663.
- Mollahosseini, A., Abdelrasoul, A., and Shoker, A., 2020, A critical review of recent advances in hemodialysis membranes hemocompatibility and guidelines for future development, *Mater. Chem. Phys.*, 248, 122911.
- Morti, S., Shao, J., and Zydny, A.L., 2003, Importance of asymmetric structure in determining mass transport characteristics of hollow fiber hemodialyzers, *J. Memb. Sci.*, 224, 39–49.



Neri, M., Lorenzin, A., Clark, W.R., and Ronco, C., 2019, Membranes and Filters for Use in Acute Renal Failure, Third Edit.

Noor Ul Amin, Raja tahir mahmood, and Javaid Asad, Mudassar Zafar, A.M.R., 2014, Evaluating Urea and Creatinine Levels in Chronic Renal Failure Pre and Post Dialysis: A Prospective Study, *J. Cardiovasc. Dis.*, 2, .

Oyrton A.C. Monteiro Jr., C.A., 1999, Some studies of crosslinking chitosan–glutaraldehyde interaction in a homogeneous system, *Int. J. Biol. Macromol.*, 26, 119–128.

Pabby, A.K., Rizvi, S.S., and Sastre, A.M., 2015, Handbook of Membrane Separation,,

Pan, C., Qian, J., Zhao, C., Yang, H., Zhao, X., and Guo, H., 2020, Study on the relationship between crosslinking degree and properties of TPP crosslinked chitosan nanoparticles, *Carbohydr. Polym.*, 241, 116349.

Park, J., Acar, M., Akthakul, A., Kuhlman, W., and Mayes, A., 2006, Polysulfone-poly(ethylene glycol) graft copolymers for surface modification of polysulfone membranes, *Biomaterials*, 27, 856–865.

Rafique, A., Mahmood Zia, K., Zuber, M., Tabasum, S., and Rehman, S., 2016, Chitosan functionalized poly(vinyl alcohol) for prospects biomedical and industrial applications: A review, *Int. J. Biol. Macromol.*, 87, 141–154.

Ran, F., Nie, S., Zhao, W., Li, J., Su, B., Sun, S., and Zhao, C., 2011, Biocompatibility of modified polyethersulfone membranes by blending an amphiphilic triblock co-polymer of poly(vinyl pyrrolidone)-b-poly(methyl methacrylate)-b-poly(vinyl pyrrolidone), *Acta Biomater.*, 7, 3370–3381.

Rana, D. and Matsuura, T., 2010, Surface modifications for antifouling membranes, *Chem. Rev.*, 110, 2448–2471.

Ravi Kumar, M.N. V, 2000, A review of chitin and chitosan applications, *React. Funct. Polym.*, 46, 1–27.

Ren, Z., Chen, G., Wei, Z., Sang, L., and Qi, M., 2013, Hemocompatibility evaluation of polyurethane film with surface-grafted poly(ethylene glycol) and carboxymethyl-chitosan, *J. Appl. Polym. Sci.*, 127, 308–315.

Riggs, J.A., Smith, B.D., Uni, V., Dame, N., December, R. V, Membrane, E.L.I., and Systems, S., 1997, Facilitated Transport of Small Carbohydrates through Plasticized Cellulose Triacetate Membranes . Evidence for Fixed-Site Jumping Transport Mechanism, 7863, 2765–2766.

Saadati, S., Westphalen, H., Eduok, U., Abdelrasoul, A., Shoker, A., Choi, P., Doan, H., Ein-Mozaffari, F., and Zhu, N., 2020, Biocompatibility enhancement of hemodialysis membranes using a novel zwitterionic copolymer: Experimental, in situ synchrotron imaging, molecular docking, and clinical inflammatory biomarkers investigations, *Mater. Sci. Eng. C*, 117,



1–14.

- Sakurada, Y., Sueoka, A., and Kawahshi, M., 1987, Blood Purification Device Using Membranes Derived from Poly(vinyl alcohol), and Copolymer of Ethylene and Vinyl Alcohol, *J. Polym.*, 19, 501–513.
- Saljoughi, E. and Mohammadi, T., 2009, Cellulose acetate (CA)/polyvinylpyrrolidone (PVP) blend asymmetric membranes: Preparation, morphology and performance, *Desalination*, 249, 850–854.
- Sasongko, N.A., Siahaan, P., Lusiana, R.A., and Prasasty, V., 2020, Understanding the interaction of polysulfone with urea and creatinine at the molecular level and its application for hemodialysis membrane, *J. Phys. Conf. Ser.*, 1524, .
- Shao, L., An, Q., Ji, Y., Zhao, Q., Wang, X., Zhu, B., and Gao, C., 2014, Preparation and characterization of sulfated carboxymethyl cellulose nano filtration membranes with improved water permeability, *DES*, 338, 74–83.
- Shi, Z.-Q., Ji, H.-F., Yu, H.-C., Huang, X.-L., Zhao, W.-F., Sun, S.-D., and Zhao, C.-S., 2016, Engineering polyethersulfone hollow fiber membrane with improved blood compatibility and antibacterial property, *Colloid Polym. Sci.*, 294, 441–453.
- Siahaan, P., Sasongko, N.A., Lusiana, R.A., Prasasty, V.D., and Martoprawiro, M.A., 2021, The validation of molecular interaction among dimer chitosan with urea and creatinine using density functional theory: In application for hemodialysis membrane, *Int. J. Biol. Macromol.*, 168, 339–349.
- Silva, R.M., Silva, G.A., Coutinho, O.P., Mano, J.F., Reis, R.L., Azure, C. De, Gualtar, C. De, and Gualtar, C. De, 2004, Preparation and characterisation in simulated body conditions of glutaraldehyde crosslinked chitosan membranes, *J. Mater. Sci. Mater. Med.*, 5, 1105–1112.
- Song, H., Ran, F., Fan, H., Niu, X., Kang, L., and Zhao, C., 2014, Hemocompatibility and ultrafiltration performance of surface-functionalized polyethersulfone membrane by blending comb-like amphiphilic block copolymer, *J. Memb. Sci.*, 471, 319–327.
- Stamatialis, D.F., Papenburg, B.J., Gironés, M., Saiful, S., Bettahalli, S.N.M., Schmitmeier, S., and Wessling, M., 2008, Medical applications of membranes: Drug delivery, artificial organs and tissue engineering, *J. Memb. Sci.*, 308, 1–34.
- Sun, Y., Rajabzadeh, S., Fang, L., Jeon, S., Zhou, Z., Ohmukai, Y., Miki, J., Wang, X., and Matsuyama, H., 2017, Poly(vinylidene difluoride)/poly(tetrafluoroethylene-co-vinylpyrrolidone) blend membranes with antifouling properties, *Mater. Sci. Eng. C*, 75, 79–87.
- Sun, Z. and Chen, F., 2016, Hydrophilicity and antifouling property of membrane materials from cellulose acetate/polyethersulfone in DMAc, *Int. J. Biol. Macromol.*, 91, 143–150.



- Teotia, R., Verma, S.K., Kalita, D., Singh, A.K., Dahe, G., and Bellare, J., 2017, Porosity and compatibility of novel polysulfone-/vitamin E-TPGS-grafted composite membrane, *J. Mater. Sci.*, 52, 12513–12523.
- Teotia, R.S., Kalita, D., Singh, A.K., Verma, S.K., Kadam, S.S., and Bellare, J.R., 2015, Bifunctional Polysulfone-Chitosan Composite Hollow Fiber Membrane for Bioartificial Liver, *ACS Biomater. Sci. Eng.*, 1, 372–381.
- Tongdeesoontorn, W., Mauer, L.J., Wongruong, S., Sriburi, P., and Rachtanapun, P., 2011, Effect of carboxymethyl cellulose concentration on physical properties of biodegradable cassava starch-based films, *Chem. Cent. J.*, 5, 1–8.
- Tran, C.D., Duri, S., Delneri, A., and Franko, M., 2013, Chitosan-Cellulose Composite Materials: Preparation, Characterization and Application for Removal of Microcystin, *J. Hazard. Mater.*, 252–253, 355–366.
- Tu, M.M., Xu, J.J., and Qiu, Y.R., 2019, Surface hemocompatible modification of polysulfone membrane: Via covalently grafting acrylic acid and sulfonated hydroxypropyl chitosan, *RSC Adv.*, 9, 6254–6266.
- Unawekla, J. V., Moeis, E.S., and Langi, Y.A., 2018, Hubungan antara Status Gizi dan Sistem Imun Seluler pada Subjek Penyakit Ginjal Kronik Stadium V Hemodialisis di Instalasi Tindakan Hemodialisis RSUP Prof. Dr. R. D. Kandou Manado, *e-CliniC*, 6, .
- Uragami, T., 2019, Chitin and Chitosan Derivative Membranes in Resources, Energy, Environmental and Medical Field.,
- Uragami, T., 2018, Functional Separation Membranes From Grafted Biopolymers, Elsevier Inc.
- Venault, A., Ballad, M.R.B., Liu, Y.-H., Aimar, P., and Chang, Y., 2015, Hemocompatibility of PVDF/PS-b-PEGMA membranes prepared by LIPS process, *J. Memb. Sci.*, 477, 101–114.
- Waheed, S., Ahmad, A., Khan, S.M., Gul, S.E., Jamil, T., Islam, A., and Hussain, T., 2014, Synthesis, characterization, permeation and antibacterial properties of cellulose acetate/polyethylene glycol membranes modified with chitosan, *Desalination*, 351, 59–69.
- Wan, Y., Creber, K.A.M., Peppley, B., and Bui, V.T., 2003, Synthesis , Characterization and Ionic Conductive Properties of Phosphorylated Chitosan Membranes, 850–858.
- Wang, H., Li, J., Liu, F., Li, T., Zhong, Y., Lin, H., and He, J., 2018, Enhanced hemocompatibility of flat and hollow fiber membranes via a heparin free surface crosslinking strategy, *React. Funct. Polym.*, 124, 104–114.
- Wang, H., Yang, L., Zhao, X., Yu, T., and Du, Q., 2009, Improvement of Hydrophilicity and Blood Compatibility on Polyethersulfone Membrane by



Blending Sulfonated Polyethersulfone, *Chinese J. Chem. Eng.*, 17, 324–329.

- Wang, J., Liu, Z., Qiu, M., and He, C., 2021, Heparin-mimicking semi-interpenetrating composite membrane with multiple excellent performances for promising hemodialysis, *J. Memb. Sci.*, 618, 118740.
- Wang, S.Y., Fang, L.F., Cheng, L., Jeon, S., Kato, N., and Matsuyama, H., 2018, Improved antifouling properties of membranes by simple introduction of zwitterionic copolymers via electrostatic adsorption, *J. Memb. Sci.*, 564, 672–681.
- Wang, W., Meng, Q., Li, Q., Liu, J., Zhou, M., Jin, Z., and Zhao, K., 2020, Chitosan derivatives and their application in biomedicine, *Int. J. Mol. Sci.*, 21, .
- Wang YX, Robertson JL, Spillman WB Jr, C.R., 2004, Effects of the chemical structure and the surface properties of polymeric biomaterials on their biocompatibility. Aug; doi: 10.1023/b:pham.0000036909.41843.18., *Pharm Res.*, 21, 1362–1373.
- Xiang, T., Xie, Y., Wang, R., Wu, M.B., Sun, S.D., and Zhao, C.S., 2014, Facile chemical modification of polysulfone membrane with improved hydrophilicity and blood compatibility, *Mater. Lett.*, 137, 192–195.
- Xiang, T., Zhang, L.-S., Wang, R., Xia, Y., Su, B.-H., and Zhao, C.-S., 2014, Blood compatibility comparison for polysulfone membranes modified by grafting block and random zwitterionic copolymers via surface-initiated ATRP., *J. Colloid Interface Sci.*, 432, 47–56.
- Xue, J., Zhao, W., Nie, S., Sun, S., and Zhao, C., 2013, Blood compatibility of polyethersulfone membrane by blending a sulfated derivative of chitosan, *Carbohydr. Polym.*, 95, 64–71.
- Yan, S., Tu, M.M., and Qiu, Y.R., 2020a, The hemocompatibility of the modified polysulfone membrane with 4-(chloromethyl)benzoic acid and sulfonated hydroxypropyl chitosan, *Colloids Surfaces B Biointerfaces*, 188, 110769.
- Yan, S., Tu, M.M., and Qiu, Y.R., 2020b, The hemocompatibility of the modified polysulfone membrane with 4-(chloromethyl)benzoic acid and sulfonated hydroxypropyl chitosan, *Colloids Surfaces B Biointerfaces*, 188, 110769.
- Yang, L., Hsiao, W.W., and Chen, P., 2002, Chitosan-cellulose composite membrane for affinity purification of biopolymers and immunoabsorption, *J. Memb. Sci.*, 197, 185–197.
- Yang, M.-C. and Lin, W.-C., 2003, Protein adsorption and platelet adhesion of polysulfone membrane immobilized with chitosan and heparin conjugate, *Polym. Adv. Technol.*, 14, 103–113.
- Yang, Y., Gao, M., Zhou, B., Cai, P., Larsson, T.E., Zhao, J., and Melander Bowden, T., 2020, Weak acidic stable carbazate modified cellulose membranes target for scavenging carbonylated proteins in hemodialysis,



Carbohydr. Polym., 231, 115727.

- Yilmaz, G., Toiserkani, H., Demirkol, D.O., Sakarya, S., Timur, S., Torun, L., and Yagci, Y., 2011, Polysulfone based amphiphilic graft copolymers by click chemistry as bioinert membranes, *Mater. Sci. Eng. C*, 31, 1091–1097.
- Yu, X., Xiong, Z., Li, J., Wu, Z., Wang, Y., and Liu, F., 2015, Surface PEGylation on PLA membranes via micro-swelling and crosslinking for improved biocompatibility/hemocompatibility, *RSC Adv.*, 5, 107949–107956.
- Yue, W.W., Li, H.J., Xiang, T., Qin, H., Sun, S.D., and Zhao, C.S., 2013, Grafting of zwitterion from polysulfone membrane via surface-initiated ATRP with enhanced antifouling property and biocompatibility, *J. Memb. Sci.*, 446, 79–91.
- Zaborska, W., Krajewska, B., and Leszko, M., 1991, Chitosan membrane with covalently immobilized urease. Pore size distribution, *J. Memb. Sci.*, 61, 279–288.
- Zailani, M.Z., Ismail, A.F., Goh, P.S., Kadir, S.H.S.A., Othman, M.H.D., Hasbullah, H., Abdullah, M.S., Ng, B.C., and Kamal, F., 2021, Antioxidant and antithrombotic study of novel chitosan-diallyl disulfide inclusion complexes nanoparticles for hemodialysis applications, *React. Funct. Polym.*, 163, 104894.
- Zhao, C., Xue, J., Ran, F., and Sun, S., 2013, Modification of polyethersulfone membranes – A review of methods, *Prog. Mater. Sci.*, 58, 76–150.
- Zhao, D., Yu, S., Sun, B., Gao, S., Guo, S., and Zhao, K., 2018, Biomedical applications of chitosan and its derivative nanoparticles, *Polymers (Basel)*, 10, .
- Zhu, L.-J., Liu, F., Yu, X.-M., Gao, A.-L., and Xue, L.-X., 2015, Surface zwitterionization of hemocompatible poly(lactic acid) membranes for hemodiafiltration, *J. Memb. Sci.*, 475, 469–479.
- Zhu, L., Song, H., Wang, J., and Xue, L., 2017a, Polysulfone hemodiafiltration membranes with enhanced anti-fouling and hemocompatibility modified by poly(vinyl pyrrolidone) via in situ cross-linked polymerization, *Mater. Sci. Eng. C*, 74, 159–166.
- Zhu, L., Song, H., Wang, J., and Xue, L., 2017b, Polysulfone hemodiafiltration membranes with enhanced anti-fouling and hemocompatibility modified by poly(vinyl pyrrolidone) via in situ cross-linked polymerization, *Mater. Sci. Eng. C*, 74, 159–166.
- Zhu, L., Song, H., Wang, J., and Xue, L., 2017c, Polysulfone hemodiafiltration membranes with enhanced anti-fouling and hemocompatibility modified by poly(vinyl pyrrolidone) via in situ cross-linked polymerization, *Mater. Sci. Eng. C*, 74, 159–166.