



DAFTAR PUSTAKA

- Abd-Elghany, A. A., Naji, A.A., Alonazi, B., Aldosary, H., Alsufayan, M.A., Alnasser, M. *et al.* (2019). Radiological characteristics of glioblastoma multiforme using CT and MRI examination. *Journal of Radiation Research and Applied Sciences*. 12(1), pp. 289–293. doi: 10.1080/16878507.2019.1655864
- Altwairgi, A. K., Algareeb, W., Yahya, G., Maklad, A. M., Aly, M. M., Al Shakweer, *et al.* (2016). Outcome of patients with glioblastoma in Saudi Arabia: Single center experience. *Molecular and Clinical Oncology*, 4. 756–762
- Baig, M., Klein, J. and Mechtler, L. (2016). Imaging of brain tumors. *Continuum: Lifelong Learning in Neurology*, 22(5), pp.1529-1552
- Blanchet, P.W.T. Krooshof, G.J. Postma, A.J. Idema, B. Goraj, A. Heerschap, *et al.* (2011). Discrimination between Metastasis and Glioblastoma Multiforme Based on Morphometric Analysis of MR Images. *American Journal of Neuroradiology*. 32 (1) 67-73. doi: 10.3174/ajnr.A2269
- Bulakbasi, N., Guvenc, I., Onguru, O., Erdogan, E., Tayfun, C. and Ucoz, T. (2004). The added value of the apparent diffusion coefficient calculation to magnetic resonance imaging in the differentiation and grading of malignant brain tumors. *Journal of Computer Assisted Tomography*, 28(6), pp.735-746
- Cha, J.M. Lupo, M.-H. Chen, K.R. Lamborn, M.W. McDermott, M.S. Berger, S.J. *et al.* (2007). Differentiation of Glioblastoma Multiforme and Single Brain Metastasis by Peak Height and Percentage of Signal Intensity Recovery Derived from Dynamic Susceptibility-Weighted Contrast-Enhanced Perfusion MR Imaging. *American Journal of Neuroradiology*, 28 (6) 1078-1084. doi: 10.3174/ajnr.A0484
- Cha, S. (2006). Update on brain tumor imaging: From anatomy to physiology. *American Journal of Neuroradiology*. 27(3), pp. 475–487
- Chandra, A; Li W. A; Stone, C. R; Geng X; Ding, Yuchuan. (2017). "The cerebral circulation and cerebrovascular disease I: Anatomy". *Brain Circulation*. 3 (2): 45–56. doi:10.4103/bc.bc_10_17
- Comelli, I., Lippi, G., Campana.V., Servadei, F., Cervellin, G. (2017). Clinical presentation and epidemiology of brain tumors firstly diagnosed in adults in the Emergency Department: A 10-year, single center retrospective study. *Annals of Translational Medicine*. 5(13), pp. 3–7. doi: 10.21037/atm.2017.06.12
- Csutak C., Ştefan P.A., Lenghel L.M., Moroşanu C.O., Lupean R.A., Şimonca L,*et al.*



- (2020). Differentiating High-Grade Gliomas from Brain Metastases at Magnetic Resonance: The Role of Texture Analysis of the Peritumoral Zone. *Brain Sciences.*; 10(9):638. <https://doi.org/10.3390/brainsci10090638>
- Dahlan, S., (2015). Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat (Statistic for Medicine and Health Science: Descriptive, Bivariate, and Multivariate)
- Dho, Y.S., Jung, K.W., Ha, J., Youngbeom, S., Park, C.K., Won, Y.J. et al. (2017). An Updated Nationwide Epidemiology of Primary Brain Tumors in Republic of Korea. *Brain Tumor Research and Treatment*, 5(1), p. 16. doi: 10.14791/btrt.2017.5.1.16
- Elsayed, A., Coenen, F., García F. M. and Sluming, V. (2012). Region of interest based image classification: a study in MRI brain scan categorization. *Data Mining Applications in Engineering and Medicine*, pp.225-248
- Enrique G.V., Irving S.R., Ricardo B.I., Jesús F.L., Alan R.M., Iñigo V.A.A., et al. (2019). Diagnosis and management of brain metastases: an updated review from a radiation oncology perspective. *Journal Cancer Metastasis Treatment*;5:54. <http://dx.doi.org/10.20517/2394-4722.2019.20>
- Fink, K. R., & Fink, J. R. (2013). Imaging of brain metastases. *Surgical neurology international*, 4(Suppl 4), S209–S219. <https://doi.org/10.4103/2152-7806.111298>
- Firouznia S, Sabersekh P, Ahmadian A. (2017). Multimodal MRI Techniques and Their Importance in Frameless Navigation Biopsy for Brain Glioma, *Iran Journal Radiology.*; 14(4):e65721. doi: 10.5812/iranjradiol.65721
- Gallego O. (2015). Nonsurgical treatment of recurrent glioblastoma. *Current Oncology*. 22 (4): e273–81. doi:10.3747/co.22.2436. PMC 4530825. PMID 26300678
- Gaurav, S., Gregory, S. A., Spyridon, B., Rahul, N., Kiran, T., Joshua, D., et al. (2017). Advanced magnetic resonance imaging in glioblastoma: a review. *Chinese Clinical Oncology*, 6, 40
- Ginat, D. T., & Meyers, S. P. (2012). Intracranial lesions with high signal intensity on T1-weighted MR images: differential diagnosis. *Radiographics*, 23, 499–516
- Goncalves PH, Peterson SL, Vigneau FD et al. (2016). Risk of brain metastases in patients with nonmetastatic lung cancer: analysis of the Metropolitan Detroit Surveillance, Epidemiology, and End Results (SEER) data. *Cancer* 122: 1921–1927
- Grand S., C. Pasteris, A. Attye, J.-F. Le Bas, A. Krainik,. (2014). The different faces of central nervous system metastases. *Diagnostic and Interventional Imaging*. Volume 95, Issue 10, Pages 917-931. ISSN 2211-5684,



<https://doi.org/10.1016/j.diii.2014.06.014>

Helseth, A., & Mork, S. J. (1989). Neoplasms of the central nervous system in Norway. III. Epidemiological characteristics of intracranial gliomas according to histology. *Acta Pathologica, Microbiologica Et Immunologica Scandinavica*, 97, 547–555

Holly K S., Barker B J., Murcia D, Bennett R, Kalakoti P, Ledbetter C, et al. (2017). High-grade Gliomas Exhibit Higher Peritumoral Fractional Anisotropy and Lower Mean Diffusivity than Intracranial Metastases. *Frontiers in Surgery*. Volume4.Pages:18.<https://www.frontiersin.org/article/10.3389/fsurg.2017.00018>.DOI =10.3389/fsurg.2017.00018. ISSN=2296-875X

Huang, H.K., (2010). *PACS and imaging informatics: basic principles and applications*. John Wiley & Sons

Jayachandran, A., Jonathan, G. E., Patel, B., Prabhu, K. (2018). Primary spinal cord glioblastoma metastasizing to the cerebellum: A missed entity. *Neurology India*, 66, 854–857

Jung B. Y., Eun J. L., Jong M. B., Young J. C., Eun K. L., Dae B. K., (2021). Differentiation between Glioblastoma and Solitary Metastasis : Morphologic Assessment by Conventional Brain MR Imaging and Diffusion Weighted Imaging. *Investigative Magnetic Resonance Imaging*. 25 (1): 23-34.
<https://doi.org/10.13104/imri.2021.25.1.23>

Kao H.W, Shih W. C, Hsiao W. C, Fong Y. T, Cheng Y. C. (2013). Advanced MR Imaging of Gliomas: An Update. *BioMed Research International*. vol. 2013, Article ID 970586, 14 pages. <https://doi.org/10.1155/2013/970586>

Kelly, P. Lekgwara, S. Mda. (2020). The epidemiology and outcome of patients admitted for elective brain tumour surgery at a single neurosurgical centre in South Africa. *Interdisciplinary Neurosurgery*. Volume 21. ISSN 2214-7519.
<https://doi.org/10.1016/j.inat.2020.100750>

Kementerian Kesehatan Republik Indonesia. (2019). *Hari Kanker Sedunia 2019*.
<http://p2p.kemkes.go.id/penyakit-kanker-di-indonesia-berada-pada-urutan-8-di-asia-tenggara-dan-urutan-23-di-asia/> Diakses pada tanggal 10 September 2021 (08.35)

Keputusan Menteri Kesehatan Republik Indonesia Nomor HK. 01. 07/Menkes/397/2020 tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Tumor Otak

Lam T. C, Sahgal A., Chang E.L, Lo S. S. (2014). Stereotactic radiosurgery for multiple brain metastases. *Expert Review of Anticancer Therapy*. 14:1153–72. doi: 10.1586/14737140.2014.940325



Lee E. J., Ahn K. J., Lee E. K., Lee Y. S., Kim D. B. (2013). Potential role of advanced MRI techniques for the peritumoural region in differentiating glioblastoma multiforme and solitary metastatic lesions. *Clinical Radiology.* 68 (12):e689-97. doi: 10.1016/j.crad.2013.06.021.

Lemercier P, Silvia P. M, James T. P, Lucía F, Carlos L. S., (2014). Gradient of Apparent Diffusion Coefficient Values in Peritumoral Edema Helps in Differentiation of Glioblastoma From Solitary Metastatic Lesions. *American Journal of Roentgenology* 203:1, 163-169

Lignelli A, Alexander G. K, (2011). Review of Imaging Techniques in the Diagnosis and Management of Brain Metastases. *Neurosurgery Clinical North America.* Vol. 22 : p 15-25. Doi: 10. 1016/j.nec.2010.09.002

Louis D. N., Ohgaki H., Wiestler O. D., Cavenee W. K., Burger P. C., Jouvet A, et al. (2007). The 2007 WHO classification of tumours of the central nervous system. *Acta Neuropathology.* 114:97-109.

Maldonado K.A, Alsayouri K. (2021). Physiology, Brain. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK551718/>

Molenaar R. J, Radivoyevitch T, Maciejewski J. P, van Noorden C. J, Bleeker F. E. (2014). The driver and passenger effects of isocitrate dehydrogenase 1 and 2 mutations in oncogenesis and survival prolongation. *Biochimica et Biophysica Acta (BBA) - Reviews on Cancer.* 1846 (2): 326–41. doi:10.1016/j.bbcan.2014.05.004

Nabors, L.B., (2016). Central nervous system: notable developments in the management of primary and recurrent gliomas. *Journal of the National Comprehensive Cancer Network, 14(5S)*, pp.681-684

Neska-Matuszewska, M., Bladowska, J., Sąsiadek, M., & Zimny, A. (2018). Differentiation of glioblastoma multiforme, metastases and primary central nervous system lymphomas using multiparametric perfusion and diffusion MR imaging of a tumor core and a peritumoral zone-Searching for a practical approach. *PloS one, 13(1)*, e0191341. <https://doi.org/10.1371/journal.pone.0191341>

Ostrom, Q. T., Wright, C. H., & Barnholtz-Sloan, J. S. (2018). Brain metastases: epidemiology. *Handbook of clinical neurology*, 149, 27–42. <https://doi.org/10.1016/B978-0-12-811161-1.00002-5>

Ostrom, Q.T., Gittleman, H., Lindsay, S., Virk, S., Barnholtz-Sloan, J.S. (2017). Epidemiology of Intracranial Gliomas. *Progress in Neurological Surgery*, 30, pp. 1–11. doi: 10.1159/000464374



- Pavlisa G, Rados M, Pavic L, Potocki K, Mayer D. (2009). The differences of water diffusion between brain tissue infiltrated by tumor and peritumoral vasogenic edema. *Clinical Imaging*. Mar-Apr; 33(2):96-101
- Perry, A and Wesseling, P. (2016). Histologic classification of gliomas. 1st edn, *Handbook of Clinical Neurology*. 1st edn. Elsevier B.V. doi: 10.1016/B978-0-12-802997-8.00005-0
- Perry, V. H., & Teeling, J. (2013). Microglia and macrophages of the central nervous system: the contribution of microglia priming and systemic inflammation to chronic neurodegeneration. *Seminars in immunopathology*, 35(5), 601–612. <https://doi.org/10.1007/s00281-013-0382-8>
- Pope W. B. (2018). Brain metastases: neuroimaging. *Handbook of clinical neurology*, 149, 89–112. <https://doi.org/10.1016/B978-0-12-811161-1.00007-4>
- Pope, W. B., & Brandal, G. (2018). Conventional and advanced magnetic resonance imaging in patients with high-grade glioma. *The quarterly journal of nuclear medicine and molecular imaging : official publication of the Italian Association of Nuclear Medicine (AIMN) [and] the International Association of Radiopharmacology (IAR), [and] Section of the Society of...*, 62(3), 239–253. <https://doi.org/10.23736/S1824-4785.18.03086-8>
- Purves D, Augustine GJ, Fitzpatrick D, et al., (2001). *Neuroscience*. 2nd edition. Sunderland (MA): Sinauer Associates;. Neuroglial Cells. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK10869/>
- Rajkowska, G., Hughes, J., Stockmeier, C. A., Javier Miguel-Hidalgo, J., & Maciag, D. (2013). Coverage of blood vessels by astrocytic endfeet is reduced in major depressive disorder. *Biological psychiatry*, 73(7), 613–621. <https://doi.org/10.1016/j.biopsych.2012.09.024>
- Rasmussen, B.K., Hansen, S., Laursen, R.J., Kosteljanetz, M., Schultz, H., Norgard, B.M., et al. (2017). Epidemiology of glioma: clinical characteristics, symptoms, and predictors of glioma patients grade I–IV in the the Danish Neuro-Oncology Registry. *Journal of Neuro-Oncology*. 135(3), pp. 571–579. doi: 10.1007/s11060-017-2607-5
- Samani, Z.R., Parker, D., Wolf, R. et al. (2021). Distinct tumor signatures using deep learning-based characterization of the peritumoral microenvironment in glioblastomas and brain metastases. *Sci Rep* 11, 14469 <https://doi.org/10.1038/s41598-021-93804-6>
- Sastroasmoro, S., Ismael, S., (2011) *Dasar-dasar Metodologi Penelitian Klinis*. Edisi ke-4. Edited by Sagung seto. Jakarta: Sagung Seto
- Schaefer, P. W., Grant, P. E. and Gonzalez, R. G. (2000). Diffusion-weighted MR Imaging of the Brain. *Radiology*, 217(2):331–345



- Sener R. N. (2001). Diffusion MRI: apparent diffusion coefficient (ADC) values in the normal brain and a classification of brain disorders based on ADC values. *Computerized medical imaging and graphics : the official journal of the Computerized Medical Imaging Society*, 25(4), 299–326. [https://doi.org/10.1016/s0895-6111\(00\)00083-5](https://doi.org/10.1016/s0895-6111(00)00083-5)
- Singh R, Kelsey C.S, Hanbo C, Alexander V. L, Eric J. L, Samantha R. H, et al, (2020). Epidemiology of synchronous brain metastases. *Neuro-Oncology Advances*. Volume2, Issue1, January-December, <https://doi.org/10.1093/noajnl/vdaa041>
- Soffietti, R., Abacioglu, U., Baumert, B., Combs, S. E., Kinhult, S., Kros, J. M., et al. (2017). Diagnosis and treatment of brain metastases from solid tumors: guidelines from the European Association of Neuro-Oncology(EANO). *Neuro-oncology*, 19(2), 162–174,<https://doi.org/10.1093/neuonc/now241>
- Stoyanov, G.S. and Dzhenkov, D.L., (2018). On the concepts and history of glioblastoma multiforme-morphology, genetics and epigenetics. *Folia medica*, 60(1), pp.48-66
- Surov A, Gottschling S, Mawrin C, Prell J, Spielmann RP, Wienke A, et al. (2015). Diffusion-Weighted Imaging in Meningioma: Prediction of Tumor Grade and Association with Histopathological Parameters. *Translation Oncology*. 8(6):517-23.
- Tabouret E., Olivier C., Philippe M., Agnès T., Patrice V., Anthony G., (2012). Recent Trends in Epidemiology of Brain Metastases: An Overview. *Anticancer Research*, 32 (11) 4655-4662
- Thau L, Reddy V, Singh P. (2021). Anatomy, Central Nervous System.. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK542179/>
- Villanueva-Meyer, J. E., Mabray, M. C., & Cha, S. (2017). Current Clinical Brain Tumor Imaging. *Neurosurgery*, 81(3), 397–415. <https://doi.org/10.1093/neuros/nyx103>
- Vivancos G, T., Gómez P. U., & Matías G, J. (2015). Astrocytes in neurodegenerative diseases (I): function and molecular description. *Neurologia (Barcelona, Spain)*, 30(2), 119–129. <https://doi.org/10.1016/j.nrl.2012.12.007>
- Vleeschouwer, S (ed.). (2017). Glioblastoma. Brisbane, Australia. ISBN 978-0-9944381-2-6. OCLC 1017991944
- Walid, M. S. (2008). Prognostic factors for long-term survival after glioblastoma. *The Permanente Journal*, 12, 45–48.



- Wu, C. X., Lin, G. S., Lin, Z. X., Zhang, J. D., Liu, S. Y., & Zhou, C. F. (2015). Peritumoral edema shown by MRI predicts poor clinical outcome in glioblastoma. *World Journal of Surgical Oncology*, 13, 97. <https://doi.org/10.1186/s12957-015-0496-7>
- Yamasaki F., Kurisu K., Satoh K., Arita K., Sugiyama K., Ohtaki M., *et al.* (2005). Apparent diffusion coefficient of human brain tumors at MR imaging. *Radiology*. 235 (3):985-91. doi: 10.1148/radiol.2353031338
- Zhang, G., Chen, X., Zhang, S., Ruan, X., Gao, C., Liu, Z., *et al.* (2019). Discrimination Between Solitary Brain Metastasis and Glioblastoma Multiforme by Using ADC-Based Texture Analysis: A Comparison of Two Different ROI Placements. *Academic radiology*, 26(11), 1466–1472. <https://doi.org/10.1016/j.acra.2019.01.010>
- Zhang, J. (2019). *Secrets of the Brain: An Introduction to the Brain Anatomical Structure and Biological Function*. pp. 1–34. Available at: <http://arxiv.org/abs/1906.03314>
- Zülch K.J. (1979). Histological typing of tumours of the central nervous system. Geneva: *World Health Organization*. 21. OCLC 567810677.