



## **DAFTAR PUSTAKA**

- Abenavoli, L., Scarpellini, E., Colica, C., Boccuto, L., Salehi, B., Sharifi-Rad, J., Aiello, V., Romano, B., De Lorenzo, A., Izzo, A. A., & Capasso, R. (2019). Gut microbiota and obesity: A role for probiotics. *Nutrients*, 11(11), 1–27. <https://doi.org/10.3390/nu11112690>
- Allen, L. H., & Ahluwalia, N. (1997). Improving Iron Status Through Diet. The Application of Knowledge Concerning Dietary Iron Bioavailability in Human Populations. *University of California at Davis, June*, 3–81.
- Alou, M. T., Million, M., Traore, S. I., Mouelhi, D., Khelaifia, S., Bachar, D., Caputo, A., Delerce, J., Brah, S., Alhousseini, D., Sokhna, C., Robert, C., Diallo, B. A., Diallo, A., Parola, P., Golden, M., Lagier, J. C., & Raoult, D. (2017). Gut bacteria missing in severe acute malnutrition, can we identify potential probiotics by culturomics? *Frontiers in Microbiology*, 8(MAY), 1–17. <https://doi.org/10.3389/fmicb.2017.00899>
- Badan Pusat Statistik. (2018). Persentase Balita Pendek Dan Sangat Pendek (Persen). Diakses melalui [https://www.bps.go.id/indikator/indikator/view\\_data/0000/data/1325/sdgs\\_2/1](https://www.bps.go.id/indikator/indikator/view_data/0000/data/1325/sdgs_2/1) pada 8 Juli 2022
- Badan Pusat Statistik (2020). Persentase Penduduk Miskin September 2020 naik menjadi 10,19 persen. Diakses melalui <https://www.bps.go.id/pressrelease/2021/02/15/1851/persentase-penduduk-miskin-september-2020-naik-menjadi-10-19-persen.html> pada 8 Juli 2022
- Balasubramaniam, C., Mallappa, R. H., Singh, D. K., Chaudhary, P., Bharti, B., Muniyappa, S. K., & Grover, S. (2021). Gut bacterial profile in Indian children of varying nutritional status: a comparative pilot study. *European Journal of Nutrition*, 60(7), 3971–3985. <https://doi.org/10.1007/s00394-021-02571-7>
- Becker, F. G., Cleary, M., Team, R. M., Holtermann, H., The, D., Agenda, N., Science, P., Sk, S. K., Hinnebusch, R., Hinnebusch A, R., Rabinovich, I., Olmert, Y., Uld, D. Q. G. L. Q., Ri, W. K. H. U., Lq, V., Frxqwu, W. K. H., Zklfk, E., Edvhg, L. V, Wkh, R. Q., ... ح, فاطمی. (2015). Feeding and Nutrition of Infants and Young Children. *Syria Studies*, 7(1), 37–72. [https://www.researchgate.net/publication/269107473\\_What\\_is\\_governance/link/548173090cf22525dc61443/download%0Ahttp://www.econ.upf.edu/~reynal/Civil\\_wars\\_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625](https://www.researchgate.net/publication/269107473_What_is_governance/link/548173090cf22525dc61443/download%0Ahttp://www.econ.upf.edu/~reynal/Civil_wars_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625)
- Belzer, C., & De Vos, W. M. (2012). Microbes insidefrom diversity to function: The case of Akkermansia. *ISME Journal*, 6(8), 1449–1458. <https://doi.org/10.1038/ismej.2012.6>
- Bibbins-Domingo, K., Chertow, G. M., Coxson, P. G., Moran, A. E., Lightwood, J. M., Pletcher, M. J., & Goldman, L. (2010). Reductions in Cardiovascular Disease Projected from Modest Reductions in Dietary Salt. *The New England Journal of Medicine*, 362(7),



590–599. <https://doi.org/10.1056/NEJMoa0907355>.Reductions

Bibbò, S., Ianiro, G., Giorgio, V., Scaldaferri, F., Masucci, L., Gasbarrini, A., & Cammarota, G. (2016). The role of diet on gut microbiota composition. *European Review for Medical and Pharmacological Sciences*, 20(22), 4742–4749.

Boix-Amorós, A., Collado, M. C., & Mira, A. (2016). Relationship between milk microbiota, bacterial load, macronutrients, and human cells during lactation. *Frontiers in Microbiology*, 7(APR), 1–9. <https://doi.org/10.3389/fmicb.2016.00492>

Cabrera-Rubio, R., Collado, M. C., Laitinen, K., Salminen, S., Isolauri, E., & Mira, A. (2012). The human milk microbiome changes over lactation and is shaped by maternal weight and mode of delivery. *American Journal of Clinical Nutrition*, 96(3), 544–551. <https://doi.org/10.3945/ajcn.112.037382>

Cani, P. D., & de Vos, W. M. (2017). Next-generation beneficial microbes: The case of Akkermansia muciniphila. *Frontiers in Microbiology*, 8(SEP), 1–8. <https://doi.org/10.3389/fmicb.2017.01765>

Carding, S., Verbeke, K., Vipond, D. T., Corfe, B. M., & Owen, L. J. (2015). Dysbiosis of the gut microbiota in disease. *Microbial Ecology in Health & Disease*, 26(0). <https://doi.org/10.3402/mehd.v26.26191>

Cederholm, T., Barazzoni, R., Austin, P., Ballmer, P., Biolo, G., Bischoff, S. C., Compher, C., Correia, I., Higashiguchi, T., Holst, M., Jensen, G. L., Malone, A., Muscaritoli, M., Nyulasi, I., Pirlich, M., Rothenberg, E., Schindler, K., Schneider, S. M., de van der Schueren, M. A. E., ... Singer, P. (2017). ESPEN guidelines on definitions and terminology of clinical nutrition. *Clinical Nutrition*, 36(1), 49–64. <https://doi.org/10.1016/j.clnu.2016.09.004>

Chernikova, D. A., Madan, J. C., Housman, M. L., Zain-ul-abideen, M., Lundgren, S. N., Morrison, H. G., Sogin, M. L., Williams, S. M., Moore, J. H., Karagas, M. R., & Hoen, A. G. (2018). The premature infant gut microbiome during the first 6 weeks of life differs based on gestational maturity at birth. *Pediatric Research*, 84(1), 71–79. <https://doi.org/10.1038/s41390-018-0022-z>

Cole, J. R., Wang, Q., Fish, J. A., Chai, B., McGarrell, D. M., Sun, Y., Brown, C. T., Porras-Alfaro, A., Kuske, C. R., & Tiedje, J. M. (2014). Ribosomal Database Project: Data and tools for high throughput rRNA analysis. *Nucleic Acids Research*, 42(D1), 633–642. <https://doi.org/10.1093/nar/gkt1244>

Cronin, P., Joyce, S. A., O'toole, P. W., & O'connor, E. M. (2021). Dietary fibre modulates the gut microbiota. *Nutrients*, 13(5), 1–22. <https://doi.org/10.3390/nu13051655>

De Filippo, C., Cavalieri, D., Di Paola, M., Ramazzotti, M., Poulet, J. B., Massart, S., Collini, S., Pieraccini, G., & Lionetti, P. (2010). Impact of diet in shaping gut microbiota revealed by a comparative study in children from Europe and rural Africa. *Proceedings of the National Academy of Sciences of the United States of America*, 107(33), 14691–14696. <https://doi.org/10.1073/pnas.1005963107>

De Filippo, C., Di Paola, M., Ramazzotti, M., Albanese, D., Pieraccini, G., Banci, E., Miglietta, F., Cavalieri, D., & Lionetti, P. (2017). Diet, environments, and gut



microbiota. A preliminary investigation in children living in rural and Urban Burkina Faso and Italy. *Frontiers in Microbiology*, 8(OCT), 1–14.  
<https://doi.org/10.3389/fmicb.2017.01979>

Dominguez-Bello, M. G., Costello, E. K., Contreras, M., Magris, M., Hidalgo, G., Fierer, N., & Knight, R. (2010). Delivery mode shapes the acquisition and structure of the initial microbiota across multiple body habitats in newborns. *Proceedings of the National Academy of Sciences of the United States of America*, 107(26), 11971–11975.  
<https://doi.org/10.1073/pnas.1002601107>

Eilam, O., Zarecki, R., Oberhardt, M., Ursell, L. K., Kupiec, M., Knight, R., Gophna, U., & Ruppin, E. (2014). Glycan degradation (GlyDeR) analysis predicts mammalian gut microbiota abundance and host diet-specific adaptations. *MBio*, 5(4), 1–12.  
<https://doi.org/10.1128/mBio.01526-14>

Elvira, I., Rahayu, E.S., dan Utami, T (2019). Pola makan Anak-Anak Gizi Kurang di Sekolah Dasar Belanting, Lombok Timur dan Pengaruh Konsumsi Probiotik Indigenous Powder Lactobacillus plantarum Dad-13 terhadap Berat Badan dan Populasi Escherichia coli, Klebsiella, Enterococcus dan Streptococcus. TESIS. Yogyakarta: Universitas Gadjah Mada

Ernawati, F., Syauqy, A., Arifin, A. Y., Soekatri, M. Y. E., & Sandjaja, S. (2021). Micronutrient deficiencies and stunting were associated with socioeconomic status in indonesian children aged 6–59 months. *Nutrients*, 13(6).  
<https://doi.org/10.3390/nu13061802>

Everard, A., Belzer, C., Geurts, L., Ouwerkerk, J. P., Druart, C., Bindels, L. B., Guiot, Y., Derrien, M., Muccioli, G. G., Delzenne, N. M., De Vos, W. M., & Cani, P. D. (2013). Cross-talk between Akkermansia muciniphila and intestinal epithelium controls diet-induced obesity. *Proceedings of the National Academy of Sciences of the United States of America*, 110(22), 9066–9071. <https://doi.org/10.1073/pnas.1219451110>

Flint, H. J., Scott, K. P., Duncan, S. H., Louis, P., & Forano, E. (2012). Microbial degradation of complex carbohydrates in the gut. *Gut Microbes*, 3(4).  
<https://doi.org/10.4161/gmic.19897>

Franco-De-Moraes, A. C., De Almeida-Pititto, B., Da Rocha Fernandes, G., Gomes, E. P., Da Costa Pereira, A., & Ferreira, S. R. G. (2017). Worse inflammatory profile in omnivores than in vegetarians associates with the gut microbiota composition. *Diabetology and Metabolic Syndrome*, 9(1), 1–8. <https://doi.org/10.1186/s13098-017-0261-x>

Furrie, E. (2006). A molecular revolution in the study of intestinal microflora. *Gut*, 55(2), 141–143. <https://doi.org/10.1136/gut.2005.081695>

Ghosh, T. S., Gupta, S. Sen, Bhattacharya, T., Yadav, D., Barik, A., Chowdhury, A., Das, B., Mande, S. S., & Nair, G. B. (2014). Gut microbiomes of Indian children of varying nutritional status. *PLoS ONE*, 9(4), 1–13. <https://doi.org/10.1371/journal.pone.0095547>

Gordon, J. I., Dewey, K. G., Mills, D. A., & Medzhitov, R. M. (2012). The Human Gut Microbiota and Undernutrition. *Science Translational Medicine*, 4(137).  
<https://doi.org/10.1126/scitranslmed.3004347>



Gupta, S., Mohammed, M., Ghosh, T., Kanungo, S., Nair, G., & Mande, S. S. (2011).

Metagenome of the gut of a malnourished child. *Gut Pathogens*, 3(1), 1–9.  
<https://doi.org/10.1186/1757-4749-3-7>

Hallberg, L., Hultén, L., & Gramatkovski, E. (1997). Iron absorption from the whole diet in men: How effective is the regulation of iron absorption? *American Journal of Clinical Nutrition*, 66(2), 347–356. <https://doi.org/10.1093/ajcn/66.2.347>

Harris, D. M., & Hata, D. J. (2013). Rapid identification of bacteria and candida using pna-fish from blood and peritoneal fluid cultures: A retrospective clinical study. *Annals of Clinical Microbiology and Antimicrobials*, 12(1), 1–9. <https://doi.org/10.1186/1476-0711-12-2>

Hidayati, L., Hadi, H., & Kumara, A. (2010). Kekurangan Energi Dan Zat Gizi Merupakan Faktor Risiko Kejadian Stunted Pada Anak Usia 1-3 Tahun Yang. *Jurnal Kesehatan*, 03, 89–104.

Hoffman, D. J., Campos-Ponce, M., Taddei, C. R., & Doak, C. M. (2017). Microbiome, growth retardation and metabolism: are they related? *Annals of Human Biology*, 44(3), 201–207. <https://doi.org/10.1080/03014460.2016.1267261>

Hoffmann, C., Dollive, S., Grunberg, S., Chen, J., Li, H., Wu, G. D., Lewis, J. D., & Bushman, F. D. (2013). Archaea and Fungi of the Human Gut Microbiome: Correlations with Diet and Bacterial Residents. *PLoS ONE*, 8(6).  
<https://doi.org/10.1371/journal.pone.0066019>

Hörnell, A., Lagström, H., Lande, B., & Thorsdottir, I. (2013). Protein intake from 0 to 18 years of age and its relation to health: a systematic literature review for the 5th Nordic Nutrition Recommendations. *Food & Nutrition Research*, 57(1), 21083.  
<https://doi.org/10.3402/fnr.v57i0.21083>

Ibragimova, S., Ramachandran, R., Ali, F. R., Lipovich, L., & Ho, S. B. (2021). Dietary Patterns and Associated Microbiome Changes that Promote Oncogenesis. *Frontiers in Cell and Developmental Biology*, 9(November), 1–21.  
<https://doi.org/10.3389/fcell.2021.725821>

Igbokwe, O., Adimorah, G., Ikefuna, A., Ibeziako, N., Ubesie, A., Ekeh, C., & Iloh, K. (2017). Socio-demographic determinants of malnutrition among primary school aged children in Enugu, Nigeria. *Pan African Medical Journal*, 28, 1–5.  
<https://doi.org/10.11604/pamj.2017.28.248.13171>

Ignacio, A., Fernandes, M. R., Rodrigues, V. A. A., Groppo, F. C., Cardoso, A. L., Avila-Campos, M. J., & Nakano, V. (2016). Correlation between body mass index and faecal microbiota from children. *Clinical Microbiology and Infection*, 22(3), 258.e1-258.e8.  
<https://doi.org/10.1016/j.cmi.2015.10.031>

Indonesian Ministry of Health. (2013). Riset Kesehatan Dasar 2013. In *Basic Health Research*.

Ka, W. M., Sangsupawanich, P., Tunyapanit, W., Van Bever, H., Shek, L. P., Kaw, Y. C., & Bee, W. L. (2008). Gut microbiota of children living in rural south Thailand and urban Singapore. *Allergology International*, 57(1), 65–71.



Kamil, R. Z., Murdiati, A., Juffrie, M., Nakayama, J., & Rahayu, E. S. (2021). Gut microbiota and short-chain fatty acid profile between normal and moderate malnutrition children in Yogyakarta, Indonesia. *Microorganisms*, 9(1), 1–15.  
<https://doi.org/10.3390/microorganisms9010127>

Kamil, R. Z., Murdiati, A., Juffrie, M., & Rahayu, E. S. (2022). Gut Microbiota Modulation of Moderate Undernutrition in Infants through Gummy Lactobacillus plantarum Dad-13 Consumption: A Randomized Double-Blind Controlled Trial. *Nutrients*, 14(5).  
<https://doi.org/10.3390/nu14051049>

Kau, A. L., Ahern, P. P., Griffin, N. W., Goodman, A. L., & Gordon, J. I. (2011). Human nutrition, the gut microbiome and the immune system. *Nature*, 474(7351), 327–336.  
<https://doi.org/10.1038/nature10213>

Kemenkes RI. (2018). Hasil Riset Kesehatan Dasar Tahun 2018. *Kementerian Kesehatan RI*, 53(9), 1689–1699.

Kempf, V. A. J., Trebesius, K., & Autenrieth, I. B. (2000). Fluorescent in situ hybridization allows rapid identification of microorganisms in blood cultures. *Journal of Clinical Microbiology*, 38(2), 830–838. <https://doi.org/10.1128/jcm.38.2.830-838.2000>

Khine, W. W. T., Rahayu, E. S., See, T. Y., Kuah, S., Salminen, S., Nakayama, J., & Lee, Y. K. (2020). Indonesian children fecal microbiome from birth until weaning was different from microbiomes of their mothers. *Gut Microbes*, 12(1).  
<https://doi.org/10.1080/19490976.2020.1761240>

Kim, H. B., & Isaacson, R. E. (2015). The pig gut microbial diversity: Understanding the pig gut microbial ecology through the next generation high throughput sequencing. *Veterinary Microbiology*, 177(3–4), 242–251.  
<https://doi.org/10.1016/j.vetmic.2015.03.014>

Krajmalnik-Brown, R., Ilhan, Z.-E., Kang, D.-W., & DiBaise, J. K. (2012a). Effects of Gut Microbes on Nutrient Absorption and Energy Regulation. *Nutrition in Clinical Practice*, 27(2), 201–214. <https://doi.org/10.1177/0884533611436116>

Krajmalnik-Brown, R., Ilhan, Z. E., Kang, D. W., & DiBaise, J. K. (2012b). Effects of gut microbes on nutrient absorption and energy regulation. *Nutrition in Clinical Practice*, 27(2), 201–214. <https://doi.org/10.1177/0884533611436116>

Krogius-Kurikka, L., Lyra, A., Malinen, E., Aarnikunnas, J., Tuimala, J., Paulin, L., Mäki vuokko, H., Kajander, K., & Palva, A. (2009). Microbial community analysis reveals high level phylogenetic alterations in the overall gastrointestinal microbiota of diarrhoea-predominant irritable bowel syndrome sufferers. *BMC Gastroenterology*, 9, 1–11. <https://doi.org/10.1186/1471-230X-9-95>

Kumera, G., Gedle, D., Alebel, A., Feyera, F., & Eshetie, S. (2018). Undernutrition and its association with socio-demographic, anemia and intestinal parasitic infection among pregnant women attending antenatal care at the University of Gondar Hospital, Northwest Ethiopia. *Maternal Health, Neonatology and Perinatology*, 4(1), 1–10.  
<https://doi.org/10.1186/s40748-018-0087-z>



- Lakshmanan, A. P., Kohil, A., Assadi, F. El, Zaidan, S. Al, Abduljabbar, S. Al, Bangarusamy, D. K., Khalaf, F. Al, Petrovski, G., & Terranegra, A. (2021). Akkermansia, a possible microbial marker for poor glycemic control in qataris children consuming arabic diet—a pilot study on pediatric t1dm in qatar. *Nutrients*, 13(3), 1–15. <https://doi.org/10.3390/nu13030836>
- Lee, S. C., Tang, M. S., Lim, Y. A. L., Choy, S. H., Kurtz, Z. D., Cox, L. M., Gundra, U. M., Cho, I., Bonneau, R., Blaser, M. J., Chua, K. H., & Loke, P. (2014). Helminth Colonization Is Associated with Increased Diversity of the Gut Microbiota. *PLoS Neglected Tropical Diseases*, 8(5). <https://doi.org/10.1371/journal.pntd.0002880>
- Lobionda, S., Sittipo, P., Kwon, H. Y., & Lee, Y. K. (2019). The role of gut microbiota in intestinal inflammation with respect to diet and extrinsic stressors. *Microorganisms*, 7(8). <https://doi.org/10.3390/microorganisms7080271>
- Mahana, D., Trent, C. M., Kurtz, Z. D., Bokulich, N. A., Battaglia, T., Chung, J., Müller, C. L., Li, H., Bonneau, R. A., & Blaser, M. J. (2016). Antibiotic perturbation of the murine gut microbiome enhances the adiposity, insulin resistance, and liver disease associated with high-fat diet. *Genome Medicine*, 8(1), 1–20. <https://doi.org/10.1186/s13073-016-0297-9>
- Matsuki, T., Yahagi, K., Mori, H., Matsumoto, H., Hara, T., Tajima, S., Ogawa, E., Kodama, H., Yamamoto, K., Yamada, T., Matsumoto, S., & Kurokawa, K. (2016). A key genetic factor for fucosyllactose utilization affects infant gut microbiota development. *Nature Communications*, 7(May), 2–12. <https://doi.org/10.1038/ncomms11939>
- McDonald, D., Price, M. N., Goodrich, J., Nawrocki, E. P., Desantis, T. Z., Probst, A., Andersen, G. L., Knight, R., & Hugenholtz, P. (2012). An improved Greengenes taxonomy with explicit ranks for ecological and evolutionary analyses of bacteria and archaea. *ISME Journal*, 6(3), 610–618. <https://doi.org/10.1038/ismej.2011.139>
- Méndez-Salazar, E. O., Ortiz-López, M. G., Granados-Silvestre, M. D. L. Á., Palacios-González, B., & Menjivar, M. (2018). Altered gut microbiota and compositional changes in firmicutes and proteobacteria in mexican undernourished and obese children. *Frontiers in Microbiology*, 9(OCT), 1–11. <https://doi.org/10.3389/fmicb.2018.02494>
- Modi, S. R., Collins, J. J., & Relman, D. A. (2014). Antibiotics and the gut microbiota. *Journal of Clinical Investigation*, 124(10), 4212–4218. <https://doi.org/10.1172/JCI72333>
- Monira, S., Nakamura, S., Gotoh, K., Izutsu, K., Watanabe, H., Alam, N. H., Endtz, H. P., Cravioto, A., Ali, S. I., Nakaya, T., Horii, T., Iida, T., & Alam, M. (2011). Gut microbiota of healthy and malnourished children in Bangladesh. *Frontiers in Microbiology*, 2(228), 1–7. <https://doi.org/10.3389/fmicb.2011.00228>
- Mukhopadhy, I., Hansen, R., El-Omar, E. M., & Hold, G. L. (2012). IBD-what role do Proteobacteria play? *Nature Reviews Gastroenterology and Hepatology*, 9(4), 219–230. <https://doi.org/10.1038/nrgastro.2012.14>
- Nagpal, R., Mainali, R., Ahmadi, S., Wang, S., Singh, R., Kavanagh, K., Kitzman, D. W., Kushugulova, A., Marotta, F., & Yadav, H. (2018). Gut microbiome and aging: Physiological and mechanistic insights. *Nutrition and Healthy Aging*, 4(4), 267–285.



Nakayama, J. (2010). Pyrosequence-Based 16S rRNA Profiling of Gastro-Intestinal Microbiota. *Bioscience and Microflora*, 29(2), 83–96.  
<https://doi.org/10.12938/bifidus.29.83>

Nakayama, J., Watanabe, K., Jiang, J., Matsuda, K., Chao, S.-H., Haryono, P., La-ongkham, O., Sarwoko, M.-A., Sujaya, I. N., Zhao, L., Chen, K.-T., Chen, Y.-P., Chiu, H.-H., Hidaka, T., Huang, N.-X., Kiyohara, C., Kurakawa, T., Sakamoto, N., Sonomoto, K., ... Lee, Y.-K. (2015). Diversity in gut bacterial community of school-age children in Asia. *Scientific Reports*, 5(1), 8397. <https://doi.org/10.1038/srep08397>

Nakayama, J., Yamamoto, A., Palermo-Conde, L. A., Higashi, K., Sonomoto, K., Tan, J., & Lee, Y. K. (2017). Impact of westernized diet on gut microbiota in children on Leyte island. *Frontiers in Microbiology*, 8(FEB), 1–18.  
<https://doi.org/10.3389/fmicb.2017.00197>

Panagos, P. G., Vishwanathan, R., Penfield-Cyr, A., Matthan, N. R., Shivappa, N., Wirth, M. D., Hebert, J. R., & Sen, S. (2016). Breastmilk from obese mothers has pro-inflammatory properties and decreased neuroprotective factors. *Journal of Perinatology*, 36(4), 284–290. <https://doi.org/10.1038/jp.2015.199>

Panagos, P., Matthan, N., & Sen, S. (2014). Effects of maternal obesity on breastmilk composition and infant growth (247.7). *The FASEB Journal*, 28(S1).  
[https://doi.org/10.1096/fasebj.28.1\\_supplement.247.7](https://doi.org/10.1096/fasebj.28.1_supplement.247.7)

Pham, T. P. T., Tidjani Alou, M., Bachar, D., Levasseur, A., Brah, S., Alhousseini, D., Sokhna, C., Diallo, A., Wieringa, F., Million, M., & Raoult, D. (2019). Gut Microbiota Alteration is Characterized by a Proteobacteria and Fusobacteria Bloom in Kwashiorkor and a Bacteroidetes Paucity in Marasmus. *Scientific Reports*, 9(1), 1–13.  
<https://doi.org/10.1038/s41598-019-45611-3>

Plovier, H., Everard, A., Druart, C., Depommier, C., Van Hul, M., Geurts, L., Chilloux, J., Ottman, N., Duparc, T., Lichtenstein, L., Myridakis, A., Delzenne, N. M., Klievink, J., Bhattacharjee, A., Van Der Ark, K. C. H., Aalvink, S., Martinez, L. O., Dumas, M. E., Maiter, D., ... Cani, P. D. (2017). A purified membrane protein from Akkermansia muciniphila or the pasteurized bacterium improves metabolism in obese and diabetic mice. *Nature Medicine*, 23(1), 107–113. <https://doi.org/10.1038/nm.4236>

Preidis, G. A., Ajami, N. J., Wong, M. C., Bessard, B. C., Conner, M. E., & Petrosino, J. F. (2015). Composition and function of the undernourished neonatal mouse intestinal microbiome. *Journal of Nutritional Biochemistry*, 26(10), 1050–1057.  
<https://doi.org/10.1016/j.jnutbio.2015.04.010>

Pruesse, E., Quast, C., Knittel, K., Fuchs, B. M., Ludwig, W., Peplies, J., & Glöckner, F. O. (2007). SILVA: A comprehensive online resource for quality checked and aligned ribosomal RNA sequence data compatible with ARB. *Nucleic Acids Research*, 35(21), 7188–7196. <https://doi.org/10.1093/nar/gkm864>

Rahayu, E. S., Utami, T., Mariyatun, M., Hasan, P. N., Kamil, R. Z., Setyawan, R. H., Pamungkaningtyas, F. H., Harahap, I. A., Wiryo Hanjoyo, D. V., Pramesi, P. C.,



Cahyanto, M. N., Sujaya, I. N., & Juffrie, M. (2019). Gut microbiota profile in healthy Indonesians. *World Journal of Gastroenterology*, 25(12), 1478–1491.  
<https://doi.org/10.3748/wjg.v25.i12.1478>

Raj, K. (2015). Severe acute malnutrition in children. *Public Health and Nutrition in Developing Countries Part-I*, 310–340. <https://doi.org/10.1533/9780857093905.310>

Rezasoltani, S., Bashirzadeh, D. A., Mojarrad, E. N., Aghdaei, H. A., Norouzinia, M., & Shahrokh, S. (2020). Signature of gut microbiome by conventional and advanced analysis techniques: Advantages and disadvantages. *Middle East Journal of Digestive Diseases*, 12(1), 249–255. <https://doi.org/10.15171/mejjd.2020.157>

Riaz Rajoka, M. S., Shi, J., Mehwish, H. M., Zhu, J., Li, Q., Shao, D., Huang, Q., & Yang, H. (2017). Interaction between diet composition and gut microbiota and its impact on gastrointestinal tract health. *Food Science and Human Wellness*, 6(3), 121–130.  
<https://doi.org/10.1016/j.fshw.2017.07.003>

Rutayisire, E., Wu, X., Huang, K., Tao, S., Chen, Y., & Tao, F. (2016). Cesarean section may increase the risk of both overweight and obesity in preschool children. *BMC Pregnancy and Childbirth*, 16(1), 1–8. <https://doi.org/10.1186/s12884-016-1131-5>

Saggese, G., Vierucci, F., Prodam, F., Cardinale, F., Cetin, I., Chiappini, E., De Angelis, G. L., Massari, M., Miraglia Del Giudice, E., Miraglia Del Giudice, M., Peroni, D., Terracciano, L., Agostiniani, R., Careddu, D., Ghiglioni, D. G., Bona, G., Di Mauro, G., & Corsello, G. (2018). Vitamin D in pediatric age: Consensus of the Italian Pediatric Society and the Italian Society of Preventive and Social Pediatrics, jointly with the Italian Federation of Pediatricians. *Italian Journal of Pediatrics*, 44(1), 1–40.  
<https://doi.org/10.1186/s13052-018-0488-7>

Savarino, G., Corsello, A., & Corsello, G. (2021). Macronutrient balance and micronutrient amounts through growth and development. *Italian Journal of Pediatrics*, 47(1), 1–14.  
<https://doi.org/10.1186/s13052-021-01061-0>

Scepanovic, P., Hodel, F., Mondot, S., Partula, V., Byrd, A., Hammer, C., Alanio, C., Bergstedt, J., Patin, E., Touvier, M., Lantz, O., Albert, M. L., Duffy, D., Quintana-Murci, L., & Fellay, J. (2019). A comprehensive assessment of demographic, environmental, and host genetic associations with gut microbiome diversity in healthy individuals. *Microbiome*, 7(1), 130. <https://doi.org/10.1186/s40168-019-0747-x>

Schönenfeldt, H. C., Pretorius, B., & Hall, N. (2015). Bioavailability of Nutrients. *Encyclopedia of Food and Health*, January 2019, 401–406. <https://doi.org/10.1016/B978-0-12-384947-2.00068-4>

Segata, N., Izard, J., Waldron, L., Gevers, D., Miropolsky, L., Garrett, W. S., & Huttenhower, C. (2011). Metagenomic biomarker discovery and explanation. *Genome Biology*, 12(6), R60. <https://doi.org/10.1186/gb-2011-12-6-r60>

Sekirov, I., Russell, S. L., Caetano M Antunes, L., & Finlay, B. B. (2010). Gut microbiota in health and disease. *Physiological Reviews*, 90(3), 859–904.  
<https://doi.org/10.1152/physrev.00045.2009>

Shafqat, N., Manzoor, S., & Abbasi, S. (2013). Relationship of Sociodemographic Factors



with Malnutrition in Preschool Children: A Community Based Study. *Pakistan Journal of Medical Research Pak J Med Res Pak J Med Res Pak J Med Res Pak J Med Res Vol, 5(4), 5–5.*

Shen, Z. H., Zhu, C. X., Quan, Y. S., Yang, Z. Y., Wu, S., Luo, W. W., Tan, B., & Wang, X. Y. (2018). Relationship between intestinal microbiota and ulcerative colitis: Mechanisms and clinical application of probiotics and fecal microbiota transplantation. *World Journal of Gastroenterology, 24(1), 5–14.* <https://doi.org/10.3748/wjg.v24.i1.5>

Shen ZH, Zhu CX, Quan YS, Yang ZY, Wu S, Luo WW, Tan B, W. X. (2011). *Relationship between intestinal microbiota and ulcerative colitis: Mechanisms and clinical application of probiotics and fecal microbiota transplantation. 6124(1), 1–34.*

Statistik, B. P. (2018). *Statistik Indonesia.*

Stojanov, S., Berlec, A., & Štrukelj, B. (2020). The influence of probiotics on the firmicutes/bacteroidetes ratio in the treatment of obesity and inflammatory bowel disease. *Microorganisms, 8(11), 1–16.* <https://doi.org/10.3390/microorganisms8111715>

Subramanian, S., Blanton, L. V., Frese, S. A., Charbonneau, M., Mills, D. A., & Gordon, J. I. (2015). Cultivating healthy growth and nutrition through the gut microbiota. *Cell, 161(1), 36–48.* <https://doi.org/10.1016/j.cell.2015.03.013>

Subramanian, S., Huq, S., Yatsunenko, T., Haque, R., Mahfuz, M., Alam, M. A., Benzeira, A., Destefano, J., Meier, M. F., Muegge, B. D., Barratt, M. J., VanArendonk, L. G., Zhang, Q., Province, M. A., Petri, W. A., Ahmed, T., & Gordon, J. I. (2014). Persistent gut microbiota immaturity in malnourished Bangladeshi children. *Nature, 510(7505), 417–421.* <https://doi.org/10.1038/nature13421>

Surono, I. S., Widiyanti, D., Kusumo, P. D., & Venema, K. (2021). Gut microbiota profile of Indonesian stunted children and children with normal nutritional status. *PLoS ONE, 16(1 January), 1–18.* <https://doi.org/10.1371/journal.pone.0245399>

Sutoyo, D. A., Atmaka, D. R., & G. B. Sidabutar, L. M. (2020). DIETARY FACTORS AFFECTING FIRMICUTES AND BACTEROIDETES RATIO IN SOLVING OBESITY PROBLEM: A LITERATURE REVIEW. *Media Gizi Indonesia, 15(2), 94.* <https://doi.org/10.20473/mgi.v15i2.94-109>

Therdtatha, P., Song, Y., Tanaka, M., Mariyatun, M., Almunifah, M., Manurung, N. E. P., Indriarsih, S., Lu, Y., Nagata, K., Fukami, K., Ikeda, T., Lee, Y. K., Rahayu, E. S., & Nakayama, J. (2021). Gut microbiome of indonesian adults associated with obesity and type 2 diabetes: A cross-sectional study in an asian city, yogyakarta. *Microorganisms, 9(5), 1–19.* <https://doi.org/10.3390/microorganisms9050897>

Thursby, E., & Juge, N. (2017). Introduction to the human gut microbiota. *Biochemical Journal, 474(11), 1823–1836.* <https://doi.org/10.1042/BCJ20160510>

Tidjani Alou, M., Lagier, J. C., & Raoult, D. (2016). Diet influence on the gut microbiota and dysbiosis related to nutritional disorders. *Human Microbiome Journal, 1, 3–11.* <https://doi.org/10.1016/j.humic.2016.09.001>

Trasande, L., Blustein, J., Liu, M., Corwin, E., Cox, L. M., & Blaser, M. J. (2013). Infant



antibiotic exposures and early-life body mass. *International Journal of Obesity*, 37(1), 16–23. <https://doi.org/10.1038/ijo.2012.132>

Trumbo, P; Schlicker, S; Yates, AA; Poos, M. (2002). Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein and Amino Acids. In *American Dietetic Association* (Vol. 102, Issue 11, pp. 1621–1630).

UNICEF/WHO/WBG. (2018). Levels and trends in child malnutrition 2018. *Joint Child Malnutrition Estimates 2018 Edition*, 1–15. [https://doi.org/10.1016/S0266-6138\(96\)90067-4](https://doi.org/10.1016/S0266-6138(96)90067-4)

Vaus, D. de. (2002). *Surveys in Social Research David de Vaus 2002 5th edition Routledge*.

Velly, H., Britton, R. A., & Preidis, G. A. (2017). Mechanisms of cross-talk between the diet, the intestinal microbiome, and the undernourished host. *Gut Microbes*, 8(2), 98–112. <https://doi.org/10.1080/19490976.2016.1267888>

Verhoog, S., Taneri, P. E., Díaz, Z. M. R., Marques-Vidal, P., Troup, J. P., Bally, L., Franco, O. H., Glisic, M., & Muka, T. (2019). Dietary factors and modulation of bacteria strains of akkermansia muciniphila and faecalibacterium prausnitzii: A systematic review. *Nutrients*, 11(7), 1–20. <https://doi.org/10.3390/nu11071565>

Vonaesch, P., Morien, E., Andrianonimadana, L., Sanke, H., Mbecko, J. R., Huus, K. E., Naharimanananirina, T., Gondje, B. P., Nigmatoloum, S. N., Vondo, S. S., Kaleb Kandou, J. E., Randremanana, R., Rakotondrainipiana, M., Mazel, F., Djorie, S. G., Gody, J. C., Finlay, B. B., Rubbo, P. A., Parfrey, L. W., ... Sansonetti, P. J. (2018). Stunted childhood growth is associated with decompartmentalization of the gastrointestinal tract and overgrowth of oropharyngeal taxa. *Proceedings of the National Academy of Sciences of the United States of America*, 115(36), E8489–E8498. <https://doi.org/10.1073/pnas.1806573115>

Westergren, T., & Kalikstad, B. (2010). Dosage and formulation issues: Oral vitamin e therapy in children. *European Journal of Clinical Pharmacology*, 66(2), 109–118. <https://doi.org/10.1007/s00228-009-0729-1>

Whitfield, K. C., Smith, G., Chamnan, C., Karakochuk, C. D., Sophonneary, P., Kuong, K., Dijkhuizen, M. A., Hong, R., Berger, J., Green, T. J., & Wieringa, F. T. (2017). High prevalence of thiamine (vitamin B1) deficiency in early childhood among a nationally representative sample of Cambodian women of childbearing age and their children. *PLoS Neglected Tropical Diseases*, 11(9), 1–15. <https://doi.org/10.1371/journal.pntd.0005814>

World Health Organization. (2007a). BMI-for-age BOYS. 5 to 19 years (percentiles). *BMI for Age Boys 5 to 19 Years (Percentiles)*, 1–7.

World Health Organization. (2007b). BMI-for-age Girls OMS 2007 (percentiles). *World Health Organization*, 1–7. [http://www.who.int/growthref/sft\\_bmifa\\_girls\\_perc\\_5\\_19years.pdf](http://www.who.int/growthref/sft_bmifa_girls_perc_5_19years.pdf)

WHO/UNICEF (2009). WHO Child Growth Standards and the Identification of Severe Acute Malnutrition in Infants and Children; World Health Organization United Nations Childrens Fund: New York, NY, USA, ISBN 978-92-4-159816-3



Wu, G. (2016). Dietary protein intake and human health. *Food and Function*, 7(3), 1251–1265. <https://doi.org/10.1039/c5fo01530h>

Wu, G. D., Chen, J., Hoffmann, C., Bittinger, K., Chen, Y.-Y., Keilbaugh, S. A., Bewtra, M., Knights, D., Walters, W. A., Knight, R., Sinha, R., Gilroy, E., Gupta, K., Baldassano, Wu, R., D, G., Chen, J., Hoffmann, C., Bittinger, K., ... Lewis, J. D. (2011). Linking Long-Term Dietary Patterns with. In *Science* (Vol. 334, Issue 6052).

Xu, W., & Larbi, A. (2017). Markers of T cell senescence in humans. *International Journal of Molecular Sciences*, 18(8), 1–13. <https://doi.org/10.3390/ijms18081742>

Zhang, Y. J., Li, S., Gan, R. Y., Zhou, T., Xu, D. P., & Li, H. Bin. (2015). Impacts of gut bacteria on human health and diseases. *International Journal of Molecular Sciences*, 16(4), 7493–7519. <https://doi.org/10.3390/ijms16047493>

Zwolińska, D., Grzeszczak, W., Szczepańska, M., Kiliś-Pstrusińska, K., & Szprynger, K. (2006). Vitamins A, E and C as non-enzymatic antioxidants and their relation to lipid peroxidation in children with chronic renal failure. *Nephron - Clinical Practice*, 103(1). <https://doi.org/10.1159/000090506>