

DAFTAR PUSTAKA

- Assefa, M.T., Chekol, W.B., Melesse, D.Y., Nigatu, Y.A., 2021. Incidence and Risk Factors of Emergence Delirium After Anesthesia in Elderly Patients at a Postanesthesia Care Unit in Ethiopia. *Dove Press J.* 12: 23-32.
- Azemati, S., Dokouhaki, A.G., Talei, A., Saeed K., Vaziri, N.M., 2013. Evaluation of the effect of a preoperative single dose of gabapentin on emergence agitation in patients undergoing breast cancer surgery. *Middle East Journal of Cancer.* 4 (4): 145-151.
- Behrends, M., DePalma, G., Sands, L., 2013. Association Between Intraoperative Blood Transfusion and Early Postoperative Delirium in Older Adults. *J Am Geriatr Soc.* 61(3): 365-370.
- Bettelli, G., Neuner, B., 2017. Postoperative Delirium: A Preventable Complication in the Elderly Surgical Patient. *Monaldi Arch Chest Dis J.* 87 (2): 840-842.
- Burns, A., Gallagley, A., Byrne, J., 2004. Delirium. *J Neurol Neurosurg Psychiatry.* 75: 362-367.
- Card, E., Pandharipande, P., Tomes, C., Lee, C., Wood, J., 2015. Emergence from general anesthesia and evolution of delirium sign in the post anesthesia care unit. *BJA.* 115: 411-417.
- Chen, L., Xu, M., Li, G.Y., Cai, W.X., Zhou, J.X., 2014. Incidence, risk factor and consequences of emergence agitation in adult patient after elective craniotomy for brain tumor: prospective cohort study. *PloS One J.* 9: 114-139.
- Choi, G.J., Baek, C.W., Kang, H., 2015. Emergence Agitation After Orthognatic Surgery: A Randomised Controlled Comparison Between Sevoflurane and Desflurane. *Acta Anaesthesiol Scand J.* 59: 224-231.
- Dahlan, S.M., 2013. Besar Sampel dan Cara Pengambilan Sampel. Jakarta. Salemba Medika.
- Daihua, Y., Wei, C., Sun, X., Yao, L., 2010. Emergence Agitation in Adults: Risk Factors in 2000 Patients. *Can Anesth J.* 57: 843-848.
- Dasgupta, M., Dumbrell, A.C., 2006. Preoperative Risk Assessment for Delirium After Noncardiac Surgery: A systematic review. *J Am Geriatr Soc.* 54(10): 1578-1589.
- Demir, C.Y., Yuzkat, N., 2018. Effect Ketamin in Emergence Agitation after Rhinoplasty. *Anesthetic Plast Surg J.* 42: 847-853.



- Ellard, L., Katznelson, R., Wasowicz, M., Ashworth, A., Carroll, J., Lindsay, T., et al., 2014. Type of anesthesia and postoperative delirium after vascular surgery. *J Cardiothorac Vasc Anesth.* 28:458-461.
- Ely, E.W., Truman, B., Shintani, A., Thomason, J.W., Wheeler, A.P., Gordon, S., et al., 2008. Monitoring sedation status over time in ICU patients: reliability and validity of the Richmond Agitation-Sedation Scale (RASS). *JAMA.* 289: 2983-2991.
- Fagundes, J.A.O., Tomasi, C.D., Giombelli, V.R., Alves, S.C., Macedo, R.C., Topanotti, M.F.L., Bristot, M.L.U., Brasil, P.E.A., Soares, M., Salluh, J., Pizzol, F.D., Ritter, C., 2012. CAM-ICU and ICDSC Agreement in Medical and Surgical ICU Patients is Influenced by Disease Severity. *PLoS One J.* 7(11): 1-7.
- Fields, A., Huang, J., Schroeder, D., Sprung, J., Weingarten, T., 2018. Agitation in adults in the post anesthesia care unit after general anaesthesia. *BJA.* 121 (5): 1052-1058.
- Gelinas, C., Berube, M., Chevrier, A., Pun, B.T., Ely, E.W., Skrobik, Y., Barr, J., 2018. Delirium Assessment Tools for Use in Critically Ill Adults: A Psychometric Analysis and Systematic Review. *Critical Care Nurse J.* 38 (1): 38-49.
- Hernandez, B., Lindouth, H., Rowley, P., 2017. Post-Anaesthesia Care Unit Delirium: Incidence, Risk Factors and Associated Adverse Outcomes. *BJA.* 119: 288-290.
- Kerson, A.G., DeMaria, R., Mauer, E., 2016. Validity of Richmond Agitation-Sedation Scale (RASS) in Critically Ill Patient. *Intens Care J.* 4:65.
- Kim, H.C., Kim, E., Jeon, Y.T., Hwang, J.W., Lim, Y.J., Seo, J.H., Park, H.P., 2015. Postanesthetic emergence agitation in adult patients after general anesthesia for urological surgery. *International Med Research J.* 43 (2): 226-235.
- Kim, H.J., Kim, D.K., Kim, H.Y., 2015. Risk Factors of Emergence Agitation in Adults Undergoing General Anesthesia for Nasal Surgery. *Clinical and Experimental Otorhinolaryngology J.* 8 (1): 46-51.
- Kim, J.H., 2011. Mechanism of emergence agitation induced by sevoflurane anesthesia. *Korean J Anesthesiol.* 60: 73-74.
- Kim, S.Y., Kim, J.M., Lee, J.H., Song, B.M., Koo, B.N., 2013. Efficacy of Intraoperative Dexmedetomidine Infusion on Emergence Agitation and Quality of Recovery After Nasal Surgery. *Br Anaesth J.* 111: 222-228.



Kurhekar, P., Vinod, K., Rajarathinam, B., Dhiviya, K.J.S., Raghuraman, M.S., 2018.

Randomized comparison between dexmedetomidine and midazolam for prevention of emergence agitation after nasal surgeries. *Saudi J Anaesth.* 12: 61-6.

Kwak, K.H., 2010. Emergence agitation/delirium: we still don't know. *Korean J Anesthesiology.* 2010. 59(2): 73-74.

Lautner, C.A., Liu, L., Duffen, A., William, A., 2018. Emergence Delirium in Adults in the Post Anesthesia Care Unit. *BJA.* 96: 727-737.

Lee, S.J., Choi, S.J., In, C.B., Sung, T.Y., 2019. Effects of tramadol on emergence agitation after general anesthesia for nasal surgery : A prospective cohort study. *Medicine J.* 98: 147-163.

Lee, SJ., Sung, T.Y., 2020. Emergence agitation: current knowlegde and unresolved questions. *Korean J Anesthesiology.* 1-44.

Lee, YS., Baek, CW., Kim, DR., Kim, H., Choi, GJ., Park, YH., 2016. Comparison of hemodynamic response to tracheal intubation and postoperative pain in patients undergoing closed reduction of nasal bone fracture under general anesthesia: a randomized controlled trial comparing fentanyl and oxycodone. *BMC Anesthesiol J.* 2016: 16(1): 115.

Lepouse, C., Lautner, C.A., Liu, L., Gonis, P., Leon, A., 2006. Emergence delirium in adultas in the post anesthesia care unit. *British Journal of Anesthesia.* 96 (6): 747-753.

Liu, Z., Li, R., Wang, S., 2019. Post Operative Delirium After Hysteroscopy in Young Woman: A Case Report. *Medicine J.* 98: 121-24.

MacDonell, H., 2019. Emergence Delirium: Causation, Correlation and Improvements Needed. *EC Pulmonal Respir Med J.* 8: 3-5.

Markowitz, J.D., Narasimhan, M., 2008. Delirium and Antipsychotics: A Systematic Review of Epidemiology and Somatic Treatment Options. *Psychiatri J.* 5(10): 29-36.

Maurice-Szamburski, A., Auquier, P., Viarre-Oreal, V., Cuvillon, P., Carles, M., Ripart, J., et al., 2015. Effect of sedative premedication on patient experience after general anesthesia: a randomized clinical trial. *JAMA.* 313: 916-925.

Mufti, H.N., Hirsch, G.M., 2017. Perioperatif prediction of agitated (hyperactive) delirium after cardiac surgery in adults: the development of a practical scorecard. *J Crit Care Surgery.* 42: 192-199.



- Munjunpong, S., Sripon, T., Siripoonyothai, S., Jesadapatarakul, N., Poojinya, T., Chernsirikasem, N., 2020. Incidence and risk factors of emergence delirium after general and regional anesthesia in elective non cardiac surgery patients. *Medical Association of Thailand J.* 101: 1653-1658.
- Munk, L., Andersen, G., Molter, A.M., 2016. Post-anaesthetic emergence delirium in adults : incidence, predictors and consequences. *Acta Anaesthesiol Scand J.* 60: 1059-1066.
- O'Brien, D., 2002. Acute postoperative delirium: definitions, incidence, recognition and interventions. *Perianesth Nursing J.* 17: 384-392.
- Patti, R., Saitta, M., Cusumano, G., 2011. Risk Factors for Postoperative Delirium After Colorectal Surgery for Carcinoma. *Eur Oncol Nurs J.* 15(5): 519-523.
- Perumal, DK., Adhimoolam, M., Selvaraj, N., Lazarus, SP., Mohammed, MAR., 2015. Midazolam Premedication for Ketamine induced Emergence Phenomenon: A prospective observational study. *Journal of Research in Pharmacy Practice.* 4: 89-93.
- Pipanmekaporn, T., Wongpakaran, N., Mueankwan, S., Dendumrongkul, P., Chittawatanaarat, K., Khongpheng, N., et al., 2014. Validity and reliability of the Thai version of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU). *Clin Interv Aging J.* 9:879-885.
- Raats, J.W., Van Eijdsden, W.A., Crolla, R.M.P.H., 2015. Risk Factors and Outcomes for Postoperative Delirium After Major Surgery in Elderly Patients. *PLoS One J.* 10(8): 371-373.
- Radtke, F.M., Franck, M., Hageman, L., Seeling, M., Wernecke, K.D., Spies, C.D., 2010. Risk Factors for Inadequate Emergence After Anesthesia: Emergence Delirium and Hypoactive Emergence. *Minerva Anestesiologica J.* 76 (6): 394-403.
- Ramroop, R., Hariharan, S., Chen, D., 2019. Emergence delirium following sevoflurane anesthesia in adults : prospective observational study. *Brazilian Journal of Anesthesiology.* 69 (3): 233-241.
- Reynolds, T., Sankaran, S., Chimbira, W.T., Phan, T., Nafiu, O.O., 2018. Severe obesity and Sleep Disordered Breathing as Risk Factors for Emergence Agitation in Adult. *J Anesth Nurs.* 33(33): 304-311.



- Riker, R.R., Fraser, G.L., Simmons, L.E., Wilkins, M.L., 2001. Validating the Sedation–Agitation Scale with the Bispectral Index and visual analog scale in adult ICU patients after cardiac surgery. *Intensive Care Med.* 27(5): 853-858.
- Riker, R.R., Picard, J.T., Fraser, G.L., 1999. Prospective evaluation of the Sedation-Agitation Scale for adult critically ill patients. *Crit Care Med.* 27(7): 1325-1329.
- Rim, J.C., Kim, J.A., Hong, J.I., Park, S.Y., Lee, J.H., Chung, C.J., 2016. Risk factors of emergence agitation after general anesthesia in adult patients. *Anesth Pain Med J.* 11: 410-416.
- Rose, D.K., 1996. Recovery room problems or problems in the PACU. *Can J Anesth.* 4:16-28.
- Sanders, R.D., Pandharipande, P.P., Davidson, A.J., Ma, D., Maze, M., 2011. Anticipating and managing postoperative delirium and cognitive decline in adults. *BMJ.* 34: 114-117.
- Scott, G.M., Gold, J.I., 2006, Emergence delirium: a re-emerging interest. *Perioperatif Pain Med J.* 25: 100-104.
- Sessler, C.N., Gosnell, M.S., Grap, M.J., Brophy, G.M., O'Neal, P.V., Keane, K.A., et al., 2002. The Richmond Agitation–Sedation Scale: validity and reliability in adult intensive care unit patients. *Am J Respir Crit Care Med.* 166(10): 1338-1344.
- Stuff, K., Kainz, E., Kahl, U., Pinnschmidt, H., Beck, S., Breunig, F.V., Nitzschke, R., Funcke, S., Zollner, C., Fischer, M., 2021. Effect of Sedative Premedication on Postanesthesia Care Unit Delirium in Older Adults: A Secondary Analysis Following Uncontrolled Before-After Design. *Perioperative Medicine J.* 11: 2-10.
- Talih, G., Yuksek, A., Sahin, E., 2020. Evaluation of Emergence Agitation After General Anaesthesia in Rhinoplasty Patients. *Am Otolaryngol J.* 41: 102-107.
- Tolly, B., Waly, A., Peterson, G., Erbes, C.R., Prielipp, R.C., Apostolidou, I., 2021. Adult Emergence Agitation: A Veteran Focused Narrative Review. *Anesthesia & Analgesia J.* 132: 353-364.
- Umholtz, M., Cilnyk, J., Wang, C.K., Porhomayon, J., Purafkari, L., Nader, N.D., 2016. Postanesthesia Emergence in Patients with Post Traumatic Stress Disorder. *Clin Anesth J.* 34: 3-10.



- Viswanath, O., Kerner, B., Jean, Y.K., Soto, R., Rosen, G., 2015. Emergence delirium: a narrative review. *J Anesthesiol Clin Sci.* 4: 2.
- Wada, S., Inoguchi, H., Sadahiro, R., 2019. Preoperative Anxiety as a Predictor of Delirium in Cancer Patients. *World J Surg.* 43(1): 134-142.
- Wang, Z., Yang, Y., Chen, Y., Lu, K., Chen, B., 2021. Emergence Delirium in a 29-Year-Old Man Following an Uneventful Appendectomy. *Hindawi J.* 1338823: 1-4.
- Wilson, J.T., 2014. Pharmacologic, Physiologic, and Psychological Characteristics Associated with Emergence Delirium. *AANA J.* 82:355-362.
- Xara, D., Silva, A., Mendonca, J., Abelha, F., 2013. Inadequate emergence after anesthesia: emergence delirium and hypoactive emergence in the Postanesthesia Care Unit.. *J Clin Anesth.* 25: 439-446.
- Zhou, H., Pan, Y., Liu, C., Sun, X., 2021. Emergence Agitation After Intraoperative Neurolytic Celiac Plexus Block with Alcohol: A Case Report. *BMC Anesthesiology J.* 21: 1-3.