

DAFTAR PUSTAKA

- Adant, C., Dupuis, M., and Bredas, J.L., 1995, Ab initio study of the nonlinear optical properties of urea: Electron correlation and dispersion effects, *Int. J. Quantum Chem.*, 56, 497–507.
- Ahmed, F., Al Amin, A.Q., Hasanuzzaman, M., and Saidur, R., 2013, Alternative energy resources in Bangladesh and future prospect, *Renew. Sustain. Energy Rev.*, 25, 698–707.
- Ali, B.A. and Allam, N.K., 2018, Propping the optical and electronic properties of potential photo-sensitizers with different π -spacers: TD-DFT insights, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 188, 237–243.
- Andijani, N. and Wazzan, N.A., 2018, The effect of electron-donating substituents on tuning the nonlinear optical properties of pyrene-core arylamine derivatives: DFT calculations, *Results Phys.*, 11, 605–616.
- Andreoni, W. and Yip, S., 2020, Theory and Methods for Materials Modeling: An Introduction, *Handb. Mater. Model.*, 3–12.
- Arkan, F. and Izadyar, M., 2017, The investigation of the central metal effects on the porphyrin-based DSSCs performance; molecular approach, *Mater. Chem. Phys.*, 196, 142–152.
- Asbury, J.B., Wang, Y., Hao, E., Ghosh, N.H., and Lian, T., 2001, Evidences of hot excited state electron injection from sensitizer molecules to TiO₂ nanocrystalline thin films, *Res. Chem. Intermed.*, 27, 393–406.
- Asif, M. and Muneer, T., 2007, Energy supply, its demand and security issues for developed and emerging economies, *Renew. Sustain. Energy Rev.*, 11, 1388–1413.
- Baerends, E.J. and Gritsenko, O. V, 1997, A Quantum Chemical View of Density Functional Theory, *J. Phys. Chem. A.*, 101, 5384–5403.
- Bahers, T. Le, Adamo, C., and Ciofini, I., 2011, A qualitative index of spatial extent in charge-transfer excitations, *J. Chem. Theory Comput.*, 7, 2498–2506.
- Bahers, T. Le, Brémond, E., Ciofini, I., and Adamo, C., 2014, The nature of vertical excited states of dyes containing metals for DSSC applications: Insights from TD-DFT and density based indexes, *Phys. Chem. Chem. Phys.*, 16, 14435–14444.
- Bahers, T. Le, Pauporté, T., Scalmani, G., Adamo, C., and Ciofini, I., 2009, A TD-DFT investigation of ground and excited state properties in indoline dyes used for dye-sensitized solar cells, *Phys. Chem. Chem. Phys.*, 11, 11276–11284.
- Balanay, M.P. and Kim, D.H., 2011, Optical properties of porphyrin analogues for solar cells: An NLO approach, *Curr. Appl. Phys.*, 11, 109–116.
- Barbara, P.F., Meyer, T.J., and Ratner, M.A., 1996, Contemporary issues in electron transfer research, *J. Phys. Chem.*, 100, 13148–13168.

- Barbee, J. and Kuznetsov, A.E., 2012, Revealing substituent effects on the electronic structure and planarity of Ni-porphyrins, *Comput. Theor. Chem.*, 981, 73–85.
- Barone, V. and Cossi, M., 1998, Quantum calculation of molecular energies and energy gradients in solution by a conductor solvent model, *J. Phys. Chem. A*, 102, 1995–2001.
- Becke, A.D., 1993a, A new mixing of Hartree-Fock and local density-functional theories, *J. Chem. Phys.*, 98, 1372–1377.
- Becke, A.D., 1993b, Density-functional thermochemistry. III. The role of exact exchange, *J. Chem. Phys.*, 98, 5648–5652.
- Birel, Ö., Nadeem, S., and Duman, H., 2017, Porphyrin-Based Dye-Sensitized Solar Cells (DSSCs): a Review, *J. Fluoresc.*, 27, 1075–1085.
- Cahen, D., Hodes, G., Grätzel, M., Guillemoles, J.F., and Riess, I., 2000, Nature of Photovoltaic Action in Dye-Sensitized Solar Cells, *J. Phys. Chem. B*, 104, 2053–2059.
- Cheema, H., Baumann, A., Loya, E.K., Brogdon, P., Mcnamara, L.E., Carpenter, C.A., Hammer, N.I., Mathew, S., Risko, C., and Delcamp, J.H., 2019, Near-Infrared-Absorbing Indolizine-Porphyrin Push – Pull Dye for Dye-Sensitized Solar Cells, *ACS Appl. Mater. Interfaces*, 11, 16474–16489.
- Chen, H.C., Hettterscheid, D.G.H., Williams, R.M., Van Der Vlugt, J.I., Reek, J.N.H., and Brouwer, A.M., 2015, Platinum(ii)-porphyrin as a sensitizer for visible-light driven water oxidation in neutral phosphate buffer, *Energy Environ. Sci.*, 8, 975–982.
- Chen, Q., Wu, N., Liu, Y., Li, X., and Liu, B., 2016, Twisted coumarin dyes for dye-sensitized solar cells with high photovoltage: Adjustment of optical, electrochemical, and photovoltaic properties by the molecular structure, *RSC Adv.*, 6, 87969–87977.
- Chen, X., Jia, C., Wan, Z., Zhang, J., and Yao, X., 2014, Theoretical investigation of phenothiazine-triphenylamine-based organic dyes with different π spacers for dye-sensitized solar cells, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 123, 282–289.
- Chen, X., Shen, S., Guo, L., and Mao, S.S., 2010, Semiconductor-based photocatalytic hydrogen generation, *Chem. Rev.*, 110, 6503–6570.
- Ciofini, I., Le Bahers, T., Adamo, C., Odobel, F., and Jacquemin, D., 2012, Through-space charge transfer in rod-like molecules: Lessons from theory, *J. Phys. Chem. C*, 116, 11946–11955.
- Clark, T., Chandrasekhar, J., Spitznagel, G.W., and Schleyer, P.V.R., 1983, Efficient diffuse function-augmented basis sets for anion calculations. III. The 3-21+G basis set for first-row elements, Li–F, *J. Comput. Chem.*, 4, 294–301.
- Cohen, A.J., Mori-Sánchez, P., and Yang, W., 2012, Challenges for density functional theory, *Chem. Rev.*, 112, 289–320.
- Collins, J.B., Von Schleyer, P.R., Binkley, J.S., and Pople, J.A., 1976, Self-

- consistent molecular orbital methods. XVII. Geometries and binding energies of second-row molecules. A comparison of three basis sets, *J. Chem. Phys.*, 64, 5142–5151.
- Cossi, M., Rega, N., Scalmani, G., and Barone, V., 2003, Energies, structures, and electronic properties of molecules in solution with the C-PCM solvation model, *J. Comput. Chem.*, 24, 669–681.
- Costa, L.D., Costa, J.I.T., Tomé, A.C., Graça, M., Neves, P.M.S., Amparo, M., and Faustino, F., 2016, Porphyrin macrocycle modification: Pyrrole ring-contracted or -Expanded porphyrinoids, *Molecules*, 21, .
- Cui, Y., Wu, Y., Lu, X., Zhang, X., Zhou, G., Miapheh, F.B., Zhu, W., and Wang, Z.S., 2011, Incorporating benzotriazole moiety to construct D-A- π -A organic sensitizers for solar cells: Significant enhancement of open-circuit photovoltage with long alkyl group, *Chem. Mater.*, 23, 4394–4401.
- Cui, Y., Yao, H., Hong, L., Zhang, T., Tang, Y., Lin, B., Xian, K., Gao, B., An, C., Bi, P., Ma, W., and Hou, J., 2020, Organic photovoltaic cell with 17% efficiency and superior processability, *Natl. Sci. Rev.*, 7, 1239–1246.
- Cui, Y., Yao, H., Zhang, J., Zhang, T., Wang, Y., Hong, L., Xian, K., Xu, B., Zhang, S., Peng, J., Wei, Z., Gao, F., and Hou, J., 2019, Over 16% efficiency organic photovoltaic cells enabled by a chlorinated acceptor with increased open-circuit voltages, *Nat. Commun.*, 10, 1–8.
- Deogratias, G., Al-Qurashi, O.S., Wazzan, N., Pogrebnya, T., and Pogrebnoi, A., 2020, Effects of heteroatoms in π -conjugated linkers on the optical and electronic properties of modified triphenylamine based dyes: towards DSSCs' applications, *J. Mol. Model.*, 26, .
- Ditchfield, R., Hehre, W.J., and Pople, J.A., 1971, Self-consistent molecular-orbital methods. IX. An extended gaussian-type basis for molecular-orbital studies of organic molecules, *J. Chem. Phys.*, 54, 720–723.
- Dreuw, A. and Head-Gordon, M., 2005, Single-reference ab initio methods for the calculation of excited states of large molecules, *Chem. Rev.*, 105, 4009–4037.
- Dunning, T.H., 1989, Gaussian basis sets for use in correlated molecular calculations. I. The atoms boron through neon and hydrogen, *J. Chem. Phys.*, 90, 1007–1023.
- Ellis, H., Eriksson, S.K., Feldt, S.M., Gabrielsson, E., Lohse, P.W., Lindblad, R., and Sun, L., 2013, Linker Unit Modification of Triphenylamine-Based Organic Dyes for Efficient Cobalt Mediated Dye-Sensitized Solar Cells, *J. Phys. Chem. C*, 117, 21029–21036.
- Fahim, Z.M.E., Bouzzine, S.M., Youssef, A.A., Bouachrine, M., and Hamidi, M., 2018, Ground state geometries, UV/vis absorption spectra and charge transfer properties of triphenylamine-thiophenes based dyes for DSSCs: A TD-DFT benchmark study, *Comput. Theor. Chem.*, 1125, 39–48.
- Fan, W., Tan, D., and Deng, W.Q., 2012, Acene-modified triphenylamine dyes for dye-sensitized solar cells: A computational study, *ChemPhysChem*, 13, 2051–2060.

- Ferdowsi, P., Saygili, Y., Zhang, W., Edvinson, T., Kavan, L., Mokhtari, J., Zakeeruddin, S.M., Grätzel, M., and Hagfeldt, A., 2018, Molecular Design of Efficient Organic D–A– Π –A Dye Featuring Triphenylamine as Donor Fragment for Application in Dye-Sensitized Solar Cells, *ChemSusChem*, 11, 494–502.
- Fisher, A.C., Peter, L.M., Ponomarev, E.A., Walker, A.B., and Wijayantha, K.G.U., 2000, Intensity Dependence of the Back Reaction and Transport of Electrons in Dye-Sensitized Nanocrystalline TiO₂ Solar Cells, *J. Phys. Chem. B*, 104, 949–958.
- Frisch, M.J., Pople, J.A., and Binkley, J.S., 1984, Self-consistent molecular orbital methods 25. Supplementary functions for Gaussian basis sets, *J. Chem. Phys.*, 80, 3265–3269.
- Frisch, M.J., Trucks, G.W., Schlegel, H.B., Scuseria, G.E., Robb, M.A., Cheeseman, J.R., Scalmani, G., Barone, V., Mennucci, B., Petersson, G.A., Nakatsuji, H., Caricato, M., Li, X., Hratchian, H.P., Izmaylov, A.F., Bloino, J., Zheng, G., Sonnenberg, J.L., Hada, M., et al., 2013, Gaussian-09 Revision D.01, Gaussian, Inc., Wallingford, CT.
- Fthenakis, V.M., 2018, Overview of potential hazards, *McEvoy's Handb. Photovoltaics Fundam. Appl.*, 1195–1212.
- Fujisawa, J. ichi, Eda, T., and Hanaya, M., 2017, Comparative study of conduction-band and valence-band edges of TiO₂, SrTiO₃, and BaTiO₃ by ionization potential measurements, *Chem. Phys. Lett.*, 685, 23–26.
- Gomez, T., Jaramillo, F., Schott, E., Arratia-Pérez, R., and Zarate, X., 2017, Simulation of natural dyes adsorbed on TiO₂ for photovoltaic applications, *Sol. Energy*, 142, 215–223.
- Gong, J., Liang, J., and Sumathy, K., 2012, Review on dye-sensitized solar cells (DSSCs): Fundamental concepts and novel materials, *Renew. Sustain. Energy Rev.*, 16, 5848–5860.
- Grätzel, M., 2000, Perspectives for dye-sensitized nanocrystalline solar cells, *Prog. Photovoltaics Res. Appl.*, 8, 171–185.
- Green, M.A., 2015, Erratum: Solar cell efficiency tables (version 46) (Progress in Photovoltaics: Research and Applications (2015) 23 (805-812)), *Prog. Photovoltaics Res. Appl.*, 23, 1202.
- Green, M.A., Dunlop, E.D., Hohl-Ebinger, J., Yoshita, M., Kopidakis, N., and Ho-Baillie, A.W.Y., 2020, Solar cell efficiency tables (Version 55), *Prog. Photovoltaics Res. Appl.*, 28, 3–15.
- Griffith, M.J., Sunahara, K., Wagner, P., Wagner, K., Wallace, G.G., Officer, D.L., Furube, A., Katoh, R., Mori, S., and Mozer, A.J., 2012, Porphyrins for dye-sensitized solar cells: New insights into efficiency-determining electron transfer steps, *Chem. Commun.*, 48, 4145–4162.
- Grisorio, R., De Marco, L., Giannuzzi, R., Gigli, G., and Suranna, G.P., 2016, Molecular engineering of largely π -extended metal-free sensitizers containing benzothiadiazole units: Approaching 10% efficiency dye-sensitized solar cells

- using iodine-based electrolytes, *Dye. Pigment.*, 131, 282–292.
- Guo, M., He, R., Dai, Y., Shen, W., Li, M., Zhu, C., and Lin, S.H., 2012, Electron-deficient pyrimidine adopted in porphyrin sensitizers: A theoretical interpretation of π -spacers leading to highly efficient photo-to-electric conversion performances in dye-sensitized solar cells, *J. Phys. Chem. C*, 116, 9166–9179.
- Hachi, M., Slimi, A., Fitri, A., Benjelloun, A.T., El khattabi, S., Benzakour, M., Mcharfi, M., Khenfouch, M., Zorkani, I., and Bouachrine, M., 2021, Theoretical design and characterization of D-A1-A based organic dyes for efficient DSSC by altering promising acceptor (A1) moiety, *J. Photochem. Photobiol. A Chem.*, 407, 113048.
- Hagfeldt, A., Boschloo, G., Sun, L., Kloo, L., and Pettersson, H., 2010, Dye-Sensitized Solar Cells, 6595–6663.
- Han, L., Zu, X., Cui, Y., Wu, H., Ye, Q., and Gao, J., 2014, Novel D-A- π -A carbazole dyes containing benzothiadiazole chromophores for dye-sensitized solar cells, *Org. Electron.*, 15, 1536–1544.
- Hara, K., Sato, T., Katoh, R., Furube, A., Ohga, Y., Shinpo, A., Suga, S., Sayama, K., Sugihara, H., and Arakawa, H., 2003, Molecular design of coumarin dyes for efficient dye-sensitized solar cells, *J. Phys. Chem. B*, 107, 597–606.
- He, L.J., Sun, Y., Li, W., Wang, J., Song, M.X., and Zhang, H.X., 2018, Highly-efficient sensitizer with zinc porphyrin as building block: Insights from DFT calculations, *Sol. Energy*, 173, 283–290.
- Heinze, H.H., Görling, A., and Rösch, N., 2000, Efficient method for calculating molecular excitation energies by time-dependent density-functional theory, *J. Chem. Phys.*, 113, 2088–2099.
- Hohenberg, P. and Kohn, 1964, Inhomogeneous Electron Gas, 155, .
- Hosseini, S.E. and Wahid, M.A., 2020, Hydrogen from solar energy, a clean energy carrier from a sustainable source of energy, *Int. J. Energy Res.*, 44, 4110–4131.
- Hosseinzadeh, E., Hadipour, N.L., and Parsafar, G., 2017, A computational investigation on the influence of different π spacer groups in the bithiazole-based organic dye sensitizers on the short-circuit photocurrent densities of dye-sensitized solar cells, *J. Photochem. Photobiol. A Chem.*, 333, 70–78.
- Hussain, R., Hassan, F., Khan, M.U., Mehboob, M.Y., Fatima, R., Khalid, M., Mahmood, K., Tariq, C.J., and Akhtar, M.N., 2020, Molecular engineering of A–D–C–D–A configured small molecular acceptors (SMAs) with promising photovoltaic properties for high-efficiency fullerene-free organic solar cells, *Opt. Quantum Electron.*, 52, 1–20.
- Jackson, P., Hariskos, D., Wuerz, R., Kiowski, O., Bauer, A., Friedlmeier, T.M., and Powalla, M., 2015, Properties of Cu(In,Ga)Se₂ solar cells with new record efficiencies up to 21.7%, *Phys. Status Solidi - Rapid Res. Lett.*, 9, 28–31.
- Jacobson, M.Z. and Delucchi, M.A., 2011, Providing all global energy with wind, water, and solar power, Part I: Technologies, energy resources, quantities and areas of infrastructure, and materials, *Energy Policy*, 39, 1154–1169.

- Jacquemin, D., Bahers, T. Le, Adamo, C., and Ciofini, I., 2012, What is the “best” atomic charge model to describe through-space charge-transfer excitations?, *Phys. Chem. Chem. Phys.*, 14, 5383–5388.
- Jia, H.L., Peng, Z.J., Gong, B.Q., Huang, C.Y., and Guan, M.Y., 2019, New 2D- π -2A organic dyes with bipyridine anchoring groups for DSSCs, *New J. Chem.*, 43, 5820–5825.
- Joshi, A.S., Dincer, I., and Reddy, B. V., 2011, Solar hydrogen production: A comparative performance assessment, *Int. J. Hydrogen Energy*, 36, 11246–11257.
- Jungsuttiwong, S., Tarsang, R., Sudyoadsuk, T., Promarak, V., Khongpracha, P., and Namuangruk, S., 2013, Theoretical study on novel double donor-based dyes used in high efficient dye-sensitized solar cells: The application of TDDFT study to the electron injection process, *Org. Electron.*, 14, 711–722.
- Kakiage, K., Aoyama, Y., Yano, T., Oya, K., Fujisawa, J.I., and Hanaya, M., 2015, Highly-efficient dye-sensitized solar cells with collaborative sensitization by silyl-anchor and carboxy-anchor dyes, *Chem. Commun.*, 51, 15894–15897.
- Kandregula, G.R., Mandal, S., Prince, G., Yadav, S.K., and Ramanujam, K., 2020, A computational study on boron dipyrromethene ancillary acceptor-based dyes for dye-sensitized solar cells, *New J. Chem.*, 44, 4877–4886.
- Kang, M.S., Kang, S.H., Kim, S.G., Choi, I.T., Ryu, J.H., Ju, M.J., Cho, D., Lee, J.Y., and Kim, H.K., 2012, Novel D- π -A structured Zn(II)-porphyrin dyes containing a bis(3,3-dimethylfluorenyl)amine moiety for dye-sensitized solar cells, *Chem. Commun.*, 48, 9349–9351.
- Kim, B.G., Chung, K., and Kim, J., 2013, Molecular design principle of all-organic dyes for dye-sensitized solar cells, *Chem. - A Eur. J.*, 19, 5220–5230.
- Kim, T.D. and Lee, K.S., 2015, D- π -a conjugated molecules for optoelectronic applications, *Macromol. Rapid Commun.*, 36, 943–958.
- Koch, W. and Holthausen, M.C., 2000, A chemist’s guide to density functional theory, 2232–2245.
- Krishna, N.V., Krishna, J.V.S., Singh, S.P., Giribabu, L., Han, L., Bedja, I., Gupta, R.K., and Islam, A., 2017, Donor- π -Acceptor Based Stable Porphyrin Sensitizers for Dye-Sensitized Solar Cells: Effect of π -Conjugated Spacers, *J. Phys. Chem. C*, 121, 6464–6477.
- Krishnan, R., Binkley, J.S., Seeger, R., and Pople, J.A., 1980, Self-consistent molecular orbital methods. XX. A basis set for correlated wave functions, *J. Chem. Phys.*, 72, 650–654.
- Kumar, D., Kříž, J., Bennett, N., Chen, B., Upadhayaya, H., Reddy, K.R., and Sadhu, V., 2020, Functionalized metal oxide nanoparticles for efficient dye-sensitized solar cells (DSSCs): A review, *Mater. Sci. Energy Technol.*, 3, 472–481.
- Kurumisawa, Y., Higashino, T., Nimura, S., Tsuji, Y., Iiyama, H., and Imahori, H., 2019, Renaissance of Fused Porphyrins: Substituted Methylene-Bridged Thiophene-Fused Strategy for High-Performance Dye-Sensitized Solar Cells,

J. Am. Chem. Soc.,.

- Lancelle-Beltran, E., Prené, P., Boscher, C., Belleville, P., Buvat, P., Lambert, S., Guillet, F., Marcel, C., and Sanchez, C., 2008, Solid-state organic/inorganic hybrid solar cells based on poly(octylthiophene) and dye-sensitized nanobrookite and nanoanatase TiO₂ electrodes, *Eur. J. Inorg. Chem.*, 903–910.
- Lee, M.W., Kim, Jae Yup, Son, H.J., Kim, Jin Young, Kim, B., Kim, H., Lee, D.K., Kim, K., Lee, D.H., and Ko, M.J., 2015, Tailoring of Energy Levels in D- π -A Organic Dyes via Fluorination of Acceptor Units for Efficient Dye-Sensitized Solar Cells, *Sci. Rep.*, 5, 1–7.
- Li, W., Bai, F.Q., Chen, J., Wang, J., and Zhang, H.X., 2015, Planar amine-based dye features the rigidified O-bridged dithiophene π -spacer: A potential high-efficiency sensitizer for dye-sensitized solar cells application, *J. Power Sources*, 275, 207–216.
- Liang, M., Xu, W., Cai, F., Chen, P., Peng, B., and Chen, J., 2007, New Triphenylamine-Based Organic Dyes for Efficient Dye-Sensitized Solar Cells, 4465–4472.
- Liang, Y., Xue, X., Zhang, W., Fan, C., Li, Y., Zhang, B., and Feng, Y., 2015, Novel D- π -A structured porphyrin dyes containing various diarylamino moieties for dye-sensitized solar cells, *Dye. Pigment.*, 115, 7–16.
- Lin, J.T., Chen, P.C., Yen, Y.S., Hsu, Y.C., Chou, H.H., and Yeh, M.C.P., 2009, Organic dyes containing furan moiety for high-performance dye-sensitized solar cells, *Org. Lett.*, 11, 97–100.
- Listorti, A., O'Regan, B., and Durrant, J.R., 2011, Electron transfer dynamics in dye-sensitized solar cells, *Chem. Mater.*, 23, 3381–3399.
- Liu, H., Liu, L., Fu, Y., Liu, E., and Xue, B., 2019, Theoretical Design of D- π -A-A Sensitizers with Narrow Band Gap and Broad Spectral Response Based on Boron Dipyrromethene for Dye-Sensitized Solar Cells, *J. Chem. Inf. Model.*, 59, 2248–2256.
- Lu, J., Liu, S., Li, H., Shen, Y., Xu, J., Cheng, Y., and Wang, M., 2014, Pyrene-conjugated porphyrins for efficient mesoscopic solar cells: The role of the spacer, *J. Mater. Chem. A*, 2, 17495–17501.
- Lu, T. and Chen, F., 2012, Multiwfn: A multifunctional wavefunction analyzer, *J. Comput. Chem.*, 33, 580–592.
- Lu, X., Shao, Y., Wei, S., Zhao, Z., Li, K., Guo, C., Wang, W., Zhang, M., and Guo, W., 2015, Effect of the functionalized π -bridge on porphyrin sensitizers for dye-sensitized solar cells: an in-depth analysis of electronic structure, spectrum, excitation, and intramolecular electron transfer, *J. Mater. Chem. C*, 3, 10129–10139.
- Luo, J.S., Wan, Z.Q., and Jia, C.Y., 2016, Recent advances in phenothiazine-based dyes for dye-sensitized solar cells, *Chinese Chem. Lett.*, 27, 1304–1318.
- Luque, F.J., López, J.M., and Orozco, M., 2000, Perspective on “Electrostatic interactions of a solute with a continuum. A direct utilization of ab initio

- molecular potentials for the prevision of solvent effects,” *Theor. Chem. Acc.*, 103, 343–345.
- Magne, C., Dufour, F., Labat, F., Lancel, G., Durupthy, O., Cassaignon, S., and Pauporté, T., 2012, Effects of TiO₂ nanoparticle polymorphism on dye-sensitized solar cell photovoltaic properties, *J. Photochem. Photobiol. A Chem.*, 232, 22–31.
- Mahmood, A., 2016, Triphenylamine based dyes for dye sensitized solar cells: A review, *Sol. Energy*, 123, 127–144.
- Mahmood, A., Hu, J.Y., Xiao, B., Tang, A., Wang, X., and Zhou, E., 2018, Recent progress in porphyrin-based materials for organic solar cells, *J. Mater. Chem. A*, 6, 16769–16797.
- Mao, J., Guo, F., Ying, W., Wu, W., Li, J., and Hua, J., 2012, Benzotriazole-bridged sensitizers containing a furan moiety for dye-sensitized solar cells with high open-circuit voltage performance, *Chem. - An Asian J.*, 7, 982–991.
- Mao, J., He, N., Ning, Z., Zhang, Q., Guo, F., Chen, L., Wu, W., Hua, J., and Tian, H., 2012, Stable Dyes Containing Double Acceptors without COOH as Anchors for Highly Efficient Dye-Sensitized Solar Cells, *Angew. Chemie*, 124, 10011–10014.
- Marinado, T., Nonomura, K., Nissfolk, J., Karlsson, M.K., Hagberg, D.P., Sun, L., Mori, S., and Hagfeldt, A., 2010, How the nature of triphenylamine-polyene dyes in dye-sensitized solar cells affects the open-circuit voltage and electron lifetimes, *Langmuir*, 26, 2592–2598.
- Marques, F.C., Cortes, A.D.S., and Mei, P.R., 2019, Solar Cells Fabricated in Upgraded Metallurgical Silicon, Obtained Through Vacuum Degassing and Czochralski Growth, *Silicon*, 11, 77–83.
- Marques, M.A.L. and Gross, E.K.U., 2004, Time-dependent density functional theory, *Annu. Rev. Phys. Chem.*, 55, 427–455.
- Mathew, S., Yella, A., Gao, P., Humphry-Baker, R., Curchod, B.F.E., Ashari-Astani, N., Tavernelli, I., Rothlisberger, U., Nazeeruddin, M.K., and Grätzel, M., 2014, Dye-sensitized solar cells with 13% efficiency achieved through the molecular engineering of porphyrin sensitizers, *Nat. Chem.*, 6, 242–247.
- Mehmood, U., Hussein, I.A., Daud, M., Ahmed, S., and Harrabi, K., 2015, Theoretical study of benzene/thiophene based photosensitizers for dye sensitized solar cells (DSSCs), *Dye. Pigment.*, 118, 152–158.
- Mo, Y., Lin, Z., Wu, W., and Zhang, Q., 1996, Bond-distorted orbitals and effects of hybridization and resonance on C-C bond lengths, *J. Phys. Chem.*, 100, 11569–11572.
- Moriarty, P. and Honnery, D., 2012, What is the global potential for renewable energy?, *Renew. Sustain. Energy Rev.*, 16, 244–252.
- Murakami, T.N., Yoshida, E., and Koumura, N., 2014, Carbazole dye with phosphonic acid anchoring groups for long-term heat stability of dye-sensitized solar cells, *Electrochim. Acta*, 131, 174–183.

- Narayan, M.R., 2012, Review: Dye sensitized solar cells based on natural photosensitizers, *Renew. Sustain. Energy Rev.*, 16, 208–215.
- Narayanaswamy, K., Swetha, T., Kapil, G., Pandey, S.S., Hayase, S., and Singh, S.P., 2015, Simple Metal-Free Dyes Derived from Triphenylamine for DSSC: A Comparative Study of Two Different Anchoring Group, *Electrochim. Acta*, 169, 256–263.
- Nazeeruddin, M.K., Humphry-Baker, R., Liska, P., and Grätzel, M., 2003, Investigation of sensitizer adsorption and the influence of protons on current and voltage of a dye-sensitized nanocrystalline TiO₂ solar cell, *J. Phys. Chem. B*, 107, 8981–8987.
- Ordejón, P., Artacho, E., and Soler, J.M., 1996, Self-consistent order density-functional calculations for very large systems, *Phys. Rev. B - Condens. Matter Mater. Phys.*, 53, R10441–R10444.
- Patil, D.S., Avhad, K.C., and Sekar, N., 2018, Linear correlation between DSSC efficiency, intramolecular charge transfer characteristics, and NLO properties – DFT approach, *Comput. Theor. Chem.*, 1138, 75–83.
- Patil, P.S., Shkir, M., Maidur, S.R., AlFaify, S., Arora, M., Rao, S.V., Abbas, H., and Ganesh, V., 2017, Key functions analysis of a novel nonlinear optical D- π -A bridge type (2E)-3-(4-Methylphenyl)-1-(3-nitrophenyl) prop-2-en-1-one chalcone: An experimental and theoretical approach, *Opt. Mater. (Amst.)*, 72, 427–435.
- Paul-Roth, C.O., Drouet, S., Merhi, A., Williams, J.A.G., Gildea, L.F., Pearson, C., and Petty, M.C., 2013, Synthesis of platinum complexes of fluorenyl-substituted porphyrins used as phosphorescent dyes for solution-processed organic light-emitting devices, *Tetrahedron*, 69, 9625–9632.
- Pei, K., Wu, Y., Islam, A., Zhu, S., Han, L., Geng, Z., and Zhu, W., 2014, Dye-sensitized solar cells based on quinoxaline dyes: Effect of π -linker on absorption, energy levels, and photovoltaic performances, *J. Phys. Chem. C*, 118, 16552–16561.
- Pei, K., Wu, Y., Li, H., Geng, Z., Tian, H., and Zhu, W.H., 2015, Cosensitization of D-A- π -A quinoxaline organic dye: Efficiently filling the absorption valley with high photovoltaic efficiency, *ACS Appl. Mater. Interfaces*, 7, 5296–5304.
- Pendlebury, S.R., Wang, X., Le Formal, F., Cornuz, M., Kafizas, A., Tilley, S.D., Grätzel, M., and Durrant, J.R., 2014, Ultrafast charge carrier recombination and trapping in hematite photoanodes under applied bias, *J. Am. Chem. Soc.*, 136, 9854–9857.
- Perdew, J.P., Burke, K., and Ernzerhof, M., 1996, Generalized Gradient Approximation Made Simple, *Phys. Rev. Lett.*, 77, 3865–3868.
- Perini, J.A.D.L., Perez-Moya, M., and Nogueira, R.F.P., 2013, Photo-Fenton degradation kinetics of low ciprofloxacin concentration using different iron sources and pH, *J. Photochem. Photobiol. A Chem.*, 259, 53–58.
- Pople, J.A., Schleyer, P. V., Hehre, W.J., and Radom, L., 1986, AB INITIO molecular orbital theory, *AB INITIO Mol. orbital theory*, 9, .

- Prachumrak, N., Sudyoasuk, T., Thangthong, A., Nalaoh, P., Jungsuttiwong, S., Daengngern, R., Namuangruk, S., Pattanasattayavong, P., and Promarak, V., 2017, Improvement of D- π -A organic dye-based dye-sensitized solar cell performance by simple triphenylamine donor substitutions on the π -linker of the dye, *Mater. Chem. Front.*, 1, 1059–1072.
- Pranowo, H.D., Mulya, F., Aziz, H.A., and Santoso, G.A., 2018, Study of substituent effect on properties of platinum(II) porphyrin semiconductor using density functional theory, *Indones. J. Chem.*, 18, 742–748.
- Preat, J., 2010, Photoinduced energy-transfer and electron-transfer processes in dye-sensitized solar cells: TDDFT insights for triphenylamine dyes, *J. Phys. Chem. C*, 114, 16716–16725.
- Preat, J., Jacquemin, D., and Perpète, E.A., 2010, Towards new efficient dye-sensitized solar cells, *Energy Environ. Sci.*, 3, 891–904.
- Reyes-Coronado, D., Rodríguez-Gattorno, G., Espinosa-Pesqueira, M.E., Cab, C., De Coss, R., and Oskam, G., 2008, Phase-pure TiO₂ nanoparticles: *Anatase*, brookite and rutile, *Nanotechnology*, 19, .
- Ronca, E., Pastore, M., Belpassi, L., Tarantelli, F., and De Angelis, F., 2013, Influence of the dye molecular structure on the TiO₂ conduction band in dye-sensitized solar cells: Disentangling charge transfer and electrostatic effects, *Energy Environ. Sci.*, 6, 183–193.
- Runge, E. and Gross, E.K.U., 1984, Density-Functional Theory for Time-Dependent Systems, *Phys. Rev. Lett.*, 52, 997–1000.
- Salameh, M.G., 2003, Can renewable and unconventional energy sources bridge the global energy gap in the 21st century?, *Appl. Energy*, 75, 33–42.
- Sánchez-Portal, D., Ordejón, P., Artacho, E., and Soler, J.M., 1997, Density-functional method for very large systems with LCAO basis sets, *Int. J. Quantum Chem.*, 65, 453–461.
- Sang-Aroon, W., Saekow, S., and Amornkitbamrung, V., 2012, Density functional theory study on the electronic structure of Monascus dyes as photosensitizer for dye-sensitized solar cells, *J. Photochem. Photobiol. A Chem.*, 236, 35–40.
- Shafiee, S. and Topal, E., 2009, When will fossil fuel reserves be diminished?, *Energy Policy*, 37, 181–189.
- Shalabi, A.S., El Mahdy, A.M., and Taha, H.O., 2013, Screening of thiophene-substituted metalloporphyrins (Zn, Ni, Fe, Ti) for use in dye-sensitized solar cells DFT and TD-DFT study, *J. Nanoparticle Res.*, 15, .
- Shalabi, A.S., Mahdy, A.M. El, Taha, H.O., and Soliman, K.A., 2015, Journal of Physics and Chemistry of Solids The effects of macrocycle and anchoring group replacements on the performance of porphyrin based sensitizer : DFT and TD-DFT study, *J. Phys. Chem. Solids*, 76, 22–33.
- Sham, L.J. and Kohn, W., 1966, One-particle properties of an inhomogeneous interacting electron gas, *Phys. Rev.*, 145, 561–567.
- Shi, J., Chai, Z., Su, J., Chen, J., Tang, R., Fan, K., Zhang, L., Han, H., Qin, J.,

- Peng, T., Li, Q., and Li, Z., 2013, New sensitizers bearing quinoxaline moieties as an auxiliary acceptor for dye-sensitized solar cells, *Dye. Pigment.*, 98, 405–413.
- Sivanadanam, J., Mukkamala, R., Mandal, S., Vedarajan, R., Matsumi, N., Aidhen, I.S., and Ramanujam, K., 2018, Exploring the role of the spacers and acceptors on the triphenylamine-based dyes for dye-sensitized solar cells, *Int. J. Hydrogen Energy*, 43, 4691–4705.
- Slimi, A., Fitri, A., Touimi Benjelloun, A., Elkhatabi, S., Benzakour, M., Mcharfi, M., and Bouachrine, M., 2019, Molecular Design of D- π -A-A Organic Dyes Based on Triphenylamine Derivatives with Various Auxiliary Acceptors for High Performance DSSCs, *J. Electron. Mater.*, 48, 4452–4462.
- Solangi, K.H., Islam, M.R., Saidur, R., Rahim, N.A., and Fayaz, H., 2011, A review on global solar energy policy, *Renew. Sustain. Energy Rev.*, 15, 2149–2163.
- Soler, J.M., Artacho, E., Gale, J.D., García, A., Junquera, J., Ordejón, P., and Sánchez-Portal, D., 2002, The SIESTA method for ab initio order-N materials simulation, *J. Phys. Condens. Matter*, 14, 2745–2779.
- Steinberg, M., 1999, Fossil fuel decarbonization technology for mitigating global warming, *Int. J. Hydrogen Energy*, 24, 771–777.
- Sun, Y.H. and Wang, C.K., 2011, One- and two-photon absorption properties of two metalloporphyrin complexes, *Chinese Phys. B*, 20, .
- Suslick, K. and Watson, R., 1992, The photochemistry of chromium, manganese, and iron porphyrin complexes, *New. J. Chem*, 16, 633–642.
- Tavernier, H.L. and Fayer, M.D., 2000, Distance dependence of electron transfer in DNA: The role of the reorganization energy and free energy, *J. Phys. Chem. B*, 104, 11541–11550.
- Tenderholt, A.L., 2006, PyMolyze, Version 1.1., In, *Stanford University*. CA Stanford.
- Terasaki, H., Frost, D.J., Rubie, D.C., and Langenhorst, F., 2005, The effect of oxygen and sulphur on the dihedral angle between Fe-O-S melt and silicate minerals at high pressure: Implications for Martian core formation, *Earth Planet. Sci. Lett.*, 232, 379–392.
- Unny, D., Sivanadanam, J., Mandal, S., Aidhen, I.S., and Ramanujam, K., 2018, Effect of Flexible, Rigid Planar and Non-Planar Donors on the Performance of Dye-Sensitized Solar Cells, *J. Electrochem. Soc.*, 165, H845–H860.
- Upadhyaya, H.M., Senthilarasu, S., Hsu, M.H., and Kumar, D.K., 2013, Recent progress and the status of dye-sensitized solar cell (DSSC) technology with state-of-the-art conversion efficiencies, *Sol. Energy Mater. Sol. Cells*, 119, 291–295.
- Venkateswararao, A., Justin Thomas, K.R., Lee, C.-P., Li, C.-T., and Ho, K.C., 2014, Organic Dyes Containing Carbazole as Donor and π -Linker: Optical, Electrochemical, and Photovoltaic Properties, *ACS Appl. Mater. Interfaces*, 6, 6318–6327.

- Vydrov, O.A. and Scuseria, G.E., 2006, Assessment of a long-range corrected hybrid functional, *J. Chem. Phys.*, 125, 234109/1–9.
- Wang, Y., Chen, B., Wu, W., Li, X., Zhu, W., Tian, H., and Xie, Y., 2014, Efficient solar cells sensitized by porphyrins with an extended conjugation framework and a carbazole donor: From molecular design to cosensitization, *Angew. Chemie - Int. Ed.*, 53, 10779–10783.
- Woolley, R.G. and Sutcliffe, B.T., 1977, Molecular structure and the born-Oppenheimer approximation, *Chem. Phys. Lett.*, 45, 393–398.
- Wu, H., Zhang, T., Wu, C., Guan, W., Yan, L., and Su, Z., 2016, A theoretical design and investigation on Zn-porphyrin-polyoxometalate hybrids with different π -linkers for searching high performance sensitizers of p-type dye-sensitized solar cells, *Dye. Pigment.*, 130, 168–175.
- Wu, Y., Marszalek, M., Zakeeruddin, S.M., Zhang, Q., Tian, H., Grätzel, M., and Zhu, W., 2012, High-conversion-efficiency organic dye-sensitized solar cells: Molecular engineering on D-A- π -A featured organic indoline dyes, *Energy Environ. Sci.*, 5, 8261–8272.
- Xie, M., Bai, F.Q., Wang, J., Zheng, Y.Q., and Lin, Z., 2018, Theoretical investigations on the unsymmetrical effect of β -link Zn-porphyrin sensitizers on the performance for dye-sensitized solar cells, *Phys. Chem. Chem. Phys.*, 20, 3741–3751.
- Xie, Y., Tang, Y., Wu, W., Wang, Y., Liu, J., Li, X., Tian, H., and Zhu, W.H., 2015, Porphyrin Cosensitization for a Photovoltaic Efficiency of 11.5%: A Record for Non-Ruthenium Solar Cells Based on Iodine Electrolyte, *J. Am. Chem. Soc.*, 137, 14055–14058.
- Yanai, T., Tew, D.P., and Handy, N.C., 2004, A new hybrid exchange-correlation functional using the Coulomb-attenuating method (CAM-B3LYP), *Chem. Phys. Lett.*, 393, 51–57.
- Yella, A., Mai, C.L., Zakeeruddin, S.M., Chang, S.N., Hsieh, C.H., Yeh, C.Y., and Grätzel, M., 2014, Molecular engineering of push-pull porphyrin dyes for highly efficient dye-sensitized solar cells: The role of benzene spacers, *Angew. Chemie - Int. Ed.*, 53, 2973–2977.
- Yum, J.H., Baranoff, E., Kessler, F., Moehl, T., Ahmad, S., Bessho, T., Marchioro, A., Ghadiri, E., Moser, J.E., Yi, C., Nazeeruddin, M.K., and Grätzel, M., 2012, A cobalt complex redox shuttle for dye-sensitized solar cells with high open-circuit potentials, *Nat. Commun.*, 3, .
- Yum, J.H., Baranoff, E., Wenger, S., Nazeeruddin, M.K., and Grätzel, M., 2011, Panchromatic engineering for dye-sensitized solar cells, *Energy Environ. Sci.*, 4, 842–857.
- Zeng, J., Zhang, T., Zang, X., Kuang, D., Meier, H., and Cao, D., 2013, D-A- π -A organic sensitizers containing a benzothiazole moiety as an additional acceptor for use in solar cells, *Sci. China Chem.*, 56, 505–513.
- Zhan, C.G., Nichols, J.A., and Dixon, D.A., 2003, Ionization potential, electron affinity, electronegativity, hardness, and electron excitation energy: Molecular

- properties from density functional theory orbital energies, *J. Phys. Chem. A*, 107, 4184–4195.
- Zhang, C.R., Liu, L., Liu, Z.J., Shen, Y.L., Sun, Y.T., Wu, Y.Z., Chen, Y.H., Yuan, L.H., Wang, W., and Chen, H.S., 2012, Electronic structures and optical properties of organic dye sensitizer NKX derivatives for solar cells: A theoretical approach, *J. Mol. Graph. Model.*, 38, 419–429.
- Zhang, C.R., Liu, L., Zhe, J.W., Jin, N.Z., Ma, Y., Yuan, L.H., Zhang, M.L., Wu, Y.Z., Liu, Z.J., and Chen, H.S., 2013, The role of the conjugate bridge in electronic structures and related properties of tetrahydroquinoline for dye sensitized solar cells, *Int. J. Mol. Sci.*, 14, 5461–5481.
- Zhang, G., Bai, Y., Li, R., Shi, D., Wenger, S., Zakeeruddin, S.M., Grätzel, M., and Wang, P., 2009, Employ a bithienothiophene linker to construct an organic chromophore for efficient and stable dye-sensitized solar cells, *Energy Environ. Sci.*, 2, 92–95.
- Zhang, J., Li, H. Bin, Zhang, J.Z., Wu, Y., Geng, Y., Fu, Q., and Su, Z.M., 2013, A promising anchor group for efficient organic dye sensitized solar cells with iodine-free redox shuttles: A theoretical evaluation, *J. Mater. Chem. A*, 1, 14000–14007.
- Zhang, J., Zhu, H.C., Zhong, R.L., Wang, L., and Su, Z.M., 2018, Promising heterocyclic anchoring groups with superior adsorption stability and improved IPCE for high-efficiency noncarboxyl dye sensitized solar cells: A theoretical study, *Org. Electron.*, 54, 104–113.
- Zhang, N., Zhang, B., Yan, J., Xue, X., Peng, X., Li, Y., Yang, Y., Ju, C., Fan, C., and Feng, Y., 2015, Synthesis of π -A-porphyrins and their photoelectric performance for dye-sensitized solar cells, *Renew. Energy*, 77, 579–585.
- Zhang, W., Wu, Y., Zhu, H., Chai, Q., Liu, J., Li, H., Song, X., and Zhu, W.H., 2015, Rational Molecular Engineering of Indoline-Based D-A- π -A Organic Sensitizers for Long-Wavelength-Responsive Dye-Sensitized Solar Cells, *ACS Appl. Mater. Interfaces*, 7, 26802–26810.
- Zhang, Z.L., Zou, L.Y., Ren, A.M., Liu, Y.F., Feng, J.K., and Sun, C.C., 2013, Theoretical studies on the electronic structures and optical properties of star-shaped triazatruxene/heterofluorene co-polymers, *Dye. Pigment.*, 96, 349–363.
- Zhao, D., Saputra, R.M., Song, P., Yang, Y., Ma, F., and Li, Y., 2020, Enhanced photoelectric and photocatalysis performances of quinacridone derivatives by forming D- π -A-A structure, *Sol. Energy*, 201, 872–883.
- Zhu, H., Li, W., Wu, Y., Liu, B., Zhu, S., Li, X., Ågren, H., and Zhu, W., 2014, Insight into benzothiadiazole acceptor in D-A- π -A configuration on photovoltaic performances of dye-sensitized solar cells, *ACS Sustain. Chem. Eng.*, 2, 1026–1034.