



DAFTAR PUSTAKA

- Acharya, S. *et al.* (2019). Health care utilization and health care expenditure of Nepali older adults. *Frontiers in Public Health*, 7(FEB). Available at: <https://doi.org/10.3389/fpubh.2019.00024>.
- Alkhawaldeh, A. *et al.* (2014). A Cross-sectional study to examine factors associated with primary health care service utilization among older adults in the irbid governorate of jordan. *Current Gerontology and Geriatrics Research*. Available at: <https://doi.org/10.1155/2014/735235>.
- Allen MPH, H. L. *et al.* (2017). Socioeconomic status and non-communicable disease behavioural risk factors in low-income and lower-middle-income countries: a systematic review. *Articles Lancet Glob Health*. Available at: www.thelancet.com/lancetgh.
- Andersen, R. M. (1968). *A behavioral model of families' use of health services*. Chicago, IL: Center for Health Administration Studies.
- Andersen, R. M., Smedby, B., & Anderson, O. (1970). *Medical care use in Sweden and the United States—A comparative analysis of systems and behavior*. Chicago, IL: Center for Health Administration Studies.
- Andersen, R. M., Kravits, J., & Anderson, O. W. (1975). *Equity in health services: Empirical analyses in social policy*. Boston, MA: Ballinger.
- Andersen, R. M. (1995). Revisiting the behavioral model and access to medical care: Does it matter? *Journal of Health and Social Behavior*, 36, 1-10.
- Atella, V. *et al.* (2019). Trends in age-related disease burden and healthcare utilization. *Aging Cell*, 18(1). Available at: <https://doi.org/10.1111/acel.12861>.
- Azizah, A.N., Raodhah, S. and Alam, S. (2020). Utilization of The Chronic Disease Management Program During The Covid-19 Pandemic Pemanfaatan Program Pengelolaan Penyakit Kronis (Prolanis) Pada Masa Pandemi Covid-19. *Diversity: Disease Preventive of Research Integraty*, 1(1), 21-29.
- BPJS Kesehatan. (2014). *Panduan praktis Prolanis (Program pengelolaan penyakit kronis)*. Jakarta.
- BPJS Kesehatan. (2019). *Peraturan Badan Penyelenggara Jaminan Sosial Kesehatan Nomor 7 Tahun 2019 tentang Petunjuk Pelaksanaan Pembayaran Kapitasi Berbasis Kinerja pada Fasilitas Kesehatan Tingkat Pertama*. Jakarta.
- BPKP. (2022). Profil Kabupaten Sleman. <https://www.bpkp.go.id/diy/konten/830/Profil-Kabupaten-Sleman> diakses pada 20 Juni 2022



- BPS. (2022). *Kabupaten Sleman dalam Angka*. Sleman, *BPS-Statistics of Sleman Regency*.
- Caban-Martinez, A.J. *et al.* (2011). Health indicators among unemployed and employed young adults. *Journal of Occupational and Environmental Medicine*, 53(2), pp. 196–203. Available at: <https://doi.org/10.1097/JOM.0b013e318209915e>.
- Dahlan, S. (2014). *Statistik untuk Kedokteran dan Kesehatan Edisi 6*. Jakarta, Penerbit Salemba.
- Decapprio, D. *et al.* (2020). Building a COVID-19 Vulnerability Index. *Journal of Medical Artificial Intelligence*, 3(5), 20-47. doi:10.1101/2020.03.16.20036723.
- Dewi, F.S.T. *et al.* (2018). Designing and collecting data for a longitudinal study: the Sleman Health and Demographic Surveillance System (HDSS). *Scandinavian Journal of Public Health*, 46(7), pp. 704–710. Available at: <https://doi.org/10.1177/1403494817717557>.
- Febriani, W. M. (2019). Gambaran Perilaku Pencarian Pengobatan Pada Mahasiswa Fakultas Kesehatan Masyarakat Universitas Airlangga. *Jurnal PROMKES*, 7(2), p. 193. doi:10.20473/jpk.v7.i2.2019.193-203.
- Gao, J. *et al.* (2022). Blurred Boundaries: An Examination of Learning and Working in the Home During the COVID-19 Pandemic. *Current Issues in Comparative Education (CICE)*.
- Hairi, P. J. (2020). Implikasi Hukum Pembatasan Sosial Berskala Besar terkait Pencegahan COVID-19. *INFO Singkat*, 12(7), 1-6.
- HDSS Sleman. (2021). *Tentang HDSS Sleman*. <https://hdss.fk.ugm.ac.id/tentang-hdss-sleman/> diakses pada 22 Oktober 2021.
- HDSS Sleman. (2022). *Tentang HDSS Sleman*. <https://hdss.fk.ugm.ac.id/tentang-hdss-sleman/> diakses pada 20 Juni 2022.
- Hung, C.-C. *et al.* (2022). Impact of COVID-19 on the HIV care continuum in Asia: Insights from people living with HIV, key populations, and HIV healthcare providers. *PLOS ONE*. Edited by F. Jibran, 17(7), p. e0270831. Available at: <https://doi.org/10.1371/journal.pone.0270831>.
- Hussain, M. A. *et al.* (2016). Prevalence, awareness, treatment and control of hypertension in Indonesian adults aged ≥ 40 years: Findings from the Indonesia Family Life Survey (IFLS). *PLoS ONE*. Public Library of Science. doi:10.1371/journal.pone.0160922.
- Idris, F. (2015). Inovasi BPJS Kesehatan untuk Memperkuat Upaya Promotif Preventif yang Bersifat Perseorangan Menuju Gaya Hidup Sehat. In: *1st Annual Scientific Forum Indonesia Public*.
- Ikeda, T. *et al.* (2021). Health-Related Quality of Life during COVID-19 Pandemic: Assessing Impacts of Job Loss and Financial Support Programs in Japan.



- Applied Research in Quality of Life* [Preprint]. Available at: <https://doi.org/10.1007/s11482-021-09918-6>.
- Jaafar, H. et al. (2021). Assessing the Impact of Out-of-Pocket Expenditures for Prevention of COVID-19 Infection on Households: Evidence From Malaysia. *Inquiry (United States)*, 58. Available at: <https://doi.org/10.1177/00469580211062402>.
- Jansen, T. et al. (2018). The role of health literacy in explaining the association between educational attainment and the use of out-of-hours primary care services in chronically ill people: A survey study. *BMC Health Services Research*. BioMed Central Ltd. Available at: <https://doi.org/10.1186/s12913-018-3197-4>.
- June, M. et al. (2019). *Impact of the COVID-19 Pandemic on Emergency Department Visits. United States, January 1, 2019–May 30, 2020*. Available at: <https://www.hhs.gov/about/agencies/iea/regional-offices/index.html>.
- Kapoor, A. et al. (2020). Digital healthcare: The only solution for better healthcare during COVID-19 pandemic? *Indian Heart Journal*. Elsevier B.V., pp. 61–64. Available at: <https://doi.org/10.1016/j.ihj.2020.04.001>.
- Kementerian Kesehatan Republik Indonesia. (2013). *Pedoman Teknis Penemuan dan Tatalaksana Hipertensi*. Jakarta.
- Kementerian Kesehatan Republik Indonesia. (2018). *Manajemen Program Pencegahan dan Pengendalian Hipertensi dan Perhitungan Pencapaian SPM Hipertensi*. Jakarta.
- Kementerian Kesehatan Republik Indonesia. (2020). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 9 Tahun 2020 tentang Pedoman Pembatasan Sosial Berskala Besar dalam Rangka Percepatan Penanganan Corona Virus Disease 2019 (COVID-19)*. Jakarta.
- Kementerian Komunikasi dan Informatika Republik Indonesia. (2021). Dukung Telemedicine, Kominfo Gandeng Operator Seluler Jaga Kualitas Layanan. https://www.kominfo.go.id/content/detail/35541/dukung-telemedicine-kominfo-gandeng-operator-seluler-jaga-kualitas-layanan/0/berita_satker diakses pada 9 September 2022.
- Kompas. (2021). 7 Bantuan yang Digelontorkan Selama Pandemi Covid-19. <https://www.kompas.com/tren/read/2021/08/17/133000065/7-bantuan-yang-digelontorkan-selama-pandemi-covid-19-?page=all> diakses pada 2 Agustus 2022.
- Kundu, M. K. et al. (2018). A review on Noncommunicable Diseases (NCDs) burden, its socio-economic impact and the strategies for prevention and control of NCDs in India. *Indian journal of public health*, 62(4), pp. 302–304. doi:10.4103/ijph.IJPH_324_16.



- Kurnia, R. (2018). Penerapan KBK pada FKTP JKN. http://fk.ub.ac.id/seminaralumni/wp-content/uploads/2018/05/Sesi_1-3_materi_seminar_dr.Roni.pdf diakses pada 9 September 2022.
- Lakhani, H.V. et al. (2020). Systematic review of clinical insights into novel coronavirus (Covid-19) pandemic: Persisting challenges in U.S. rural population. *International Journal of Environmental Research and Public Health.* MDPI AG, pp. 1–14. Available at: <https://doi.org/10.3390/ijerph17124279>.
- Latan, H. (2014). *Aplikasi Analisis Data Statistik untuk Ilmu Sosial Sains dengan STATA*. Bandung: Alfabeta.
- Legido-Quigley, H. et al. (2019). Patients' experiences on accessing health care services for management of hypertension in rural Bangladesh, Pakistan and Sri Lanka: A qualitative study. *PLoS ONE*, 14(1). doi:10.1371/journal.pone.0211100.
- Lokadata.id. (2021). Layanan telemedicine: Berkembang saat pandemi, cerah di masa depan. <https://lokadata.id/artikel/layanan-telemedicine-berkembang-saat-pandemi-cerah-di-masa-depan> diakses pada 9 September 2022.
- Lopez, A. D. et al. (2014). Remembering the forgotten non-communicable diseases. *BMC Medicine*, 12:200. Available at: <http://www.biomedcentral.com/1741-7015/12/200>.
- Malta, D. C. et al. (2017). Noncommunicable diseases and the use of health services: Analysis of the National Health Survey in Brazil. *Revista de Saude Publica*, 51, pp. 1S-10S. doi:10.1590/S1518-8787.2017051000090.
- Mann, D. M. et al. (2020). COVID-19 transforms health care through telemedicine: Evidence from the field. *Journal of the American Medical Informatics Association*, 27(7), pp. 1132–1135. doi:10.1093/jamia/ocaa072.
- Marijon, E. et al. (2020). Out-of-hospital cardiac arrest during the COVID-19 pandemic in Paris, France: a population-based, observational study. *The Lancet Public Health*, 5(8), pp. e437–e443. doi:10.1016/S2468-2667(20)30117-1.
- Maulidati & Maharani. (2022). Evaluasi Program Pengelolaan Penyakit Kronis (Prolanis) pada Masa Pandemi COVID-19 di Puskesmas Temanggung. *Jurnal Kesehatan Masyarakat (e-Journal)*, 10(2), pp. 2715-5617. doi: 10.14710/jkm.v10i2.32800.
- Moynihan, R. et al. (2021). Impact of COVID-19 pandemic on utilisation of healthcare services: A systematic review. *BMJ Open*, 11(3). doi:10.1136/bmjopen-2020-045343.
- Nadar, S. K. et al. (2020). Managing hypertension during the COVID-19 pandemic. *Journal of Human Hypertension*. Springer Nature, pp. 415–417. doi:10.1038/s41371-020-0356-y.



- Nittari, G. *et al.* (2022). Telemedicine in the COVID-19 Era: A Narrative Review Based on Current Evidence. *International Journal of Environmental Research and Public Health*. MDPI. Available at: <https://doi.org/10.3390/ijerph19095101>.
- Okuyama, K. *et al.* (2019). Effect of geographic accessibility to primary care on treatment status of hypertension. *PLoS ONE*, 14(3). doi:10.1371/journal.pone.0213098.
- Peltzer, K. & Pengpid, S. (2018). The Prevalence and Social Determinants of Hypertension among Adults in Indonesia: A Cross-Sectional Population-Based National Survey. *International Journal of Hypertension*, 2018. doi:10.1155/2018/5610725.
- Peraturan Presiden Republik Indonesia. (2016). *Peraturan Presiden Republik Indonesia Nomor 19 Tahun 2016 tentang Perubahan Kedua atas Peraturan Presiden Nomor 12 Tahun 2013 tentang Jaminan Kesehatan*. Jakarta.
- Pham, Thang *et al.* (2019). Sex differences in quality of life and health services utilization among elderly people in rural Vietnam. *International Journal of Environmental Research and Public Health*, 16(1). Available at: <https://doi.org/10.3390/ijerph16010069>.
- Rhatomy, S. & Prasetyo, T. E. (2020). Impact of COVID-19 on primary care visits: lesson learnt from the early pandemic period. *Journal of Community Empowerment for Health*, 3(2), p. 102. doi:10.22146/jcoemph.57918.
- Riskesdas. (2018a). *Laporan Nasional Riskesdas 2018*. Jakarta.
- Riskesdas. (2018b). *Laporan Provinsi DI Yogyakarta Riskesdas 2018*. Jakarta.
- Sahoo, K. *et al.* (2021). Non-communicable diseases care during COVID-19 pandemic: A mixed-method study in Khurda district of Odisha, India. *Indian Journal of Medical Research*, 153(5), pp. 649–657. doi:10.4103/ijmr.IJMR_3185_20.
- Scaramuzza, A. *et al.* (2020). Changing admission patterns in paediatric emergency departments during the COVID-19 pandemic. *Archives of Disease in Childhood*. BMJ Publishing Group, pp. 704–706. doi:10.1136/archdischild-2020-319397.
- Suryani, I., Isdiyani, N. & Kusumayanti, G. D. (2018). *Dietetik Penyakit Tidak Menular*. Jakarta: Kementrian Kesehatan Republik Indonesia.
- Syahrir, M. & Sabilu, Y. (2021). Hubungan Pemanfaatan Sarana Pelayanan dengan Kejadian Hipertensi Pada Masyarakat Pesisir Kecamatan Kolono Timur. *Nursing Care and Health Technology Journal*, 1(2), 64-71.
- Tesfaye, G. *et al.* (2019). Predisposing, enabling and need factors associated with skilled delivery care utilization among reproductive-aged women in Kersa district, eastern Ethiopia. *Reproductive Health*, 16(1). doi:10.1186/s12978-019-0829-z.



- Tran, B.X. *et al.* (2015). Longitudinal and cross sectional assessments of health utility in adults with HIV/AIDS: A systematic review and meta-analysis Quality, performance, safety and outcomes. *BMC Health Services Research*, 15(1). Available at: <https://doi.org/10.1186/s12913-014-0640-z>.
- Tuoyire, D.A. and Ayetey, H. (2019). Gender differences in the association between marital status and hypertension in Ghana. *Journal of Biosocial Science*, 51(3), pp. 313–334. Available at: <https://doi.org/10.1017/S0021932018000147>.
- Vidyattama, Y., Miranti, R. and Resosudarmo, B.P. (2014) “The Role of Health Insurance Membership in Health Service Utilisation in Indonesia,” *Bulletin of Indonesian Economic Studies*, 50(3), pp. 393–413. Available at: <https://doi.org/10.1080/00074918.2014.980380>.
- Wandira, Hidayat, U. R., & Purnomo, A. (2020). Hubungan Tingkat Pengetahuan tentang Pengendalian Hipertensi dan Tingkat Pemanfaatan Fasilitas Kesehatan dengan Terjadinya Hipertensi di Wilayah Kerja Puskesmas Sungai Kakap. *Khatulistiwa Nursing Journal*, 2(1), 1-9.
- Wang, Q., Zhang, D. and Hou, Z. (2016). Insurance coverage and socioeconomic differences in patient choice between private and public health care providers in China. *Social Science and Medicine*, 170, pp. 124–132. Available at: <https://doi.org/10.1016/j.socscimed.2016.10.016>.
- Whaley, C.M. *et al.* (2020). Changes in Health Services Use among Commercially Insured US Populations during the COVID-19 Pandemic. *JAMA Network Open*, 3(11). Available at: <https://doi.org/10.1001/jamanetworkopen.2020.24984>.
- Widayanti, A. N. *et al.* (2020). Health-Seeking Behavior of People in Indonesia: A Narrative Review. *Journal of Epidemiology and Global Health*, 10(1), pp. 6–15. doi: <https://doi.org/10.2991/jegh.k.200102.001>.
- Wolf, M.S. *et al.* (2020). Awareness, Attitudes, and Actions Related to COVID-19 among Adults with Chronic Conditions at the Onset of the U.S. Outbreak; A Cross-sectional Survey. *Annals of Internal Medicine*. American College of Physicians, pp. 100–109. Available at: <https://doi.org/10.7326/M20-1239>.
- World Health Organization. (2018). *Noncommunicable Disease Country Profiles 2018 in World Health Organization*. Geneva, Switzerland. <https://apps.who.int/iris/handle/10665/274512> diakses pada 22 Oktober 2021.
- World Health Organization. (2020). *Naming the coronavirus disease (COVID-19) and the virus that causes it*. Geneva, Switzerland. <https://www.who.int/emergencies/diseases/novel-coronavirus->



UNIVERSITAS
GADJAH MADA

Faktor-Faktor yang Memengaruhi Pola Akses dan Pemanfaatan Pelayanan Kesehatan pada Pasien Hipertensi
Sebelum dan Selama Masa Pandemi COVID-19 Di Kabupaten Sleman
IDLOHATUD DILALAH, Prof. Dra. Yayi Suryo Prabandari, M.Si., Ph.D; dr. Bagas Suryo Bintoro, Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

2019/technical-guidance/naming-the-coronavirus-disease-(COVID-2019)-
and-the-virus-that-causes-it diakses pada 22 Oktober 2021.

- Wu, C. *et al.* (2020). Risk Factors Associated With Acute Respiratory Distress Syndrome and Death in Patients With Coronavirus Disease 2019 Pneumonia in Wuhan, China Supplemental content. *JAMA Intern Med*, 180(7), pp. 934–943. doi:10.1001/jamainternmed.2020.0994.
- Yang, P. Q. & Hwang, S. H. (2016). Explaining Immigrant Health Service Utilization: A Theoretical Framework. *SAGE Open*, 6(2). doi:10.1177/2158244016648137.
- Zhao, Y. *et al.* (2019). Trends and inequalities in the health care and hypertension outcomes in China, 2011 to 2015. *International Journal of Environmental Research and Public Health*, 16(22). doi:10.3390/ijerph16224578.
- Zhou, F. *et al.* (2020). Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. *The Lancet*, 395(10229), pp. 1054–1062. doi:10.1016/S0140-6736(20)30566-3.