



DAFTAR PUSTAKA

- Algi, M. P., dan Okay, O. (2014). Highly stretchable self-healing poly(N,N-dimethylacrylamide) hydrogels. *European Polymer Journal*, 59, 113–121.
- Alryalat, S. A., dan Momani, S. (2019). *A Beginner's Guide to Using Open Access Data*. Boca Raton: CRC Press, 67.
- American Type Culture Collection (2021). *Streptococcus mutans Clarke ATCC 25175*, 1-6.
- Ardhani, R., Setyaningsih, Hafiyah, O. A., dan Ana, I. D. (2016). Preparation of carbonated apatite membrane as metronidazole delivery system for periodontal application. *Key Engineering Materials*, 696, 250–258.
- Bennour, S., dan Louzri, F. (2014). Study of Swelling Properties and Thermal Behavior of Poly(N,N-Dimethylacrylamide-co-Maleic Acid) Based Hydrogels. *Advances in Chemistry*, 1–10.
- Cahaya, C., dan Masulili, S. L. C. (2015). Perkembangan Terkini Membran Guided Tissue Regeneration/Guided Bone Regeneration sebagai Terapi Regenerasi Jaringan Periodontal. *Majalah Kedokteran Gigi Indonesia*, 1(1), 1–11.
- Chauhan, S., Bansal, M., Khan, G., Yadav, S. K., Singh, A. K., Prakash, P., dan Mishra, B. (2018). Development, optimization and evaluation of curcumin loaded biodegradable crosslinked gelatin film for the effective treatment of periodontitis. *Drug Development and Industrial Pharmacy*, 44(7), 1212–1221.
- Cheng, C. F., Wu, K. M., Chen, Y. T., dan Hung, S. L. (2015). Bacterial adhesion to antibiotic-loaded guided tissue regeneration membranes - A scanning electron microscopy study. *Journal of the Formosan Medical Association*, 114(1), 35–45.
- Cheng, Y., Feng, G., dan Moraru, C. I. (2019). Micro-and nanotopography sensitive bacterial attachment mechanisms. *Frontiers in Microbiology*, 10(191), 1–17.
- Contardo, M. S., Díaz, N., Lobos, O., Padilla, C., dan Giacaman, R. A. (2011). Oral colonization by *Streptococcus mutans* and its association with the severity of periodontal disease in adults. *Revista Clínica de Periodoncia, Implantología y Rehabilitación Oral*, 4(1), 9–12.
- Dani, S., Prabhu, A., Chaitra, K., Desai, N., Patil, S., dan Rajeev, R. (2016). Assessment of *Streptococcus mutans* in healthy versus gingivitis and chronic periodontitis: A clinico-microbiological study. *Contemporary Clinical Dentistry*, 7, 529–534.



- Davis, C. (2013). *SPSS for Applied Sciences; Basic Statistical Testing*. Collingwood: CSIRO Publishing, 98.
- Ganji, K. K., dan Chandra, R. V. (2018). Bacterial adherence on 5, 10 and 15 nm nanosilver-impregnated guided tissue regeneration membranes: An in vitro study. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 9, 1–7.
- Georgiev, R., Todorova, L., Christova, D., Georgieva, B., Vasileva, M., dan Babeva, T. (2016). Influence of PEO , PDMAA and corresponding di- and triblock copolymers on the optical properties of niobia thin films Influence of PEO , PDMAA and corresponding di- and triblock copolymers on the optical properties of niobia thin films. *Bulgarian Chemical Communications*, 48, 167–172.
- Grover, C. N., Gwynne, J. H., Pugh, N., Hamaia, S., Farndale, R. W., Best, S. M., dan Cameron, R. E. (2012). Crosslinking and composition influence the surface properties, mechanical stiffness and cell reactivity of collagen-based films. *Acta Biomaterialia*, 8, 3080–3090.
- Harsas, N. A., Safira, D., Aldilavita, H., Yukiko, I., Prabu, M., Saadi, M. T., Muchlisya, S. (2021). Curettage Treatment on Stage III and IV Periodontitis Patients. *Journal of Indonesian Dental Association*, 4(1), 47–54.
- Hastuti, D., dan Sumpe, I. (2007). Pengenalan dan Proses Pembuatan Gelatin. *Mediagro*, 3(1), 39-48.
- Huang, R., Li, M., dan Gregory, R. L. (2011). Bacterial interactions in dental biofilm. *Virulence*, 2(5), 435–444.
- Huang, S., Wu, T., dan Yu, H. (2013). Biomimetics Using Nanotechnology/Nanoparticles in Dental Tissue Regeneration. In K. Subramani, W. Ahmed, & J. K. Hartsfield (Eds.), *Nanobiomaterials in Clinical Dentistry*. Oxford: Elsevier, 411–428.
- Hurt, A. P., Kotha, A. K., Trivedi, V., dan Coleman, N. J. (2015). Bioactivity, biocompatibility and antimicrobial properties of a chitosan-mineral composite for periodontal tissue regeneration. *Polimeros*, 25(3), 311–316.
- Ihabilla, D.I. (2020). *Perbedaan Kekuatan Tarik (Tensile Strength) pada Film Gelatin-Karbonat Apatit (CHA) dengan Variasi Persentase Poly-N,N-Dimethylacrylamide*. Yogyakarta: Skripsi Fakultas Kedokteran Gigi UGM. 1–65.
- Ismanto, H., dan February, S. (2021). *Aplikasi SPSS dan Eviews Dalam Analisis Data Penelitian*. Sleman: Deepublish, 40.
- Jeyachandran, Y. L., dan Narayandass, S. K. (2010). The effect of thickness of



titanium nitride coatings on bacterial adhesion. *Trends in Biomaterials and Artificial Organs*, 24(1), 90–93.

Kang, S., Lee, M., Kang, M., Noh, M., Jeon, J., Lee, Y., dan Seo, J. H. (2016). Development of anti-biofouling interface on hydroxyapatite surface by coating zwitterionic MPC polymer containing calcium-binding moieties to prevent oral bacterial adhesion. *Acta Biomaterialia*, 1–8.

Kelvii Kwok, Y. (2020). Wettability on Different Surfaces. In P. Pham, P. Goel, S. Kumar, dan K. Yadav (Eds.), *21st Century Surface Science* (pp. 1–9). London: IntechOpen.

Kihara, N., Yanaze, K., Yokoyama, S., dan Kaneko, M. (2019). Dissolution of a transparent cross-linked polymer monolith in water by oxidative de-crosslinking. *Polymer Journal*, 51(10), 1007–1013.

Komara, I., Rusminah, N., Hendiani, I., Sopiatin, S., dan Utami, N. D. (2018). The Effect of Apatite Carbonate Membrane Application on Periodontal Tissue after Scaling and Root Planing Treatment. *International Journal of Chemical Technology Research*, 11(9), 162–169.

Larsen, J. O. (1998). Stereology of nerve cross sections. *Journal of Neuroscience Methods*, 85(1), 107–118.

Lazarova, K., Todorova, D., Christova, D., Vasileva, M., Georgiev, R., Madjarova, V., dan Babeva, T. (2017). Thin films from hydrophilic poly(N,N-dimethyl acrylamide) copolymers as optical indicators for humidity. *Journal of Physics: Conference Series*, 794(1), 1–6.

Lee, H. S., Byun, S. H., Cho, S. W., dan Yang, B. E. (2019). Past, present, and future of regeneration therapy in oral and periodontal tissue: A review. *Applied Sciences (Switzerland)*, 9, 1–19.

Li, S., Yu, W., Zhang, W., Zhang, G., Yu, L., dan Lu, E. (2018). Evaluation of highly carbonated hydroxyapatite bioceramic implant coatings with hierarchical micro-/nanorod topography optimized for osseointegration. *International Journal of Nanomedicine*, 13, 3643–3659.

Mokkapati, V. R. S. S., Koseoglu-Imer, D. Y., Yilmaz-Deveci, N., Mijakovic, I., dan Koyuncu, I. (2017). Membrane properties and anti-bacterial/anti-biofouling activity of polysulfone-graphene oxide composite membranes phase inverted in graphene oxide non-solvent. *The Royal Society of Chemistry*, 7, 4378–4386.

Ozzello, E., Mollea, C., Bosco, F., dan Bongiovanni, R. (2017). Factors Influencing Biofouling and Use of Polymeric Materials to Mitigate It. In K. L. Mittal & F. M. Etzler (Eds.), *Adhesion in Pharmaceutical, Biomedical and Dental Fields*.



Torino: Scrivener Publishing LLC, 185–206.

- Patriati, A., Ardhani, R., Pranowo, H. D., Putra, E. G. R., dan Ana, I. D. (2016). The effect of freeze-Thaw treatment to the properties of gelatin-Carbonated hydroxy apatite membrane for nerve regeneration scaffold. *Key Engineering Materials*, 696, 129–144.
- Pellegrini, G., Pagni, G., dan Rasperini, G. (2013). Surgical approaches based on biological objectives: GTR versus GBR techniques. *International Journal of Dentistry*, 1–13.
- Pidhatika, B., Zhao, N., Zinggeler, M., dan Rühe, J. (2019). Surface-attached dual-functional hydrogel for controlled cell adhesion based on poly(N,N-dimethylacrylamide). *Journal of Polymer Research*, 26(69), 1–12.
- Prajatelistia, E., Sanandiya, N. D., Nurrochman, A., Marseli, F., Choy, S., dan Hwang, D. S. (2021). Biomimetic Janus chitin nanofiber membrane for potential guided bone regeneration application. *Carbohydrate Polymers*, 251, 1–7.
- Robertson, J., McGoverin, C., Vanholsbeeck, F., dan Swift, S. (2019). Optimisation of the protocol for the liVE/DEAD®BacLight™ bacterial viability kit for rapid determination of bacterial load. *Frontiers in Microbiology*, 10, 1–13.
- Sheikh, Z., Abdallah, M. N., Hamdan, N., Javaid, M. A., dan Khurshid, Z. (2014). Barrier membranes for periodontal guided tissue regeneration applications. In J. P. Matlinlinna (Ed.), *Handbook of Oral Biomaterials*. Stanford: Pan Stanford Publishing, 605–636.
- Smith, J. R., dan Larson, C. (2019). Statistical approaches in surface finishing. Part 2. non-parametric methods for data analysis. *Transactions of the Institute of Metal Finishing*, 97(1), 1–14.
- Smith, M. F. (1983). *Sampling Considerations in Evaluating Cooperative Extension Programs*. Beltsville: University of Florida, 5.
- Tyastirin, E., dan Hidayati, I. (2017). *Statistik parametrik untuk penelitian kesehatan*. Surabaya: Program Studi Arsitektur UIN Sunan Ampel, 30-33.
- Wang, J., Wang, L., Zhou, Z., Lai, H., Xu, P., Liao, L., dan Wei, J. (2016). Biodegradable polymer membranes applied in guided bone/tissue regeneration: A review. *Polymers*, 8(115), 1–20.
- Wei, X., Fu, C., Savino, K., dan Yates, M. Z. (2012). Carbonated hydroxyapatite coatings with aligned crystal domains. *Crystal Growth and Design*, 12, 3474–3480.
- Wendradi, S.P. (2020). *Perbedaan Air-Water Contact Angle pada Film Gelatin-*



CHA dengan Variasi Persentase Poly-N,N-Dimethylacrylamide. Yogyakarta:
Skripsi Fakultas Kedokteran Gigi UGM. 1-53.

- Yang, X., Zhang, B., Liu, Z., Deng, B., Yu, M., Li, L., Li, J. (2011). Preparation of the antifouling microfiltration membranes from poly(N,N-dimethylacrylamide) grafted poly(vinylidene fluoride) (PVDF) powder. *Journal of Materials Chemistry*, 21, 11908–11915.
- Yuan, Y., dan Lee, R. (2013). Contact Angle and Wetting Properties, in Bracco, G. dan Holst, B. In G. Bracco & B. Holst (Eds.), *Surface Sciences Techniques*. Berlin: Springer, 3-34.
- Yulianto, H. D. K., dan Morita. (2014). Potensi Herbal Buah Mahkota Dewa (*Phaleria Macrocarpa* (scheff.) Boerl) yang Dimanfaatkan Sebagai Modifikator Permukaan dan Anti-Adhesi Bakteri *Streptococcus mutans* pada permukaan Material Restorasi Resin Komposit. *Dentika Dental Journal*, 18(2), 158–164.
- Zhou, L., Wong, H. M., dan Li, Q. L. (2020). Anti-biofouling coatings on the tooth surface and hydroxyapatite. *International Journal of Nanomedicine*, 15, 8963–8982.