

DAFTAR PUSTAKA

- [1] World Health Organization, “Disability and health,” 2018.
<https://www.who.int/news-room/fact-sheets/detail/disability-and-health>
(accessed Apr. 09, 2020).
- [2] International Neuromodulation Society, “Motor Impairment,” 2012.
<https://www.neuromodulation.com/motor-impairment> (accessed Apr. 09, 2020).
- [3] World Health Organization, “Assistive technology.”
https://www.who.int/health-topics/assistive-technology#tab=tab_1
(accessed Apr. 09, 2020).
- [4] B. E. Olivás-Padilla and M. I. Chacon-Murguía, “Classification of multiple motor imagery using deep convolutional neural networks and spatial filters,” *Appl. Soft Comput. J.*, vol. 75, pp. 461–472, 2019, doi: 10.1016/j.asoc.2018.11.031.
- [5] A. Kübler, “Brain-computer interfaces for communication in paralysed patients and implications for disorders of consciousness,” *Neurol. Conscious.*, pp. 217–233, 2009, doi: 10.1016/B978-0-12-374168-4.00017-4.
- [6] M. Vilela and L. R. Hochberg, *Applications of brain-computer interfaces to the control of robotic and prosthetic arms*, 1st ed., vol. 168. Elsevier B.V., 2020.
- [7] Z. Zhang *et al.*, “A Novel Deep Learning Approach with Data Augmentation to Classify Motor Imagery Signals,” *IEEE Access*, vol. 7, pp. 15945–15954, 2019, doi: 10.1109/ACCESS.2019.2895133.
- [8] D. Li, J. Wang, J. Xu, and X. Fang, “Densely Feature Fusion Based on Convolutional Neural Networks for Motor Imagery EEG Classification,” *IEEE Access*, vol. 7, pp. 132720–132730, 2019, doi: 10.1109/ACCESS.2019.2941867.
- [9] L. Cheng, D. Li, G. Yu, Z. Zhang, X. Li, and S. Yu, “A motor imagery EEG feature extraction method based on energy principal component analysis and

- deep belief networks,” *IEEE Access*, vol. 8, pp. 21453–21472, 2020, doi: 10.1109/ACCESS.2020.2969054.
- [10] M. K. M. Rahman and M. A. M. Joadder, “A space - frequency localized approach of spatial filtering for motor imagery classification,” *Heal. Inf. Sci. Syst.*, 2020, doi: 10.1007/s13755-020-00106-8.
- [11] M. Tariq, P. M. Trivailo, and M. Simic, “Classification of left and right knee extension motor imagery using common spatial pattern for BCI applications,” *Procedia Comput. Sci.*, vol. 159, pp. 2598–2606, 2019, doi: 10.1016/j.procs.2019.09.256.
- [12] Y. Guo, Y. Zhang, Z. Chen, Y. Liu, and W. Chen, “EEG classification by filter band component regularized common spatial pattern for motor imagery,” *Biomed. Signal Process. Control*, vol. 59, p. 101917, 2020, doi: 10.1016/j.bspc.2020.101917.
- [13] Y. Park and W. Chung, “Frequency-Optimized Local Region Common Spatial Pattern Approach for Motor Imagery Classification,” *IEEE Trans. Neural Syst. Rehabil. Eng.*, vol. 27, no. 7, pp. 1378–1388, 2019, doi: 10.1109/TNSRE.2019.2922713.
- [14] S. Chaudhary, S. Taran, V. Bajaj, and S. Siuly, “A flexible analytic wavelet transform based approach for motor-imagery tasks classification in BCI applications,” *Comput. Methods Programs Biomed.*, vol. 187, p. 105325, 2020, doi: 10.1016/j.cmpb.2020.105325.
- [15] G. Xu *et al.*, “A Deep Transfer Convolutional Neural Network Framework for EEG Signal Classification,” *IEEE Access*, vol. 7, pp. 112767–112776, 2019, doi: 10.1109/ACCESS.2019.2930958.
- [16] A. Al-Saegh, S. A. Dawwd, and J. M. Abdul-Jabbar, “Deep learning for motor imagery EEG-based classification: A review,” *Biomed. Signal Process. Control*, vol. 63, no. June 2020, p. 102172, 2021, doi: 10.1016/j.bspc.2020.102172.
- [17] H. Altaheri *et al.*, *Deep learning techniques for classification of electroencephalogram (EEG) motor imagery (MI) signals: a review*, vol. 5,

- no. D1. Springer London, 2021.
- [18] A. F. Nugraha, N. A. Setiawan, and H. A. Nugroho, “PENINGKATAN KINERJA KLASIFIKASI ISYARAT ELECTROENCEPHALOGRAPH (EEG) MENGGUNAKAN KOMBINASI ALGORITME MULTIVARIATE EMPIRICAL MODE DECOMPOSITION (MEMD) DAN SHORT TIME FOURIER TRANSFORM (STFT),” 2018.
- [19] Y. Rong, X. Wu, and Y. Zhang, “Classification of motor imagery electroencephalography signals using continuous small convolutional neural network,” *Int. J. Imaging Syst. Technol.*, vol. 30, no. 3, pp. 653–659, 2020, doi: 10.1002/ima.22405.
- [20] A. Dosovitskiy *et al.*, “An Image is Worth 16x16 Words: Transformers for Image Recognition at Scale,” 2020, [Online]. Available: <http://arxiv.org/abs/2010.11929>.
- [21] S. H. Lee, S. Lee, and B. C. Song, “Vision Transformer for Small-Size Datasets,” 2021, [Online]. Available: <http://arxiv.org/abs/2112.13492>.
- [22] A. Ak, V. Topuz, and I. Midi, “Motor imagery EEG signal classification using image processing technique over GoogLeNet deep learning algorithm for controlling the robot manipulator,” *Biomed. Signal Process. Control*, vol. 72, no. PA, p. 103295, 2022, doi: 10.1016/j.bspc.2021.103295.
- [23] K. Zhang *et al.*, “Data augmentation for motor imagery signal classification based on a hybrid neural network,” *Sensors (Switzerland)*, vol. 20, no. 16, pp. 1–20, 2020, doi: 10.3390/s20164485.
- [24] P. Kant, S. H. Laskar, J. Hazarika, and R. Mahamune, “CWT Based Transfer Learning for Motor Imagery Classification for Brain computer Interfaces,” *J. Neurosci. Methods*, vol. 345, no. February, p. 108886, 2020, doi: 10.1016/j.jneumeth.2020.108886.
- [25] S. Roy, A. Chowdhury, K. McCreadie, and G. Prasad, “Deep Learning Based Inter-subject Continuous Decoding of Motor Imagery for Practical Brain-Computer Interfaces,” *Front. Neurosci.*, vol. 14, no. September, pp. 1–16, 2020, doi: 10.3389/fnins.2020.00918.

- [26] K. Zhang *et al.*, “Instance Transfer Subject-Dependent Strategy for Motor Imagery Signal Classification Using Deep Convolutional Neural Networks,” *Comput. Math. Methods Med.*, vol. 2020, no. MI, 2020, doi: 10.1155/2020/1683013.
- [27] F. Li, F. He, F. Wang, D. Zhang, Y. Xia, and X. Li, “A novel simplified convolutional neural network classification algorithm of motor imagery EEG signals based on deep learning,” *Appl. Sci.*, vol. 10, no. 5, 2020, doi: 10.3390/app10051605.
- [28] H. Alwasiti, M. Z. Yusoff, and K. Raza, “Motor Imagery Classification for Brain Computer Interface Using Deep Metric Learning,” *IEEE Access*, vol. 8, pp. 109949–109963, 2020, doi: 10.1109/ACCESS.2020.3002459.
- [29] N. Shajil, S. Mohan, P. Srinivasan, J. Arivudaiyanambi, and A. Arasappan Murrugesan, “Multiclass Classification of Spatially Filtered Motor Imagery EEG Signals Using Convolutional Neural Network for BCI Based Applications,” *J. Med. Biol. Eng.*, vol. 40, no. 5, pp. 663–672, 2020, doi: 10.1007/s40846-020-00538-3.
- [30] M. Dai, D. Zheng, R. Na, S. Wang, and S. Zhang, “EEG classification of motor imagery using a novel deep learning framework,” *Sensors (Switzerland)*, vol. 19, no. 3, pp. 1–16, 2019, doi: 10.3390/s19030551.
- [31] Y. Athavale and S. Krishnan, *Time-Frequency Distributions in Biomedical Signal Processing*, vol. 1–3. Elsevier Inc., 2019.
- [32] S. Aggarwal and N. Chugh, “Signal processing techniques for motor imagery brain computer interface: A review,” *Array*, vol. 1–2, no. August, p. 100003, 2019, doi: 10.1016/j.array.2019.100003.
- [33] S. C. Wong, A. Gatt, V. Stamatescu, and M. D. McDonnell, “Understanding Data Augmentation for Classification: When to Warp?,” *2016 Int. Conf. Digit. Image Comput. Tech. Appl. DICTA 2016*, 2016, doi: 10.1109/DICTA.2016.7797091.
- [34] C. Shorten and T. M. Khoshgoftaar, “A survey on Image Data Augmentation for Deep Learning,” *J. Big Data*, vol. 6, no. 1, 2019, doi: 10.1186/s40537-

019-0197-0.

- [35] E. Lashgari, D. Liang, and U. Maoz, "Data Augmentation for Deep-Learning-Based Electroencephalography," *J. Neurosci. Methods*, vol. 346, no. July, p. 108885, 2020, doi: 10.1016/j.jneumeth.2020.108885.
- [36] Y. Li, X. R. Zhang, B. Zhang, M. Y. Lei, W. G. Cui, and Y. Z. Guo, "A Channel-Projection Mixed-Scale Convolutional Neural Network for Motor Imagery EEG Decoding," *IEEE Trans. Neural Syst. Rehabil. Eng.*, vol. 27, no. 6, pp. 1170–1180, 2019, doi: 10.1109/TNSRE.2019.2915621.
- [37] M. Parvan, A. R. Ghiasi, T. Y. Rezaii, and A. Farzamnia, "Transfer Learning based Motor Imagery Classification using Convolutional Neural Networks," *ICEE 2019 - 27th Iran. Conf. Electr. Eng.*, pp. 1825–1828, 2019, doi: 10.1109/IranianCEE.2019.8786636.
- [38] B. Yang, C. Fan, C. Guan, X. Gu, and M. Zheng, "A Framework on Optimization Strategy for EEG Motor Imagery Recognition," *Proc. Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. EMBS*, no. 99, pp. 774–777, 2019, doi: 10.1109/EMBC.2019.8857672.
- [39] Q. Zhang and Y. Liu, "Improving brain computer interface performance by data augmentation with conditional Deep Convolutional Generative Adversarial Networks," 2018, [Online]. Available: <http://arxiv.org/abs/1806.07108>.
- [40] G. Dai, J. Zhou, J. Huang, and N. Wang, "HS-CNN: A CNN with Hybrid Convolutional Scale for EEG Motor Imagery Classification," *J. Neural Eng.*, vol. 17(1), no. January, p. 016025, 2020, doi: 10.1080/15248372.2013.767261.
- [41] Z. Tayeb *et al.*, "Validating deep neural networks for online decoding of motor imagery movements from eeg signals," *Sensors (Switzerland)*, vol. 19, no. 1, 2019, doi: 10.3390/s19010210.
- [42] E. Sejdi and I. Djurovi, "Time-Frequency Feature Representation Using Energy Concentration : An Overview of Recent Advances," pp. 1–54.
- [43] G. Papanastasiou, A. Drigas, C. Skianis, and M. Lytras, "Heliyon Brain

- computer interface based applications for training and rehabilitation of students with neurodevelopmental disorders . A literature review,” *Heliyon*, vol. 6, no. July 2019, p. e04250, 2020, doi: 10.1016/j.heliyon.2020.e04250.
- [44] K. Zhu, S. Wang, D. Zheng, and M. Dai, “Study on the effect of different electrode channel combinations of motor imagery EEG signals on classification accuracy,” *J. Eng.*, vol. 2019, no. 23, pp. 8641–8645, 2019, doi: 10.1049/joe.2018.9073.
- [45] J. Wang, Z. Feng, X. Ren, N. Lu, J. Luo, and L. Sun, “Feature subset and time segment selection for the classification of EEG data based motor imagery,” *Biomed. Signal Process. Control*, vol. 61, 2020, doi: 10.1016/j.bspc.2020.102026.
- [46] S. U. Amin, M. Alsulaiman, G. Muhammad, M. A. Mekhtiche, and M. Shamim Hossain, “Deep Learning for EEG motor imagery classification based on multi-layer CNNs feature fusion,” *Futur. Gener. Comput. Syst.*, vol. 101, pp. 542–554, 2019, doi: 10.1016/j.future.2019.06.027.
- [47] A. Chahal and P. Gulia, “Machine learning and deep learning,” *Int. J. Innov. Technol. Explor. Eng.*, vol. 8, no. 12, pp. 4910–4914, 2019, doi: 10.35940/ijitee.L3550.1081219.
- [48] A. Vaswani, “Attention Is All You Need,” no. Nips, 2017.
- [49] “What is MATLAB? - MATLAB & Simulink.” <https://www.mathworks.com/discovery/what-is-matlab.html> (accessed Nov. 15, 2020).
- [50] “What is Python? Executive Summary | Python.org.” <https://www.python.org/doc/essays/blurb/> (accessed Jun. 07, 2022).
- [51] “Google Colab.” <https://research.google.com/colaboratory/faq.html> (accessed Jul. 06, 2022).
- [52] “BCI Competition IV.” <http://www.bbc.de/competition/iv/#download> (accessed Nov. 15, 2020).
- [53] B. C, L. R, M.-P. G, R, S. A, and P. G, ““BCI Competition 2008 – Graz data

set A,” pp. 1–6, 2008.

- [54] E. Larson *et al.*, “mne-tools/mne-python: v1.0.3,” May 2022, doi: 10.5281/ZENODO.6543060.
- [55] “Train a Vision Transformer on small datasets.” https://keras.io/examples/vision/vit_small_ds/ (accessed Jun. 09, 2022).
- [56] H. Takagi, “Statistical Tests for Computational Intelligence Research and Human Subjective Tests.” <http://www.design.kyushu-u.ac.jp/~takagi/> (accessed Aug. 22, 2022).