

DAFTAR PUSTAKA

- Adamczak, A., Ożarowski, M., and Karpiński, T.M., 2020, Curcumin, a natural antimicrobial agent with strain-specific activity, *Pharmaceuticals*, 13(7), 1–12.
- Alsari, P.A., 2021, Aktivitas Antimalaria Analog Kurkumin Hasil Sintesis Sinamaldehida dengan Variasi Keton dan Studi In Silico terhadap Enzim *Plasmodium falciparum* Lactate Dehydrogenase (P_fLDH), *Skripsi*, Program Studi Kimia, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Andromeda, Ekawardhani, S., and Berbudi, A., 2020, The role of Curcumin as an antimalarial agent, *Sys Revi Pharm*, 11(7), 18–25.
- Anonim, 2007, *Field Application of In Vitro Assays for The Sensitivity of Human Malaria Parasites to Antimalarial Drugs*, World Health Organization, Geneva.
- Anonim, 2021a, *World Malaria Report*, World Health Organization, Geneva.
- Anonim, 2021b, *Profil Kesehatan Indonesia 2020*, Kementerian Kesehatan Republik Indonesia 2021, Jakarta.
- Asih, P.B.S., Dewi, R.M., Tuti, S., Sadikin, M., Sumarto, W., Sinaga, B., Van Der Ven, A.J.A.M., Sauerwein, R.W., and Syafruddin, D., 2009, Efficacy of artemisinin-based combination therapy for treatment of persons with uncomplicated *Plasmodium falciparum* malaria in West Sumba District, East Nusa Tenggara Province, Indonesia, and genotypic profiles of the parasite, *Am. J. Trop. Med. Hyg.*, 80(6), 914–918.
- Astuti, E., Raharjo, T.J., Boangmanalu, P.M., Satria, I., Putra, R., Satria, S., Waskitha, W., and Solin, J., 2021, Synthesis , Molecular Docking , and Evaluation of Some New Curcumin Analogs as Antimalarial Agents, *Indones.J.Chem.*, 21(2), 452–461.
- Aykul, S. and Martinez-Hackert, E., 2016, Determination of half-maximal inhibitory concentration using biosensor-based protein interaction analysis, *Anal. Biochem.*, 508, 97–103.
- Balaji, S.N., Ahsan, M.J., Jadav, S.S., and Trivedi, V., 2015, Molecular modelling, synthesis, and antimalarial potentials of curcumin analogues containing heterocyclic ring, *Arab. J. Chem.*, 12(8), 2492–2500.
- Basyar, M.A., 2021, Sintesis dan Uji Aktivitas Antimalaria Analog Kurkumin dari 2-metoksibenzaldehida dengan Variasi Keton serta Penambatan Molekuler terhadap Protein P_fLDH, *Skripsi*, Program Studi Kimia, Departemen Kimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.

- Batista, R., De Jesus Silva Júnior, A., and De Oliveira, A.B., 2009, Plant-derived antimalarial agents: New leads and efficient phytomedicines. part II. non-alkaloidal natural products, *Molecules*, 14(8), 3037–3072.
- Benedetti, M.S., Whomsley, R., Poggesi, I., Cawello, W., Mathy, F.X., Delporte, M.L., Papeleu, P., and Watelet, J.B., 2009, Drug metabolism and pharmacokinetics, *Drug Metab. Rev.*, 41(3), 344–390.
- Bernaldez, M.J.A., Billones, J.B., and Magpantay, A., 2018, In silico analysis of binding interactions between GSK983 and human DHODH through docking and molecular dynamics, *AIP Conf. Proc.*, 2045.
- Bikadi, Z. and Hazai, E., 2009, Application of the PM6 semi-empirical method to modeling proteins enhances docking accuracy of AutoDock, *J. Cheminform.*, 1(1), 1–16.
- Boittier, E.D., Tang, Y.Y., Buckley, M.E., Schuurs, Z.P., Richard, D.J., and Gandhi, N.S., 2020, Assessing molecular docking tools to guide targeted drug discovery of cd38 inhibitors, *Int. J. Mol. Sci.*, 21(15), 1–19.
- Butt, S.S., Badshah, Y., Shabbir, M., and Rafiq, M., 2020, Molecular Docking Using Chimera and Autodock Vina Software for Nonbioinformaticians, *JMIR Bioinforma. Biotechnol.*, 1(1), 1-25.
- Cas, M.D. and Ghidoni, R., 2019, Dietary curcumin: Correlation between bioavailability and health potential, *Nutrients*, 11, 1–14.
- Chaniad, P., Mungthin, M., Payaka, A., Viriyavejakul, P., and Punsawad, C., 2021, Antimalarial properties and molecular docking analysis of compounds from *Dioscorea bulbifera* L. as new antimalarial agent candidates, *BMC Complement. Med. Ther.*, 21(144), 1–10.
- Coma-Cros, E.M., Biosca, A., Lantero, E., Manca, M.L., Caddeo, C., Gutiérrez, L., Ramírez, M., Borgheti-Cardoso, L.N., Manconi, M., and Fernández-Busquets, X., 2018, Antimalarial activity of orally administered curcumin incorporated in eudragit®-containing liposomes, *Int. J. Mol. Sci.*, 19, 1–11.
- Czyrski, A., 2019, Determination of the Lipophilicity of Ibuprofen, Naproxen, Ketoprofen, and Flurbiprofen with Thin-Layer Chromatography, *J. Chem.*, 2019, 1-6.
- Deck, L.M., Royer, R.E., Chamblee, B.B., Hernandez, V.M., Malone, R.R., Torres, J.E., Hunsaker, L.A., Piper, R.C., Makler, M.T., and Vander Jagt, D.L., 1998, Selective inhibitors of human lactate dehydrogenases and lactate dehydrogenase from the malarial parasite *Plasmodium falciparum*, *J. Med. Chem.*, 41, 3879–3887.
- Dohutia, C., Chetia, D., Gogoi, K., and Bhattacharyya, D.R., 2017, Molecular docking , synthesis and in vitro antimalarial evaluation of certain novel curcumin analogues, *Braz.J.Pharm.Sci*, 53(4), 1–14.

- Du, X., Li, Y., Xia, Y.L., Ai, S.M., Liang, J., Sang, P., Ji, X.L., and Liu, S.Q., 2016, Insights into protein–ligand interactions: Mechanisms, models, and methods, *Int. J. Mol. Sci.*, 17, 1–34.
- Du, Z.Y., Liu, R.R., Shao, W.Y., Mao, X.P., Ma, L., Gu, L.Q., Huang, Z.S., and Chan, A.S.C., 2006, α -Glucosidase inhibition of natural curcuminoids and curcumin analogs, *Eur. J. Med. Chem.*, 41, 213–218.
- Eryanti, Y., Hendra, R., Herlina, T., Zamri, A., and Supratman, U., 2018, Synthesis of N-methyl-4-piperidone curcumin analogues and their cytotoxicity activity against T47D cell lines, *Indones. J. Chem.*, 18, 362–366.
- Eryanti, Y., Hidayah, N., Herlina, T., and Zamri, A., 2014, Synthesis and Cytotoxic Activity of Curcumin Analogues, *Bionatura-Jurnal Ilmu-ilmu Hayati dan Fis.*, 15(3), 95–102.
- Fadus, M.C., Lau, C., Bikhchandani, J., and Lynch, H.T., 2017, Curcumin: An age-old anti-inflammatory and anti-neoplastic agent, *J. Tradit. Complement. Med.*, 7(3), 339–346.
- Farombi, E.O., Shyntum, Y.Y., and Emerole, G.O., 2003, Influence of chloroquine treatment and Plasmodium falciparum malaria infection on some enzymatic and non-enzymatic antioxidant defense indices in humans, *Drug Chem. Toxicol.*, 26(1), 59–71.
- Ferreira, L.G., Dos Santos, R.N., Oliva, G., and Andricopulo, A.D., 2015, Molecular docking and structure-based drug design strategies, *Molecules*, 20, 13384–13421.
- Fitriany, J. dan Sabiq, A., 2018, Malaria, *J. Averrous*, 4, 287–297.
- Frey, P., 2013, *Encyclopedia of Biological*, Elsevier Inc., Madison.
- Gómez-Jeria, J.-S., Robles-Navarro, A., Kpotin, G., Garrido-Sáez, N., and Nelson, G.-D., 2020, Some remarks about the relationships between the common skeleton concept within the Klopman-Peradejordi-Gómez QSAR method and the weak molecule-site interactions, *Chem. Res. J.*, 5, 32–52.
- Guengerich, F.P., 2011, Mechanisms of Drug Toxicity and Relevance to Pharmaceutical Development, *Physiol. Behav.*, 26(1), 3–14.
- Hariono, M. and Rollando, 2016, Molecular Docking of Compounds from *Chaetomium Sp.* Against Human Estrogen Receptor Alpha in Searching Anti Breast Cancer, *J. Farm. sains dan komunitas*, 13(1), 35–43.
- Hinderliter, P. and Saghir, S., 2014, *Encyclopedia of Toxicology*, Wexler, P. (ed) Elsevier Inc., Bethesda.
- Holt, K., Nagar, S., and Korzekwa, K., 2019, Methods to Predict Volume of Distribution, *Curr Pharmacol Rep*, 5(5), 391–399.
- Horowitz, S. and Trievel, R.C., 2012, Carbon-oxygen hydrogen bonding in

biological structure and function, *J. Biol. Chem.*, 287(50), 41576–41582.

- Hubbard, R.E. and Haider, M.K., 2010, *Hydrogen Bonds in Proteins: Role and Strength*, In: Encyclopedia of Life Sciences (ELS), John Wiley & Sons, Ltd, Chichester.
- Huho, B.J., Killeen, G.F., Ferguson, H.M., Tami, A., Lengeler, C., Charlwood, J.D., Kihonda, A., Kihonda, J., Kachur, S.P., Smith, T.A., and Abdulla, S.M.K., 2012, Artemisinin-based combination therapy does not measurably reduce human infectiousness to vectors in a setting of intense malaria transmission, *Malar. J.*, 11(118), 1–12.
- Joe, B., Vijaykumar, M., and Lokesh, B.R., 2004, Biological Properties of Curcumin-Cellular and Molecular Mechanisms of Action, *Crit. Rev. Food Sci. Nutr.*, 44, 97–111.
- Kandasamy, K., Kumar, S., Singh, H.B., and Wolmershäuser, G., 2003, Influence of Both Steric Effects and Te···N Intramolecular Nonbonded Interactions on the Stabilization of Organotellurium Compounds Incorporating [2-[1-(3,5-Dimethylphenyl)-2-naphthyl]-4,5-dihydro-4,4-dimethyloxazole], *Organometallics*, 22(24), 5069–5078.
- Kane, N.F., Kyama, M.C., Nganga, J.K., Hassanali, A., Diallo, M., and Kimani, F.T., 2019, Comparison of phytochemical profiles and antimalarial activities of *Artemisia afra* plant collected from five countries in Africa, *South African J. Bot.*, 125, 126–133.
- Kondhare, D., Deshmukh, S., and Lade, H., 2019, Curcumin Analogues with Aldose Reductase Inhibitory Activity: Synthesis, Biological Evaluation, and Molecular Docking, *Processes*, 7, 1–14.
- Korothe, J., Nirgude, S., Tiwari, S., Gopalakrishnan, V., Mahadeva, R., Kumar, S., Karki, S.S., and Choudhary, B., 2019, Investigation of anti-cancer and migrastatic properties of novel curcumin derivatives on breast and ovarian cancer cell lines, *BMC Complement. Altern. Med.*, 19(273), 1–16.
- Krishna, R. and Yu, L., 2006, *Biopharmaceutics Application in Drug Development*, Springer, Rockville.
- Kumar, A., Roy, S., Tripathi, S., and Sharma, A., 2016, Molecular docking based virtual screening of natural compounds as potential BACE1 inhibitors: 3D QSAR pharmacophore mapping and molecular dynamics analysis, *J. Biomol. Struct. Dyn.*, 34(2), 239–249.
- Kumavat, S.D., Chaudhari, Y.S., Borole, P., Mishra, P., Shenghani, K., and Duvvuri, P., 2013, Pharmacy Review & Research, *IJPRR*, 3(2), 50–55.
- Lee, K.H., Farida, F.H., Syahida, A., Abas, F., Shaari, K., Israf, D.A., and Lajis, N.H., 2009, Synthesis and biological evaluation of curcumin-like diarylpentanoid analogues for anti-inflammatory, antioxidant and anti-tyrosinase activities, *Eur. J. Med. Chem.*, 44, 3195–3200.

- Lee, W.-H., Loo, C.-Y., Bebawy, M., Luk, F., Mason, R., and Rohanizadeh, R., 2013, Curcumin and its Derivatives: Their Application in Neuropharmacology and Neuroscience in the 21st Century, *Curr. Neuropharmacol.*, 11, 338–378.
- Li, Q., Chen, J., Luo, S., Xu, J., Huang, Q., and Liu, T., 2015, Synthesis and assessment of the antioxidant and antitumor properties of asymmetric curcumin analogues, *Eur. J. Med. Chem.*, 93, 461–469.
- Liang, G., Shao, L., Wang, Y., Zhao, C., Chu, Y., Xiao, J., Zhao, Y., Li, X., and Yang, S., 2009, Exploration and synthesis of curcumin analogues with improved structural stability both in vitro and in vivo as cytotoxic agents, *Bioorganic Med. Chem.*, 17(6), 2623–2631.
- Lin, J.H. and Yamazaki, M., 2003, Role of P-Glycoprotein in Pharmacokinetics, *Clin. Pharmacokinet.*, 42(1), 59–98.
- Maji, A.K., 2018, Drug susceptibility testing methods of antimalarial agents, *Trop. Parasitol.*, 8(2), 70–76.
- Mavromoustakos, T., 2011, Editorial [Hot Topic: Methodologies and Applied Strategies in the Rational Drug Design (Guest Editor: T. Mavromoustakos)], *Curr. Med. Chem.*, 18(17), 2516.
- McDonnell, A.M. and Dang, C.H., 2013, Basic Review of the Cytochrome P450 System, *J. Adv. Pr. Oncol.*, 4(4), 263–268.
- Min, Z., Zhu, Y., Hong, X., Yu, Z., Ye, M., Yuan, Q., and Hu, X., 2020, Synthesis and biological evaluations of monocarbonyl curcumin inspired pyrazole analogues as potential anti-colon cancer agent, *Drug Des. Devel. Ther.*, 14, 2517–2534.
- Mishra, M., Agarwal, S., Dixit, A., Mishra, V.K., Kashaw, V., Agrawal, R.K., and Kashaw, S.K., 2020, Integrated computational investigation to develop molecular design of quinazoline scaffold as promising inhibitors of plasmodium lactate dehydrogenase, *J. Mol. Struct.*, 1207, 127808.
- Morris, G.M., Goodsell, D.S., Halliday, R.S., Huey, R., Hart, W.E., Belew, R.K., and Olson, A.J., 1998, Automated docking using a Lamarckian genetic algorithm and an empirical binding free energy function, *J. Comput. Chem.*, 19(14), 1639–1662.
- Mustofa, 2009, *Obat Antimalaria Baru: Antara Harapan dan Kenyataan*, Pengukuhan jabatan Guru Besar Universitas Gadjah Mada, Yogyakarta.
- Nguyen, N.T., Nguyen, T.H., Pham, T.N.H., Huy, N.T., Bay, M. Van, Pham, M.Q., Nam, P.C., Vu, V. V., and Ngo, S.T., 2020, Autodock Vina Adopts More Accurate Binding Poses but Autodock4 Forms Better Binding Affinity, *J. Chem. Inf. Model.*, 60, 204–211.
- Nureye, D. and Assefa, S., 2020, Old and Recent Advances in Life Cycle, Pathogenesis, Diagnosis, Prevention, and Treatment of Malaria including

- Perspectives in Ethiopia, *Sci. World J.*, 2020, 1-17.
- Nurhayati, 2008, Metode penentuan resistensi *Plasmodium vivax* terhadap klorokuin, *Maj. Kedokt. Andalas*, 32(2), 116–126.
- Pantsar, T. and Poso, A., 2018, Binding affinity via docking: Fact and fiction, *Molecules*, 23, 1-11.
- Parambang, S.J., Hasmono, D., dan Suwarko, J., 2021, Studi Pola Pemberian Artemisinin-Based Combination Therapy pada Pasien Malaria di RSUD Supiori Papua, *Indones. J. Clin. Pharm.*, 10(1), 30-36.
- Parhizgar, A.R., 2017, Introducing new antimalarial analogues of chloroquine and amodiaquine: A narrative review, *Iran. J. Med. Sci.*, 42(2), 115–128.
- Patil, R., Das, S., Stanley, A., Yadav, L., Sudhakar, A., and Varma, A.K., 2010, Optimized hydrophobic interactions and hydrogen bonding at the target-ligand interface leads the pathways of Drug-Designing, *PLoS One*, 5(8).
- Pavia, D.L., Lampman, G.M., Kriz, G.S., and Vyvyan, J.R., 2017, *Introduction to Spectroscopy*, Cengage Learning, Stanford.
- Pranowo, H.D., 2011, *Pengantar Kimia Komputasi*, CV. Lubuk Agung, Bandung.
- Preuss, J., Jortzik, E., and Becker, K., 2012, Glucose-6-phosphate metabolism in *Plasmodium falciparum*, *IUBMB Life*, 64(7), 603–611.
- Prieto-Martínez, F.D., Arciniega, M., and Medina-Franco, J.L., 2018, Acoplamiento Molecular: Avances Recientes y Retos, *TIP Rev. Espec. en Ciencias Químico-Biológicas*, 21, 65–87.
- Puri, M., Pathak, Y., Sutariya, V.K., Tipparaju, S., and Moreno, W., 2016, *Artificial Neural Network for Drug Design, Delivery, and Disposition*, Academic Press, Maryland.
- Pushpakumari, K.N., Varghese, N., and Kottol, K., 2015, Enhancing the absorption of curcuminoids from formulated turmeric extracts, *IJPSR*, 6(6), 2468–2476.
- Rahman, A.F.M.M., Ali, R., Jahng, Y., and Kadi, A.A., 2012, A facile solvent free claisen-schmidt reaction: Synthesis of α,α' -bis-(Substituted-benzylidene)cycloalkanones and α,α' -bis-(Substituted-alkylidene)cycloalkanones, *Molecules*, 17, 571–583.
- Rathmes, G., Rumisha, S.F., Lucas, T.C.D., Twohig, K.A., Python, A., Nguyen, M., Nandi, A.K., Keddie, S.H., Collins, E.L., Rozier, J.A., Gibson, H.S., Chestnutt, E.G., Battle, K.E., Humphreys, G.S., Amratia, P., Arambepola, R., Bertozzi-Villa, A., Hancock, P., Millar, J.J., Symons, T.L., Bhatt, S., Cameron, E., Guerin, P.J., Gething, P.W., and Weiss, D.J., 2020, Global estimation of anti-malarial drug effectiveness for the treatment of uncomplicated *Plasmodium falciparum* malaria 1991–2019, *Malar. J.*, 19(1), 1–15.
- Razak, M.R.M.A., Afzan, A., Ali, R., Amir Jalaluddin, N.F., Wasiman, I.I., Shiekh

- Zahari, S.H., Abdullah, N.R., and Ismail, Z., 2014, Effect of selected local medicinal plants on the asexual blood stage of chloroquine resistant *Plasmodium falciparum*, *BMC Complement. Altern. Med.*, 14(492), 1–13.
- Reddy, R.C., Vatsala, P.G., Keshamouni, V.G., Padmanaban, G., and Rangarajan, P.N., 2005, Curcumin for malaria therapy, *Biochem. Biophys. Res. Commun.*, 326, 472–474.
- Rege, S.A., Arya, M., and Momin, S.A., 2019, Structure activity relationship of tautomers of curcumin: a review, *Ukr. Food J.*, 8(1), 45–60.
- Ridley, R.G., 2002, Medical need, scientific opportunity and the drive for antimalarial drugs, *Nature*, 415, 686–693.
- Salmaso, V. and Moro, S., 2018, Bridging molecular docking to molecular dynamics in exploring ligand-protein recognition process: An overview, *Front. Pharmacol.*, 9(924), 1–16.
- Sardjiman, S.S., Reksohadiprodjo, M.S., Hakim, L., Van Der Goot, H., and Timmerman, H., 1997, 1,5-Diphenyl-1,4-pentadiene-3-ones and cyclic analogues as antioxidative agents. Synthesis and structure-activity relationship, *Eur. J. Med. Chem.*, 32, 625–630.
- Sari, I.W., Junaidin, J., and Pratiwi, D., 2020, Studi Molecular Docking Senyawa Flavonoid Herba Kumis Kucing (*Orthosiphon stamineus* B.) pada Reseptor α -glukosidase sebagai Antidiabetes Tipe 2, *J. Farmagazine*, 7(2), 54–60.
- Schaeffer, L., 2008, *The Role of Functional Groups in Drug-Receptor Interactions*, Elsevier Ltd, Illkirch.
- Schrenk, D., 2018, What is the meaning of ‘A compound is carcinogenic’?, *Toxicol. Reports*, 5, 504–511.
- Seelig, A., 2020, P-Glycoprotein: One Mechanism, Many Tasks and the Consequences for Pharmacotherapy of Cancers, *Front. Oncol.*, 10, 1–16.
- Shi, Y. and Pinto, B.M., 2014, Human lactate dehydrogenase A inhibitors: A molecular dynamics investigation, *PLoS One*, 9(1).
- Shibeshi, W., Baye, A.M., Alemkere, G., and Engidawork, E., 2021, Efficacy and Safety of Artemisinin-Based Combination Therapy for the Treatment of Uncomplicated Malaria in Pregnant Women: A Systematic Review and Meta-Analysis, *Ther. Clin. Risk Manag.*, 17, 1353–1370.
- Siagian, F.E., 2020, A literature study of anemia among malaria cases reported in Indonesia, from west to east: a parasito-epidemiology perspective, *Int. J. Community Med. Public Heal.*, 7(10), 4135.
- Simamora, D. dan Fitri, L.E., 2007, Antimalarial Drug Resistance : Mechanism and the Role of Drug, *Kedokt. Brawijaya*, (23), 82–92.
- Sinha, S., Sarma, P., Sehgal, R., and Medhi, B., 2017, Development in assay

methods for in vitro antimalarial drug efficacy testing: A systematic review, *Front. Pharmacol.*, 8, 1–14.

Soedarmadji, F., 1995, Studi Hubungan Antara Nilai Logaritma Koefisien Partisi dengan Nilai R_m dari Beberapa Turunan Penisilin dalam Sistem Oktanol-Dapar Fostat pH 7,4, *Skripsi*, Fakultas Farmasi, Universitas Airlangga, Surabaya.

Stewart, J.J.P., 2007, Optimization of parameters for semiempirical methods V: Modification of NDDO approximations and application to 70 elements, *J. Mol. Model.*, 13, 1173–1213.

Suwandi, J.F., 2015, Gen PfATP6 dan Resistensi Plasmodium falciparum Terhadap Golongan Artemisinin PfATP6 Gene and Plasmodium falciparum Resistance Against Artemisinin Derivate, *J. Kedokt. Unila*, 5(9), 141–146.

Syahri, J., 2017, Sintesis Senyawa Turunan Kalkon sebagai Antimalaria Berdasarkan Studi *Quantitative Structure-Activity Relationship* (QSAR), *Disertasi*, Program Studi S-3 Ilmu Kimia, Departemen Kimia, Fakultas Matematika dan Ilmu Pegetahuan Alam, Universitas Gadjah Mada, Yogyakarta.

Tilley, L., Straimer, J., Gnädig, N.F., Ralph, S.A., and Fidock, D.A., 2016, Artemisinin Action and Resistance in Plasmodium falciparum, *Trends Parasitol.*, 32(9), 682–696.

Trager, W. and Jensen, J., 1976, Human Malaria Parasites in Continuous Culture, *Science*, 193(4254), 673–675.

Trasia, R.F., 2021, Penggunaan Terapi Kombinasi dalam Pengobatan dan Pencegahan Malaria di Indonesia, *J. Pharm. Sci.*, 4(1), 29–33.

Wahyuni, S., Eryanti, Y., Zamri, A., and Jasril, 2014, Sintesis Analog Kurkumin Turunan 1-Benzil 4-Piperidinon Menggunakan Katalis Basa dan Uji Aktivitas sebagai Antibakteri, *JOM*, 1, 1–7.

Waingeh, V.F., Groves, A.T., and Eberle, J.A., 2013, Binding of Quinoline-Based Inhibitors to *Plasmodium falciparum* Lactate Dehydrogenase: A Molecular Docking Study, *Open J. Biophys.*, 03, 285–290.

Wang, T., Wu, M.-B., Chen, Z.-J., Chen, H., Lin, J.-P., and Yang, L.-R., 2015, Fragment-Based Drug Discovery and Molecular Docking in Drug Design, *Curr. Pharm. Biotechnol.*, 16(1), 11–25.

Wang, Z. Sen, Chen, L.Z., Liu, X.H., and Chen, F.H., 2017, Diarylpentadienone derivatives (curcumin analogues): Synthesis and anti-inflammatory activity, *Bioorganic Med. Chem. Lett.*, 27, 1803–1807.

Warhurst, D.C., 2001, A Molecular Marker for Chloroquine-Resistant Falciparum Malaria, *N. Engl. J. Med.*, 344(4), 299–302.

Wellems, T.E. and Plowe, C. V, 2001, Chloroquine-Resistant Malaria, *JID*, 184,

770–776.

- White, N.J., 2004, Review series Antimalarial drug resistance, *J. Clin. Inves.*, 113(8), 1084–1092.
- Wu, J., Zhang, Y., Cai, Y., Wang, J., Weng, B., Tang, Q., Chen, X., Pan, Z., Liang, G., and Yang, S., 2013, Discovery and evaluation of piperid-4-one-containing mono-carbonyl analogs of curcumin as anti-inflammatory agents, *Bioorganic Med. Chem.*, 21(11), 3058–3065.
- Yusmiati, Y. and Muliaty, D., 2014, The Pharmacogenetics of Cytochrome P450 2C19 Enzymes - Effects on Clopidogrel and Proton Pump Inhibitors, *Indones. Biomed. J.*, 6(1), 33.
- Yusuf, A.S., Sada, I., Hassan, Y., Olomola, T.O., Adeyemi, C.M., and Ajibade, S.O., 2018, Synthesis, Antimalarial Activity, and Docking Studies of Monocarbonyl Analogues of Curcumin, *Ovidius Univ. Ann. Chem.*, 29(2), 92–96.
- Yusuf, Y., 2014, Anti-Malarial Drug Resistance, *MKA*, 37(1), 64–69.
- Zakaria, N.H., Wai, L.K., and Hassan, N.I., 2020, Molecular Docking Study of the Interactions between Plasmodium falciparum Lactate Dehydrogenase and 4-aminoquinoline Hybrids, *JSM*, 49(8), 1905–1913.
- Zhang, Z. and Tang, W., 2018, Drug metabolism in drug discovery and development, *Acta Pharm. Sin. B*, 8(5), 721–732.
- Zhu, C., Gao, Y., Li, H., Meng, S., Li, L., Francisco, J.S., and Zeng, X.C., 2016, Characterizing hydrophobicity of amino acid side chains in a protein environment via measuring contact angle of a water nanodroplet on planar peptide network, *Proc. Natl. Acad. Sci. U. S. A.*, 113(46), 12946–12951.