



Reference

- Afrouzian, A., Movahhedi Aleni, H., Liaghat, G. and Ahmadi, H., 2017, Effect of nanoparticles on the tensile, flexural and perforation properties of the glass/epoxy composites, *Journal of Reinforced Plastics and Composites*, 36(12), pg 900-916
- AlGhamdi, AM., Algarni, AM., Eskandani, RM., and Alazmi, KF, 2019, Influence of Energy and Soft Drinks on the Surface and Mechanical Properties of Nanofilled Composite Resin, *International Journal of Dental Sciences and Research*, 9(2)pg ,44-48.
- Aljabo, A., Xia, W., Liaqat, S., Khan, M.A., Knowles, J.C., Ashley, P. and Young, A.M., 2015, Conversion, shrinkage, water sorption, flexural strength and modulus of remineralizing dental composites, *Dental Materials*, 31(11), pg, 1279-1289
- Alrobeigy, N.A., 2017, Mechanical properties of contemporary resin composites determined by nanoindentation, *Tanta Dental Journal*, 14(3), pg, 129
- Alzraikat, H., Burrow, M.F., Maghaireh, G.A. and Taha, N.A., 2018, Nanofilled resin composite properties and clinical performance: a review, *Operative dentistry*, 43(4), pg, E173-E190
- Anusavice K. J., Shen C., and Rawls H. R., 2013, Phillips' Science of Dental Materials, 12nd Edition, Elsevier Saunders, St. Louis, pg,124,139,279,280,281,285,288,300,301
- Barbosa, G.F. and Cardoso, M.B., 2018, Effects of carbonated beverages on resin composite stability, *Am J Dent*, 31(6), pg, 313-16
- Borba, M., Della Bona, Á. and Cecchetti, D., 2009, Flexural strength and hardness of direct and indirect composites, *Brazilian oral research*, 22(1), pg, 5-10
- Calheiros, F.C., Pfeifer, C.S.C., Brandão, L.L., Agra, C.M. and Ballester, R.Y., 2013, Flexural properties of resin composites: influence of specimen dimensions and storage conditions, *Dental materials journal*, 32(2), pg, 228-232
- Chan, K.H., Mai, Y., Kim, H., Tong, K.C., Ng, D. and Hsiao, J., 2010, Resin composite filling, *Materials*, 3(2), pg, 1228-1243
- Chen, L., Yu, Q., Wang, Y. and Li, H.A.O., 2011, BisGMA/TEGDMA dental composite containing high aspect-ratio hydroxyapatite nanofibers. *Dental Materials*, 27(11), pg 1187-1195
- dos Santos, S.G., Moysés, M.R., Alcântara, C.E.P., Ribeiro, J.C.R. and Ribeiro, J.G.R., 2012, Flexural strength of a composite resin light cured with different exposure



modes and immersed in ethanol or distilled water media, *Journal of conservative dentistry: JCD*, 15(4), pg, 333

Erdemir, U., Yildiz, E., Eren, M.M., and Ozel, S., 2012 Surface hardness of different restorative materials after long-term immersion in sports and energy drinks. *Dental Materials Journal*, 31(5),pg, 729-736

Gajewski, V.E., Pfeifer, C.S., Fróes-Salgado, N.R., Boaro, L.C. and Braga, R.R., 2012, Monomers used in resin composites: degree of conversion, mechanical properties and water sorption/solubility, *Brazilian dental journal*, 23(5), pg, 508-514

Garg N. and Garg A., 2010, Textbook of Operative Dentistry, Jaypee Brothers, New Dehli, pg, 259,260, 272

Giacaman, R.A., Pailahual, V. and Díaz-Garrido, N., 2018, Cariogenicity induced by commercial carbonated beverages in an experimental biofilm-caries model, *European journal of dentistry*, 12(1), pg, 27

Gladwin M. and Bagby M., 2013, Clinical Aspects of Dental Material Theory, Practice and Cases, 4th Ed. Wolter Kluwer, pg, 63, 64, 65, 68

Gonzalez V.C., Torrico, D.D., Dunshea, F.R. and Fuentes, S., 2019, Bubbles, foam formation, stability and consumer perception of carbonated drinks: A review of current, new and emerging technologies for rapid assessment and control, *Foods*, 8(12), pg, 596

Gundogdu, M., Kurklu, D., Yanikoglu, N. and Kul, E., 2014, The evaluation of flexural strength of composite resin materials with and without fiber, *Dentistry*, 4(9), pg, 1-6

Hamouda, I.M. and Elkader, H., 2012, Evaluation the mechanical properties of nanofilled composite resin restorative material, *Journal of Biomaterials and Nanobiotechnology* ,3,pg, 238-242

Handayani, T.M., Nugroho, R., Hidayati, L., Fatmawati, D.W.A. and Sumono, A., 2019, Effects of glycerin application on the hardness of nanofilled composite immersed in tamarind soft drinks, *Dental Journal*, 52(2), pg, 95-99

Hervás G, A., Lozano, M., Cabanes Vila, J., Barjau Escribano, A. and Fos Galve, P., 2006, Composite resins: a review of the materials and clinical indications, *Med Oral Patol Oral Cir Bucal* (11),pg, E215-20

Heymann, H.O., Jr, E.J.S., dan Ritter, A.V., 2013, Sturdevant's Art and Science of Operative Dentistr, 6th Ed, Elsevier, Missouri, pg, 218-219



Hujoel, P.P., Hujoel, M.L.A. and Kotsakis, G.A., 2018, Personal oral hygiene and dental caries: a systematic review of randomised controlled trials, *Gerodontology*, 35(4), pg, 282-289

jose Lafuente., and Abad, K., 2014, Soft Drink Influence on Margin Integrity in Composite Resin Restorations,*Odvotos-International Journal of Dental Sciences*, (16).pg, 115-123

Kaladevi, M. and Balasubramaniam, R., 2020, Biomechanics in restorative dentistry, *International Journal of Applied Dental Sciences*, 6(2).pg, 251-256

Kawano, F., Ohguri, T., Ichikawa, T. and Matsumoto, N., 2001, Influence of thermal cycles in water on flexural strength of laboratory-processed composite resin, *Journal of oral rehabilitation*, 28(8), pg, 703-707

Kregiel, D., 2015, Health safety of soft drinks: contents, containers, and microorganisms, *BioMed research international*, 2015, pg, 1-15

Kumar P.A.R., Shemesh, H., Jothilatha, S., Vijayabharathi, R., Jayalakshmi, S. and Kishen, A., 2016, Diagnosis of vertical root fractures in restored endodontically treated teeth: a time-dependent retrospective cohort study, *Journal of endodontics*, 42(8), pg, 1175-1180

Kumar, D. and Antony, S., 2018, Calcified canal and negotiation-A review, *Research Journal of Pharmacy and Technology*, 11(8), pg, 3727-3730

Lilany, D. and Violetta, V., 2020, Effect of Soft Drink on Surface Roughness of Preheated and Non-Preheated Nanohybrid Composite Resins, *Journal of Indonesian Dental Association*, 3(2), pg, 83-87

Lussi, A., Hellwig, E., Ganss, C. and Jäggi, T., 2009, Dental erosion, *Operative dentistry*, 34(3), pg, 251-262

Maghfiroh, H., Nugroho, R. and Probosari, N., 2016, The effect of carbonated beverage to the discoloration of polished and unpolished nanohybrid composite resin, *J Dentomaxillofac Sci*, 1(1), pg, 16-19

Narayan, R, 2019, Encyclopedia of biomedical engineering, Elsevier, United States, pg 34, 35

Nedeljkovic, I., Teughels, W., De Munck, J., Van Meerbeek, B. and Van Landuyt, K.L., 2015,Is secondary caries with composites a material-based problem, *Dental Materials*, 31(11), pg, e247-e277.

Nicolae, L.C., Shelton, R.M., Cooper, P.R., Martin, R.A. and Palin, W.M., 2014, The effect of UDMA/TEGDMA mixtures and bioglass incorporation on the mechanical and



physical properties of resin and resin-based composite materials, *In Conference Papers in Science* (2014), pg, 1-5

Nihei, T., 2016, Dental applications for silane coupling agents, *Journal of oral science*, 58(2), pg, 151-155

Pontes, L.F., Alves, E.B., Alves, B.P., Ballester, R.Y., Dias, C.G. and Silva, C.M., 2013, Mechanical properties of nanofilled and microhybrid composites cured by different light polymerization modes, *Gen Dent*, 61, pg, 30-33

Poonacha, V., Poonacha, S., Salagundi, B., Rupesh, P.L. and Raghavan, R., 2013, In vitro comparison of flexural strength and elastic modulus of three provisional crown materials used in fixed prosthodontics, *Journal of clinical and experimental dentistry*, 5(5), pg, 212.

Powers, J. M., dan Wataha, J. M., 2017, Dental Material: Foundations And Applications, 11th Ed, Elsevier, Missouri, pg, 45, 49, 171

Ranadheera, C.S., Prasanna, P.H.P., Pimentel, T.C., Azeredo, D.R.P., Rocha, R.S., Cruz, A.G., Vidanarachchi, J.K., Naumovski, N., McConchie, R. and Ajlouni, S., 2020, Microbial Safety of Nonalcoholic Beverages, *In Safety Issues in Beverage Production* ,(18), pg, 187-221

Ravi, R., Alla, R., Shammas, M. and Devarhubli, A., 2013, Dental Composites - A Versatile Restorative Material: *An Overview Indian Journal of Dental Sciences*, 5(5), pg, 111-115

Reddy, A., Norris, D.F., Momeni, S.S., Waldo, B. and Ruby, J.D., 2016, The pH of beverages available to the American consumer, *Journal of the American Dental Association* (1939), 147(4), pg, 255

Ritter, A.V., 2006, Direct resin-based composites current recommendations for optimal clinical results, *Compendium*, 26(7), pg, 369-377

Rueggeberg, F.A., Giannini, M., Arrais, C.A.G. and Price, R.B.T., 2017, Light curing in dentistry and clinical implications: a literature review, *Brazilian oral research*, 31.

Sakaguchi R.L. and Powers J.M., 2012, *Craig's Restorative Dental Materials*, 13th Ed.,Elsevier Mosby ,United States, pg 166,167,169,175, 177, 178

Schricker, S.R., 2017, Composite resin polymerization and relevant parameters, *Orthodontic Applications of Biomaterials*, pg, 153-170

Scribante, A., Bollardi, M., Chiesa, M., Poggio, C. and Colombo, M., 2019, Flexural properties and elastic modulus of different esthetic restorative materials, Evaluation after exposure to acidic drink, *BioMed research international*, 2019, pg, 1-5



Scribante, A., Gallo, S., Scarantino, S., Dagna, A., Poggio, C., and Colombo, M., 2020, Exposure of Biomimetic Composite Materials to Acidic Challenges: Influence on Flexural Resistance and Elastic Modulus, *Biomimetics*, 5(4), pg, 56

Scribante, A., Vallittu, P. and Özcan, M., 2018, Fiber-Reinforced Composites for Dental Applications, *BioMed Research International*, 2018, pg, 1-2

Subash, D., Shoba, K., Aman, S., Bharkavi, S.K.I., Nimmi, V. and Abhilash, R., 2017, Fracture resistance of endodontically treated teeth restored with bioceramic, resin modified GIC and hybrid composite resin as a core material, *Journal of clinical and diagnostic research: JCDR*, 11(9), pg, 68-70

Szalewski, L., Wójcik, D., Bogucki, M., Szkutnik, J. and Różyło-Kalinowska, I., 2021, The Influence of Popular Beverages on Mechanical Properties of Composite Resins, *Materials*, 14(11), pg, 3097

Tahmassebi, J.F. and BaniHani, A., 2020, Impact of soft drinks to health and economy: a critical review, *European Archives of Paediatric Dentistry*, 21(1), pg.109-117

van Noort, R., 2013, Introduction to Dental Materials, 4th Ed, Elsevier, Mosby pg 73-74

Wahyuningrum, M.R. and Probosari, E., 2012, Pengaruh pemberian buah pepaya (carica papaya l.) terhadap kadar trigliserida pada tikus sprague dawley dengan hipercolesterolemia, *Journal of Nutrition College*, (1)1, pg, 192-198

Wang, L., D'Alpino, P.H.P., Lopes, L.G. and Pereira, J.C., 2003, Mechanical properties of dental restorative materials: relative contribution of laboratory tests, *Journal of Applied Oral Science*, 11, pg, 162-167