

DAFTAR PUSTAKA

- Ashari, N., 2022. *Analisis Potensi Likuifaksi Menggunakan Data Ambient Noise Di Kota Pacitan Bagian Barat* (Doctoral dissertation, Universitas Gadjah Mada).
- Badan Standarisasi Nasional, 2019. Tata cara perencanaan ketahanan gempa untuk struktur bangunan gedung dan non gedung. *Sni*, 1726, p.2019.
- Bonnefoy-Claudet, S., 2008. Effects of Love waves on microtremor H/V ratio. *Bulletin of the Seismological Society of America*, 98, pp.288-300.
- Chávez-García, F.J., Domínguez, T., Rodríguez, M. dan Pérez, F., 2007. Site effects in a volcanic environment: A comparison between HVSR and array techniques at Colima, Mexico. *Bulletin of the Seismological Society of America*, 97(2), pp.591-604.
- Cooley, J.W. dan Tukey, J.W., 1965. An algorithm for the machine calculation of complex Fourier series. *Mathematics of computation*, 19(90), pp.297-301.
- Desiasni, R., 2016. *Horizontal To Vertical Spectrum Ratio (Hvsr) Curve Inversion For Average Shear Wave Velocity (Vs30) Of Central Java Area* (Doctoral Dissertation, Universitas Gadjah Mada).
- Frigo, M. dan Johnson, S.G., 1997. The fastest fourier transform in the west. mit-lcs-tr-728. In *the Proceedings of the 1998 International Conference on Acoustics, Speech, and Signal Processing, ICASSP'98*.
- Grandis, H., 2009. Pengantar pemodelan inversi geofisika. *Himpunan Ahli Geofisika Indonesia (HAGI)*.
- Hamilton, W.B., 1979. *Tectonics of the Indonesian region* (Vol. 1078). US Government Printing Office.
- Herak, M., 2008. ModelHVSR—A Matlab® tool to model horizontal-to-vertical spectral ratio of ambient noise. *Computers & Geosciences*, 34(11), pp.1514-1526.
- <https://earthquake.usgs.gov/earthquakes/search/>
- <https://www.geopsy.org/documentation/geopsy/hv.html>
- https://www.geopsy.org/wiki/index.php/Geopsy:_Fast_Fourier_Transform
- Ibs-von Seht, M. and Wohlenberg, J., 1999. Microtremor measurements used to map thickness of soft sediments. *Bulletin of the Seismological Society of America*, 89(1), pp.250-259.
- Imam, Raga. 2021. *Mengingat Kembali Gempa Besar di Pacitan pada 1937*. Kumparan.com. 28 Juli 2021
- Kanai, K., 1983. *Engineering seismology*. Tokyo: University of Tokyo Press.
- Kartikasari, E., 2016. *Mikrozonasi Seismik Di Kota Pacitan Dengan Menggunakan Data Mikrotremor Berdasarkan Hvsr (Horizontal To Vertical Spectral Ratio) Dan Saw (Simple Additive Weight)* (Doctoral Dissertation, Universitas Gadjah Mada).
- Konno, K. dan Ohmachi, T., 1998. Ground-motion characteristics estimated from spectral ratio between horizontal and vertical components of microtremor. *Bulletin of the Seismological Society of America*, 88(1), pp.228-241.

- Kramer, S.L., 1996. *Geotechnical earthquake engineering*. Pearson Education India.
- Lermo, J. dan Chávez-García, F.J., 1994. Are microtremors useful in site response evaluation?. *Bulletin of the seismological society of America*, 84(5), pp.1350-1364.
- Nakamura, Y., 1989. A method for dynamic characteristics estimation of subsurface using microtremor on the ground surface. *Railway Technical Research Institute, Quarterly Reports*, 30(1).
- Nakamura, Y., 2000, January. Clear identification of fundamental idea of Nakamura's technique and its applications. In *Proceedings of the 12th world conference on earthquake engineering* (Vol. 2656, pp. 1-8).
- Nakamura, Y., Sato, T. dan Nishinaga, M., 2000, November. Local site effect of Kobe based on microtremor measurement. In *Proceeding of the Sixth International Conference on Seismic Zonation EERI, Palm Springs California*.
- NOGOSHI, M., 1971. On the amplitude characteristics of microtremor, Part II. *Journal of the seismological society of Japan*, 24, pp.26-40.
- Okada, H. dan Suto, K., 2003. *The microtremor survey method*. Society of Exploration Geophysicists.
- Park, T.H., 2009. *Introduction to digital signal processing: Computer musically speaking*. World Scientific.
- Prasetyadi, C., Sudarno, I., Indranadi, V.B. dan Surono, S., 2011. Pola dan Genesa Struktur Geologi Pegunungan Selatan, Provinsi Daerah Istimewa Yogyakarta dan Provinsi Jawa Tengah. *Jurnal Geologi dan Sumberdaya Mineral*, 21(2), pp.91-107.
- Puglia, R., Albarello, D., Gorini, A., Luzi, L., Marcucci, S. dan Pacor, F., 2011. Extensive characterization of Italian accelerometric stations from single-station ambient-vibration measurements. *Bulletin of Earthquake Engineering*, 9(6), pp.1821-1838.
- Ristanti, N.A., 2018. *Identifikasi dan Pemodelan Struktur Bawah Permukaan Berdasarkan Metode Gravitasi di Daerah Sesar Grindulu Pacitan Jawa Timur* (Doctoral dissertation, Universitas Brawijaya).
- Samodra, H., Gafoer, S. dan Tjokrosapoetro, S. 1992. *Peta Geologi Lembar Pacitan - Jawa*. Bandung: Pusat Penelitian dan Pengembangan Geologi.
- Sarkar, K.H., Shahi, A. dan Maurya, S.P., 2015. Estimation of elastic moduli of alluvium sediments. In *11th Biennial International Conference & Exposition*.
- SESAME (Acerra, C., Aguacil, G., Anastasiadis, A., Atakan, K., Azzara, R., Bard, P.Y., Basili, R., Bertrdan, E., Bettig, B., Blarel, F. dan Bonnefoy-Claudet, S.), 2004. Guidelines for the implementation of the H/V spectral ratio technique on ambient vibrations measurements, processing and interpretation. No. *European Commission-EVG1-CT-2000-00026 SESAME. Brussels, Belgium: European Commission*.
- Soehaimi, A., 2008. Seismotektonik dan potensi kegempaan wilayah

- Jawa. *Indonesian Journal on Geoscience*, 3(4), pp.227-240.
- Telford, W.M., Telford, W.M., Geldart, L.P. and Sheriff, R.E., 1990. *Applied geophysics*. Cambridge university press.
- Tsai, N.C. dan Housner, G.W., 1970. Calculation of surface motions of a layered half-space. *Bulletin of the Seismological Society of America*, 60(5), pp.1625-1651.
- Williams, R.A., Wood, S., Stephenson, W.J., Odum, J.K., Meremonte, M.E., Street, R. dan Worley, D.M., 2003. Surface seismic refraction/reflection measurement determinations of potential site resonances and the areal uniformity of NEHRP site class D in Memphis, Tennessee. *Earthquake Spectra*, 19(1), pp.159-189.