



## DAFTAR PUSTAKA

- Al-Hazeem, N. Z. A. (2018). Nanofibers and electrospinning method. Nov. Nanomater.-Synth. Appl.
- Asadian, M., Chan, K. V., Norouzi, M., Grande, S., Cools, P., Morent, R., & De Geyter, N. (2020). Fabrication and plasma modification of nanofibrous tissue engineering scaffolds. *Nanomaterials*, 10(1), 119.
- Awang, N., Nasir, A. M., Yajid, M. A. M., & Jaafar, J. (2021). A Review on Advancement and Future Perspective of 3D Hierarchical Porous Aerogels Based on Electrospun Polymer Nanofibers for Electrochemical Energy Storage Application. *Journal of Environmental Chemical Engineering*, 105437.
- Bao, L., Yang, W., Mao, X., Mou, S., & Tang, S. (2008). Agar/collagen membrane as skin dressing for wounds. *Biomedical Materials*, 3(4), 044108.
- Bhardwaj, N., & Kundu, S. C. (2010). Electrospinning: a fascinating fiber fabrication technique. *Biotechnology advances*, 28(3), 325-347.
- Bose, S., Roy, M., & Bandyopadhyay, A. (2012). Recent advances in bone tissue engineering scaffolds. *Trends in biotechnology*, 30(10), 546-554.
- Bumgardner J.D., Vasquez-Lee M, Fulzele K, Smith D, Branch K, Christian SI. Biocompatibility Testing. In: Williams DL. *Encyclopedia of Biomaterials and Biomedical Engineering*, 2 nd ed.; 2008. h. 169–178
- Callister, W. D., 2007, *Material Science and Engineering: An Introduction*, 7th edition, John Willey and Sons, New Yorks
- Casper, C. L., Stephens, J. S., Tassi, N. G., Chase, D. B., & Rabolt, J. F. (2004). Controlling surface morphology of electrospun polystyrene fibers: effect of humidity and molecular weight in the electrospinning process. *Macromolecules*, 37(2), 573-578.
- Chen, P., Liu, L., Pan, J., Mei, J., Li, C., & Zheng, Y. (2019). Biomimetic composite scaffold of hydroxyapatite/gelatin-chitosan core-shell nanofibers for bone tissue engineering. *Materials Science and Engineering: C*, 97, 325-335.



- Chen, Q. Z., Bismarck, A., Hansen, U., Junaid, S., Tran, M. Q., Harding, S. E., ... & Boccaccini, A. R. (2008). Characterisation of a soft elastomer poly (glycerol sebacate) designed to match the mechanical properties of myocardial tissue. *Biomaterials*, 29(1), 47-57.
- Chen, W., Chen, S., Morsi, Y., El-Hamshary, H., El-Newhy, M., Fan, C., & Mo, X. (2016). Superabsorbent 3D scaffold based on electrospun nanofibers for cartilage tissue engineering. *ACS applied materials & interfaces*, 8(37), 24415-24425.
- Cho, D., Naydich, A., Frey, M. W., & Joo, Y. L. (2013). Further improvement of air filtration efficiency of cellulose filters coated with nanofibers via inclusion of electrostatically active nanoparticles. *Polymer*, 54(9), 2364-2372.
- Christopherson, G. T., Song, H., & Mao, H. Q. (2009). The influence of fiber diameter of electrospun substrates on neural stem cell differentiation and proliferation. *Biomaterials*, 30(4), 556–564.
- De Vrieze, S., Van Camp, T., Nelvig, A., Hagström, B., Westbroek, P., & De Clerck, K. (2009). The effect of temperature and humidity on electrospinning. *Journal of materials science*, 44(5), 1357-1362.
- Deitzel, J. M., Kleinmeyer, J., Harris, D. E. A., & Tan, N. B. (2001). The effect of processing variables on the morphology of electrospun nanofibers and textiles. *Polymer*, 42(1), 261-272.
- Deniz, A. E. (2011). Nanofibrous nanocomposites via electrospinning (Doctoral dissertation, Bilkent Universitesi (Turkey)).
- Dippold, D., Tallawi, M., Tansaz, S., Roether, J. A., & Boccaccini, A. R. (2016). Novel electrospun poly (glycerol sebacate)-zein fiber mats as candidate materials for cardiac tissue engineering. *European Polymer Journal*, 75, 504-513.  
doi: 10.1177/1849543518803538
- Doshi, J., & Reneker, D. H. (1995). Electrospinning process and applications of electrospun fibers. *Journal of electrostatics*, 35(2-3), 151-160.



- Fraisl, P., Mazzone, M., Schmidt, T., & Carmeliet, P. (2009). Regulation of angiogenesis by oxygen and metabolism. *Developmental cell*, 16(2), 167-179.
- Garlotta, D. (2001). A literature review of poly (lactic acid). *Journal of Polymers and the Environment*, 9(2), 63-84.
- Gigli, M., Fabbri, M., Lotti, N., Gamberini, R., Rimini, B., & Munari, A. (2016). Poly (butylene succinate)-based polyesters for biomedical applications: A review. *European Polymer Journal*, 75, 431-460.
- Griffith, L. G., & Naughton, G. (2002). Tissue engineering--current challenges and expanding opportunities. *science*, 295(5557), 1009-1014.
- Gu, X., Ding, F., & Williams, D. F. (2014). Neural tissue engineering options for peripheral nerve regeneration. *Biomaterials*, 35(24), 6143-6156.
- Gutiérrez-Sánchez, M., Escobar-Barrios, V. A., Pozos-Guillén, A., & Escobar-García, D. M. (2019). RGD-functionalization of PLA/starch scaffolds obtained by electrospinning and evaluated in vitro for potential bone regeneration. *Materials Science and Engineering: C*, 96, 798-806.
- Gutiérrez-Sánchez, M., Escobar-Barrios, V. A., Pozos-Guillén, A., & Escobar-García, D. M. (2019). RGD-functionalization of PLA/starch scaffolds obtained by electrospinning and evaluated in vitro for potential bone regeneration. *Materials Science and Engineering: C*, 96, 798-806.
- Hayati, I., Bailey, A. I., & Tadros, T. F. (1987). Investigations into the mechanisms of electrohydrodynamic spraying of liquids: I. Effect of electric field and the environment on pendant drops and factors affecting the formation of stable jets and atomization. *Journal of Colloid and Interface Science*, 117(1), 205-221.
- Huang, Z. M., Zhang, Y. Z., Kotaki, M., & Ramakrishna, S. (2003). A review on polymer nanofibers by electrospinning and their applications in nanocomposites. *Composites science and technology*, 63(15), 2223-2253.
- Ji, L., & Zhang, X. (2009). Fabrication of porous carbon nanofibers and their application as anode materials for rechargeable lithium-ion batteries. *Nanotechnology*, 20(15), 155705.



- Jones, R. M. (1999). Taylor and francis, ". Mechanics of Composite Materials.
- Ju, Y. M., Choi, J. S., Atala, A., Yoo, J. J., & Lee, S. J. (2010). Bilayered scaffold forengineering cellularized blood vessels. *Biomaterials*, 31(15), 4313–4321.
- Kaw, A. K. (2005). Mechanics of composite materials. CRC press.
- Kijeńska, E., Prabhakaran, M. P., Swieszkowski, W., Kurzydlowski, K. J., & Ramakrishna, S. (2014). Interaction of Schwann cells with laminin encapsulated PLCL core–shell nanofibers for nerve tissue engineering. *European polymer journal*, 50, 30-38.
- Kim, G. T., Ahn, Y. C., & Lee, J. K. (2008). Characteristics of Nylon 6 nanofilter for removing ultra fine particles. *Korean Journal of Chemical Engineering*, 25(2), 368-372.
- Kitsara, M., Agbulut, O., Kontziamasis, D., Chen, Y., & Menasché, P. (2017). Fibers for hearts: A critical review on electrospinning for cardiac tissue engineering. *Acta biomaterialia*, 48, 20-40.
- Krishna, I. M., Manickam, V., Shah, A., & Davergave, N. (2017). Environmental management: science and engineering for industry. Butterworth-Heinemann.
- Kuhlthau, K. A., Beal, A. C., Ferris, T. G., & Perrin, J. M. (2002). Comparing a diagnosis list with a survey method to identify children with chronic conditions in an urban health center. *Ambulatory Pediatrics*, 2(1), 58-62.
- Langer, R., & Vacanti, J. P. May 14, 1993.". *Tissue Engineering." Science*, 260(5110), 920-926.
- Li, C., Vepari, C., Jin, H. J., Kim, H. J., & Kaplan, D. L. (2006). Electrospun silk-BMP-2 scaffolds for bone tissue engineering. *Biomaterials*, 27(16), 3115-3124.
- Li, D., Wang, Y., & Xia, Y. (2003). Electrospinning of polymeric and ceramic nanofibers as uniaxially aligned arrays. *Nano letters*, 3(8), 1167-1171.
- Lowery, J., Panseri, S., Cunha, C., & Gelain, F. (2011). Electrospinning for tissue engineering applications. In *Electrospinning Process and Nanofiber Research* (pp. 127-149). Nova Science Publishers, Inc..
- Lozano, R., Naghavi, M., Foreman, K., Lim, S., Shibuya, K., Aboyans, V., ... & Remuzzi, G. (2012). Global and regional mortality from 235 causes of death



for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. *The lancet*, 380(9859), 2095-2128.

Lu, X., Wang, C., Favier, F., & Pinna, N. (2017). Electrospun nanomaterials for supercapacitor electrodes: designed architectures and electrochemical performance. *Advanced Energy Materials*, 7(2), 1601301.

Luraghi, A., Peri, F., & Moroni, L. (2021). Electrospinning for drug delivery applications: A review. *Journal of Controlled Release*.

Marins, N.H., B.E.J. Lee, R.M.E. Silva, A. Raghavan, N.L.V. Carreno, K. Grandfield, *Colloids Surf. B* (2019). Biointerfaces. 110386–110395

Marno, M., Widianto, E., Sumarjo, J., & Santoso, A. (2018). Perancangan dan Pengembangan Sistem Electrospinning sebagai Teknologi dalam Pembuatan Nanofiber. *INVOTEK: Jurnal Inovasi Vokasional dan Teknologi*, 18(2), 101-108.

Matthews, J. A., Wnek, G. E., Simpson, D. G., & Bowlin, G. L. (2002). Electrospinning of collagen nanofibers. *Biomacromolecules*, 3(2), 232-238.

Megelski, S., Stephens, J. S., Chase, D. B., & Rabolt, J. F. (2002). Micro-and nanostructured surface morphology on electrospun polymer fibers. *Macromolecules*, 35(22), 8456-8466.

Miles, B. M., & Huberman, A. M. (2014). Qualitative Data Analysis (Tjetjep Rohendi Rohidi Translation).

Nazir, M. (2003). Metode Penelitian. Ghalia Indonesia Jakarta. Bahasa Indonesia.

Nechyporchuk, O., Belgacem, M. N., & Bras, J. (2016). Production of cellulose nanofibrils: A review of recent advances. *Industrial Crops and Products*, 93, 2-25.

Nowlin, J., Bismi, M., Delpech, B., Dumas, P., Zhou, Y., & Tan, G. (2018). Engineering the hard–soft tissue interface with random-to-aligned nanofiber scaffolds. *Nanobiomedicine*, 5, 184954351880353.

O'brien, F. J. (2011). Biomaterials & scaffolds for tissue engineering. *Materials today*, 14(3), 88-95



- Pham, Q. P., Sharma, U., & Mikos, A. G. (2006a). Electrospinning of polymericnanofibers for tissue engineering applications: A review. *Tissue Engineering*, 12(5), 1197–1211.
- Piez, K. A. (1984). Molecular and aggregate structures of the collagens. *Extracellular matrix biochemistry*, 1-39.
- Qin, Y. (Ed.). (2015). Medical textile materials. Woodhead Publishing.
- Rahmati, M., Blaker, J. J., Lyngstadaas, S. P., Mano, J. F., & Haugen, H. J. (2020). Designing multigradient biomaterials for skin regeneration. *Materials Today Advances*, 5, 100051.
- Rahmati, M., Mills, D. K., Urbanska, A. M., Saeb, M., Venugopal, J. R., Ramakrishna, S., & Mozafari, M. (2020). Electrospinning for tissue engineering applications. *Progress in Materials Science*, 100721.
- Sarwono, J. (2006). Metode penelitian kuantitatif dan kualitatif.
- Schnell, E., Klinkhammer, K., Balzer, S., Brook, G., Klee, D., Dalton, P., & Mey, J. (2007). Guidance of glial cell migration and axonal growth on electrospun nanofibers of poly-ε-caprolactone and a collagen/poly-ε-caprolactone blend. *Biomaterials*, 28(19), 3012-3025.
- Sefat, F., Raja, T. I., Zafar, M. S., Khurshid, Z., Najeeb, S., Zohaib, S., ... & Mozafari, M. (2019). Nanoengineered biomaterials for cartilage repair. In *Nanoengineered Biomaterials for Regenerative Medicine* (pp. 39-71). Elsevier.
- Shi, X., Zhou, W., Ma, D., Ma, Q., Bridges, D., Ma, Y., & Hu, A. (2015). Electrospinning of nanofibers and their applications for energy devices. *Journal of Nanomaterials*, 2015.
- Sill, T., & von Recum, H. (2008). Electrospinning: Applications in drug delivery and tissue engineering. *Biomaterials*, 29(13), 1989-2006.
- Snyder, H. (2019). Literature review as a research methodology: An overview and guidelines. *Journal of business research*, 104, 333-339.
- Sugiyono. (2012). Metode Penelitian Kuantitatif, Kualitatif, dan R&D. Bandung: Alfabeta



- Sun, Y., Cheng, S., Lu, W., Wang, Y., Zhang, P., & Yao, Q. (2019). Electrospun fibers and their application in drug controlled release, biological dressings, tissue repair, and enzyme immobilization. *RSC advances*, 9(44), 25712-25729.
- Thottappillil, N., & Nair, P. D. (2015). Scaffolds in vascular regeneration: current status. *Vascular health and risk management*, 11, 79.
- Tian, L., Prabhakaran, M. P., Hu, J., Chen, M., Besenbacher, F., & Ramakrishna, S. (2016). Synergistic effect of topography, surface chemistry and conductivity of the electrospun nanofibrous scaffold on cellular response of PC12 cells. *Colloids and Surfaces B: Biointerfaces*, 145, 420-429.
- Tuzlakoglu, K., Bolgen, N., Salgado, A. J., Gomes, M. E., Piskin, E., & Reis, R. L. (2005). Nano-and micro-fiber combined scaffolds: a new architecture for bone tissue engineering. *Journal of materials science: materials in medicine*, 16(12), 1099-1104.
- Wang, H. B., Mullins, M. E., Cregg, J. M., McCarthy, C. W., & Gilbert, R. J. (2010). Varying the diameter of aligned electrospun fibers alters neurite outgrowth and Schwann cell migration. *Acta biomaterialia*, 6(8), 2970-2978.
- Wang, L., Wu, Y., Hu, T., Guo, B., & Ma, P. X. (2017). Electrospun conductive nanofibrous scaffolds for engineering cardiac tissue and 3D bioactuators. *Acta biomaterialia*, 59, 68-81.
- Wang, S., Zhong, S., Lim, C. T., & Nie, H. (2015). Effects of fiber alignment on stem cells–fibrous scaffold interactions. *Journal of Materials Chemistry B*, 3(16), 3358-3366.
- Wang, Y., Zou, Y., Chen, J., Li, G. D., & Xu, Y. (2013). A flexible and monolithic nanocomposite aerogel of carbon nanofibers and crystalline titania: fabrication and applications. *RSC advances*, 3(46), 24163-24168.
- Williams, D. F. (1999). *The Williams dictionary of biomaterials*. Liverpool University Press. 42
- Woodruff, M. A., & Hutmacher, D. W. (2010). The return of a forgotten polymer—Polycaprolactone in the 21st century. *Progress in polymer science*, 35(10), 1217-1256.



- Wu, T., Zhang, J., Wang, Y., Li, D., Sun, B., El-Hamshary, H., ... & Mo, X. (2018). Fabrication and preliminary study of a biomimetic tri-layer tubular graft based on fibers and fiber yarns for vascular tissue engineering. *Materials Science and Engineering: C*, 82, 121-129.
- Xie, X., Chen, Y., Wang, X., Xu, X., Shen, Y., Aldalbahi, A., ... & Mo, X. (2020). Electrospinning nanofiber scaffolds for soft and hard tissue regeneration. *Journal of Materials Science & Technology*, 59, 243-261.
- Xie, X., Li, D., Su, C., Cong, W., Mo, X., Hou, G., & Wang, C. (2019). Functionalized biomimetic composite nanofibrous scaffolds with antibacterial and hemostatic efficacy for facilitating wound healing. *Journal of biomedical nanotechnology*, 15(6), 1267-1279.
- Xu, C. Y., Inai, R., Kotaki, M., & Ramakrishna, S. (2004). Aligned biodegradable nanofibrous structure: a potential scaffold for blood vessel engineering. *Biomaterials*, 25(5), 877-886.
- Xu, J., Liu, C., Hsu, P. C., Liu, K., Zhang, R., Liu, Y., & Cui, Y. (2016). Roll-to-roll transfer of electrospun nanofiber film for high-efficiency transparent air filter. *Nano letters*, 16(2), 1270-1275.
- Xu, T., Miszuk, J. M., Yao, Q., Liang, Z., Sun, H., & Fong, H. (2021). Electrospun three-dimensional nanofibrous scaffolds based on polycaprolactone for stem cells differentiation and bone regeneration. In *Electrospun Polymers and Composites* (pp. 179-215). Woodhead Publishing.
- Xu, T., Miszuk, J. M., Zhao, Y., Sun, H., & Fong, H. (2015). Electrospun polycaprolactone 3D nanofibrous scaffold with interconnected and hierarchically structured pores for bone tissue engineering. *Advanced healthcare materials*, 4(15), 2238-2246.
- Yang, Y., Jia, Z., Liu, J., Li, Q., Hou, L., Wang, L., & Guan, Z. (2008). Effect of electric field distribution uniformity on electrospinning. *Journal of applied physics*, 103(10), 104307.
- Yin, H., Wang, J., Gu, Z., Feng, W., Gao, M., Wu, Y., ... & Mo, X. (2017). Evaluation of the potential of kartogenin encapsulated poly (L-lactic acid-co-



caprolactone)/collagen nanofibers for tracheal cartilage regeneration. *Journal of biomaterials applications*, 32(3), 331-341.

Yu, H., Chen, X., Cai, J., Ye, D., Wu, Y., Fan, L., & Liu, P. (2019). Novel porous three-dimensional nanofibrous scaffolds for accelerating wound healing. *Chemical Engineering Journal*, 369, 253-262.

Yu, Y., Ma, Q., Zhang, J. B., & Liu, G. B. (2020). Electrospun SiO<sub>2</sub> aerogel/polyacrylonitrile composites nanofibers with enhanced adsorption performance of volatile organic compounds. *Applied Surface Science*, 512, 145697.

Zhang, P. X., Han, N., Kou, Y. H., Zhu, Q. T., Liu, X. L., Quan, D. P., ... & Jiang, B. G. (2019). Tissue engineering for the repair of peripheral nerve injury. *Neural regeneration research*, 14(1), 51.

Zhang, S., Chen, L., Jiang, Y., Cai, Y., Xu, G., Tong, T., ... & Ouyang, H. W. (2013). Bi-layer collagen/microporous electrospun nanofiber scaffold improves the osteochondral regeneration. *Acta Biomaterialia*, 9(7), 7236-7247

Zhang, W., Vilensky, R., Zussman, E., & Yarin, A. L. (2018). Adsorption and mass transfer in granular porous membranes/media due to inserted volatile materials. *International Journal of Heat and Mass Transfer*, 116, 248-258.

Zhang, X., Baughman, C. B., & Kaplan, D. L. (2008). In vitro evaluation of electrospun silk fibroin scaffolds for vascular cell growth. *Biomaterials*, 29(14), 2217-2227.

Zhao, R., Li, X., Li, Y., Li, Y., Sun, B., Zhang, N., ... & Wang, C. (2017). Functionalized magnetic iron oxide/polyacrylonitrile composite electrospun fibers as effective chromium (VI) adsorbents for water purification. *Journal of colloid and interface science*, 505, 1018-1030.

Zhu, M., Xiong, R., & Huang, C. (2019). Bio-based and photocrosslinked electrospun antibacterial nanofibrous membranes for air filtration. *Carbohydrate polymers*, 205, 55-62.



Zong, X., Bien, H., Chung, C. Y., Yin, L., Fang, D., Hsiao, B. S., ... & Entcheva, E. (2005). Electrospun fine-textured scaffolds for heart tissue constructs. *Biomaterials*, 26(26), 5330-5338.