UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adesina, I. A., A. O. Ojokoh, and D. J. Arotupin. 2017. Inhibitory properties of lactic acid bacteria against moulds associated with spoilage of bakery products. Journal of Advance in Microbiology. 4(3): 1-8.

Agriopoulou, S., E. Stamatelopoulou, M. Sachadyn- Król, and T. Varzakas. 2020. Lactic acid bacteria as antibacterial agents to extend the shelf life of fresh and minimally processed fruits and vegetables =: quality and safety aspects. Microorganisms. 8(6): 952-975.

Amarantini, C., D. Satwika, T. Y. Budiarso, E. R. Yunita, and E. A. Laheba. 2019. Screening of antimicrobial-producing lactic acid bacteria isolated from fish fermentation against pathogenic bacteria. Journal of Physics. 6: 1-9.

Amarantini, C., V. C. Prakasita, and L. E. Cahyani. 2020. The effect of temperatures and pH on bacteria strain Pr 4.3L from Peda fish. Proceedings of the 7th ICRIEMS 2020. 528: 28-34.

Amascual, R. H., H. O. Panganoron, E. A. Irene, and N. D. Pajarillo. 2020. Histamine profile of dried-salted fish sold in local supermarkets of Samar, Philippines. Italian Journal of Food Safety. 9(8322): 23-27.

Amenu, D. 2013. Antimicrobial activity of lactic acid bacteria isolated from "Ergo", Ethiopian traditional fermented milk. Microbiology and Biotechnology. 1(6): 278-284.

Amenu, D. 2014. Probiotic properties of lactic acid bacteria from human milk. Medical Microbiology & Diagnosis. S3: 1-4.

Andarilla, W., R. Sari, dan P. Apridamayanti. 2018. Optimasi aktivitas bakteriosin yang dihasilkan oleh *Lactobacillus casei* dari sotong kering. Jurnal Pendidikan dan Informatika Sains. 7(2): 187-196.

Arena, M. P., A. Silvain, G. Normanno, F. Grieco, D. Drider, G. Spano, and D. Fiocco. 2016. Use of *Lactobacillus plantarum* strains as a bio-control strategy against food-borne pathogenic microorganisms. Frontiers in Microbiology. 7(464): 1-10.

Arulkumar, A., S. Paramithiosis, and S. Paramasivam. 2021. Biogenic amines in fresh fish and fishery products and emerging control. Aquaculture and Fisheries. 1-20.

Baste, O. C., M. L. L. Moratalla, S. S. Perez, M. T. V. Noguez, and M. C. V. Carou. 2019. Histamine and other biogenic amines in food from scombroid poisoning to histamine intolerance. IntechOpen Publisher, London.

Ben-David, A., and C. E. Davidson. 2014. Estimated method for serial dilution experiments. Journal of Microbiological Methods. 107: 214-221.

Benmebarek, H., J. J. E. Rodriguez, M. I. G. Siso, and K. Karroub. 2020. Test for the production and assay of the proteolytic activities of halophilic bacteria and

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

archaea isolated from Algerian hypersaline environments. Proceedings. 66(1): 1-7

Bertrand, R. L. 2019. Lag phase is a dynamic, organized, adaptive, and envolvable period that prepares bacteria for cell division. American Society of Microbiology Journal of Bacteriology. 201(7): e00697-18.

Bhakta, J. N., K. Ohnishi, Y. Munekage, K. Iwasaki, and M. Q. Wei. 2012. Characterization of lactic acid bacteria-based probiotics as potential heavy metal sorbents. Journal of Applied Microbiology. 112:1193 – 1206.

Bintsis, T. 2018. Lactic acid bacteria starter cultures : an update in their metabolism and genetics. Aims Microbiology. 4: 665-684.

[BSN]. Badan Standardisasi Nasional. 2015. SNI 2332.3:2015. Cara uji mikrobiologi-Bagian 3: Penentuan angka Lempeng Total (ALT) pada produk perikanan. Badan Standardisasi Nasional, Jakarta.

Butler, E., R. F. Oien, C. Liindholm, T. C. Olofsson, B. Nilson, and A. Vasquez. 2014. A pilot study investigating lactic acid bacterial symbionts from the honeybee in inhibiting human chronic wound pathogens. International Wound Journal. 13(5) : 729-737.

Capillas, C. R., and A. M. Herrero. 2019. Impact of biogenic amines on food quality and safety. Foods. 8(2): 1-16.

Chancharoonpong, C., and N. Palagoot. 2020. Screening of halophilic bacteria and product characteristic from salty-fermented fish (Pla-ra). Science and Technology RMUTT Journal. 10(1): 269-276.

Chen, J., H. Pang, L. Wang, C. Ma, G. Wu, Y. Liu, Y. Guan, M. Zhang, G. Qin, and Z. Tan. 2022. Bacteriocin-producing lactic acid bacteria strains with antimicrobial activity screened from Bamei pig feces. Foods. 11(5): 1-13.

Choeisoongnern, T., B. S. Sivamaruthi, S. Sirilun, S. Peerajan, Y. Choiset, H. Rabesona, T. Haertle, and C. Chaiyasut. 2020. Screening and identification of bacteriocin-like inhibitory substances producing lactic acid bacteria from fermented foods. Food Science and Technology. 40(3): 571-579.

Choirunnisa, H. N., R. Y. Sari, U. S. Hastuti, dan A. Witjoro. 2017. Identifikasi dan uji kemampuan hidrolisis pada bakteri amilolitik dan proteolitik yang diisolasi dari wadi, makanan khas Kalimantan Tengah. Jurnal Bionature. 18(2): 99-109.

Damayanti, E., M. Ichsyani, L. Istiqomah, A. S. Anggraeni, and M. Kurniadi. 2020. Fermentation of amylolytic yeast and lactic acid bacteria to improve the quality of modified cassava. IOP Conference Series: Materials Science and Engineering. 1011 012004.

[EFSA]. European Food Safety Authority. 2011. Scientific opinion on risk based control of biogenic amine formation in fermented foods. EFSA Journal. 9(10): 2393.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Emanuel, V., V. Adrian, P. Ovidiu, and C. Gheorge. 2005. Isolation of a *Lactobacillus plantarum* strain used for obtaining a product for the preservation of fodders. African Journal of Biotechnology. 4(5): 403-408.

Emborg, J., P. Dalgaard, and P. Ahrens. 2006. *Morganella psychrotolerans* sp. a histamine-producing bacterium isolated from various seafoods. International Journal of System Evolution Microbiology. 56: 2473-2479.

Engesser, D. M., and W. P. Hammes. 1994. Non-heme catalase activity of lactic acid bacteria. Systematic and Applied Microbiology. 17(1): 11-19.

Fahmi, A. S., W. F. Ma'ruf, dan T. Surti. 2014. Laju oksidasi dan mutu organoleptik ikan teri nasi kering (*Stolephorus* spp) selama penyimpanan dingin. Pena Jurnal Ilmu Pengetahuan dan Teknologi. 27(1): 65-77.

Fallo, G., Y. Sine, dan O. Tael. 2021. Isolasi dan karakterisasi bakteri asam laktat pada air rendaman kacang tunggak (*Vigna unguiculata* (L.) Walp) berpotensi sebagai penghasil antibiotik. Jurnal Pendidikan Biologi Undiksha. 8(3): 161-169.

[FDA]. Food and Drug Administration. 2020. Fish and fishery products hazard and controls guidance 4th edition. FDA Office, USA.

Feng, T., and J. Wang. 2020. Oxidative stress tolerance and antioxidant capacity of lactic acid bacteria as probiotic: a systematic review. Gut Microbes. 12(1): 1-24.

Fevria, R., and I. Hartanto. 2020. Isolation and characterization of lactic acid bacteria (*Lactobacillus* sp.) from Sauerkraut. International Conference on Biology, Sciences, and Education. 10: 74-77.

Finanda, A., Mukarlina, dan Rahmawati. 2021. Isolasi dan karakterisasi genus bakteri asam laktat dari fermentasi daging buah pisang kepok (*Musa paradisiaca* L.). Jurnal Protobiont. 10(2): 37-41.

Florou-Paneri, P., E. Christaki, and E. Bonos. 2013. Lactic acid bacteria as source of functional ingredients. In (Ed.), Lactic Acid Bacteria - R & D for Food, Health and Livestock Purposes. IntechOpen. https://doi.org/10.5772/47766

Fong, L. Y. F., H. E. Nezami, and E. T. P. Sze. 2021. Biogenic amines precursors of carcinogens in traditional Chinese fermented food. NFS Journal. 23: 52-57.

Forouhandeh, H., S. Z. Vahed, M. S. Hejazi, M. R. Nahaei, and M. A. Dibavar. 2010. Isolation of *Lactobacillus* species from various dairy products. Current Research in Bacteriology. 3(2): 84-88.

Fugaban, J. I., J. E. V. Bucheli, W. H. Holzapfel, and S. D. Todorov. 2021. Characterization of partially purified bacteriocins produced by *Enterococcus faecium* strains isolated from soybean paste active against *Listeria* spp. and vancomycin-resistant *Enterococci*. Microorganisms. 9(5): 1-23.

Galvez, A., H. Abriouel, R. L. Lopez, and N. B. Omar. 2007. Bacteriocin-based strategies for food biopreservation. International Journal of Food Microbiology. 120(2): 51-70.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Gassem, M. A. 2019. Microbiological and chemical quality of a traditional salted-fermented fish (Hout-Kasef) product of Jazan region, Saudi Arabia. Saudi Journal of Biological Science. 26(1): 137-140.

Gautam, N., and N. Sharma. 2009. Bacteriocin: safest approach to preserve food products. Indian Journal of Microbiology. 49: 204-211.

Ge, J., J. Kang, and W. Ping. 2019. Effect of acetic acid on bacteriocin production by Gram-positive bacteria. Journal of Microbiology and Biotechnology. 29(9): 1341-1348.

Girma, A., and A. Aemiro. 2021. Antibacterial activity of lactic acid bacteria isolated from fermented Ethiopian traditional dairy products against food spoilage and pathogenic bacterial strains. Journal of Food Quality. 2021(1): 100240-100249.

Gonzales-Quijano, G. K., L. Dorantes-Alvarez, H. Humberto-Sanchez, M. E. Jaramillo-Flores, M. J. Perea-Flores, A. V. P. de Leon, and C. Hernandez-Rodriguez. 2014. Halotolerance and survival kinetics of lactic acid bacteria isolated from Jalapeno Pepper (*Capsicum annuum* L.) fermentation. Journal of Food Science. 79(8): 1545-1553.

Guevarra, R. B., and V. I. Barraquio. 2015. Viable counts of lactic acid bacteria in Philippine commercial yoghurts. International Journal of Dairy Science. 2(5): 24-28.

Hardiansyah, M. Y., Y. Musa, dan A. M. Jaya. 2020. Identifikasi *plant growth promoting Rhizobacteria* pada rizosfer bambu duri dengan Gram KOH 3%. Agrotechnology Research Journal. 4(1): 41-46.

Hartmann, H. A., T. Wilke, and R. Erdmann. 2011. Efficacy of bacteriocin-containing cell-free culture supernatants from lactic acid bacteria to control *Listeria monocytogenes* in food. International Journal of Food Microbiology. 146: 192-199.

Hawaz, E. 2014. Isolation and identification of probiotic lactic acid bacteria from curd and in vitro evaluation of its growth inhibition activities against pathogenic bacteria. African Journal of Microbiology Research. 8(13): 1419-1425.

Hedges, A. J. 1999. The influence factors affecting the 'critical population' density of inocula on the determination of bacterial susceptibility to antibiotics by disc diffusion methods. Journal of Antimicrobial Chemotherapy. 43: 313-316.

Hernández-González, J., A. Martínez-Tapia, G. Lazcano-Hernández, B. E. García-Pérez, and N. S. Castrejón-Jiménez. 2021. Bacteriocins from lactic acid bacteria. A powerful alternative as antimicrobials, probiotics, and immunomodulators in veterinary medicine. MDPI Animals. 11: 979-995.

Heruwati, E. S., R. A. Sophia, dan W. Mangunwardoyo. 2008. Penghambatan enzim *L-histidine decarboxylase* dari bakteri pembentuk histamin menggunakan asam benzoat. Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan. 3(2): 97-106.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Heruwati. E. S., F. Ariyani, R. Triwibowo, N. Rachmawati, dan I. Hermana. 2009. Penggunaan ekstrak teh hijau (*Camellia sinensis*) sebagai penghambat pembentukan histamin pada ikan sebelum diolah. Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan. 4(2): 161-168.

Horvath, G., T. Bencsik, K. Acs, and B. Kocsis. 2016. Sensitivity of ESBL-producing Gram-negative bacteria to essential oils, plant extracts, and their isolated compounds. Antibiotic Resistance. 239-269.

Hutahaean, A. J. N., J. Silalahi, D. Suryanto, and D. Satria. 2019. Characterisation of lactic acid bacteria from Dengke Naniura of common carp (*Cyprinus carpio*) with α-Glucosidase inhibitory activity. Macedonian Journal of Medical Sciences. 7(22): 3794-3798.

Ibrahim, S. A., R. D. Ayivi, T. Zimmerman, S. A. Siddiqui, A. B. Altemimi, H. Fidan, T. Esatbeyoglu, and R. V. Bakhshayesh. 2021. Lactic acid bacteria as antimicrobial agents : food safety and microbial food spoilage prevention. Foods. 10(3131): 1-13.

Irshad, A., I. Ahmad, and S. B. Kim. 2014. Culturable diversity of halophilic bacteria in foreshore soils. Journal of Microbiology. 45(2): 563-571.

Ishikawa, M., K. Yamasato, K. Kodama, H. Yasuda, M. Matsuyama, A. Okamoto-Kainuma, and Y. Koizumi. 2013. *Alkalibacterium gilvum* sp. nov., slightly halophilic and alkaphilic lactic acid bacterium isolated from soft and semi-hard cheeses. Journal of Systematic and Evolutionary Microbiology. 6: 1471-1478.

Ismail, Y. S., C. Yulvizar, and B. Mazhitov. 2019. Characterization of lactic acid bacteria from local cow"s milk kefir. IOP Conference Series: Earth and Environmental Science. 130: 1-8.

Jorgensen, J. H., and M. J. Ferraro. 2009. Antimicrobial susceptibility testing: a review of general principles and contemporary practices. Medical Microbiology. 49: 1749-1755.

Junior, S. E. B., M. F. Miyaoka, M. R. Spier, R. Rubel, V. T. Soccol, and C. R. Soccol. 2011. Production biomolecule with inhibitory activity against Gram-negative bacteria isolated from faeces of broilers and swine. Brazilian Archives of Biology and Technology. 54(4): 723-731.

Juodeikiene, G., E. Bartkiene, P. Viskelis, D. Urbonaviciene, D. Eidukonyte, and C. Bobinas. 2012. Fermentation processes using lactic acid bacteria producing bacteriocins for preservation and improving functional properties of food products. In (Ed) Advances in Applied Biotechnology. IntechOpen. 63-100. doi: 10.5772/30692.

Kaewchomphunuch, T., T. Charoepichitnunt, V. Thongbaiyai, N. Ngamwongsatit, and K. Kaeoket. 2022. Cell-free culture supernatants of *Lactobacillus* spp. and *Pediococcus* spp. inhibit growth of pathogenic *Escherichia coli* isolated from pigs in Thailand. BMC Veterinary Research. 18(60): 1-13.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Kanak, E. K., and S. O. Yilmaz. 2019. Maldi-tof mass spectrometry for the identification and detection of antimicrobial activity of lactic acid bacteria isolated from local cheeses. Food Science and Technology. 2019. 39(2): 462-469.

Karyantina, M., S. Anggrahini, T. Utami, and E. S. Rahayu. 2020. Moderate halophilic lactic acid bacteria from Jambal Roti: a traditional fermented fish of Central Java, Indonesia. Journal of Aquatic Food Product Technology. 29(10): 990-1000.

Kasimin, M. E., A. A. Faik, J. Jani, S. Abbasiliasi, A. B. Arrif, and R. Jawan. 2020. Probiotic properties of antimicrobial-producing lactic acid bacteria isolated from dairy products and raw milk of Sabah (Northern Borneo), Malaysia. Malaysian Applied Biology. 49(3): 95-106.

Khairina, R., dan I. K. Khotimah. 2006. Studi komposisi asam amino dan mikroflora pada wadi ikan betok. Jurnal Teknologi Pertanian. 7(2): 120-126.

Khay, E., M. Idaomar, L. M. P. Castro, P. F. Bernandez, N. S. Senhaji, and J. Abrini. 2011. Antimicrobial activities of the bacteriocin-like substances produced by lactic acid bacteria isolated from Moroccan dromedary milk. African Journal of Biotechnology. 10(51): 10447-10455.

Kim, D. H., S. Kim, Y. M. Jo, H. Seo, G. Y. Kim, S. W. Cheon, S. W. Yang, C. O. Jeon, and N. S. Han. 2022. Probiotic potential of *Tetragenococcus halophilus* EFEL7002 isolated from Korean Soy Meju. BMC Microbiology. 22: 149-165.

Koesoemawardani, D., L. U. Afifah, N. Herdiana, A. S. Suharyono, E. G. Fadhallah, and M. Ali. 2021. Microbiological, physical and chemical properties of Joruk (fermented fish product) with different levels of salt concentration. Biodiversitas. 22(1): 132-136.

Konagaya, Y., B. Kimura, M. Ishida, and T. Fujii. 2002. Purification and properties of a histidine decarboxylase from Tetragenococcus muriaticus, a halophilic lactic acid bacterium. Journal of Applied Microbiology. 92: 1136-1142.

Kurnia, M., H. Amir, dan D. Handayani. 2020. Isolasi dan identifikasi bakteri asam laktat dari makanan tradisional Suku Rejang di Provinsi Bengkulu: "Lemea". Jurnal Pendidikan dan Ilmu Kimia. 4(1): 25-32.

Lawalata, H. J., L. Sembiring, and E. s. Rahayu. 2011. Molecular identification of lactic acid bacteria producing antimicrobial agents from bakasang an Indonesian traditional fermented fish product. Indonesian Journal of Biotechnology. 16(2): 93-99.

Lee, Y. C., H. F. Kung, C. Y. Huang, T. C. Huang, and Y. H. Tsai. 2016. Reduction of histamine and biogenic amines during salted fish fermentation by Bacillus polymyxa as a starter culture. Journal of Food and Drug Analysis. 24(1): 157-163.

Lehtopolku, M., P. Kotilainen, P. Puukka, U. Nakari, A. Silitonen, E. Eerola, P. Huovinen, and A. J. Hakanen. 2011. Inaccuracy of the disk diffusion method compared with the agar dilution method for susceptibility testing of *Campylobacter* spp. Journal of Clinical Microbiology. 50(1): 52-56.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, J., B. Wang, J. Chen, G. Du, and F. Fang. 2022. Heme dependent catalase conditionally contributes to oxygen tolerance *Tetragenococcus halophilus* strains isolated from soy sauce moromi. Applied Science. 12(16): 1-10.

Lim, E. S. 2016. Inhibitory effect of bacteriocin-producing lactic acid bacteria against histamine-forming bacteria isolated from Myeolchi-jeot. Journal of Fisheries and Aquatic Sciences. 19(42): 1-10.

Lim, H. S., J. E. Yeu, S. P. Hong, and M. S. Kang. 2018. Characterization of antibacterial cell-free supernatant from oral care probiotic *Weissella cibaria,* CMU. Molecules. 23 (8): 1984-1996.

Lin, C., F. Liu, Y. Lee, C. Hwang, and Y. Tsai. 2012. Histamine contents of salted seafood products in Taiwan and isolation of halotolerant histamine-forming bacteria. Food Chemistry. 131: 574-579.

Listiyo, N., N. Suhartatik, dan K. R. Kuswanto. 2017. Isolasi dan identifikasi awal bakteri asam laktat halofil proteolitik selama fermentasi saus ikan lele (*Clarias* sp). Jurnal Ilmiah Teknologi dan Industri Pangan. 2(1): 8-14.

Luchansky, J. B., T. R. Klaenhammer, H. S. Girgis, and J. Smith. 2002. Stress adaptations of lactic acid bacteria. In (Ed) Microbial Stress Adaptation and Food Safety. CRC Press. 54-106. doi:10.1201/9781420012828.ch6.

Mahamad, P., W. Dahlan, U. Nungarlee, P. Petchareon, S. Chaovasuteeranon, K. Salae, H. Chapakiya, A. Matimu, A. Phewpan, A. Denyingyhot, S. Keeratipibul, M. Khemtam, and V. Nopponpunth. 2021. Effect of amino acids and taste components of fermented fish sauce (Budu) from Thailand. Proceeding on The International Halal Science and Technology Conference. 1(1): 176-186.

Mahendradatta, M., dan Adiansyah. 2008. Penggunaan ekstrak dan bubuk cengkeh dan kayu manis untuk meminimalkan kandungan histamin pada ikan kembung perempuan (*Rastrelliger neglectus*). Journal of Fish Science. 10(1): 110-119.

Mahulette, F., N. R. Mubarik, A. Suwanto, and Widanarni. Diversity of lactic acid bacteria in *inasua* fermentation. Iranian Journal of Microbiology. 10(5): 314-323.

Mani-López, E., D. Arrioja-Breton, and A. López-Malo. 2021. The impacts of antimicrobial and antifungal activity of cell-free supernatants from lactic acid bacteria in vitro and foods. Comprehensive Reviews in Food Science and Food Safety. 21: 604-641.

Mao, Y., X. Zhang, and Z. Xu. 2019. Identification of antibacterial substances of Lactobacillus plantarum DY-6 for bacteriocin action.

Mariam, S. H., N. Zegeye, T. Tariku, E. Andargie, N. Endalafer, and A. Aseffa. 2014. Potential of cell-free supernatants from cultures of selected lactic acid bacteria and yeast obtained from local fermented foods as inhibitors of *Listeria monocytogenes, Salmonella* spp., and *Staphylococcus aureus.* BMC Research Notes. 7(1): 606.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Matti, A., T. Utami, C. Hidayat, and E. S. Rahayu. 2019. Isolation, screening, and identification of proteolytic lactic acid bacteria from indigenous Chao product. Journal of Aquatic Food Product Technology. 28(7): 781-793.

Melgar-Lalanne, G., Y. Rivera-Espinoza, R. Farrera-Rebollo, and H. Hernandez-Sanchez. 2014. Survival under stress of halotolerant lactobacilli with probiotic properties. Revista Mexicana de Ingenieria Quimica. 13(1): 323-225.

Morales, F., J. I. Morales, C. H. Fernandez, and H. Hernandez-Sanchez. 2011. Isolation and partial characterization of halotolerant lactic acid bacteria from two Mexican cheeses. Applied Biochemistry and Biotechnology. 164: 889-905.

Mulaw, G., T. S. Tessema, D. Muleta, and A. Tesyafe. 2020. In vitro evaluation of probiotic properties of lactic acid bacteria isolated from some traditionally fermented Ethiopian food products. International Journal of Microbiology. 2(2): 1-11.

Nadia, A. B., S. N. Jannah, and S. Purwantisari. 2020. Isolation and characterization of lactic acid bacteria from Apis mellifera stomach and their potential as antibacterial using in vitro test against growth of Staphylococcus aureus and Salmonella typhimurium. NICHE Journal of Tropical Biology. 3(1): 35-44.

Nanasombat, S., P. Treebavonkusol, S. Kittisrisopit, T. Jaichalad, S. Phunpruch, A. Kootmas, and I. Nualsri. 2017. Lactic acid bacteria isolated from raw and fermented pork products: identification and characterization of catalase-producing *Pediococcus pentosaceus.* Food Science and Biotechnology. 26(1): 173-179.

Naraki, S., S. Igimi, and Y. Sasaki. 2020. NADH peroxidase plays a crucial role in consuming H2O2 in Lactobacillus casei IGM394. Bioscience of Microbiota, Food, and Health. 39(2): 45-56.

Narkthewan, P., and W. Makkapan. 2020. Determination of histamine-forming bacteria, total coliform and *Escherichia coli* in fermented foods. International Journal of GEOMATE. 19(72): 69-74.

Nascimento, A. P., N. U. Ferreira, E. A. Barizon, B. A. Rocha, M. M. O. L. L. Vaz, and A. A. Berretta. 2013. Methodologies for the evaluation of the antibacterial activity of propolis. African Journal of Microbiology Research. 7(20): 2344-2350.

Nurhikmayani, R., B. D. Daryono, and E. Retnaningrum. 2019. Isolation and molecular identification of antimicrobial-producing Lactic Acid Bacteria from *chao,* South Sulawesi (Indonesia) fermented fish product. Biodiversitas. 20(4): 1063-1068.

Oh, D., and Marshall, D. L. 1993. Antimicrobial activity of ethanol, glycerol monolaurate or lactic acid against Listeria monocytogenes. International Journal of Food Microbiology. 20: 239-246.

Ouwehand, A. C., and S. Vesterlund. 2004. Lactic Acid Bacteria Microbiology and Functional Aspects: Antimicrobial components from lactic acid bacteria. University of Turku, Finland.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Ozogul, F., G. Tabanelli, N. Toy, and F. Gardini. 2015. Impact of cell-free supernatant of lactic acid bacteria on putrescine and other polyamine formation by foodborne pathogens in ornithine decarboxylase broth. Journal of Agricultural and Food Chemistry. 63: 5828-5835.

Parada, J. L., C. R. Caron, A. B. P. Medeiros, and C. R. Soccol. 2007. Bacteriocins from lactic acid bacteria: purification, properties and use as biopreservatives. Brazilian Archives of Biology and Technology. 50(3): 521-542.

Parasthi, L. Y. E., D. N. Afifah, C. Nissa, and B. Panunggal. 2020. Total lactic acid bacteria and antibacterial activity in yoghurt with addition of *Ananas comosus* Merr. and *Cinnamomum burmannii*. Amerta Nutrition. 4(4): 257-264.

Patel, A., N. Shah, P. Ambalam, J. B. Prajapati, O. Holst, and A. Ljungh. 2013. Antimicrobial profile of lactic acid bacteria isolated from vegetables and indigenous fermented foods of India against clinical pathogens using microdilution method. Biomedical Environment Science. 26(9): 759-764.

Payne, J. N., H. K. Waghwani, M. G. Connor, W. Hamilton, S. Tockstein, H. Moolani, F. Chavda, V. Badwaik, M. B. Lawrenz, and R. Dakshinamurthy. 2016. Novel synthesis of kanamycin conjugated gold nanoparticles with potent antibacterial activity. Frontiers in Microbiology. 7(607): 1-10.

Perez, R. H., T. Zendo, and K. Sonomoto. 2014. Novel bacteriocins from lactic acid bacteria (LAB) various structures and applications. Microbial Cell Factories. 13(1): 1-13.

Petrus, H. Purnomo, E. Suprayitno, and Hardoko. 2013. Physicochemical characteristics, sensory acceptability, and microbial quality of Wadi Betok a traditional fermented fish from South Kalimantan, Indonesia. International Food Research Journal. 20(2): 933-939.

Pircalabioru, G. G., L. I. Popa, L. Marutescu, I. Gheorghe, M. Popa, I. C. Barbu, and M. Chifiriuc. 2021. Bacteriocins in the era of antibiotic resistance: rising to the challenge. Pharmaceutics. 13(196): 1-15.

Piuri, M., C. Sanchez-Rivas, and S. M. Ruzal. 2003. Adaptation to high salt in *Lactobacillus*: role of peptides and proteolytic enzymes. Journal of Applied Microbiology. 95: 372-379.

Pongsetkul, J., S. Benjakul, K. Vongkamjan, P. Sumpavapol, and K. Osako. 2017. Microbiological and chemical changes of shrimp *Acetes vulgaris* during Kapi Production. Journal of Food Science and Technology. 54(11): 3473-3482.

Prasetiawan, N. R., T. W. Agustini, dan W. F. Ma'ruf. 2013. Penghambatan pembentukan histamin pada daging ikan tongkol (*Euthynnus affinis*) oleh quercetin selama penyimpanan. Jurnal Pengolahan Hasil Perikanan Indonesia. 16(2): 150-158.

Prayitno, S. F. A., A. Suprihadi, and E. Kusdiyantini. 2020. Identification of gamma-amino butyric acid isolates lactic acid bacteria results from the isolation of Rusip. Journal of Biology & Biology Education. 12(3): 304-310.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Preciado, G. M., M. M. Michel, S. L. Villarreal-Morales, A. C. Flores-Gallegos, J. Aguirre-Joya, J. Morlett-Chávez, C. N. Aguilar, and R. Rodríguez-Herrera. 2016. Bacteriocins and its use for multidrug-resistant bacteria control. In (Ed), Antibiotic Resistance. Academic Press. doi: 10.1016/B978-0-12-803642-6.00016-2.

Prihardini, F.J. 2008. Isolasi dan karakterisasi bakteri dan bakasang jeroan ikan tuna sirip kuning (Thunnus albacares). Skripsi. Teknologi Hasil Perikanan. Institut Pertanian Bogor. Bogor.

Prudencio, C. V., M. T. Santos, and M. C. D. Vanetti. 2015. Strategies for the use of bacteriocins in Gram-negative bacteria: relevance in food microbiology. Journal of Food Science and Technology. 52(9): 5408-5417.

Pulungan, A. S., dan D. E. Tumangger. 2018. Isolasi dan karakterisasi bakteri endofit penghasil enzim katalase dari daun buasbuas (*Premna pubescens* Blume). Jurnal Biologi Lingkungan, Industri, Kesehatan. 5(1): 72-80.

Purwaningsih, S., J. Santoso, dan R. Garwan. 2013. Perubahan fisiko-kimiawi, mikrobiologi dan histamin bakasang ikan cakalang selama fermentasi dan penyimpanan. Jurnal Teknologi dan Industri Pangan. 24(2): 168-177.

Putra, M. M. P., M. Y. Al-Hammam, and G. Ahsan. 2022. Antibacterial activity of cell-free supernatant produced by lactic acid bacteria isolated from Indonesian fermented fish products against histamine-producing bacteria. Indonesian Journal of Fisheries Science and Technology. 18(1): 13-18.

Rana, S., S. Bhawal, A. Kumari, S. Kapila, and R. Kapila. 2020. pH-dependent inhibition of AHL-mediated quorum sensing by cell-free supernatant of lactic acid bacteria in *Pseudomonas aeruginosa* PAO1. Microbial Pathogenesis. 142: 1-8.

Rao, M. S., J. Pintando, W. F. Stevens, and J. P. Guyot. 2004. Kinetic growth parameters of different amylolytic and non-amylolytic *Lactobacillus* strains under various salt and pH conditions. Bioresource Technology. 94(3): 331-337.

Rathakrishnan, D., and A. K. Gopalan. 2022. Isolation and characterization of halophilic isolates from Indian salterns and their screening for production of hydrolytic enzymes. Environmental Challenges. 6: 1-10.

Rattanachaikunsopon, P., and P. Phumkhachorn. 2010. Lactic acid bacteria: their antimicrobial compounds and their uses in food production. Animal of Biological Research. 1(4): 218-228.

Rinto, A. D. Sasanti, dan K. Fitria. 2012. Aktivitas penghambatan isolat bakteri asam laktat ikan nila dan tongkol terhadap bakteri merugikan produk perikanan. Jurnal Pengolahan Hasil Perikanan Indonesia. 15(2): 94-100.

Rinto. 2010. Perubahan kandungan mikroflora akibat penambahan starter *Pediococcus acidilactici* F-11 dan garam selama fermentasi peda. Jurnal Pengolahan Hasil Perikanan Indonesia. 13(1): 35-47.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Rizky, M. Y., R. D. Fitri, U. S. Hastuti, dan S. Prabaningtyas. 2017. Identifikasi uji kemampuan hidrolisis lemak dan penentuan indeks zona bening asam laktat pada bakteri dalam Wadi makanan tradisional Kalimantan Tengah. Jurnal Bionature. 18(2): 87-98.

Rochima, E. 2005. Pengaruh fermentasi garam terhadap karakteristik Jambal Roti. Buletin Teknologi Hasil Perikanan. 8(2): 46-56.

Rojo-Bezares, B., Y. Saenz, L. Navarro, M. Zarazaga, F. Ruiz-Larrea, and C. Torres. 2007. Coculture-inducible bacteriocin activity of *Lactobacillus plantarum* strain J23 isolated from grape must. Food Microbiology. 24(5): 482-491.

Rolfe, M. D., C. J. Rice, S. Lucchini, C. Pin, A. Thompson, A. D. S. Cameron, M. Alton, M. F. Stringer, R. P. Betts, J. Baranyi, M. W. Peck, and J. C. D. Hinton. 2012. Lag phase is a distinct growth phase that prepares bacteria for exponential growth and involves transient metal accumulation. American Society of Microbiology Journal of Bacteriology. 194(3): 686-701.

Rumjunkiat, K., K. Pilasombut, S. Wangwibulkit, and A. Swetwiwathana. 2010. Screening and partial characterization of bacteriocin from lactic acid bacteria in fish gastrointestinal tract. Journal of Science and Technology. 15(9): 870-877.

Sandstedt, K., J. Ursing, and M. Walder. 1983. Thermotolerant *Campylobacter* with no or weak catalase activity from dogs. Current Microbiology. 8: 209-213.

Şanlıbaba, P., and Y. Güçer. 2015. Antimicrobial activity of lactic acid bacteria. Agriculture and Food. 3: 451-457.

Satomi, M. 2016. Effect of histamine-producing bacteria on fermented fishery products. Food Science and Technology Research. 22(1): 1-21.

Satomi, M., M. M. Koyanagi, K. Shozen, M. Furushita, H. Oikawa, and Y. Yano. 2012. Analysis of plasmids encoding histidine decarboxylase gene in *Tetragenococcus muriaticus* isolated from Japanese fermented seafoods. Fish Science. 78: 935-945.

Schirone, M., P. Visciano, R. Tofalo, and G. Suzzi. 2016. Histamine food poisoning. Springer Publishing, New York.

Schumacher, A., T. Vranken, A. Malhotra, J. J. C. Arts, and P. Habibovic. 2018. In vitro antimicrobial susceptibility testing methods: agar dilution to 3D tissue-engineered models. Europe Journal of Clinical Microbiology & Infection Diseases. 37: 187-208.

Schwalbe, R., L. Steele-Moore, and A. C. Goodwin. 2007. Antimicrobial Susceptibility Testing Protocols. CRC Press, Boca Raton.

Septiana, E., dan P. simanjuntak. 2016. Aktivitas penghambatan bakteri pembentuk histamin dan antioksidan kapang endofit kunyit sebagai pengawet alami. Biopropal Industri. 7(1): 1-8.

Shahandashti, R. V., R. K. Kermanshahi, and P. Ghadam. 2016. The inhibitory effect of bacteriocin produced by *Lactobacillus acidophilus* CC 4356 and *Lactobacillus*

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

plantarum ATCC 8014 on planktonic cells and biofilms of *Serratia marcescens*. Turkish Journal of Medical Sciences. 46: 1188-1196.

Sidhu, P. K., and K. Nehra 2020. Bacteriocins of lactic acid bacteria as potent antimicrobial peptides against food pathogens. In (Ed), Biometrics. IntechOpen. doi: 10.5772/intechopen.91558.

Sivamaruthi, B. S., P. Kesika, and C. Chaisayut. 2020. A narrative review on biogenic amines in fermented fish and meat products. Journal of Food Science Technology. 58: 1623-1639.

Smaoui, S., L. Elleuch, W. Bejar, I. Karrai-Rebai, I. Ayadi, B. Jaouadi, F. Mathieu, H. Chouayekh, S. Bejar, and L. Mellouli. 2010. Inhibition of fungi and Gram-negative bacteria by bacteriocin BacTN635 produced by Lactobacillus plantarum sp. TN635. Applied Biochemistry and Biotechnology. 162: 1132-1146.

Soomro, A. H., T. Masud, and K. Anwaar. 2002. Role of Lactic Acid Bacteria (LAB) in Food Preservation and Human Health: A Review. Pakistan Journal of Nutrition. 1(1): 20-24.

Sriphannam, C., and A. Kummasook. 2020. Evaluation of probiotic properties of lactic acid bacteria isolated from fermented fish. Naresuan University Journal Science and Technology. 28(1): 105-115.

Stanojevic-Nikolic, S., G. Dimic, L. Mojovic, J. Pejin, A. Djukic-Vukovic, and S. Kocic-Tanackov. 2015. Antimicrobial activity of lactic acid against pathogen and spoilage microorganisms. Journal of Food Processing and Preservation. 40(5): 1-9.

Subagiyo, S. Margiono, Triyanto, R. A. T. Nuraini, W. A. Setyati, dan R. Pramesti. 2016. Metode sederhana dan cepat untuk skrining bakteri asam laktat penghasil bakteriosin (*antimicrobial peptide*) dari *intestinum* ikan dan udang. Buletin Oseanografi Marina. 5(2): 97-100.

Suryadi, Y., T. P. Priyatno, I. M. Samudra, D. N. Susilowati, dan W. Irawati. 2013. Karakterisasi dan identifikasi isolat bakteri endofitik penghambat jamur patogen padi. Buletin Plasma Nutfah, 19(1): 25-32.

Tapingkae, W., S. Tanasupawat., K. L. parkin, S. Benjakul, and W. Visessanguan. 2009. Degradation of histamine by extremely halophilic archaea isolated from salt-fermented fishery products. Enzyme and Microbial Technology. 46: 92-99.

Taylor, S. L. 1985. Histamine poisoning associated with fish, cheese, and other foods. World Health Organization. VPH/FOS/85.1.

Thao, T. T. P., L. T. K. Thoa, L. M. T. Ngoc, T. T. P. Lan, T. V. Phuong, H. T. H. Truong, K. S. Knoo, S. Manickam, T. T. Hoa, N. D. Q. Tram, P. L. Show, N. D. Huy. 2021. Characterization halotolerant lactic acid bacteria *Pediococcus pentosaceus* HN10 and in vivo evaluation for bacterial pathogens inhibition. Chemical engineering and Processing. 168: 1-9.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Thariq, A. S., F. Swastawati, dan T. Surti. 2014. Pengaruh perbedaan konsentrasi garam pada peda ikan kembung (*Rastrelliger neglectus*) terhadap kandungan asam glutamat pemberi rasa gurih (umami). Jurnal Pengolahan dan Bioteknologi Hasil Perikanan. 3(3): 104-111.

Tivani, I. 2018. Uji angka lempeng total (ALT) pada jamu gendong temu ireng di Desa Tanjung Kabupaten Brebes. 7(1):215-218.

Tomusiak-Plebanek, A., P. Heczko, B. Skowron, A. Baranowska, K. Okoń. P. J. Thor, M. Strus. 2018. Lactobacilli with superoxide dismutase-like or catalase activity are more effective in alleviating inflammation in a inflammatory bowel disease mouse model. Drug Design, Development, and Therapy. 12: 3221-3233.

Torido, Y., T. Takahshi, T. Kuda, and B. Kimura. 2012. Analysis of the growth of histamine-producing bacteria and histamine accumulation in fish during storage at low temperatures. Food Control. 26: 174-177.

Tsai, Y. H., C. Y. Lin, L. T. Chien, T. M. Lee, C. I. Wei, and D. F. Hwang. 2006. Histamine contents of fermented fish products in Taiwan and isolation of histamine-forming bacteria. Food Chemistry. 98: 64-70.

Vieco-Saiz, N., Y. Belguesmia, R. Raspoet, E. Auclair, F. Gancel, I. Kempf, and D. Drider. 2019. Benefits and inputs from lactic acid bacteria and their bacteriocins as alternatives to antibiotic growth promoters during food-animal production. Frontiers in Microbiology. 10(57): 1-17.

Visciano, P., M. Schirone, R. Tofalo, and G. Suzzi. 2014. Histamine poisoning and control measures in fish and fishery products. Journal of Frontiers in Microbiology. 5: 1-3.

Waty, K., E. Purwijantiningsih, dan S. Pranata. 2019. Kualitas fermentasi spontan Wadi Ikan Patin (*Pangasius* sp.) dengan variasi konsentrasi garam. Jurnal Biota. 4(1): 24-32.

Whittenbury, R. 1964. Hydrogen peroxide formation and catalase activity in the lactic acid bacteria. Journal of General Microbiology. 35(1): 13-26.

Wiegand, I., K. Hilpert, and E. W. Hancock. 2008. Agar and broth dilution methods to determine the minimal inhibitory concentration (MIC) of antimicrobial substances. Nature Protocols. 3(2): 163-175.

Wiranata, D. P., dan I. D. Puspita. 2020. Isolasi dan identifikasi bakteri pembentuk histamin pada ikan tuna mata besar, cakalang, dan tongkol yang didaratkan di pelabuhan perikanan Sadeng, Gunungkidul. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.

Wong, C. B., B. Y. Khoo, S. Sasidharan, W. Piyawattanametha, S. H. Kim, N. Khemthongcharoen, M. Y. Ang, L. O. Chuah, and M. T. Liong. 2014. Inhibition of Staphylococcus aureus by crude and fractionated extract from lactic acid bacteria. Beneficial Microbes. 6(1): 129-139.

UNIVERSITAS
GADJAH MADA
Isolasi Bakteri Asam Laktat Halofilik dari Wadi dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya terhadap Bakteri Pembentuk Histamin
GETA CAHYATI S, Mgs. M. Prima Putra, S.Pi., M.Sc., Ph.D.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Yalçınkaya, S., and G. B. Kılıç. 2019. Isolation, identification, and determination of technological properties of the halophilic lactic acid bacteria isolated from table olives. Journal of Food Science Technology. 1-11.

Yazgan, H., E. Kuley, T. G. Gökmen, J. M. Regenstein, and F. Özogul. 2020. The antimicrobial properties and biogenic amine production of lactic acid bacteria isolated from various fermented food products. Journal of Food Processing Preservation. 45(1): 1-10.

Yi, L., T. Qi, Y. Hong, L. Deng, K. Zeng. 2020. Screening of bacteriocin-producing lactic acid bacteria in Chinese homemade pickle and dry-cured meat, and bacteriocin identification by genome sequencing. Food Science and Technology. 125: 109177.

Yuliana, N., D. Koesoemawardani, Susilawaty, and Y. Kurniati. 2018. Lactic acid bacteria during fish fermentation (rusip). MOJ Food Processing & Technology. 6(2): 211-216.

Zacharoff, M. P., and R. W. Lovitt. 2012. Bacteriocins produced by lactic acid bacteria. APCBEE Procedia. 2: 50-56.

Zakaria, S. Purwayantie, dan L. Hartanti. 2018. Evaluasi gizi cincalok di Desa Sungai Kakap Kecamatan Sungai Kakap. Jurnal Sains Mahasiswa Pertanian. 7(1): 1-10.

Zangeneh, M., S. Khorrami, M. Khaleghi. 2020. Bacteriostatic activity and partial characterization of the bacteriocin produced by *L. plantarum* sp. isolated from traditional sourdough. Food Science and Nutrition. 8: 6023-6030.

Zapasnik, A., B. Sokolowska, and M. Bryla. 2022. Role of lactic acid bacteria in food preservation and safety. Foods. 11(9): 1-17.

Zhang, H., H. Huangfu, X. Wang, S. Zhao, Y. Liu, H. Lv, G. Qin, and Z. Tan. 2021. Antibacterial activity of lactic acid bacteria producing Leuconostoc mesenteroides QZ1178 against pathogenic Gallibacterium anatis. Frontiers in Veterinary Science. 8: 630294

Zheng, W., Y. Zhang, H. Lu, D. Li, Z. Zhang, Z. Tang, and L. Shi. 2015. Antimicrobial activity and safety evaluation of *Enterococcus faecium* KQ 2.6 isolated from peacock feces. BMC Biotechnology. 15(30): 1-8.