

DAFTAR PUSTAKA

- Agrawal, Y. K. and Patadia, R. N., 2006, Microwave-assisted Synthesis of Calix[4]recorcinarene of Hydroxamic Acids, *Synth. Commun.*, 36, 1083–1092
- Aguiar, A. C. C., Erika, M., Cortopassi, W. A., Pimentel, A. S., Almeida, M. M. F. S., Barros, D. C. S., Guedes, J. S., Meneghetti, M. R., and Krettli, A. U., 2018, Chloroquine Analogs as Antimalarial Candidates with Potent In Vitro and In Vivo Activity. *Int. J. Parasitol. Drugs Drug Resist.*, 8 (3), 459–464.
- Alfaqih, H. dan Abu-Bakar, N., 2020, The Potential of Pyrogallol as a Possible Antimalarial Drug Candidate, *Acad. J. Microbiol. Immunol.*, 1 (1), 1–4.
- An, L., Wang, C., Han, L., Liu, J., Huang, T., Zheng, Y., Yan, C., and Sun, J., 2019, Structural Design, Synthesis, and Preliminary Biological Evaluation of Novel Dihomooxalix[4]arene-Based Anti-Tumor Agents, *Front. Chem.*, 7 (1), 856–872.
- Anonim, 2021, *World Malaria Report 2021*, Global Malaria Programme, Geneva.
- Aptula, A. O, Roberts, D. W., Cronin, M. T., and Schultz, T. W., 2005, Chemistry-Toxicity Relationships for The Effects of Di- and Trihydroxybenzenes to *Tetrahymena Pyriformis*, *CRTOEC*, 18(5), 844–854.
- Artini, Y. N. N., Tatontos, E. Y., dan Urip, 2019, Analisis Jenis Plasmodium Penyebab Malaria terhadap Hitung Jumlah Trombosit, *JAMBS*, 6 (1), 58–62.
- Azlin, E., 2004, Obat Anti Malaria, *Sari Pediatr.*, 5 (4), 150–154.
- Baelmans, R., Deharo, E., Muoz, V., Sauvain, M., and Ginsburg, H., 2000, Experimental Conditions for Testing The Inhibitory Activity of Chloroquine on The Formation of β -hematin, *Exp. Parasitol.*, 96, 243–248.
- Bowley, N., 2008, Synthetic and Structural Studies of Calix[4]pyrogallolarenes Towards Biological Applications, *Thesis*, Faculty of Science and Technology Nottingham Trent University, Nottingham.
- Basilico, N., Pagani, E., Monti, D., Olliaro, P., and Taramelli, D., 1998, A Microtitre-Based Method for Measuring the Heme Polymerization Inhibitory Activity (HPIA) of Antimalarial Drugs, *J. Antimicrob. Chemother.*, 42, 55–60.
- Chawla, G., and Ranjan, C., 2016, Principle, Instrumentation, and Applications of UPLC: A Novel Technique of Liquid Chromatography, *Open Chem. J.*, 3(1), 1–16.
- Consoli, G. M. L., Granata, G., Picciotto, R., Blanco, A. R., Geraci, C., Marino, A., and Nostro, A., 2018, Design, Synthesis and Antibacterial Evaluation of a Polycationic Calix[4]arene Derivative Alone and in Combination with Antibiotics, *Med. Chem. Commun.*, 9 (1), 160–164.
- Corbellini, F., Knegt, R. M. A., Grootenhuys, P. D. J., Crego-Calama, M., and Reinhoudt, D. N., 2005, Water-Soluble Molecular Capsules: Self-Assembly and Binding Properties, *Chem. - A Eur. J.*, 11 (1), 298–307.

- De Fatima, A., Fernandes, S. A., and Sabino, A. A., 2009, Calixarenes as New Platforms for Drug Design, *Curr. Drug Discov. Technol.*, 6, 1–20.
- Degotte, G., Pirotte, B., Frédéricich, M., and Francotte, P., 2021, Polyhydroxybenzoic Acid Derivatives as Potential New Antimalarial Agents, *Arch. Pharm. (Weinheim)*, 354 (11), 145–158.
- Desai, V., Panchal, M., Dey, S., Panjwani, F., and Jain, V. K., 2021, Recent Advancements for the Recognition of Nitroaromatic Explosives Using Calixarene Based Fluorescent Probes, *J. Fluoresc.*, 32, 67–79.
- Dimi, B., Adam, A., and Alim, A., 2018, Prevalensi Malaria Berdasarkan Karakteristik Sosio Demografi, *J. Ilm. Kesehat.*, 19 (2), 34–38.
- Farag, M. A., Rasheed, D. M., Kropf, M., and Heiss, A. G., 2016, Metabolite Profiling in Trigonella Seeds Via UPLC-MS and GC-MS Analyzed Using Multivariate Data Analyses, *Anal. Bioanal. Chem.*, 408 (28), 8065–8078.
- Ferrao, J. L., Niquisse, S., Mendes, J. M., and Painho, M., 2018, Mapping and Modelling Malaria Risk Areas Using Climate, Socio-Demographic and Clinical Variables in Chimoio, Mozambique, *Int. J. Environ. Res. Public Health*, 15, 1–15.
- Ferro, R., Tedesco, C., and Neri, P., 2005, Synthesis and Solid State Confirmation of a Calix[8]arene 1,5 Diquinine Derivatives, *J. Incl. Phenom. Macrocycl. Chem.*, 52, 85.
- Fitriastuti, D., Julianto, S. T., dan Iman, A. W. N., 2020, Identification and Heme Polymerization Inhibition Activity (HPIA) Assay of Ethanolic Extract and Fraction of Temu Mangga (*Curcuma mangga* Val.) Rhizome, *EKSAKTA*, 1 (1), 64–72.
- Fong, K. and Wright, D., 2013, Hemozoin and Antimalarial Drug Discovery, *Future Med. Chem.*, 5 (12), 1437–1450.
- Galindo-Murillo, R., Olmedo-Romero, A., Cruz-Flores, E., Petrar, P., Kunsagimata, S., and Barroso-Flores, J., 2014, Calix[n]arene-Based Drug Carriers: a DFT Study of Their Electronic Interactions with a Chemotherapeutic Agent Used Against Leukemia, *Comput. Theor. Chem.*, 1035, 84–91.
- Granata, G., Paterniti, I., Geraci, C., Cunsolo, F., Esposito, E., Cordaro, M., Blanco, A. R., Cuzzocrea, S., and Consoli, G. M. L., 2017, Potential Eye Drop Based on a Calix[4]arene Nanoassembly for Curcumin Delivery: Enhanced Drug Solubility, Stability, and Anti-Inflammatory Effect, *Mol. Pharmacol.*, 14, 1610–1622.
- Gutsche, D. C., Dhawan, B., No, H. H., and Muthukrishnan, R., 1981, Calixarene 4. The Synthesis, Characterization, and Properties of Calixarenes from *p*-tert-butylphenol, *J. Am. Chem. Soc.*, 103, 3782–3786.
- Harizal, 2015, Sintesis 4-metoksifenilkaliks[4]pirogalolaril Benzoate-Sinamat sebagai Senyawa Tabir Surya, *Disertasi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Ippolito, M. M., Moser, K. A., Kabuya, J. B. B., Cunningham, C., and Juliano, J. J., 2021, Antimalarial Drug Resistance and Implications for the WHO Global Technical Strategy, *Curr. Epidemiol. Reports*, 8 (2), 46–62.
- Jumina, Siswanta, D., Zulkarnain, A. K., Triono, S., Priatmoko, Yuanita, E., Imawan, A. C., Fatmasari, N., and Nursalim, I., 2019, Development of

- C-Arylcalix[4]resorcinarenes and C-Arylcalix[4]pyrogallolarenes as Antioxidant and UV-B Protector, *Indones. J. Chem.*, 19 (2), 273–284.
- Kimani, J., Phiri, K., Kamiza, S., Duparc, S., Ayoub, A., Rojo, R., Robbins, J., Orrico, R., and Vandembroucke, P., 2016, Efficacy and Safety of Azithromycin-Chloroquine versus Sulfadoxine-Pyrimethamine for Intermittent Preventive Treatment of Plasmodium falciparum Malaria Infection in Pregnant Women in Africa: An Open-Label, Randomized Trial, *PLoS One.*, 11 (6), 1–22.
- Kublin, J. G., Cortese, J. F., Njunju, E. M., Mukadama, R. A., Wirima, J. J., Kazembe, P. N., Djimde, A. A., Kouriba, B., and Plowe, C. V., 2003, Reemergence of Chloroquine-Sensitive Plasmodium falciparum Malaria After Cessation of Chloroquine Use in Malawi, *J. Infect. Dis.*, 187, 1870–1875.
- Kumar, R., Mohanakrishnan, D., Sharma, A., Kaushik, N. K., Kalia, K., Sinha, A. K. and Sahal, D., 2010, Reinvestigation of Structure-Activity Relationship of Methoxylated Chalcones as Antimalarials: Synthesis and Evaluation of 2,4,5-trimethoxy Substituted Patterns as Lead Candidates Derived from Abundantly Available Natural β -asarone, *Eur. J. Med. Chem.*, 4, 5292–5301.
- Latifah, N., Subarnas, A., dan Chaerunisaa, A. Y., 2020, Antimalaria Medicine and Its Mechanism : A Review, *Maj. Farmasetika*, 5 (1), 39–48.
- Maier, A. G., Matuschewski, K., Zhang, M., and Rug, M., 2019, Plasmodium falciparum, *Trends Parasitol.* 35 (6), 481–482.
- Mourer, M., Psychogios, N., Laumond, G., Aubertin, A. M., and Regnouf-de-Vains, J. B., 2010, Synthesis and Anti-HIV Evaluation of Water-Soluble Calixarene-Based Bithiazolyl Podands, *Bioorg. Med. Chem.*, 18, 36–45.
- Newby, G., Hwang, J., Koita, K., Chen, I., Greenwood, B., von Seidlein, L., Shanks, G. D., Slutsker, L., Kachur, S. P., Wegbreit, J., Ippolito, M. M., Poirot, E., and Gosling, R., 2015, Review of Mass Drug Administration for Malaria and Its Operational Challenges, *Am. J. TropMed. Hyg.*, 93 (1), 125–34.
- Nureye, D. and Assefa, S., 2020, Old and Recent Advances in Life Cycle, Pathogenesis, Diagnosis, Prevention, and Treatment of Malaria including Perspectives in Ethiopia, *Sci. World J.*, 10 1–17.
- Pandey, S., Agarwal, P., Srivastava, K., Raja Kumar, S., Puri, S. K., Verma, P., Saxena, J. K., Sharma, A., Lal, J., and Chauhan, P.M.S., 2013, Synthesis and Bioevaluation of Novel 4-Aminoquinoline-tetrazole Derivatives as Potent Antimalarial Agents, *Eur. J. Med. Chem.*, 66, 69–81.
- Pfeiffer, C. R., Feaster, K. A., Dalgarno, S. J., and Atwood, J. L., 2015, Synthesis and Characterization of Aryl-Substituted Pyrogallol[4]arenes and Resorcin[4]arenes, *Cryst. Eng. Comm.*, 18, 222–229.
- Plachkova-Petrova, D., Petrova, P., Miloshev, St., and Novakov, Ch., 2012, Optimization of Reaction Conditions for Synthesis C-tetramethylcalix[4]-resorcinarene, *Bulg. Chem. Commun.*, 44 (3), 208–215.
- Podyachev, S. N., Syakaev, V. V., Sudakova, S. N., Shagidullin, R. R., Osyanina, D. V., Avvakumova, L. V., Buzykin, B. I., Latypov, S.K., Bauer, I.,

- Habicher, W. D., and Konovalov, A. I., 2007, Synthesis of New Calix[4]arenes Functionalized by Acetylhydrazide Groups, *J. Incl. Phenom. Macrocycl. Chem.*, 58, 55–61.
- Prudencio M., Rodriguez A., and Mota M. M., 2006, The Silent Path to Thousands of Merozoites: The Plasmodium Liver Stage, *Nat. Rev. Microbiol.*, 4 (11), 849–856.
- Pur, F. N., 2021, Calix[4]API-s: Fully Functionalized Calix[4]arene-Based Facial Active Pharmaceutical Ingredients, *Mol. Divers.*, 25 (2), 1247–1258.
- Qiu, Y., Chen, Y., Zhang, G. G. Z., Yu, L., and Mantri, R. V., 2017, *Developing Solid Oral Dosage Forms: Pharmaceutical Theory and Practice*, 2th Ed., Elsevier, Amsterdam.
- Rohman, A. dan Ganjar, I. G., 2010, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Sardjono, R. E., 2007, Sintesis dan Penggunaan Tetramer Siklis Seri Kaliksresorsinarena, Alkoksikaliksarena, dan Alkenimaliksarena untuk Adsorpsi Kation Logam Berat, *Disertasi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada, Yogyakarta.
- Shah, R. B., Valand, N. N., Sutariya, P. G., and Menon, S. K., 2015, Design, Synthesis and Characterization of Quinoline-Pyrimidine Linked Calix[4]arene Scaffolds as Anti-Malarial Agents, *J. Incl. Phenom. Macrocycl. Chem.*, 84 (2), 173–178.
- Sigala, P. A., Crowley, J. R., Hsieh, S., Henderson, J. P., and Goldberg, D. E., 2012, Direct Tests of Enzymatic Heme Degradation by The Malaria Parasite *Plasmodium falciparum*, *J. Biol. Chem.*, 287 (45), 793–807.
- Simamora, D. dan Fitri, L. E., 2007, Resistensi Obat Malaria: Mekanisme dan Peran Obat Kombinasi Obat Antimalaria untuk Mencegah, *Jurnal Kedokteran Brawijaya*, 23 (2), 82–92.
- Tilley, L., Dixon, M. W. A., and Kirk, K., 2011, The Plasmodium Falciparum-Infected Red Blood Cell, *Int. J. Biochem. Cell Biol.*, 43 (6), 839–842.
- Utomo, S. B., Siswanta, D., and Kumar, N., 2011, Synthesis of Thiomethylated Calix[4] Resorcinarene Based on Fennel Oil, *Indo. J. Chem.*, 11, 1–8.
- Veravong, S., Rojsajakul, T., Tumcharern, G., Seangprasertkij-Magee, R., and Tuntulani, T., 2000, Synthesis and Characterisation of Polyaza Crown Ether Derivatives of Calix[4]arene and Their Role as Anion Receptors, *Tetrahedron Lett.*, 53 (13), 4669–4680.
- Walker, E. J., Peterson, G. M., Grech, J., Paragalli, E., and Thomas, J., 2018, Are We Doing Enough to Prevent Poor-Quality Antimalarial Medicines in The Developing World, *BMC Public Health*, 18, 1–6.
- Weinelt, Yuksel, N., Köse, A., and Fella, M. F., 2021, The Supramolecularly Complexes of Calix[4]arene Derivatives toward Favipiravir Antiviral Drug (Used to Treatment of COVID-19): A DFT Study on The Geometry Optimization, Electronic Structure and Infrared Spectroscopy of Adsorption And Sensing, *J. Incl. Phenom. Macrocycl. Chem.*, 101, 77–89.
- White, N.J., 2004, Antimalarial Drug Resistance, *J. Clin. Invest.*, 113 (8), 1084–1092.
- Yuksel, N., Köse, A., and Fella, M. F., 2021, The Supramolecularly Complexes

of Calix[4]arene Derivatives Toward Favipiravir Antiviral Drug (Used to Treatment of COVID-19): A DFT Study on The Geometry Optimization, Electronic Structure and Infrared Spectroscopy of Adsorption and Sensing, *J. Incl. Phenom. Macrocycl. Chem.*, 101 77–89.

Zhou, J., Yu, G., and Huang, F, 2017, Supramolecular Chemotherapy Based on Host–Guest Molecular Recognition: A Novel Strategy in the Battle Against Cancer with a Bright Future, *Chem. Soc. Rev.*, 46 (22), 7021–7053.

Zakiah, M., Syarif, R. A., Mustofa, Jumina, Fatmasari, N., and Sholikhah, E. N., 2021, In Vitro Antiplasmodial, Heme Polymerization, and Cytotoxicity, *J. Trop. Med.*, 1 (1), 1–11.

Zambrano, C. H., Manzano, S., Mendez, M. A., Dueno, E. E., Cazar, R. A., and Torres, F. J., 2013, A Theoretical Study of the Conformational Preference of Alkyl- and Aryl-Substituted Pyrogallol[4]arenes and Evidence of the Accumulation of Negative Electrostatic Potential within the Cavity of Their rccc Conformers, *Mol. Simul.*, 40 (4), 327–334.