

## REFERENSI

- [1] BPMI Setpres, “Angka Kasus Konfirmasi Covid-19 Terus Alami Penurunan Per November 2021,” *Biro Pers, Media, Dan Informasi Sekretariat Presiden*, Nov. 2021. <https://www.presidenri.go.id/siaran-pers/angka-kasus-konfirmasi-covid-19-terus-alami-penurunan-per-november-2021/> (accessed Nov. 14, 2021).
- [2] S. Latifa, “Update Corona Indonesia 14 November 2021: Ada 339 Tambahan Kasus, 15 Jiwa Meninggal - Tribunnews.com,” *Tribunnews*, Nov. 14, 2021. <https://www.tribunnews.com/corona/2021/11/14/breaking-news-update-corona-indonesia-14-november-2021-ada-339-tambahan-kasus-15-jiwa-meninggal> (accessed Nov. 14, 2021).
- [3] World Health Organization, “Coronavirus disease (COVID-19): How is it transmitted?,” Dec. 2020. <https://www.who.int/news-room/questions-and-answers/item/coronavirus-disease-covid-19-how-is-it-transmitted> (accessed Nov. 14, 2021).
- [4] P. Majaranta and K.-J. Räihä, “Twenty years of eye typing,” in *Proceedings of Eye Tracking Research and Applications*, 2002, no. January, pp. 15–22, doi: 10.1145/507072.507076.
- [5] L. R. Pradipta, I. Akbar, and A. B. Wicaksono, “Pengembangan Digital Signage Berbasis Kendali Gerakan Mata dengan Tobii Eye Tracker 4C,” 2020.
- [6] L. R. Pradipta, I. Akbar, and A. B. Wicaksono, “Pengembangan Digital Signage berbasis Kendali Gerakan Mata dengan Tobii Eye Tracker 4C,” Universitas Gadjah Mada, Yogyakarta, 2020.
- [7] M. H. Winayasaki and R. P. S. Ramadhan, “Pengembangan Digital Signage CoviDisplay Berbasis Kendali Gerakan Mata Menggunakan Tobii Eye Tracker 5 untuk Edukasi Covid-19,” Universitas Gadjah Mada, 2021.
- [8] K. Tangsgaard Hvelplund, “Eye tracking and the translation process: reflections on the analysis and interpretation of eye-tracking data,” *MonTI Monogr Traducción e Interpret*, pp. 201–223, 2014, doi: 10.6035/monti.2014.ne1.6.
- [9] B. Farnsworth, “What is Eye Tracking and How Does it Work?,” 2019. <https://imotions.com/blog/eye-tracking-work/> (accessed Oct. 30, 2021).
- [10] M. Vidal, A. Bulling, and H. Gellersen, “Pursuits: Spontaneous interaction with displays

based on smooth pursuit eye movement and moving targets,” *UbiComp 2013 - Proc 2013 ACM Int Jt Conf Pervasive Ubiquitous Comput*, pp. 439–448, 2013, doi: 10.1145/2493432.2493477.

- [11] G. L. Lohse and D. J. Wu, “Eye Movement Patterns on Chinese Yellow Pages Advertising,” *Electron Mark*, vol. 11, no. 2, pp. 87–96, Jan. 2001, doi: 10.1080/101967801300197007.
- [12] Tobii Tech, “What is Eye Tracking?,” 2014. <https://tech.tobii.com/technology/what-is-eye-tracking/> (accessed Oct. 30, 2021).
- [13] I. Mitsugami, N. Ukita, and M. Kidode, “Robot navigation by eye pointing,” *Lect Notes Comput Sci (including Subser Lect Notes Artif Intell Lect Notes Bioinformatics)*, vol. 3711 LNCS, no. January 2005, pp. 256–267, 2005, doi: 10.1007/11558651\_26.
- [14] T. Pro, “Powerful Eye Tracking for PC Games,” 2020. <https://gaming.tobii.com/> (accessed Oct. 30, 2021).
- [15] Gazepoints, “GP3 HD Eye-Tracking Device - Take Advantage of Research-Grade Equipment,” 2020. <https://www.gazept.com/product/gp3hd/> (accessed Oct. 30, 2021).
- [16] Tobii Tech, “What’s the difference between Tobii Eye Tracker 4C and 5?,” 2019. <https://help.tobii.com/hc/en-us/articles/360008539058-What-s-the-difference-between-Tobii-Eye-Tracker-4C-and-5-> (accessed Nov. 19, 2021).
- [17] J. Schaeffler, *Digital Signage: Software , Networks , Advertising , and Displays*. Focal Press, 2008.
- [18] K. Holmqvist, R. Andersson, M. Nyström, R. Dewhurst, H. Jarodzka, and J. Van de Weijer, *Eye Tracking: A Comprehensive Guide to Methods and Measures*. Oxford University Press, 2011.
- [19] M. Rucci, P. V. McGraw, and R. J. Krauzlis, “Fixational eye movements and perception,” *Vision Res*, vol. 118, pp. 1–4, Jan. 2016, doi: 10.1016/J.VISRES.2015.12.001.
- [20] B. Cassin, *Dictionary of eye terminology*, 5th ed. Triad Pub, 2006.
- [21] J. R. Bergstrom and A. J. Schall, *Eye Tracking in User Experience Design*. Morgan Kaufmann, 2014.



UNIVERSITAS  
GADJAH MADA

Pengembangan Eye Tracking Engine pada Smart Public Display Berbasis Kendali Gerakan Mata untuk

Edukasi Covid-19

HARISNO, Dr. Eng. Sunu Wibirama, S.T., M.Eng., IPM; Dr. Ir. Rudy Hartanto, M.T., IPM

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- [22] M. Nyström, I. Hooge, and K. Holmqvist, “Post-saccadic oscillations in eye movement data recorded with pupil-based eye trackers reflect motion of the pupil inside the iris,” *Vision Res*, vol. 92, pp. 59–66, 2013, doi: 10.1016/j.visres.2013.09.009.
- [23] A. Schmidt and F. Bulling, “Increasing the Security of Gaze-Based Cued-Recall Graphical Passwords using Saliency Masks,” in *ACM Conference on Human Factors in Computing System*, 2012, pp. 3011–3020.
- [24] T. Pro, “What happens during the eye tracker calibration?,” 2015. <https://www.tobiipro.com/learn-and-support/learn/eye-tracking-essentials/what-happens-during-the-eye-tracker-calibration/>.
- [25] S. Stellmach and R. Dachselt, “Look & touch: gaze-supported target acquisition,” in *ACM Conference on Human Factors in Computing Systems*, 2012, pp. 2981–2990.
- [26] S. Wibirama, S. Murnani, and N. A. Setiawan, “Spontaneous Gaze Gesture Interaction in the Presence of Noises and Various Types of Eye Movements,” 2020.
- [27] R. Zemblys, D. C. Niehorster, O. Komogortsev, and K. Holmqvist, “Using machine learning to detect events in eye-tracking data,” *Behav Res Methods*, vol. 50, no. 1, pp. 160–181, 2018, doi: 10.3758/s13428-017-0860-3.
- [28] A. D. Cahyono, “Membangun Komunikasi Efektif dalam Menentukan Keberhasilan Pembelajaran,” *PPPPTK BOE*, 2019. [https://p4tkboe.kemdikbud.go.id/p4tkboe/index.php?option=com\\_content&view=article&id=116:membangun-komunikasi-efektif-dalam-menentukankeberhasilan-pembelajaran&catid=28&Itemid=101](https://p4tkboe.kemdikbud.go.id/p4tkboe/index.php?option=com_content&view=article&id=116:membangun-komunikasi-efektif-dalam-menentukankeberhasilan-pembelajaran&catid=28&Itemid=101) (accessed Oct. 31, 2021).
- [29] A. Hyrskykari, H. Istance, and S. Vickers, “Gaze gestures or dwell-based interaction?,” *Eye Track Res Appl Symp*, no. 2010, pp. 229–232, 2012, doi: 10.1145/2168556.2168602.
- [30] C. Ware and H. H. Mikaelian, “Evaluation of an Eye Tracker As a Device for Computer Input.,” *Proc - Graph Interface*, pp. 183–188, 1987, doi: 10.1145/30851.275627.
- [31] Herlina, S. Wibirama, and I. Ardiyanto, “Similarity measures of object selection in interactive applications based on smooth pursuit eye movements,” *2018 Int Conf Inf Commun Technol ICOIACT 2018*, vol. 2018-Janua, pp. 639–644, 2018, doi:

- [32] E. I. Obilor and E. C. Amadi, “Test for Significance of Pearson’s Correlation Coefficient (r),” *Int J Innov Math Stat Energy Policies*, vol. 6, no. 1, pp. 11–23, 2018, [Online]. Available: <http://seahipaj.org/journals-ci/mar-2018/IJIMSEP/full/IJIMSEP-M-2-2018.pdf>.
- [33] E. Velloso, F. L. Coutinho, A. Kurauchi, and C. H. Morimoto, “Circular orbits detection for gaze interaction using 2D correlation and profile matching algorithms,” *Eye Track Res Appl Symp*, no. 1, 2018, doi: 10.1145/3204493.3204524.
- [34] T. Santini, W. Fuhl, T. Kübler, and E. Kasneci, “Bayesian identification of fixations, saccades, and smooth pursuits,” *Eye Track Res Appl Symp*, vol. 14, pp. 163–170, 2016, doi: 10.1145/2857491.2857512.
- [35] Christopher D.Manning, *Speech and Language Processing: An introduction to natural language processing*, 3rd ed. Prentince Hall, 2020.
- [36] J. Pekkanen and O. Lappi, “A new and general approach to signal denoising and eye movement classification based on segmented linear regression,” *Sci Rep*, vol. 7, no. 1, pp. 1–13, 2017, doi: 10.1038/s41598-017-17983-x.
- [37] S. Murnani, “A Robust Object Selection Technique in Gaze Gesture Application Using Exponential Moving,” Universitas Gadjah Mada, 2020.
- [38] O. V. Komogortsev and A. Karpov, “Automated classification and scoring of smooth pursuit eye movements in the presence of fixations and saccades,” *Behav Res Methods*, vol. 45, no. 1, pp. 203–215, 2013, doi: 10.3758/s13428-012-0234-9.
- [39] Tobii Developer, “Product Integration - Tobii Developer Zone,” 2020. <https://developer.tobii.com/product-integration/> (accessed Nov. 19, 2021).
- [40] S. Macy, “Tobii Eye Tracker 4C Review,” Nov. 2017. <https://www.ign.com/articles/2017/08/10/tobii-eye-tracker-4c-review> (accessed Nov. 19, 2021).
- [41] Tobii Support, “Specifications for Eye Tracker 5,” 2020. <https://help.tobii.com/hc/en-us/articles/360012483818-Specifications-for-Eye-Tracker-5> (accessed Nov. 19, 2021).

- [42] A. Kirkpatrick, “Low Cost Eye Tracking for Computer Access and Speech Synthesis,” 2019. <https://www.washington.edu/accesscomputing/resources/accesscomputing-news-september-2018/low-cost-eye-tracking-computer-access-and-speech-synthesis> (accessed Nov. 19, 2021).
- [43] Tobii Tech, “Tobii Eye Tracker 5 - The Next Generation of Head and Eye Tracking,” 2020. <https://gaming.tobii.com/product/eye-tracker-5/> (accessed Nov. 19, 2021).
- [44] S. Murnani, S. Wibirama, and N. A. Setiawan, “Comparative analysis of signal denoising methods for object selection in gaze-based interactive applications,” *Proc - 2019 5th Int Conf Sci Technol ICST 2019*, pp. 0–5, 2019, doi: 10.1109/ICST47872.2019.9166223.
- [45] H. Nurlatifa, “Object Selection in Spontaneous Gaze-based Application with Horizontal and Vertical Trajectories,” Universitas Gadjah Mada, 2021.
- [46] D. Bevans, “Asynchronous vs. Synchronous Programming: Key Similarities and Differences,” *Mendix*, 2022. <https://www.mendix.com/blog/asynchronous-vs-synchronous-programming/>.
- [47] K. Sookocheff, “How Do Websockets Work?,” 2019. <https://sookocheff.com/post/networking/how-do-websockets-work/>.
- [48] R. Andersson, L. Larsson, K. Holmqvist, M. Stridh, and M. Nyström, “One algorithm to rule them all? An evaluation and discussion of ten eye movement event-detection algorithms,” *Behav Res Methods*, vol. 49, no. 2, pp. 616–637, 2017, doi: 10.3758/s13428-016-0738-9.