

REFERENCES

- Aguilera, R., 2016, Shale gas reservoirs: Theoretical, practical and research issues: *Petroleum Research*, v. 1, no. 1, p. 10-26, [https://doi.org/10.1016/S2096-2495\(17\)30027-3](https://doi.org/10.1016/S2096-2495(17)30027-3).
- Alamsyah, M.N., 2015, Konsep Petroleum System (Handout Kuliah): Universitas Brawijaya, <https://wiki.aapg.org/Reservoir> (accessed Augustus 2021).
- Altindag, R., 2003, Correlation of specific energy with rock brittleness concepts on rock cutting: *The Journal of The South African Institute of Mining and Metallurgy*, v.103 no. 103, p. 163 – 172, https://hdl.handle.net/10520/AJA0038223X_2948.
- Alsaif, N., Hage, A., & Hassan H., 2017, Mineralogy and Geomechanical Analysis for Hydraulic Fracturing: An Integrated Approach to Assess Rock Fracability in Sandstone Reservoirs, in *Proceedings, Abu Dhabi International Petroleum Exhibition & Conference, Abu Dhabi, UAE, November 2017, SPE-188606-MS*, 10 p., doi: <https://doi.org/10.2118/188606-MS>.
- Blevin, J.E., Struckmeyer, H.I.M., Boreham, C.J., Cathro, D.L., Sayers, J., & Totterdell, J.M., 1997, Browse Basin high resolution study, interpretation report, North West Shelf: Australia, AGSO Record 1997/38, 282 p., http://www.ga.gov.au/products/servlet/controller?event=GEOCAT_DETAILS&catno=23689 (accessed June 2022).
- Bonamente, M., 2017, *Statistics and Analysis of Scientific Data*, 2nd Edition, New York: Springer, 335 p.
- Chang, C., Zoback, M., & Khaksar, A., 2006, Empirical relations between rock strength and physical properties in sedimentary rocks: *Journal of Petroleum Science and Engineering*, v. 51, no. 3 – 4, p. 223 – 237, <https://doi.org/10.1016/j.petrol.2006.01.003>.
- Chen, J., Zhang, G., Chen, H., & Yin, X., 2014, The construction of shale rock physics effective model and prediction of rock brittleness: *SEG TECHNICAL PROGRAM EXPANDED ABSTRACTS*, 2014, p. 2861 – 2865, <https://doi.org/10.1190/segam2014-0716.1>.
- Chen, Z., Chen, M., Jin, Y., & Huang, R., 1997, Determination of rock fracture toughness and its relationship with acoustic velocity: *International Journal of Rock Mechanics and Mining Sciences*, vo. 34, no. 3 – 4, p. 49.e1 – 49.e11, [https://doi.org/10.1016/S1365-1609\(97\)00148-2](https://doi.org/10.1016/S1365-1609(97)00148-2).
- Columbia University, 2021, *Geochemical Logging Tool (Glt*)*: Division of Marine and Large Programs. <https://mlp.ldeo.columbia.edu/> (accessed December 2021).
- ConocoPhillips, 2011a, POSEIDON-1, Well completion Report: Volume 2: Interpretative Data: National Offshore Petroleum Information Management System (NOPIMS) released report, 287 p., <https://dnxxuwuw8tglo.cloudfront.net/Wells/P00685603.zip> (accessed December 2021).
- ConocoPhillips, 2011b, POSEIDON-2, Well completion Report: Volume 2: Interpretative Data: National Offshore Petroleum Information Management System (NOPIMS) released report, 990 p., <https://dnxxuwuw8tglo.cloudfront.net/Wells/P00707041.zip> (accessed December 2021).
- ConocoPhillips, 2012, WA-315-P & WA-398-P Browse Basin Western Australia: 2009 Poseidon 3D Marine Surface Seismic Survey Interpretation Report: National Offshore Petroleum Information Management System (NOPIMS) released report,

- 43 p., <https://dnxxuwuw8tglo.cloudfront.net/Surveys/P00696639.zip> (accessed December 2021).
- Dalvand, M. & Falahat, R., 2021, A new rock physics model to estimate shear velocity log: *Journal of Petroleum Science and Engineering*, v. 196, 107697, 10 p., <https://doi.org/10.1016/j.petrol.2020.107697>.
- Fjaer, E., Horsrud, P., Risnes, R., Holt, R. & Raaen, A., 2008, *Petroleum Related Rock Mechanics: Developments in Petroleum Science*, v. 53, Elsevier Science, 514 p.
- Gautier, D., & Schovsbo, N., 2014, Resource Potential of the Alum Shale in Denmark, in *Proceedings, SPE/AAPG/SEG Unconventional Resources Technology Conference*, Denver, Colorado, USA, p. 2731–2740, doi:10.15530/urtec-2014-1931754.
- Gardner, G. H. F., Gardner, L.W., and Gregory, A.R., 1974, Formation velocity and density – the diagnostic basics for stratigraphic traps. *Geophysics*, v. 39, no. 6, p. 770–780, <https://doi.org/10.1190/1.1440465>.
- Government of Western Australia, 2014, *Western Australia’s Petroleum and Geothermal Explorer’s Guide: 2014 Edition*, p. 31 – 33, <http://www.dmp.wa.gov.au/Petroleum/Browse-Basin-10988.aspx> (accessed November, 2021).
- Geoscience Australia, 2021a, *Copyright and Disclaimer Notice*: <https://www.ga.gov.au/copyright>. (Accessed November, 2021).
- Geoscience Australia, 2021b, *Regional Geology of the Browse Basin: Geoscience Australia open report*, 34 p., <https://www.ga.gov.au/scientific-topics/energy/province-sedimentary-basin-geology/petroleum/acreagerelease/browse> (accessed August 2022).
- Greenberg, M. & Castagna, J., 1992, Shear-wave velocity estimation in porous rocks: theoretical formulation, preliminary verification and applications: *Geophysical Prospecting*, v. 40, no. 2, p. 195 – 209, <https://onlinelibrary.wiley.com/doi/epdf/10.1111/j.1365-2478.1992.tb00371.x>.
- Gupta, I., Rai, C., Sondergeld, C., & Devegowda, D., 2018, Rock Typing in Eagle Ford, Barnett, and Woodford Formations: *SPE Reservoir Evaluation & Engineering*, v. 21, no.3, p. 654–670, <https://doi.org/10.2118/189968-PA>.
- Han, S., Zhang, J., Yang, C, Bai, S., Huang, L., Dan, W., & Wang, C., 2016, Well log evaluation of shale gas reservoirs and preservation conditions of Lower Cambrian shale succession in Cengong Block of southeast Sichuan basin, south China: *Journal of Natural Gas Science and Engineering*, v. 33, p. 337 – 346, <http://dx.doi.org/10.1016/j.jngse.2016.05.019>.
- Huang, R., Wang, Y., Cheng, S., Liu, S. & Cheng, L., 2015, Selection of logging-based TOC calculation methods for shale reservoirs: A case study of the Jiaoshiba shale gas field in the Sichuan Basin: *Natural Gas Industry B*, v. 2, no. 2–3, p. 155-161, <https://doi.org/10.1016/j.ngib.2015.07.004>
- Jin, X., Shah, S.N., Roegiers, J-C., & Zhang, B., 2015, An Integrated Petrophysics and Geomechanics Approach for Fracability Evaluation in Shale Reservoirs: *SPE Journal*, v. 20, no. 03, p. 518–526, <https://doi.org/10.2118/168589-PA>
- Kansas Geological Survey, 2002, *Permeability Modeling*: <https://www.kgs.ku.edu/PRS/Poster/1999/99-47/P3-02.html>. (Accessed September, 2022).
- Kuske, T., Poidevin S., Edwards, D., 2015, Browse Basin petroleum accumulations: The *APPEA Journal*, v. 55, no 2, p. 463-463, <https://doi.org/10.1071/AJ14098>.
- Lewis, R., Ingraham, D., Percy, M., Williamson, J., Sawyer, W., & Frantz, J., 2004, *New Evaluation Techniques for Gas Shale Reservoirs: Reservoir Symposium*

- Schlumberger, 11 p., <http://large.stanford.edu/courses/2010/ph240/alnoaimi2/docs/Pickens%20Shale%20Gas.pdf> (accessed November 2021).
- Li, S., Ma, Y., & Gomez, E., 2020, Correlation-based data analytics of wireline logs for decoding and modeling shale gas resources: *Journal of Petroleum Science and Engineering*, v. 200, 108430, 12 p., <https://doi.org/10.1016/j.petrol.2021.108430>.
- Lutgert, J., Greiss, R.-M., & Hughes, C., 2014, De-Risking Shale Plays and Assessing By-Passed Pay Potential in The Netherlands, in *Proceedings, SPE/EAGE European Unconventional Resources Conference and Exhibition v. 2014*, p. 1-13, <https://doi.org/10.2118/167795-MS>.
- Ma, Y. Z., 2017, *Quantitative Geosciences: Data Analytics, Geostatistics, Reservoir Characterization and Modeling*: Springer, 640 p.
- McClave, J. & Sincich, T., 2018, *Statistics*, 13th Edition, Harlow: Pearson Education Limited, 900 p.
- McPhee, C., Reed, J. & Zubizarreta, I., 2015, *Core Analysis: A Best Practice Guide*, 1st Edition: *Developments in Petroleum Science*, v. 64, Elsevier, 852 p.
- Milkov, A., 2021, New approaches to distinguish shale-sourced and coal-sourced gases in petroleum systems: *Organic Geochemistry*, v. 158, 104271, 14 p., <https://doi.org/10.1016/j.orggeochem.2021.104271>.
- Mullen, M., Roundtree, R. & Barree, B., 2007, A composite Determination of Mechanical Rock Properties for Stimulation Design (What To Do When You Don't Have a Sonic Log): Denver, Colorado, 2007, SPE conference paper 108139, 13 p, <https://doi.org/10.2118/108139-MS>.
- Onalo, D., Oloruntobi, O., Adedigba, S., Khan, F., James, L. & Butt, S., 2018, Static Young's modulus model prediction for formation evaluation: *Journal of Petroleum Science and Engineering*, v. 171, p. 394 – 402, <https://doi.org/10.1016/j.petrol.2018.07.020>.
- Pan, XP., Zhang, GZ. & Chen., J., 2020, The construction of shale rock physics model and brittleness prediction for high-porosity shale gas-bearing reservoir: *Petroleum Science*, 17, p. 658–670, <https://doi.org/10.1007/s12182-020-00432-2>.
- Raterman, K., Farrel, H., Mora, S., Janssen, A., Gomez, G., Buselti, S., McEwen, J., Frieauf, K., Rutherford, J., Reid, R., Roy, Baishali, & Warren, M., 2018, Sampling a Stimulated Rock Volume: An Eagle Ford Example: *SPE Reservoir Evaluation and Engineering*, November, v. 21, no. 04, p. 927 – 941, <https://doi.org/10.2118/191375-PA>.
- R Core Team, 2022, *R: A Language and Environment for Statistical Computing*: R Foundation for Statistical Computing, Vienna, Austria, <https://www.R-project.org>.
- Rider, M., 2002, *The Geological Interpretation of Well Logs*, Second Edition: Revised: Rider/French Consulting Ltda., 280 p.
- Ribeiro, P., Melo, M., Nelson, P., 2016, Correlation Between Uniaxial Compressive Strength and Brazilian Tensile Strength Using Different Rock Types, In *Proceedings, the ISRM VII Brazilian Symposium on Rock Mechanics*: Belo Horizonte, MG, Brazil, 19–26 October 2016, ISRM-SBMR-2016-01.
- Rollet, N., Abbott, S., Lech, M., Romeyn, R., Grosjean, E., Edwards, D., Totterdell, J., Nicholson, C., Khider, K., Nguyen, D., Bernardel, G., Tenthorey, E., Orlov, C. & Wang, L., 2016, A regional assessment of CO₂ storage potential in the Browse Basin: Results of a study undertaken as part of the National CO₂ Infrastructure Plan. GA Record 2016/17: *Geoscience Australia Open-File report RECORD 2016/17*, 264 p., <http://dx.doi.org/10.11636/Record.2016.017>.

- Shell Development (Australia) Pty Ltd, 2008, PRELUDE-1, 1-A, Well completion Report: Basic Data: National Offshore Petroleum Information Management System (NOPIMS) released report, 2593 p., <https://dnxxuwuw8tglo.cloudfront.net/Wells/P00596371.zip> (accessed June 2022).
- Schlumberger, 2015, TechLog Fundamentals: Workflow/Solutions Training, Houston, USA, <https://www.software.slb.com/products/techlog>.
- Schlumberger, 2021, Surface and Downhole Logging: <https://www.slb.com/drilling/surface-and-downhole-logging/> (accessed December 2021).
- Schmoker, J.W. and Hester, T.C., 1983, Organic Carbon in Bakken Formation, United States Portion of Williston Basin, AAPG Bulletin, v. 67, no 12, p. 2165-2174.
- Serra, O. & Serra, L., 2003, Well Logging and Geology: Editions Serralog, 436 p.
- Serra, O. & Serra, L., 2004, Well Logging Data Acquisition and Applications: Editions Serralog, 688 p.
- Tucker, M., 2001, SEDIMENTARY PETROLOGY: An Introduction to the Origin of Sedimentary Rocks, Third Edition: Blackwell Science Ltd, 272 p.
- U.S. Energy Information Administration (n.d.) Maps: Oil and Gas Exploration, Resources, and Production, <https://www.eia.gov/maps/maps.htm> (accessed October 2021).
- Woodside, 2007, TOROSA-1. Well Completion Report: Interpretative Data: National Offshore Petroleum Information Management System (NOPIMS) released report, 674 p., <https://dnxxuwuw8tglo.cloudfront.net/Wells/P00596292.zip> (accessed December 2021).
- Woodside, 2012, ROCK TYPING OF POSEIDON-1. Browse Basin, Western Australia: National Offshore Petroleum Information Management System (NOPIMS) released report, 38 p., <https://drive.google.com/drive/folders/1XVDhDc4EMU8Ftvoig6sZAFI6pLbK7rZE> (accessed June, 2022).
- Yuan, J., Zhou, J., Liu, S., Feng, Y., Deng, J., Xie, Q., & Lu, Z., 2017, An Improved Fracability-Evaluation Method for Shale Reservoirs Based on New Fracture Toughness-Prediction Models: SPE Journal, v. 22, no. 05, p. 1704 – 1713, <https://doi.org/10.2118/185963-PA>.
- Zhang, B., Chen, Z., Cao, Y., Guo, S., Peng, C., & Tao, L., 2019, Fracability Evaluation of Tight Sandstone Reservoirs Based on Fractal Dimension and Fracture Angle After the Rock Mechanics Triaxial Experiments, In Proceedings, 53rd U.S. Rock Mechanics/Geomechanics Symposium: New York City, New York, ARMA-2019-1892, 11 p. <https://onepetro.org/ARMAUSRMS/proceedings-abstract/ARMA19/All-ARMA19/ARMA-2019-1892/125074>.
- Zhang, D., Ranjith, P. & Perera, M., 2016, The brittleness indices used in rock mechanics and their application in shale hydraulic fracturing: A review: Journal of Petroleum Science and Engineering, v. 143, pp 158–170. <http://dx.doi.org/10.1016/j.petrol.2016.02.011>.
- Zhang, J., 2019, Applied Petroleum Geomechanics, 1st Edition: Gulf Professional Publishing, 534 p.
- Zhu, H., Tao, L., Liu, D., Liu, Q., Zhang, B., Peng, C., & McLennan, J., 2019, A Three Dimensional Fracability Model Integrated with Cuttings-Core-Wellbore-Reservoir Multiscalar Parameters: A Case Study of a Tight Sandstone Reservoir, in Proceedings, 53rd U.S. Rock Mechanics/Geomechanics Symposium: New York City, New York, ARMA-2019-0332, 11 p.,



UNIVERSITAS
GADJAH MADA

Application of the Fracability Index Using Well-Logging Data to Evaluate the Sequences BB15 to BB5 in the Browse Basin Northwest Shelf Australia

KRISTHIAN LEANDRO PENA CERON, Dr. Ir. Sugeng Sapto Surjono, S.T, M.T., IPU., ASEAN.Eng.; Ir. I Gde Budi In

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://onepetro.org/ARMAUSRMS/proceedings-abstract/ARMA19/All-ARMA19/ARMA-2019-0332/124710>.

Zoback, M., 2007, Reservoir Geomechanics: Cambridge University Press, 461 p.

Zoback, M. & Kohli, A., 2019, Unconventional Resources Geomechanics. Shale Gas, Tight gas, and induced seismicity: Cambridge University Press, 492 p.

Zou, C., 2017, Unconventional Petroleum Geology, 2nd Edition: Elsevier, 500 p.