



DAFTAR PUSTAKA

- A. D. McClain, J. J.Otten, E. B. H. & C. D. G. (2013). Research Letter Research Letter. *Diabetes, Obesity and Metabolism*, 15(15), 87–90.
- Adnyani, M. D., & Aryana, I. S. (2018). Hubungan lingkar lengan atas terhadap kejadian kerapuhan pada pasien lanjut usia di desa Kapal. *Medicina*, 49(2). <https://doi.org/10.15562/medicina.v49i2.239>
- Adrianto, Y., Hustrini, N. M., Kresnawan, T., Amelia, A. E., & Hudayani, F. (2022). Hubungan Subjective Global Assessment (SGA) dengan Asupan Energi, Protein, Kekuatan Genggam Tangan, dan Indeks Massa Tubuh pada Pasien Penyakit Ginjal Kronis (PGK) dengan Continuous Ambulatory Peritoneal Dialysis (CAPD). *Jurnal Penyakit Dalam Indonesia*, 8(4), 195. <https://doi.org/10.7454/jpdi.v8i4.628>
- Akbar, F., & Eatall, K. (2020). Elderly Nutrition in Banua Baru Village. *Jiksh*, 11(1), 1–7. <https://doi.org/10.35816/jiskh.v10i2.193>
- Alzahrani, S. H., & Alamri, S. H. (2017). Prevalence of malnutrition and associated factors among hospitalized elderly patients in King Abdulaziz University Hospital, Jeddah, Saudi Arabia. *BMC Geriatrics*, 17(1), 1–7. <https://doi.org/10.1186/s12877-017-0527-z>
- Ambartana. (2010). Hubungan Status Gizi Dengan Kekuatan Otot Lanjut Usia Di Kelurahan Gianyar, Kabupaten Gianyar Provinsi Bali. *Gizi Poltekkes Denpasar*.
- American Society of Hand Therapists. (1981). *Clinical Assessment Recommendations*. 1.
- Andarbeni, D. P., Sugiarto, & Prasetyo, A. A. (2018). Asupan Energi dan Protein Dengan Kekuatan Genggam Pada Remaja Putri. *Darussalam Nutrition Journal*, 2(1), 11–18.
- Andersson, D. C., Betzenhauser, M. J., Reiken, S., Meli, A. C., Umanskaya, A., Xie, W., Shiomi, T., Zalk, R., Lacampagne, A., & Marks, A. R. (2011). Ryanodine receptor oxidation causes intracellular calcium leak and muscle



weakness in aging. *Cell Metabolism*, 14(2), 196–207.
<https://doi.org/10.1016/j.cmet.2011.05.014>

Andini, R., Susetyowati, S., & Sulistyoningrum, D. C. (2017). Studi komparasi beberapa metode skrining penilaian status gizi pada pasien dewasa rawat inap rumah sakit. *Jurnal Gizi Klinik Indonesia*, 14(2), 64.
<https://doi.org/10.22146/ijcn.22066>

Angraini, D. (2014). Hubungan Depresi dengan Status Gizi. *Medula Unila*, 2(2), 39–46.

Arlina, Z. (2018). Pengaruh Terapi Aktif Menggenggam Bola terhadap Kekuatan Otot Lansia di Panti Tresna Werdha Teratai Palembang TAahun 2017. *Masker Medika*, 5(1), 111–122.

Au, I. L. Y., Lau, N. Y. N., Lee, S. K. W., Tiu, K. L., Bong Lee, K., & Chan, A. C. M. (2022). Handgrip strength is associated with length of stay and functional outcomes at 1-year follow up in fragility hip fracture patients. *Journal of Orthopaedics, Trauma and Rehabilitation*, 29(1).
<https://doi.org/10.1177/22104917221095255>

awDewa Ayu Komang, Trisya Artha Putri, S. P. (2017). Hubungan Kekuatan Otot Genggam Dan Kemampuan Fungsional pada Lansia Wanita di Posyandu Lansia Desa Dauh Puri Kelod Denpasar Barat. *E-Jurnal Medika*, 6(4), 20–27.

Canaslan, K., Ates Bulut, E., Kocyigit, S. E., Aydin, A. E., & Isik, A. T. (2022). Predictivity of the comorbidity indices for geriatric syndromes. *BMC Geriatrics*, 22(1). <https://doi.org/10.1186/s12877-022-03066-8>

Celis-Morales, C. A., Welsh, P., Lyall, D. M., Steell, L., Petermann, F., Anderson, J., Iliodromiti, S., Sillars, A., Graham, N., MacKay, D. F., Pell, J. P., Gill, J. M. R., Sattar, N., & Gray, S. R. (2018). Associations of grip strength with cardiovascular, respiratory, and cancer outcomes and all cause mortality: Prospective cohort study of half a million UK Biobank participants. *BMJ (Online)*, 361, 1–10. <https://doi.org/10.1136/bmj.k1651>

Cereda, E., Pedrolli, C., Zagami, A., Vanotti, A., Piffer, S., Opizzi, A., Rondanelli, M., & Caccialanza, R. (2011). Body Mass Index and Mortality in



Institutionalized Elderly. *Journal of the American Medical Directors Association*, 12(3), 174–178. <https://doi.org/10.1016/j.jamda.2010.11.013>

Chen, G., Liu, L., & Yu, J. (2012). A Comparative Study on Strength between American College Male and Female Students in Caucasian and Asian Populations. *Sport Science Review*, 21(3–4), 153–165. <https://doi.org/10.2478/v10237-012-0015-5>

Cheung, C. L., Nguyen, U. S. D. T., Au, E., Tan, K. C. B., & Kung, A. W. C. (2013). Association of handgrip strength with chronic diseases and multimorbidity: A cross-sectional study. *Age*, 35(3), 929–941. <https://doi.org/10.1007/s11357-012-9385-y>

Chites, V. S., Teixeira, P. P., Lima, J., Burgel, C. F., Gattermann Pereira, T., & Silva, F. M. (2021a). Reduced Handgrip Strength in Hospital Admission Predicts Prolonged Hospital Stay and Death but Is Not Accurate to Identify Malnutrition: A Longitudinal Study of Reduced Handgrip Strength in Hospitalized Patients. *Journal of Parenteral and Enteral Nutrition*, 45(5), 1016–1022. <https://doi.org/10.1002/jpen.1976>

Chites, V. S., Teixeira, P. P., Lima, J., Burgel, C. F., Gattermann Pereira, T., & Silva, F. M. (2021b). Reduced Handgrip Strength in Hospital Admission Predicts Prolonged Hospital Stay and Death but Is Not Accurate to Identify Malnutrition: A Longitudinal Study of Reduced Handgrip Strength in Hospitalized Patients. *Journal of Parenteral and Enteral Nutrition*, 45(5), 1016–1022. <https://doi.org/10.1002/jpen.1976>

Christy, Johanna ; Bancin, L. J. (2020). *Status Gizi Lansia*. CV BUDI UTAMA.

Dianita sugiyo, rahmita caesaria. (2014). *Umur dan Perubahan Kondisi Fisiologis Terhadap Kemandirian Lansia*. 21–27.

Dijksterhuis, W. P. M., Latenstein, A. E. J., Van Kleef, J. J., Verhoeven, R. H. A., De Vries, J. H. M., Slingerland, M., Steenhagen, E., Heisterkamp, J., Timmermans, L. M., De van der Schueren, M. A. E., van Oijen, M. G. H., Beijer, S., & Van Laarhoven, H. W. M. (2021). Cachexia and dietetic interventions in patients with esophagogastric cancer: A multicenter cohort



- study. *JNCCN Journal of the National Comprehensive Cancer Network*, 19(2), 144–152. <https://doi.org/10.6004/jnccn.2020.7615>
- Enisah, E., Ernawati, D., Hendrawati, D., Rahayu, D., & Rachmawati, E. (2021). Systematic Review: Isometric Handgrip Exercise In Elderly With Hypertension. *Pancasakti Journal Of Public Health Science And Research*, 1(2), 81–91. <https://doi.org/10.47650/pjphsr.v1i2.242>
- Farda Syarifah, E. (n.d.). Prosiding Seminar Nasional Kesehatan Lembaga Penelitian dan Pengabdian Masyarakat Lansia Sebagai Populasi Rentan Dimasa Pandemi Covid-19: Scoping Review. In *Seminar Nasional Kesehatan*.
- Fawibe, A. E., Odeigah, L. O., & Saka, M. J. (2017). Reference equations for spirometric indices from a sampel of the general adult population in Nigeria. *BMC Pulmonary Medicine*, 17(1), 1–11. <https://doi.org/10.1186/s12890-017-0390-x>
- Febrian, & Ollivia, S. (2020). *The Risk Analysis of Malnutrition by Tooth Loosing Among Elderly*. 14(28), 51–57. <https://doi.org/10.30649/denta.v14i1>
- Fitria. (2013). Status Nutrisi Lansia Dan Resiko Jatuh Pada Lansia. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Forrest, K. Y. Z., Bunker, C. H., Sheu, Y., Wheeler, V. W., Patrick, A. L., & Zmuda, J. M. (2012). Patterns and correlates of grip strength change with age in Afro-Caribbean men. *Age and Ageing*, 41(3), 326–332. <https://doi.org/10.1093/ageing/afs030>
- García-Peña, C., García-Fabela, L. C., Gutiérrez-Robledo, L. M., García-González, J. J., Arango-Lopera, V. E., & Pérez-Zepeda, M. U. (2013). Handgrip Strength Predicts Functional Decline at Discharge in Hospitalized Male Elderly: A Hospital Cohort Study. *PLoS ONE*, 8(7). <https://doi.org/10.1371/journal.pone.0069849>
- Geraci, A., Calvani, R., Ferri, E., Marzetti, E., Arosio, B., & Cesari, M. (2021). Sarcopenia and Menopause: The Role of Estradiol. *Frontiers in Endocrinology*, 12(May), 1–5. <https://doi.org/10.3389/fendo.2021.682012>



- Goswami, A. K., Kalaivani, M., Gupta, S. K., Nongkynrih, B., & Pandav, C. S. (2018). Usefulness of Mid-Upper Arm Circumference in Assessment of Nutritional Status of Elderly Persons in Urban India. *International Journal of Medicine and Public Health*, 8(1), 34–37. <https://doi.org/10.5530/ijmedph.2018.1.7>
- Guerra, R. S., Fonseca, I., Pichel, F., Restivo, M. T., & Amaral, T. F. (2015). Handgrip strength and associated factors in hospitalized patients. *Journal of Parenteral and Enteral Nutrition*, 39(3), 322–330. <https://doi.org/10.1177/0148607113514113>
- Günther, C. M., Bürger, A., Rickert, M., Crispin, A., & Schulz, C. U. (2008). Grip Strength in Healthy Caucasian Adults: Reference Values. *Journal of Hand Surgery*, 33(4), 558–565. <https://doi.org/10.1016/j.jhsa.2008.01.008>
- Gustiana, D., Dewi, Y. I., Nurchayati, S., Studi, P., & Keperawatan, I. (2014). Faktor-Faktor Yang Berhubungan Dengan Perilaku Pencegahan Kanker Serviks Pada Wanita Usia Subur. *Jom Psik*, 1(OKTOBER), 1.
- Halim, R., & Sukmaniah, S. (2020). Hubungan Antara Asupan Makronutrien dan Status Nutrisi dengan Kekuatan Otot pada Lansia di Panti Werdha Jakarta. *Jambi Medical Journal “Jurnal Kedokteran Dan Kesehatan,”* 8(2), 127–134.
- Hartinah, S., Pranata, L., & Koerniawan, D. (2019). Effectiveness of Range of Motion (Rom) Active on Muscle. *Publikasi Penelitian Terapan Dan Kebijakan*, 2(2).
- Heidy, , Tena, D., & Irawan, R. (2019). *KORELASI KEKUATAN GENGGAMAN TANGAN DENGAN KARAKTER ANTROPOMETRI LENGAN BAWAH DAN TANGAN SERTA INDEKS MASSA TUBUH*. 18(1), 1–7.
- Hughes, V. A., Frontera, W. R., Wood, M., Evans, W. J., Dallal, G. E., Roubenoff, R., & Fiatarone Singh, M. A. (2001). Longitudinal muscle strength changes in older adults: Influence of muscle mass, physical activity, and health. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 56(5), 209–217. <https://doi.org/10.1093/gerona/56.5.B209>



- Idral, P. (2015). Peran zat gizi Makro terhadap Kejadian Demensia Pada Lansia. *Jurnal Kesehatan Masyarakat*, 3(2), 89–92.
- Jang, Won; Ryu, H. K. (2020). Association of Low Hand Grip Strength with Protein Intake in Korean Female Elderly: based on the Seventh Korea National Health and Nutrition Examination Survey (KNHANES VII), 2016-2018. *Korean Journal of Community Nutrition*, 25(3), 226–235.
- Kartikasari, D., Handayani, F., Program, M., & Keperawatan, S. I. (2012). Pemenuhan Kebutuhan Dasar Manusia Pada Lansia Demensia Oleh Keluarga. *Jurnal Nursing Studies*, 1, 175–182.
- Keevil, V. L., Luben, R., Dalzell, N., Hayat, S., Sayer, A. A., Wareham, N. J., & Khaw, K. T. (2015). Cross-sectional associations between different measures of obesity and muscle strength in men and women in a British cohort study. *Journal of Nutrition, Health and Aging*, 19(1), 3–11. <https://doi.org/10.1007/s12603-014-0492-6>
- Keller K, E. M. (2013). Strength and muscle mass loss with aging process age and strength loss. *Muscles Ligaments Tendons J*, 3(4), 346–350.
- Kemenkes RI. (2016). *Situasi Lanjut Usia (Lansia)*. 10(16), 63–64.
- Kharisma Bestari, B., Nurviyandari, D., & Wati, K. (2016). PENYAKIT KRONIS LEBIH DARI SATU MENIMBULKAN PENINGKATAN PERASAAN CEMAS PADA LANSIA DI KECAMATAN CIBINONG. In *Jurnal Keperawatan Indonesia* (Vol. 19, Issue 1).
- Kim, C. R., Jeon, Y. J., Kim, M. C., Jeong, T., & Koo, W. R. (2018). Reference values for hand grip strength in the South Korean population. *PLoS ONE*, 13(4), 1–12. <https://doi.org/10.1371/journal.pone.0195485>
- Kurdanti, W., Khasana, T. M., & Wayansari, L. (2020). Lingkar lengan atas, indeks massa tubuh, dan tinggi fundus ibu hamil sebagai prediktor berat badan lahir. *Jurnal Gizi Klinik Indonesia*, 16(4), 168. <https://doi.org/10.22146/ijcn.49314>
- Kurniawan, D. E. (2017). *Penyelesaian Masalah Etik Dan Legal Dalam Penelitian Keperawatan*. 408–414.

- Leenders, M., Verdijk, L. B., van der Hoeven, L., Adam, J. J., van Kranenburg, J., Nilwik, R., & van Loon, L. J. C. (2013). Patients with type 2 diabetes show a greater decline in muscle mass, muscle strength, and functional capacity with aging. *Journal of the American Medical Directors Association*, 14(8), 585–592. <https://doi.org/10.1016/j.jamda.2013.02.006>
- Liang, X., Jiang, C. Q., Zhang, W. Sen, Zhu, F., Jin, Y. L., Cheng, K. K., Lam, T. H., & Xu, L. (2020). Glycaemia and hand grip strength in aging people: Guangzhou biobank cohort study. *BMC Geriatrics*, 20(1), 1–10. <https://doi.org/10.1186/s12877-020-01808-0>
- Lombardo, M., Padua, E., Campoli, F., Panzarino, M., Mîndrescu, V., Annino, G., Iellamo, F., & Bellia, A. (2021). Relative handgrip strength is inversely associated with the presence of type 2 diabetes in overweight elderly women with varying nutritional status. *Acta Diabetologica*, 58(1), 25–32. <https://doi.org/10.1007/s00592-020-01588-4>
- Manini, T. M., & Clark, B. C. (2012). Dynapenia and aging: An update. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 67 A(1), 28–40. <https://doi.org/10.1093/gerona/glr010>
- Massy-Westropp, N. M., Gill, T. K., Taylor, A. W., Bohannon, R. W., & Hill, C. L. (2011). Hand Grip Strength: Age and gender stratified normative data in a population-based study. *BMC Research Notes*, 4. <https://doi.org/10.1186/1756-0500-4-127>
- Mgbemena, N. C., Aweto, H. A., Tella, B. A., Emeto, T. I., & Malau-Aduli, B. S. (2019). Prediction of lung function using handgrip strength in healthy young adults. *Physiological Reports*, 7(1), 1–8. <https://doi.org/10.14814/phy2.13960>
- Moniaga, V. (2013). Pengaruh Senam Bugar Lansia Terhadap Tekanan Darah Penderita Hipertensi Di Bplu Senja Cerah Paniki Bawah. *Jurnal E-Biomedik*, 1(2), 785–789. <https://doi.org/10.35790/ebm.1.2.2013.3635>
- Mulyasari, I., & Purbowati, P. (2018). Lingkar lengan atas dan panjang ulna sebagai parameter antropometri untuk memperkirakan berat badan dan tinggi badan orang dewasa. *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 7(1), 30–36. <https://doi.org/10.14710/jgi.7.1.30-36>



- Murbawani, E. A., Subagio, H. W., Puruhita, N., Probosari, E., & Candra, A. (2021). Correlation of dietary intake and physical activity with nutritional status, body composition and hand grip strength in elderly. *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 10(1), 21–27. <https://doi.org/10.14710/jgi.10.1.21-27>
- Nurdhahri, Ahmad, A., & Adamy, A. (2020). Faktor Risiko Malnutrisi Pada Lansia Di Kota Banda Aceh. *Journal of Healthcare Technology and Medicine*, 6(2), 893. <https://doi.org/10.33143/jhtm.v6i2.1069>
- Pieterse, S., Manandhar, M., & Ismail, S. (2002). The association between nutritional status and handgrip strength in older Rwandan refugees. *European Journal of Clinical Nutrition*, 56(10), 933–939. <https://doi.org/10.1038/sj.ejcn.1601443>
- Pinontoan, P. M., Marunduh, S. R., & Wungouw, H. I. S. (2015). Gambaran Kekuatan Otot Pada Lansia Di Bplu Senja Cerah Paniki Bawah. *Jurnal E-Biomedik*, 3(1). <https://doi.org/10.35790/ebm.3.1.2015.6618>
- Pourhassan, M., Rommersbach, N., Lueg, G., Klimek, C., Schnatmann, M., Liermann, D., Janssen, G., & Wirth, R. (2020). The impact of malnutrition on acute muscle wasting in frail older hospitalized patients. *Nutrients*, 12(5), 1–12. <https://doi.org/10.3390/nu12051387>
- Pressoir, M., Desné, S., Berchery, D., Rossignol, G., Poiree, B., Meslier, M., Traversier, S., Vittot, M., Simon, M., Gekiere, J. P., Meuric, J., Serot, F., Falewee, M. N., Rodrigues, I., Senesse, P., Vasson, M. P., Chelle, F., Maget, B., Antoun, S., & Bachmann, P. (2010). Prevalence, risk factors and clinical implications of malnutrition in french comprehensive cancer centres. *British Journal of Cancer*, 102(6), 966–971. <https://doi.org/10.1038/sj.bjc.6605578>
- Putri, T. A., Novianti, A., Sitoayu, L., Jus, I., Dewanti, L. P., Arjuna, J., & No, U. (2021). *Relations Between Protein Energy Intake , Micronutrient Intake , and the Grip Strength of Elderly Women*. 24(01).
- Ramírez-Vélez, R., Correa-Bautista, J. E., García-Hermoso, A., Cano, C. A., & Izquierdo, M. (2019a). Reference values for handgrip strength and their association with intrinsic capacity domains among older adults. *Journal of*



Cachexia, Sarcopenia and Muscle, 10(2), 278–286.
<https://doi.org/10.1002/jcsm.12373>

Ramírez-Vélez, R., Correa-Bautista, J. E., García-Hermoso, A., Cano, C. A., & Izquierdo, M. (2019b). Reference values for handgrip strength and their association with intrinsic capacity domains among older adults. *Journal of Cachexia, Sarcopenia and Muscle, 10(2), 278–286.*
<https://doi.org/10.1002/jcsm.12373>

Ratmawati, R., & Emilia, E. (2021). Analisis Determinan Massa Otot Lansia di Panti Bhakti Kasih Siti Anna Kota Pangkalpinang. *Journal of Nutrition College, 10(2), 130–139.* <https://doi.org/10.14710/jnc.v10i2.29234>

Republik Indonesia. (1997). *Undang-Undang Republik Indonesia.*

Riviati, N., Setiati, S., Laksmi, P. W., & Abdullah, M. (2017). Factors Related with Handgrip Strength in Elderly Patients. In *Acta Med Indones-Indones J Intern Med • (Vol. 49).*

Roserberg, I. H. (1990). Nutrion and Aging in Principles of Geriatric Medicine and Germatology. In *Health Profesions Division* (Third Edition). Mc Grow Hill.

Santoso, M. D. Y. (2019). Dukungan Sosial Meningkatkan Kualitas Hidup Lansia : Review Article. *Jurnal Kesehatan Mesencephalon, 5(1), 33–41.*
<https://doi.org/10.36053/mesencephalon.v5i1.104>

Sari, W., & Septiani, W. (2019). Malnutrisi pada lansia di Kota Pekanbaru. *Jurnal Kesehatan Komunitas, 5(1), 47.*

Setiawan, D. A., & Setiowati, A. (2014). Hubungan Indeks Massa Tubuh (Imt) Terhadap Kekuatan Otot Pada Lansia Di Panti Wredha Rindang Asih lli Kecamatan Boja Info Artikel. *JSSF, 30(3).*
<http://journal.unnes.ac.id/sju/index.php/jssf>

Setiorini, A. (2021). Sarcopenia dan Risiko Jatuh pada Pasien Geriatri. *Muhammadiah Journal of Geriatric, 2(1), 10.*
<https://doi.org/10.24853/mujg.2.1.10-16>

- Setiowati, A. (2014). Hubungan Indeks Massa Tubuh, Persen Lemak Tubuh, Asupan Zat Gizi dengan Kekuatan Otot. *Media Ilmu Keolahragaan Indonesia*, 4(1). <https://doi.org/10.15294/miki.v4i1.4394>
- Shimizu, Y., Sato, S., Koyamatsu, J., Yamanashi, H., Nagayoshi, M., Kadota, K., Kawashiri, S. Y., Inoue, K., Nagata, Y., & Maeda, T. (2017). Handgrip strength and subclinical carotid atherosclerosis in relation to platelet levels among hypertensive elderly Japanese. *Oncotarget*, 8(41), 69362–69369. <https://doi.org/10.18632/oncotarget.20618>
- Sholikhah, T. A. M., Muftiana, E., & Andarmoyo, S. (2019). Hubungan Pola Makan dengan Status Gizi Pada Lansia. *Seminar Nasional Fakultas Ilmu Kesehatan*, 121–127.
- Snih, S. Al, Markides, K. S., Ray, L., Ostir, G. V., & Goodwin, J. S. (2002). Handgrip strength and mortality in older Mexican Americans. *Journal of the American Geriatrics Society*, 50(7), 1250–1256. <https://doi.org/10.1046/j.1532-5415.2002.50312.x>
- Supriyono, E. (2015). Aktifitas Fisik Keseimbangan Guna Mengurangi Resiko Jatuh Pada Lansia. *Jurnal Olahraga*.
- Sutinah, S., & Maulani, M. (2017a). Hubungan Pendidikan, Jenis Kelamin Dan Status Perkawinan Dengan Depresi Pada Lansia. *Jurnal Endurance*, 2(2), 209. <https://doi.org/10.22216/jen.v2i2.1931>
- Sutinah, S., & Maulani, M. (2017b). Hubungan Pendidikan, Jenis Kelamin Dan Status Perkawinan Dengan Depresi Pada Lansia. *Jurnal Endurance*, 2(2), 209. <https://doi.org/10.22216/jen.v2i2.1931>
- Suyanto, D. H., Paskaria, C., & Gunawan, D. (2021). Perbandingan Kekuatan Otot Dan Massa Otot Antara Wanita Lansia Aktif Dan Tidak Aktif Berolahraga. *Jurnal Ilmu Faal Olahraga Indonesia*, 4(1), 9. <https://doi.org/10.51671/jifo.v4i1.88>
- Taekema, D. G., Gussekloo, J., Maier, A. B., Westendorp, R. G. J., & de Craen, A. J. M. (2010). Handgrip strength as a predictor of functional, psychological and



- social health. A prospective population-based study among the oldest old. *Age and Ageing*, 39(3), 331–337. <https://doi.org/10.1093/ageing/afq022>
- Taekema, D. G., Maier, A. B., Westendorp, R. G. J., & De Craen, A. J. M. (2011). Higher blood pressure is associated with higher handgrip strength in the oldest old. *American Journal of Hypertension*, 24(1), 83–89. <https://doi.org/10.1038/ajh.2010.185>
- Tsai, A. C., & Chang, T. L. (2011). The effectiveness of BMI, calf circumference and mid-arm circumference in predicting subsequent mortality risk in elderly Taiwanese. *British Journal of Nutrition*, 105(2), 275–281. <https://doi.org/10.1017/S0007114510003429>
- Ulfah Madina, U., Setiati, S., Laksmi, P. W., Mansjoer, A., & Geriatri, S. S. D. (2021). Prediktor Perubahan Kekuatan Genggam Tangan pada Pasien Usia Lanjut Predictors of Handgrip Strength Changes in Elderly Patients. In *Jurnal Penyakit Dalam Indonesia* / (Vol. 8, Issue 3).
- van den Broeke, C., de Burghgraeve, T., Ummels, M., Gescher, N., Deckx, L., Tjan-Heijnen, V., Buntinx, F., & van den Akker, M. (2018). Occurrence of malnutrition and associated factors in community-dwelling older adults: Those with a recent diagnosis of cancer are at higher risk. *Journal of Nutrition, Health and Aging*, 22(2), 191–198. <https://doi.org/10.1007/s12603-017-0882-7>
- van der Zanden, V., van Sooijen, N. J., Viddeleer, A. R., Trum, J. W., Amant, F., Mourits, M. J. E., Portielje, J. E. A., Baalbergen, A., Souwer, E. T. D., & van Munster, B. C. (2022). Loss of skeletal muscle density during neoadjuvant chemotherapy in older women with advanced stage ovarian cancer is associated with postoperative complications. *European Journal of Surgical Oncology*, 48(4), 896–902. <https://doi.org/10.1016/j.ejso.2021.10.015>
- van Lier, A. M., & Payette, H. (2003). Determinants of handgrip strength in free-living elderly at risk of malnutrition. *Disability and Rehabilitation*, 25(20), 1181–1186. <https://doi.org/10.1080/09638280310001599943>
- Vidt, M. E., Daly, M., Miller, M. E., Davis, C. C., Marsh, A. P., & Saul, K. R. (2012). Characterizing upper limb muscle volume and strength in older adults: A



comparison with young adults. *Journal of Biomechanics*, 45(2), 334–341.
<https://doi.org/10.1016/j.jbiomech.2011.10.007>

W.ambartana. (2010). *HUBUNGAN STATUS GIZI DENGAN KEKUATAN OTOT LANJUT USIA DI KELURAHAN GIANYAR, KABUPATEN GIANYAR PROVINSI BALI.*

Wang, J., & Hong, Z. (2015). Effect of Dietary Pattern on Grip Strength in Middle Aged and Elderly People in Zhang Fang Village in Beijing. *Journal of Food and Nutrition*, 3(1), 1–6. <https://doi.org/10.12691/ajfn-3-1-1>

Wang, Y. C., Liang, C. K., Hsu, Y. H., Peng, L. N., Chu, C. S., Liao, M. C., Shen, H. C., Chou, M. Y., & Lin, Y. Te. (2019a). Synergistic effect of low handgrip strength and malnutrition on 4-year all-cause mortality in older males: A prospective longitudinal cohort study. *Archives of Gerontology and Geriatrics*, 83(April), 217–222. <https://doi.org/10.1016/j.archger.2019.05.007>

Wang, Y. C., Liang, C. K., Hsu, Y. H., Peng, L. N., Chu, C. S., Liao, M. C., Shen, H. C., Chou, M. Y., & Lin, Y. Te. (2019b). Synergistic effect of low handgrip strength and malnutrition on 4-year all-cause mortality in older males: A prospective longitudinal cohort study. *Archives of Gerontology and Geriatrics*, 83(April), 217–222. <https://doi.org/10.1016/j.archger.2019.05.007>

Wardhani Mas, K., Maghfirotin Nisa, H., Khozinatud Durriyah, A., Apriliana, S., Arinta, D., Silviana Dewi, R., Pembangunan Nasional, U., & Timur, J. (2022). Sosialisasi Kesehatan Terkait Penyakit Hipertensi Pada Lansia Dengan Komorbid Di Desa Jarak. *Community Development Journal*, 3(2), 1000–1007.

Wati, D. K., & Sumarmi, S. (2017). *Citra Tubuh Pada Remaja Perempuan Gemuk Dan Tidak Gemuk : Studi Cross Sectional Body Image Among Overweight and Non overweight Adolescent Girls : A Cross Sectional Study*. 044, 398–405. <https://doi.org/10.20473/amnt.v1.i4.2017.398-405>

Welmer, A. K., Kåreholt, I., Angleman, S., Rydwik, E., & Fratiglioni, L. (2012). Can chronic multimorbidity explain the age-related differences in strength, speed and balance in older adults? *Aging Clinical and Experimental Research*, 24(5), 480–489. <https://doi.org/10.3275/8584>



World Health Organization. (2013). WHO.

Yorke, A. M., Curtis, A. B., Shoemaker, M., & Vangsnes, E. (2015). Grip strength values stratified by age, gender, and chronic disease status in adults aged 50 years and older. *Journal of Geriatric Physical Therapy*, 38(3), 115–121. <https://doi.org/10.1519/JPT.00000000000000037>

Zhang, X. S., Liu, Y. H., Zhang, Y., Xu, Q., Yu, X. M., Yang, X. Y., Liu, Z., Li, H. Z., Li, F., & Xue, C. Y. (2017). Handgrip Strength as a Predictor of Nutritional Status in Chinese Elderly Inpatients at Hospital Admission. *Biomedical and Environmental Sciences*, 30(11), 802–810. <https://doi.org/10.3967/bes2017.108>

Zheng, J., Zhang, L., & Jiang, M. (2022). Lower handgrip strength levels probably precede triglyceride glucose index and associated with diabetes in men not in women. *Journal of Diabetes Investigation*, 13(1), 148–155. <https://doi.org/10.1111/jdi.13626>

Zhuang, C. Le, Zhang, F. M., Li, W., Wang, K. H., Xu, H. X., Song, C. H., Guo, Z. Q., & Shi, H. P. (2020). Associations of low handgrip strength with cancer mortality: a multicentre observational study. *Journal of Cachexia, Sarcopenia and Muscle*, 11(6), 1476–1486. <https://doi.org/10.1002/jcsm.12614>