

## REFERENCES

- Ahmed, H. M., Abdellatif, M. M., Ibrahim, S., and Abdellatif, F. H. H., 2019, Mini-emulsified copolymer/silica nanocomposite as effective binder and self-cleaning for textiles coating, *Prog. Org. Coat.*, 129, 52-58.
- Ali, N., El- Khatib, E., and El-Mohamedy, R., 2019, Improvement in properties of wool fibers pretreated with chitosan and nano- chitosan and dyed with saffron natural dye, *Egypt. J. Chem.*, 357-366.
- Baş, D., Ismail, H., and Boyacı, I. H., 2007, Modeling and optimization: usability of response surface methodology, *J. Food Eng.*, 78, 836-845.
- Bayer, 2017, The durability and wear resistance of transparent superhydrophobic coatings, *Coatings*, 7(1), 12.
- Bezerraa, M. A., Santelli, E. R., Oliveiraa, E. P., Villar, L. S., and Escaleiraa, L. A., 2008, Response surface methodology (RSM) as a tool for optimization in analytical chemistry, *Talanta*, 76(5), 965-977.
- Bhuiyan, R., Hossain, M. A., Zakaria, M., Islam, M. N., and Zulhash U. M., 2017, Chitosan coated cotton fiber: physical and antimicrobial properties for apparel use, *J. Polym. Environ.*, 25(2), 334–342.
- Camlibel, N. O., and Arik, B., 2017, Sol-gel applications in textile finishing processes. in recent applications in sol-gel synthesis, *IntechOpen*, 253-281.
- Jiang, D., Xia, X., Hou, J., Zhang, X., and Dong, D., 2019, Enhanced corrosion barrier of microarc-oxidized mg alloy by self-healing superhydrophobic silica coating, *Ind. Eng. Chem. Res.*, 58, 165–178.
- Darmanin, T. and Guittard, F., 2015, Superhydrophobic and superoleophobic properties in nature, *Mater. Today*, 18(5), 273–285.
- Degani, L., Riedo, C., and Chiantore, O., 2015, Identification of natural indigo in historical textiles by GC–MS, *J. Anal. Bioanal. Chem.*, 407(6), 1695–1704.
- Elzaabalawy, A. and Meguid, S. A., 2022, Advances in the development of superhydrophobic and icephobic surfaces, *Int. J. Mech. Mater.*, 18, 509–547.
- Fatmawati, R. Y., Wijaya, K., and Tahir, I., Material Cuo/bentonit sebagai bahan antibakteri *escherichia coli*, *BIMIPA*, 25(3), 216-223.
- Flinčec, S., Tarbuk, A., Dekanić, T., Sujka, W., and Draczyński Z., 2020, The chitosan implementation into cotton and polyester/cotton blend fabrics, *Materials*, 13(7), 1616.

- Freschauf, L. R., McLane, J., Sharma, H., and Khine, M., 2012, Shrink-induced superhydrophobic and antibacterial surfaces in consumer plastics, *PLoS One*, 7, 1-7.
- Siqueira, G., Bras, J., and Dufresne, A., 2010, Cellulosic bionanocomposites: a review of preparation, properties and applications, *Polymers*, 2, 728–765.
- Giri Dev, V. R., Venogopal, J., Sudha, S., Deepika, G., and Samakrishna., S., 2009, Dyeing and antimicrobial characteristics of chitosan treated wool fabrics with henna dye, *Carbohydr. Polym.*, 75(4), 646–650.
- Grifoni, D., Bacci, L., Zipoli, G., Carreras, G., Baronti, S. and Sabatini, F., 2009, Laboratory and outdoor assessment of uv protection offered by flax and hemp fabrics dyed with natural dyes, *Photochem. Photobiol.*, 85, 313-320
- Gustafsson, P. A., Larsson, and Wågberg, 2012, Treatment of cellulose fibres with polyelectrolytes and wax colloids to create tailored highly hydrophobic fibrous networks, *Colloids Surf. A Physicochem. Eng. Asp., Eng. Asp.*, 414, 415–421.
- Haque, M., 2019, Nano fabrics in the 21st century, *Asian J. Nanosci. Mater.*, 2(2), 131-148.
- Hussain, A., Calabria, H. J., Schorr, D., Jiang, Y., Lawrence, M., and Blanchet, P., 2018, Hydrophobicity of hemp shiv treated with sol-gel coatings, *Appl. Surf. Sci.*, 434, 850–860.
- Ismail, W. N. W., 2016, Sol–gel technology for innovative fabric finishing, *J. Sol-Gel Sci. Technol.*, 78, 698–707.
- Ivanova, N. A., Rutberg, G.I., Philipchenko, A.B., 2013, Enhancing the superhydrophobic state stability of chitosan-based coatings for textiles. *Macromol Chem Phys.*, 214, 1515-1521.
- Jeevahan, M., Chandrasekaran, G., Britto J., Durairaj, R. B., and Mageshwaran, G., 2018, Superhydrophobic surfaces: a review on fundamentals, applications, and challenges, *J. Coatings Technol. Res.*, 15(2), 231–250.
- Jenie, S. N. A., Ghaisani, A., Ningrum, Y. P., Kristiani, A., Aulia, F., and Petrus, H. T. M. B., 2018, Preparation of silica nanoparticles from geothermal sludge via sol-gel method, *AIP Conf. Proc.*, 20(26).
- Joshi and Bhattacharyya, A., 2011, Nanotechnology a new route to high-performance functional textiles, *Text. Prog.*, 43(3), 155–233.
- Ju, X., Yao, X. Liu, Q., Zhang, Y. S., and Khademhosseini, A., 2017, A highly stretchable and robust nonfluorinated superhydrophobic surface, *J. Mater. Chem. A*, 5, 16273.

- Kartini I., Halimah, S. N., and Rahayuningsih, E., 2021, Enhanced wash-fastness of cotton fabric dyed with a composite of chitosan-natural dyes extract of *Ceriops tagal*, *IOP Conf. Ser. Mater. Sci. Eng.*, 1053.
- Khan, V., Baheti, J., Militky, A., Ali, and Vikova, Superhydrophobicity, UV protection and oil/water separation properties of fly ash/Trimethoxy(octadecyl)silane coated cotton fabrics, *Carbohydr. Polym.*, 202, 571–580.
- Kholilah, 2009, Pengaruh pelapisan komposit nanosol SiO dan TiO pada pewarnaan zat warna Malachite Green pada kain katun, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Kim, G. H., Kang, D. H., Jung, B. N., and Shim, J. K., 2022, Fabrication and characterization of hydrophobic cellulose nanofibrils/silica nanocomposites with hexadecyltrimethoxysilane, *Polymers*, 14, 833.
- Klemenčič, D., Tomšič, B., Kovač, F., Žerjav, M., Simončič, A., and Simončič, B., 2013, Antimicrobial wool, polyester and a wool/ polyester blend created by silver particles embedded in a silica matrix, *Coll. Surf.*, 111, 517–522.
- Lai, S. M., Yang, A. J. M., Chen, W. C., and Hsiao, J. F., 2006, The properties and preparation of chitosan/silica hybrids using sol-gel process, *Polym. Plast. Technol. Eng.*, 45, 997-1003.
- Ling, Z., Wang, T., and Makarem, M., 2019, Effects of ball milling on the structure of cotton cellulose, *Cellulose* 26, 305–328.
- Syabani, M. W., Rochmadi, R., Perdana, I., and Prasetya, A., 2022, FTIR study on nano-silica synthesized from geothermal sludge, *AIP Conf. Proc.*, 2440.
- Magundayao, E. M., 2019, The effect of nanosilica derived from rice husk as coating material on the hydrophobicity of cotton fabric, *Int. J. Adv. Res.*, 3(4), 67-70.
- Mahltig, B. and Textor, T., 2006, Combination of silica sol and dyes on textiles, *J. SolGel Sci Techn*, 39, 111-118.
- Manoharan and Bhattacharya, S., 2019, Superhydrophobic surfaces review: functional application, fabrication techniques and limitations, *J. Micromanufacturing*, 2(1), 59–78.
- McHale, G., Newton, M. I., and Shirtcliffe, N. J., 2009, Learning from superhydrophobic plants: the use of hydrophilic areas on superhydrophobic surfaces for droplet control, *Langmuir*, 25(24), 14121-14128.
- Myers, R. H., Montgomery, D. C., Anderson-Cook, C. M., 2016, Response surface Methodology: Process and product optimization using designed experiments, *Wiley*, 825.
- Nugent, A., Moskowitz, H. R. and Maier, A., 2017, Response surface methodology and consumer-driven product optimization, *Int. J. Prod. Dev.*, 323-364.

- Oberli, L., Caruso, D., Hall, C., Fabretto, Murphy, and Evans, D., 2014, Condensation and freezing of droplets on superhydrophobic surfaces, *Adv. Colloid Interface Sci.*, 210, 47–57.
- Papanastasiou, M., Allen, N. S., McMahon, A., Naegel, L. C. A., Edge, M. and Protopappas, S., 2012, Analysis of indigo-type compounds in natural dyes by negative ion atmospheric pressure photoionization mass spectrometry, *Dyes Pigm.*, 92(3), 1192-1198.
- Periyasamy, A.P., Venkataraman, M., Kremenakova, D., Militky, J., and Zhou, Y., 2020, Progress in sol-gel technology for the coatings of fabrics, *Material*, 13, 1838.
- Pommerville, J. C., 2013, *Microbiology and Electron Microscopy, Third Edition*, Academic Press.
- Zhu, Q., Gao, Y. Guo, C., Yang, Q., and Shen, L., 2011, Modified silica sol coatings for highly hydrophobic cotton and polyester fabrics using a one-step procedure, *Ind. Eng. Chem. Res.*, 5881–5888.
- Riaz, S., Ashraf, M., Hussain, T., and Hussain, M. T., 2019, modification of silica nanoparticles to develop highly durable superhydrophobic and antibacterial cotton fabrics, *Cellulose*, 26(8), 5159-5175.
- Rilda, Y., Safitri, R., and Putri, Y. E., 2019, Hexamethyldisiloxane-modified ZnO-SiO<sub>2</sub>-coated superhydrophobic textiles for antibacterial application, *J. Chin. Chem. Soc.*, 66, 594–599.
- Rochmat A., Putra, B. P., Nuryani, E., and Pramudita, M., 2017, Karakterisasi material campuran SiO<sub>2</sub> dan getah flamboyan sebagai material coating pencegah korosi pada baja, *J. Teknol. Kim. Unimal.*, 5, 27–36.
- Sahariah, P. and Masson, M., 2017, Antimicrobial chitosan and chitosan derivatives: a review of the structure–activity relationship, *Bio-macromolecules*, 18, 3846–3868.
- Setiyani, R. and Maharani, K., 2015, Pemanfaatan komposit kitosan ZnO-SiO<sub>2</sub> sebagai agen antibakteri terhadap bakteri staphylococcus aureus pada kain katun, *UJCEd*, 4(2), 88–93.
- Setyawan H., Yuwana M., and Balgis R., 2015, PEG-templated mesoporous silicas using silicate precursor and their applications in desiccant dehumidification cooling systems, *Microporous Mesoporous Mater.*, 218, 95–100.
- Shahidi, S. and Ghoranneviss, M., 2011, Investigation on dye ability and antibacterial activity of nanolayer platinum coated polyester fabric using DC magnetron sputtering, *Prog. Org. Coat.*, 70, 300–303.

- Silviana, D., Adi, S., Agus, D., and Febio, 2020, Statistical approaching for superhydrophobic coating preparation using silica derived from geothermal solid waste, *ASEAN J. Chem. Eng.*, 19(2), 91.
- Siqueira, G., Bras, J. and Dufresne, A. 2010, Cellulosic bionanocomposites: a review of preparation, properties and applications, *Polymers*, 2, 728-765.
- Sohrabi, B., Mansouri, F., and Khalifan, S. Z., 2019, The study of glass superhydrophobicity by modified SiO<sub>2</sub>-hexadecyltrimethoxysilane, nanoparticles and mixture of surfactants, *Prog. Org. Coat.*, 131, 73–81
- Suharmanto, P., Fitria, A. N., and Ghaliyah, S., 2015, Indonesian geothermal energy potential as source of alternative energy power plant, *KnE Energy*, 1(1), 119-124.
- Tangkawanit, S., 2020, Color Fastness and UV Protection Improvement of Indigo Dyed Cotton Fabrics Coated with Nano Chitosan and Zinc Oxide, *King Mongkut Univ.tehnoI.north Bangk. Inter. J. Appl. Sci. Techol.*, 30(10), 14416.
- Thanh, N. V. K. and Phong, N. T. P., 2009, Investigation of antibacterial activity of cotton fabric incorporating nano silver colloid, *J. Phys Conf Ser*, 187(1), 1-7.
- Valipour, M., Birjandi, F. C., and Sargolzaei, J., 2014, Super-non-wettable surfaces: A review, *Colloids Surfaces A. Physicochem. Eng. Asp.*, 448(1) 93–106.
- Xu, B., Cai, Z., Wang, W., and Ge, F., 2010, Preparation of superhydrophobic cotton fabrics based on SiO<sub>2</sub> nanoparticles and ZnO nanorod arrays with subsequent hydrophobic modification, *Surf. Coat. Technol.*, 204(9–10), 1556–1561.
- Xu, B. and Qihui, Z., 2021, Preparation and Properties of Hydrophobically Modified Nano-SiO<sub>2</sub> with Hexadecyltrimethoxysilane, *ACS Omega*, 10, 1021.
- Xu, L. Wang, H., Shen, L.M., Ding, Y., and Cai, Y., 2015, Preparation of hexadecyltrimethoxysilane-modified silica nanocomposite hydrosol and superhydrophobic cotton coating, *Fibers Polym.*, 16, 1082–1091.
- Xu, X., Dong, P., Feng, Y., Li, F., and Yu, H., 2010, A simple strategy for preparation of spherical silica-supported porous chitosan matrix based on sol-gel reaction and simple treatment with ammonia solution, *Anal. Methods*, 2, 546-551.
- Yan, H., Yuanhao, W., and Hongxing, Y., 2015, TEOS/silane-coupling agent composed double layers structure: A novel super-hydrophilic surface, *Energy Procedia*, 75, 349–354.
- Yao, D., Sebastian, I., Lian, Ö., Günaydin, S., Clarke, R., Clayton, K., Chen, C. Y., Kharel, K., Chen, Y., and Li, Q., 2018, Corrosion resistance and durability of superhydrophobic copper surface in corrosive NaCl aqueous solution, *Coatings*, 8(2), 70.

- Yao, Z., Wang, Z., Zhou, J., and Zhang, Y., 2017, Reuse of waste cotton cloth for the extraction of cellulose, *Carbohydr. Polym.*, 157, 945–952.
- Yolmeh, M. and Jafari, S. M., 2017, Applications of response surface methodology in the food Industry processes, *Food. Bioproc. Tech.*, 10, 413-433.
- Yu, H., Liang, X., Wang, J., Wang, M. and Yang, S., 2015, Preparation and characterization of hydrophobic silica aerogel sphere products by co-precursor method, *Solid State Sci.*, 48, 155–162.
- Zhao, Z., Hurren, C., Zhang, M., Zhou, L., Wu, J., and Sun, L., 2020, In situ synthesis of a double-layer chitosan coating on cotton fabric to improve the color fastness of sodium copper chlorophyllin, *Materials*, 13(23), 5365.