



DAFTAR PUSTAKA

- Alamsyah dan Widyorini. (2021). Pengaruh Suhu dan Waktu Pengempaan Terhadap Sifat Papan Partikel Bambu Apus dengan Perekat Sukrosa-Amonium Dihidrogen Fosfat. Skripsi. Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta
- Arhamsyah dan Rahmi, N. (2010). Pengaruh Kadar Perekat Dan Jenis Bambu Terhadap Sifat Fisis Dan Mekanis Papan Partikel. *Jurnal Riset Industri Hasil Hutan*, 2(1), 35–41.
- BPS. (2018). *Statistik Produksi Kehutanan Tahun 2017*. Badan Pusat Statistik Indonesia. Jakarta.
- BPS. (2019). *Statistik Produksi Kehutanan Tahun 2018*. Badan Pusat Statistik Indonesia. Jakarta.
- BPS Sleman. (2017). *Kabupaten Sleman dalam Angka 2017*. Badan Pusat Statistik Kabupaten Sleman. Sleman.
- Brown, HP., Panshin AJ., dan Forsaith C. (1952). *Textbook of Wood Technology.II. The Physical, Mechanical, and Chemical Properties of the Comercial Wood of the United States*. Mc Graw Hill Book Company. New York.
- Cai, Z., Muehl, JH., & Winandy, JE. (2006). Effect of Panel Density on Properties of MDF. *Forest Product Journal*. 56 (10), 20–25.
- Charomaini, M. (2014). *Budidaya Bambu Jenis Komersial*. IPB Press. Bogor.
- Dewi, GK., Widyorini, R., dan Lukmandaru, G. (2020). Effect of Amonium Dihidrogen Fosfat (ADF) Addition as Catalyst on the Curing Maltodextrin Adhesives Properties. *Key Engineering Materials*, 840, 551–557.
- Díaz, JP., Augustín, OM., dan Hernández, AG. (2013). Foods as Sources of Mono and Disaccharides: Biochemical and Metabolic Aspects. *Nutricion Hospitalaria*, 28 (4), 5–16.
- Dransfield, S. dan Widjaja, EA. (1995). *Plant Resources of South-East Asia: Bamboos*. Backhuys Publishers. Leiden.



- Erita DP. (2012). Sifat Fisis Dan Mekanis Bambu *Oriented Strand Board (BOSB)* Pada Berbagai Jenis Bambu Dan Kadar Perekat. Fakultas Kehutanan, Institute Pertanian Bogor, Bogor.
- FAO. (1966). *Plywood and Other Wood-Based Panel*. Food and Agriculture Organization of The United Nations. Roma.
- FAO. (2018). *FAO Yearbook of Forest Products 2016*. Food and Agriculture Organization of The United Nations. Roma.
- Fardiaz S. (1992). Polusi Air dan Udara. Yogyakarta: Kanisius.
- Febrianto, F., Jang, JH., Lee, SH., Santosa, IA., Hidayat, W., Kwon, JH., dan Kim, NH. (2015). Effect of Bamboo Species and Resin Content on Properties of Oriented Strand Board Prepared from Steam-Treated Bamboo Strands. *BioResources*, 10(2), 2642–2655.
- Ferdosian, F., Pan, Z., Gao, G., dan Zhao, B. (2017). Bio-Based Adhesives and Evaluation for Wood Composites Application. *Polymers*, 9 (2), 1–29.
- Genova, J., Zheliaskova, A., dan Mitov, MD. (2007). Monosaccharides (Fructose, Glucose) and Disaccharides (Sucrose, Trehalose) Influence the Elasticity of SOPC Membranes. *Journal of Optoelectronics and Advanced Materials*, 9 (2), 427–430.
- Giri, AL. dan Widyorini, R. (2019). Pengaruh Variasi Komposisi Perekat Sukrosa-Amonium Dihidrogen Fosfat dan Suhu Pengempaan terhadap Sifat Fisika dan Mekanika Papan Partikel Pelepas Salak. *Skripsi*. Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- Hartati R, Indrayani Y, Yani A. (2018). Sifat Papan Partikel dari Campuran Kulit Kayu Rhizophora apiculata BI dan Acacia crassicarpa A. Cunn. Ex. Benth Berdasarkan Konsentrasi Perekat Urea Formaldehida. *Jurnal Hutan Lestari* 6.(3) : 473 – 485.
- Hashim, R., Saari, N., Sulaiman, O., Sugimoto, T., Hiziroglu, S., Sato, M., dan Tanaka, R. (2010). Effect of Particle Geometry on The Properties of Binderless Particleboard Manufactured from Oil Palm Trunk. *Materials and Design*, 31 (9), 4251–4257.
- Haygreen, JG. dan Bowyer, JL. (2007). *Hasil Hutan dan Ilmu Kayu, Suatu Pengantar* (Terjemahan). UGM Press. Yogyakarta.
- Hidayat dan Prayitno, TA. (2007). Pengaruh Suhu Kempa dan Jumlah Perekat terhadap Sifat-Sifat Papan Partikel Limbah Pasahan Bambu Petung. *Skripsi*. Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- Honig, P. (1953). *Principles of Sugar Technology*. Elsevier Publishing Company. Amsterdam.



- IPNI. (2010). *Nutrient Source Specifics: Monoammonium Fosfat (MAP)*. International Plant Nutrition Institution. Brookings.
- Iswanto, AH., Azhar, I., Supriyanto, & Susilowati, A. (2014). Effect of Resin Type, Pressing Temperature and Time on Particleboard Properties Made from Sorghum Bagasse. *Agriculture, Forestry and Fisheries*, 3(2), 62.
- ITIS. (2020). *Gigantochloa Apus (Schult. & Schult. F.) Kurz, Taxonomic Serial No:506617*. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506617#null. Diakses 10 November 2020, dari Integrated Taxonomic Information System.
- Jegatheesan, A., Murugan, J., Neelagantaprasad, B., dan Rajarajan, G. (2012). FTIR, XRD, SEM, TGA Investigations of Amonium Dihidrogen Fosfat (ADF) Single Crystal. *International Journal of Computer Applications*, 53 (4), 15–18.
- JIS. (2003). *Japanese Industrial Standard A 5908:2003 Particleboards*. Japanese Standards Association. Tokyo.
- Kaminski, S., Laurence, A., dan Trujillo, D. (2016). Structural Use of Bamboo, Part 1: Introduction to Bamboo. *Structural Engineer*, 94 (8), 40–43.
- Kelly, MW. (1977). *Critical Literature Review of Relationships Between Processing Parameters and Physical Properties of Particleboard*. Forest product laboratory. Madison.
- Kirk, RE. dan DF. Othmer. (2004). *Encyclopedia of Chemical Technology, Volume 18, 4th edition : Paper to Pigment Dispersions*. John Wiley and Sons. New York.
- KLHK. (2018). *The State of Indonesia's Forests 2018*. Kementerian Lingkungan Hidup dan Kehutanan. Jakarta.
- Kollmann, FFP. dan Côté, WA. (1968). Principles of Wood Science and Technology Part 1. Solid Wood. *Principles of Wood Science and Technology*. Springer-Verlag. Berlin.
- Kollmann, FFP., Kuenzi, EW., dan Stamm, AJ. (1975). *Principles of Wood Science and Technology Part 2. Wood Based Materials*. Springer-Verlag. Berlin.
- Kowaluk, G., Zajac, M., Czubak, E., dan Auriga, R. (2017). Physical and Mechanical Properties of Particleboards Manufactured Using Charcoal as Additives. *iForest*, 10 (1), 70–74.
- Kowaluk G, Zajac M, Czubak E, Auriga R (2016). Physical and mechanical properties of particleboards manufactured using charcoal as additives. iForest 10: 70-74



- Kretschmann, DE. (2010). *Wood Handbook - Wood as an Engineering Material: Chapter 5 Mechanical Properties of Wood*. Forest Product Laboratory United States Department of Agriculture Forest Service. Madison.
- Lamaming, J., Sulaiman, O., Sugimoto, T., Hashim, R., Said, N., dan Sato, M. (2013). Influence of Chemical Components of Oil Palm on Properties of Binderless Particleboard. *BioResources*, 8 (3), 3358–3371.
- Liese, W. dan Köhl, M. (2015). *Bamboo: The plant and its uses*. Springer International Publishing. Heidelberg.
- Lobovikov, M., Paudel, S., Piazza, M., Ren, H., dan Wu, J. (2007). *World Bamboo Resources: A Thematic Study Prepared in The Framework of The Global Forest Resources Assesment 2005*. Food and Agriculture Organization of The United Nations. Roma.
- Maloney, TM. (1977). *Modern Particle Board and Dry-Process Fiberboard Manufacturing*. Miller Freeman Publications. San Francisco.
- Maloney, TM. (1993). Modern Particleboard and Dry Process Fiberboard Manufacturing. Miller Freeman Inc. San Francisco. USA.
- Mamza, PAP., Ezeh, EC., Gimba, EC., dan Arthur, DE. (2014). Comparative Study Of Phenol Formaldehyde and Urea Formaldehyde Particleboards from Wood Waste for Sustainable Environment. *International Journal of Scientific & Technology Research*, 3 (1), 53–56.
- Manik, P., Yudo, H., dan Siahaan, FA. (2017). Pengaruh Susunan dan Ukuran Bilah Bambu Petung (*Dendrocalamus asper*) dan Bambu Apus (*G. apus*) Terhadap Kekuatan Tarik, Kekuatan Tekan dan Kekuatan Lentur untuk Komponen Konstruksi Kapal. *Jurnal Kapal*, 14 (3), 94.
- Maraghi, MM., Tabei, A., dan Madanipoor, M. (2018). Effect of Board Density, Resin Percentage, and Pressing Temperature on Particleboard Properties Made from Mixing of Poplar Wood Slab, Citrus Branches and Twigs of Beech. *Wood Research*, 63 (4), 669–682.
- Maulana, S., Damanik, MQA., Maulana, M. I., Fatrawana, A., Sumardi, I., Wistara, NJ., dan Febrianto, F. (2019). Ketahanan Oriented Strand Board Bambu Betung dengan Perlakuan Steam pada Strand terhadap Cuaca. *Jurnal Ilmu Dan Teknologi Kayu Tropis*, 17 (1).
- Melo, RR., Stangerlin, DM., Santana, RRC., dan Pedrosa, TD. (2014). Physical and mechanical properties of particleboard manufactured from wood, bamboo and rice husk. *Materials Research*, 17 (3), 682–686.
- Milek, JT. dan Neuberger, M. (1972). *Linear Electrooptic Modular Materials*. Springer. Boston.
- Ohrnberger, D. (1999). *The Bamboos of the World: Annotated Nomenclature and Literature of the Species and the Higher and Lower Taxa*. Elsevier



Science. Amsterdam.

- Prakash, V., Uday, DN., Sujatha, D., dan Kiran, MC. (2017). Physical and Mechanical Properties of Particle Board from Lops and Tops of *Melia dubia*. *International Journal of Forestry and Crop Improvement*, 6 (5), 1499–1502.
- Prayitno, TA. (2012). *Teknologi Perekatan Kayu*. Fakultas Kehutanan Universitas Gadjah Mada. Yogyakarta.
- PubChem. (2018). *Amonium Fosfat, Monobasic*. Amerika Serikat: PubChem Compound Database, National Center for Biotechnology Information, U.S. National Library of Medicine. <https://pubchem.ncbi.nlm.nih.gov/compound/24402>. (September 2018).
- Santoso, M., Widyorini, R., Prayitno, TA., dan Sulistyo, J. (2016). Kualitas Papan Partikel Dari Pelepas Nipah dengan Perekat Asam Sitrat dan Sukrosa. *Jurnal Ilmu Kehutanan*, 10 (2), 129–136.
- Sellers, T. (2000). Growing Markets for Engineered Products Spurs Research. *Wood Technology*, 127(3), 40–43.
- Setiawati, T., Mutaqin, AZ., Irawan, B., An'Amillah, A., dan Iskandar, J. (2017). Species Diversity and Utilization of Bamboo to Support Life's The Community of Karangwangi Village, Cidaun Sub-District of Cianjur, Indonesia. *Biodiversitas*, 18 (1), 58–64.
- Setyo NIH., dan Sudibyo GH. (2008). Variasi Komposisi Kerapatan Partikel dan Jumlah Perekat Terhadap Karakteristik Papan Komposit Limbah Kayu Aren-Serbuk Gergaji. Vol.4, No. 2.
- Shmulsky, R. dan Jones, PD. (2011). *Forest Products and Wood Science An Introduction: Sixth Edition*. John Wiley & Sons. Hoboken.
- Siregar, S. H., Hartono, R., Sucipto, T., dan Iswanto, A. H. (2015). *Variasi Suhu dan Waktu Pengempaan terhadap Kualitas papan Partikel dari Limbah Batang Kelapa Sawit dengan perekat Phenol Formaldehida*. Fakultas Pertanian Universitas Sumatera Utara. Medan.
- Sonjaya, ML., Haryanto, I., dan Kusnanto. (2013). Pengaruh Kombinasi Lapisan Papan Partikel dari Limbah Partikel Aren (*Arenga pinnata*) dan Limbah Serutan Bambu (*Dendrocalamus asper*) dengan Jumlah Perekat Urea Formaldehida terhadap Sifat Papan Partikel. *ASEAN Journal of Systems Engineering*, 1 (1), 14–18.
- Stark, NM., Cai, Z., dan Carll, C. (2010). *Wood Handbook - Wood as an Engineering Material: Chapter 11 Panel Products, Glue Laminated Timber, Structural Composite Material*. Forest Product Laboratory UnitedStates Department of Agriculture Forest Service. Madison.



- Steel, RGD. dan Torrie, H. (1991). *Prinsip dan Prosedur Statistika: Suatu Pendekatan Biometrik* (Terjemahan). Gramedia Pustaka Utama. Jakarta.
- Sulastiningsih, IM., Santoso, A., Barly, dan Iskandar, MI. (2013). Karakteristik Papan Bambu Lamina Direkat dengan Tanin Resorsinol Formaldehida. *Jurnal Ilmu DanTeknologi Kayu Tropis*, 11 (1), 62–72.
- Su, CH., Chen, CC., Liaw, HJ., & Wang, SC. (2014). The Assessment of Fire Suppression Capability for The Amonium Dihidrogen Fosfat Dry Powder of Commercial Fire Extinguishers. *Procedia Engineering*, 84 (2014), 485–490.
- Suhadi, Indrayani, Y., Yani, A. (2018). Kualitas Oriented Strand Board (OSB) dari Bambu Hijau (*Bambusa vulgaris*) dan Kayu Karet (*Havea brasiliensis*) Berdasarkan Suhu dan Waktu Kempa. *Jurnal Hutan lestari*, 6 (2), 280-292.
- Sun, S., Zhang, M., Umemura, K., dan Zhao, Z. (2019). Investigation and Characterization of Synthesis Conditions on Sucrose-ammonium Dihidrogen Fosfat (SADF) Adhesive: Bond Performance andChemical Transformation. *Materials*, 12 (24), 1–12.
- Sutardi, SR., Nadjib, N., Jasni, MM., Sulastiningsih, IM., dan Komaryati, S. (2015). *Informasi Sifat Dasar dan Kemungkinan Penggunaan 10 Jenis Bambu*. IPB Press. Bogor.
- Sutarno, H., Hardjjadi, SS., dan Sutiyono. (1996). *Paket Model Partisipatif: Budidaya Bambu Guna Meningkatkan Produktivitas Lahan*. Porsea Indonesia. Bogor.
- Sutiyono. (2012). *Budidaya Bambu*. Pusat Penelitian dan Pengembangan Peningkatan Produktivitas Hutan. Bogor.
- Swenberg, JA., Moeller, BC., Lu, K., Rager, JE., Fry, RC., dan Starr, TB. (2013). Formaldehyde Carcinogenicity Research: 30 Years and Counting for Mode of Action, Epidemiology, and Cancer Risk Assessment. *Toxicologic Pathology*, 41 (2), 181–189.
- Tondi, G., Wieland, S., Wimmer, T., Schnabel, T., dan Petutschnigg, A. (2012). Starch-Sugar Synergy in Wood Adhesion Science: Basic Studies and Particleboard Production. *European Journal of Wood and Wood Products*, 70 (1–3), 271–278.
- Turner, JA., Buongiorno, J., dan Maplesden, F. (2006). *World Wood Industries Outlook, 2005 – 2030* (Issue May). Ensis. Madison.
- Umemura, K., Hayashi, S., Tanaka, S., dan Kanayama, K. (2017). Changes in Physical and Chemical Properties of Sucrose bythe Addition ofAmonium Dihidrogen Fosfat. *Journal of The Adhesion Society of Japan*, 53(4), 112–117.



- Umemura, K., Sugihara, O., dan Kawai, S. (2013). Investigation of a New Natural Adhesive Composed of Citric Acid and Sucrose for Particleboard. *Journal of Wood Science*, 59(3), 203–208.
- US EPA. (2002). *Compilation of Air Pollutant Emission Factors: Chapter 10 Plywood and Composite Wood Products. Fifth Edition*. United States Environmental Protection Agency. Washington D.C.
- Vick, CB. (1999). *Wood Handbook - Wood as an Engineering Material: Chapter 9 Adhesive Bonding of Wood Materials*. Forest Product Laboratory United States Department of Agriculture Forest Service. Madison.
- Vlitos, AJ. (1995). *Economical Aspects of Sugar*. Springer Science Business Media Dordrecht. Britania Raya.
- Widjaja, EA. (1987). A Revision of Malesian Gigantochloa (Poaceae-Bambusoideae). *Reindwardtia*, 10 (3), 291–380.
- Widjaja, EA. (2001). *Identikit Jenis-Jenis Bambu di Jawa*. Puslitbang Biologi - LIPI. Bogor.
- Widjaja, EA. dan Karsono. (2005). Keanekaragaman Bambu di Pulau Sumba. *Biodiversitas*, 6 (2), 95–99.
- Widyorini, R. (2020). Evaluation of Physical and Mechanical Properties of Particleboard Made from Petung Bamboo Using Sucrose-Based Adhesive. *BioResources*, 15(3), 5072–5086.
- Widyorini, R., Nugraha, P. A., Rahman, MZA., dan Prayitno, TA. (2016a). Bonding Ability of a New Adhesive Composed of Citric Acid-Sucrose for Particleboard. *BioResources*, 11 (2), 4526–4535.
- Widyorini, R. dan Puspitasari, FE. (2010). Pengaruh Perlakuan Ekstraksi dan Waktu Kempa terhadap Sifat Papan Partikel Tanpa Perekat dari Limbah Serbuk Gergajian Kayu Mahoni. *Masyarakat Peneliti Kayu Indonesia (MAPEKI) XIV*, 225–232.
- Widyorini, R., Umemura, K., Isnan, R., Putra, DR., Awaludin, A., dan Prayitno, TA. (2016b). Manufacture and Properties of Citric Acid-Bonded Particleboard Made from Bamboo Materials. *European Journal of Wood and Wood Products*, 74 (1), 57–65.
- Widyorini, R., Umemura, K., Septiano, A., Soraya, DK., Dewi, GKD., dan Nugroho, WD. (2018). Manufacture and Properties of Citric Acid-Bonded Composite Board Made from Salacca Frond: Effect of Maltodextrin Addition, Pressing Temperature, and Pressing Method. *BioResources*, 13 (4), 8662–8676.
- Witarsa, U. (2015). *Pengembangan Bambu untuk Mendorong Perekonomian Masyarakat Desa*. Departemen Lingkungan Hidup dan Kehutanan



Banten.Serang.

- Wulandari, F. T. (2020). Karakteristik Sifat Fisika Bambu Tali (*Gigantolochloa Apus Kurz*), Sebagai Bahan Baku Bambu Kerajinan. *Jurnal Belantara*, 3(1), 69.
- Xu, W., Winistorfer, PM., dan Moschler, WW. (1996). A Procedure to Determine Water Absorption in Wood Composite Panels. *Wood and Fiber Science*, 28 (3), 286–294.
- Zhao, Z., Hayashi, S., Xu, W., Wu, Z., Tanaka, S., Sun, S., Zhang, M., Kanayama, K., dan Umemura, K. (2018). A Novel Eco-Friendly Wood Adhesive Composed by Sucrose and Ammonium Dihidrogen Fosfat. *Polymers*, 10 (11), 1–14.
- Zhao, Z., Sakai, S., Wu, D., Chen, Z., Zhu, N., Gui, C., Zhang, M., Umemura, K., dan Yong, Q. (2020). Investigation of Synthesis Mechanism, Optimal Hot-Pressing Conditions, and Curing Behavior of Sucrose and Ammonium Dihidrogen Fosfat Adhesive. *Polymers*, 12, 1–15.
- Zhao, Z., dan Umemura, K. (2014). Investigation of a New Natural Particleboard adhesive composed of Tannin and Sucrose. *Journal of Wood Science*, 60 (4), 269–277.



UNIVERSITAS
GADJAH MADA

PENGARUH KOMPOSISI DAN JUMLAH PEREKAT SUKROSA-AMONIUM DIHIDROGEN FOSFAT
TERHADAP SIFAT FISIKA
MEKANIKA PAPAN UNTAI BAMBU APUS

DINO TAUFAN ISKANDAR, Ragil Widyorini

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>