

DAFTAR PUSTAKA

- Abdolali, A., Guo, W.S., Ngo, H.H., Chen, S.S., Nguyen, N.C., and Tung, K.L., 2014, Typical lignocellulosic wastes and by-products for biosorption process in water and wastewater treatment: A critical review, *Bioresour. Technol.*, 160, 57–66.
- Adeogun, A.I. and Balakrishnan, R.B., 2017, Kinetics, Isothermal and Thermodynamics Studies of Electrocoagulation Removal of Basic Dye Rhodamine B from Aqueous Solution using Steel Electrodes, *Appl. Water Sci.*, 7, 1711–1723.
- Ahmad, R. and Kumar, R., 2010, Adsorption studies of hazardous malachite green onto treated ginger waste, *J. Environ. Manage.*, 91, 1032–1038.
- Akpomie, K.G., Dawodu, F.A., and Adebowale, K.O., 2015, Mechanism on the sorption of heavy metals from binary-solution by a low cost montmorillonite and its desorption potential, *Alexandria Eng. J.*, 54, 757–767.
- Aktar, J., 2021, Batch adsorption process in water treatment, Academic Press, Amerika Serikat.
- Almasi, H., Ghanbarzadeh, B., Dehghannya, J., Entezami, A.A., and Asl, A.K., 2015, Novel Nanocomposites Based on Fatty Acid Modified Cellulose Nanofibers/Poly(Lactic Acid): Morphological and Physical Properties, *Food Packag. Shelf Life*, 5, 21–31.
- Altman, J.C., Stone, R.E., Dunn, F., and Nishida, F., 1991, Solid-State Laser Using a Rhodamine-Doped Silica Gel Compound, *IEEE Photonics Technol. Lett.*, 3, 189–190.
- Anastopoulos, I. and Kyzas, G.Z., 2015, Composts as biosorbents for decontamination of various pollutants: A review, *Water. Air. Soil Pollut.*, 226, 1–16.
- Annadurai, G., Juang, R.S., and Lee, D.J., 2002, Use of cellulose-based wastes for adsorption of dyes from aqueous solutions, *J. Hazard. Mater.*, 92, 263–274.
- Asnawati, A., 2017, Penentuan Kapasitas Adsorpsi Selulosa Terhadap Rhodamin B dalam Sistem Dinamis, *J. Kim. Ris.*, 2, 23.
- Bekçi, Z., Seki, Y., and Cavas, L., 2009, Removal of malachite green by using an invasive marine alga *Caulerpa racemosa* var. *cylindracea*, *J. Hazard. Mater.*, 161, 1454–1460.
- Bhatia, S.C. and Devraj, S., 2017, Pollution control in textile industry, Woodhead Publishing India, New York.
- Brandani, S., 2021, Kinetics of Liquid Phase Batch Adsorption Experiments, *Adsorption*, 27, 353–368.
- Bulla, L.M.C., Polonio, J.C., Portela-Castro, A.L. de B., Kava, V., Azevedo, J.L.,

- and Pamphile, J.A., 2017, Activity of the endophytic fungi *Phlebia* sp. and *Paecilomyces formosus* in decolourisation and the reduction of reactive dyes' cytotoxicity in fish erythrocytes, *Environ. Monit. Assess.*, 189, 1–11.
- Choi, S.H. and Nho, Y.C., 2000, Adsorption of UO_2^{2+} by polyethylene adsorbents with amidoxime, carboxyl, and amidoxime/carboxyl group, *Radiat. Phys. Chem.*, 57, 187–193.
- Chu, C.Y., Vo, T.P., and Chen, T.H., 2020, A novel of biohythane gaseous fuel production from pineapple peel waste juice in two-stage of continuously stirred anaerobic bioreactors, *Fuel*, 279, 1–9.
- Correia, J.A. da C., Júnior, J.E.M., Gonçalves, L.R.B., and Rocha, M.V.P., 2013, Alkaline Hydrogen Peroxide Pretreatment of Cashew Apple Bagasse for Ethanol Production: Study of Parameters, *Bioresour. Technol.*, 139, 249–256.
- Dahri, M.K., Kooh, M.R.R., and Lim, L.B.L., 2016, Remediation of Rhodamine B Dye from Aqueous Solution Using *Casuarina equisetifolia* Cone Powder as a Low-Cost Adsorbent, *Adv. Phys. Chem.*, 2016, 1–7.
- Dai, H. and Huang, H., 2017, Enhanced swelling and responsive properties of pineapple peel carboxymethyl cellulose-g-poly(acrylic acid-co-acrylamide) superabsorbent hydrogel by the introduction of carclazyte, *J. Agric. Food Chem.*, 65, 565–574.
- Dai, H. and Huang, H., 2016, Modified pineapple peel cellulose hydrogels embedded with sepia ink for effective removal of methylene blue, *Carbohydr. Polym.*, 148, 1–10.
- Dai, H., Zhang, Y., Ma, L., Zhang, H., and Huang, H., 2019, Synthesis and response of pineapple peel carboxymethyl cellulose-g-poly (acrylic acid-co-acrylamide)/graphene oxide hydrogels, *Carbohydr. Polym.*, 215, 366–376.
- Deivy, A.P., Anwar, K., Alfi, A., and Yusniwati, 2021, Delignification of Lignocellulosic Biomass, *World J. Adv. Res. Rev.*, 12, 462–469.
- Demarchi, C.A., Debrassi, A., and Rodrigues, C.A., 2012, The use of Jatobá bark for removal of cationic dyes, *Color. Technol.*, 128, 208–217.
- Ding, L., Zou, B., Gao, W., Liu, Q., Wang, Z., Guo, Y., Wang, X., and Liu, Y., 2014, Adsorption of Rhodamine-B from aqueous solution using treated rice husk-based activated carbon, *Colloids Surfaces A Physicochem. Eng. Asp.*, 246, 1–7.
- Ebrahimi, A., Arami, M., Bahrami, H., and Pajootan, E., 2013, Fish Bone as a Low-Cost Adsorbent for Dye Removal from Wastewater: Response Surface Methodology and Classical Method, *Environ. Model. Assess.*, 18, 661–670.
- El-Desoky, H.S., Ghoneim, M.M., El-Sheikh, R., and Zidan, N.M., 2010, Oxidation of Levafix CA Reactive Azo-Dyes in Industrial Wastewater of Textile Dyeing by Electro-Generated Fenton's Reagent, *J. Hazard. Mater.*, 175, 858–865.
- Errais, E., Duplay, J., and Darragi, F., 2010, Textile dye removal by natural clay -

Case study of Fouchana Tunisian clay, *Environ. Technol.*, 31, 373–380.

- Fang, J., Huang, X., Ouyang, X., and Wang, X., 2015, Study of the preparation of γ -Al₂O₃ nano-structured hierarchical hollow microspheres with a simple hydrothermal synthesis using methylene blue as structure directing agent and their adsorption enhancement for the dye, *Chem. Eng. J.*, 270, 309–319.
- Feng, J., Zhu, J., Lv, W., Li, J., and Yan, W., 2015, Effect of hydroxyl group of carboxylic acids on the adsorption of Acid Red G and Methylene Blue on TiO₂, *Chem. Eng. J.*, 269, 316–322.
- Freire, C.S.R., Silvestre, A.J.D., Neto, C.P., Belgacem, M.N., and Gandini, A., 2006, Controlled heterogeneous modification of cellulose fibers with fatty acids: Effect of reaction conditions on the extent of esterification and fiber properties, *J. Appl. Polym. Sci.*, 100, 1093–1102.
- Gao, H., Liu, Y., Zeng, G., Xu, W., Li, T., and Xia, W., 2008, Characterization of Cr(VI) removal from aqueous solutions by a surplus agricultural waste-Rice straw, *J. Hazard. Mater.*, 150, 446–452.
- Grassi, Mariangela, Kaykioglu, Gul, Belgiorno, Vincenzo, Lofrano, Giusy, Grassi, M, Belgiorno, V, Lofrano, Á.G., Lofrano, G, and Kaykioglu, G, 2012, Removal of Emerging Contaminants from Water and Wastewater by Adsorption Process, *Emerg. Compd. Remov. from Wastewater*, 15–37.
- Gupta, P.K., Raghunath, S.S., Prasanna, D.V., Venkat, P., Shree, V., Chithanathan, C., Choudhary, S., Surender, K., and Geetha, K., 2019, An Update on Overview of Cellulose, Its Structure and Applications, *Cellulose*, 1–19.
- Hassan, M.M. and Carr, C.M., 2018, A Critical Review on Recent Advancements of the Removal of Reactive Dyes from Dyehouse Effluent by Ion-Exchange Adsorbents, *Chemosphere*, 209, 201–219.
- Hassan, S.S., El-Shafie, A.S., Zaher, N., and El-Azazy, M., 2020, Application of Pineapple Leaves as Adsorbents for Removal of Rose Bengal from Wastewater: Process Optimization Operating Face-Centered Central Composite Design (FCCCD), *Molecules*, 25, 1–19.
- Hayeeye, F., Sattar, M., Chinpa, W., and Sirichote, O., 2017, Kinetics and thermodynamics of Rhodamine B adsorption by gelatin/activated carbon composite beads, *Colloids Surfaces A Physicochem. Eng. Asp.*, 513, 259–266.
- Hengky, S.H., 2015, Image Analysis: Textile Industry in Indonesia, *World J. Bus. Manag.*, 1, 56.
- Henrique, P., Pereira, F., Magalhães De Oliveira, D., and Pereira, B., 2022, Effect of Chemical Treatment Sequence on Pineapple Peel Fiber: Chemical Composition, Thermal Stability and Thermal Degradation Kinetics Heitor Luiz Ornaighi Universidade Federal da Integracao Latino-Americana, *Res. Sq.*, 1–22.
- Hethnawi, A., Nassar, N.N., Manasrah, A.D., and Vitale, G., 2017,

- Polyethylenimine-functionalized pyroxene nanoparticles embedded on Diatomite for adsorptive removal of dye from textile wastewater in a fixed-bed column, *Chem. Eng. J.*, 320, 389–404.
- Ho, M.C., Ong, V.Z., and Wu, T.Y., 2019, Potential use of alkaline hydrogen peroxide in lignocellulosic biomass pretreatment and valorization – A review, *Renew. Sustain. Energy Rev.*, 112, 75–86.
- Hokkanen, S., Repo, E., and Sillanpää, M., 2013, Removal of heavy metals from aqueous solutions by succinic anhydride modified mercerized nanocellulose, *Chem. Eng. J.*, 223, 40–47.
- Hossain, M.A., Ngo, H.H., Guo, W.S., and Nguyen, T. V., 2012, Removal of copper from water by adsorption onto banana peel as bioadsorbent, *Int. J. GEOMATE*, 2, 227–234.
- Hossain, M.S., Das, S.C., Islam, J.M.M., Al Mamun, M.A., and Khan, M.A., 2018, Reuse of textile mill ETP sludge in environmental friendly bricks – effect of gamma radiation, *Radiat. Phys. Chem.*, 151, 77–83.
- Imran, M., Crowley, D.E., Khalid, A., Hussain, S., Mumtaz, M.W., and Arshad, M., 2015, Microbial biotechnology for decolorization of textile wastewaters, *Rev. Environ. Sci. Biotechnol.*, 14, 73–92.
- Inyinbor, A. A., Adekola, F.A., and Olatunji, G.A., 2016, Kinetics, isotherms and thermodynamic modeling of liquid phase adsorption of Rhodamine B dye onto *Raphia hookeri* fruit epicarp, *Water Resour. Ind.*, 15, 14–27.
- Inyinbor, A.A., Adekola, F.A., and Olatunji, G.A., 2016, Liquid Phase Adsorption of Rhodamine B Dye onto Acid-treated *Raphia hookeri* Fruit Epicarp: Isotherms, Kinetics and Thermodynamics Studies, *South African J. Chem.*, 69, 218–226.
- Iriarte-Velasco, U., Chimeno-Alanís, N., González-Marcos, M.P., and Álvarez-Uriarte, J.I., 2011, Relationship between thermodynamic data and adsorption/desorption performance of acid and basic dyes onto activated carbons, *J. Chem. Eng. Data*, 56, 2100–2109.
- Iryani, A., Nur, H., Santoso, M., and Hartanto, D., 2020, Adsorption study of rhodamine B and methylene blue dyes with ZSM-5 directly synthesized from Bangka Kaolin without organic template, *Indones. J. Chem.*, 20, 130–140.
- Jayanudin, R.H. and Jamil, N.H., 2010, Pengaruh Konsentrasi dan Waktu Pemutihan Serat Daun Nanas Menggunakan Hidrogen Peroksida - Core Reader,. In, *Seminar Rekayasa Kimia*. Semarang, pp. 1–6.
- Jun, L.Y., Mubarak, N.M., Yee, M.J., Yon, L.S., Bing, C.H., Khalid, M., and Abdullah, E.C., 2018, An overview of functionalised carbon nanomaterial for organic pollutant removal, *J. Ind. Eng. Chem.*, 67, 175–186.
- Kadirvelu, K., Karthika, C., Vennilamani, N., and Pattabhi, S., 2005, Activated carbon from industrial solid waste as an adsorbent for the removal of Rhodamine-B from aqueous solution: Kinetic and equilibrium studies,

Chemosphere, 60, 1009–1017.

- Karamina, H., Murti, A.T., and Mujoko, T., 2021, Peningkatan komponen dan kualitas hasil nanas melalui aplikasi kalsium dan etilen sintetik di daerah kering dan panas Kabupaten Malang, *Kultivasi*, 20, 35.
- Karnitz, O., Gurgel, L.V.A., de Melo, J.C.P., Botaro, V.R., Melo, T.M.S., de Freitas Gil, R.P., and Gil, L.F., 2007, Adsorption of heavy metal ion from aqueous single metal solution by chemically modified sugarcane bagasse, *Bioresour. Technol.*, 98, 1291–1297.
- Karthikeyan, G., Anbalagan, K., and Andal, N.M., 2004, Adsorption Dynamics and Equilibrium Studies of Zn (II) onto Chitosan, *J. Chem. Sci.*, 116, 119–127.
- Ketnawa, S., Chaiwut, P., and Rawdkuen, S., 2012, Pineapple wastes: A potential source for bromelain extraction, *Food Bioprod. Process.*, 90, 385–391.
- Khan, T.A., Sharma, S., and Ali, I., 2011, Adsorption of Rhodamine B dye from aqueous solution onto acid activated mango (*Magnifera indica*) leaf powder: Equilibrium, kinetic and thermodynamic studies, *J. Toxicol. Environ. Heal. Sci.*, 3, 286–297.
- Kim, S. and Holtzapple, M.T., 2006, Effect of structural features on enzyme digestibility of corn stover, *Bioresour. Technol.*, 97, 583–591.
- Kolasinski, K.W., 2012, Surface Science: Foundations of Catalysis and Nanoscience, John Wiley and Sons, New York.
- Kooh, M.R.R., Dahri, M.K., and Lim, L.B., 2016, Jackfruit seed as a sustainable adsorbent for the removal of Rhodamine B dye, *J. Environ. Biotechnol. Res.*, 4, 7–16.
- Krstić, V., 2021, Role of zeolite adsorbent in water treatment, *Handb. Nanomater. Wastewater Treat. Fundam. Scale up Issues*, 417–481.
- Kurniawati, D., Bahrizal, Sari, T.K., Adella, F., and Sy, S., 2021, Effect of Contact Time Adsorption of Rhodamine B, Methyl Orange and Methylene Blue Colours on Langsat Shell with Batch Methods, *J. Phys. Conf. Ser.*, 1788, .
- Kusumawardani, R., Zaharah, T.A., and Destiarti, L., 2018, Adsorpsi kadmium(II) menggunakan adsorben selulosa ampas tebu teraktivasi asam nitrat, *J. Kim. Khatulistiwa*, 7, 75–83.
- Largura, M.C.T., Debrassi, A., Santos, H.H. Dos, Marques, A.T., and Rodrigues, C.A., 2010, Adsorption of Rhodamine B onto O-Carboxymethylchitosan-N-Lauryl, *Sep. Sci. Technol.*, 45, 1490–1498.
- Li, Q., Tang, X., Sun, Y., Wang, Y., Long, Y., Jiang, J., and Xu, H., 2015, Removal of Rhodamine B from wastewater by modified *Volvariella volvacea*: Batch and column study, *RSC Adv.*, 5, 25337–25347.
- Mahapatra, N.N., 2016, Textile Dyes , Woodhead Publishing India Pvt. Ltd. Boca Raton: CRC Press, New Delhi.
- Malkoc, E. and Nuhoglu, Y., 2007, Potential of tea factory waste for chromium(VI)

- removal from aqueous solutions: Thermodynamic and kinetic studies, *Sep. Purif. Technol.*, 54, 291–298.
- Masruroh, Manggara, A.B., Lapailaka, T., and Triandi, R., 2013, Penentuan Ukuran Kristal (Crystallite Size) Lapisan Tipis PZT dengan Metode XRD Melalui Pendekatan Persamaan Debye Scherrer, *Erud. J. Educ. Innov.*, 1, 25–29.
- Mayerhöfer, T.G., Pahlow, S., and Popp, J., 2020, The Bouguer-Beer-Lambert Law: Shining Light on the Obscure, *ChemPhysChem*, 21, 2029–2046.
- Mimura, A.M.S., De Almeida Vieira, T.V., Martelli, P.B., and De Fátima Gorgulho, H., 2010, Utilization of rice husk to remove Cu^{2+} , Al^{3+} , Ni^{2+} and Zn^{2+} from wastewater, *Quim. Nova*, 33, 1279–1284.
- Mittal, A., 2006, Adsorption kinetics of removal of a toxic dye, Malachite Green, from wastewater by using hen feathers, *J. Hazard. Mater.*, 133, 196–202.
- Namasivayam, C., Kanchana, N., and Yamuna, R.T., 1993, Waste banana pith as adsorbent for the removal of rhodamine-B from aqueous solutions, *Waste Manag.*, 13, 89–95.
- Nasra, E., Kurniawati, D., Etika, S.B., Silvia, R., and Rahmatika, A., 2021, Effect of pH and Concentration on Biosorption Malachite Green and Rhodamine B Dyes using Banana Peel (*Musa balbisiana* Colla) as Biosorbent, *J. Phys. Conf. Ser.*, 1788, .
- Nossol, A.B.S., Rosa, S.M.C., Nossol, E., Zarbin, A.J.G., and Peralta-Zamora, P., 2016, Photocatalytic Degradation of Dye over Graphene -TiO₂ Nanocomposite, *Quim. Nova*, 39, 686–690.
- O’Connell, D.W., Birkinshaw, C., and O’Dwyer, T.F., 2008, Heavy metal adsorbents prepared from the modification of cellulose: A review, *Bioresour. Technol.*, 99, 6709–6724.
- Oh, S.Y., Dong, I.Y., Shin, Y., Hwan, C.K., Hak, Y.K., Yong, S.C., Won, H.P., and Ji, H.Y., 2005, Crystalline structure analysis of cellulose treated with sodium hydroxide and carbon dioxide by means of X-ray diffraction and FTIR spectroscopy, *Carbohydr. Res.*, 340, 2376–2391.
- Ohgaki, S., Fukushi, K., Katayama, H., Takizawa, S., and Polprasert, C., 2005, Southeast Asian Water Environment 1, IWA Publishing, Oxford.
- Olivera, S., Muralidhara, H.B., Venkatesh, K., Guna, V.K., Gopalakrishna, K., and Kumar K., Y., 2016, Potential applications of cellulose and chitosan nanoparticles/composites in wastewater treatment: A review, *Carbohydr. Polym.*, 153, 600–618.
- Orts, F., del Ríó, A.I., Molina, J., Bonastre, J., and Cases, F., 2018, Electrochemical treatment of real textile wastewater: Trichromy Procion HEXL®, *J. Electroanal. Chem.*, 808, 387–394.
- Oyekanmi, A.A., Ahmad, A., Hossain, K., and Rafatullah, M., 2019, Adsorption of

- Rhodamine B dye from aqueous solution onto acid treated banana peel: Response surface methodology, kinetics and isotherm studies, *PLoS One*, 14, 1–20.
- Papinutti, L., Mouso, N., and Forchiassin, F., 2006, Removal and degradation of the fungicide dye malachite green from aqueous solution using the system wheat bran-Fomes sclerodermeus, *Enzyme Microb. Technol.*, 39, 848–853.
- Paraschiv, D., Tudor, C., and Petrariu, R., 2015, The Textile Industry and Sustainable Development: A Holt–Winters Forecasting Investigation for the Eastern European Area, *Sustain. 2015, Vol. 7, Pages 1280-1291*, 7, 1280–1291.
- Postai, D.L., Demarchi, C.A., Zanatta, F., Melo, D.C.C., and Rodrigues, C.A., 2016, Adsorption of rhodamine B and methylene blue dyes using waste of seeds of *Aleurites Moluccana*, a low cost adsorbent, *Alexandria Eng. J.*, 55, 1713–1723.
- Prado, K.S. and Spinacé, M.A.S., 2019, Isolation and characterization of cellulose nanocrystals from pineapple crown waste and their potential uses, *Int. J. Biol. Macromol.*, 122, 410–416.
- Prihandono, I. and Religi, F.H., 2019, Business and Human Rights Concerns in the Indonesian Textile Industry, *Yuridika*, 34, 525.
- Qu, J., Zhang, Q., Xia, Y., Cong, Q., and Luo, C., 2015, Synthesis of carbon nanospheres using fallen willow leaves and adsorption of Rhodamine B and heavy metals by them, *Environ. Sci. Pollut. Res.*, 22, 1408–1419.
- Ramos, S.N. do C., Xavier, A.L.P., Teodoro, F.S., Elias, M.M.C., Gonçalves, F.J., Gil, L.F., de Freitas, R.P., and Gurgel, L.V.A., 2015, Modeling mono- and multi-component adsorption of cobalt(II), copper(II), and nickel(II) metal ions from aqueous solution onto a new carboxylated sugarcane bagasse. Part I: Batch adsorption study, *Ind. Crops Prod.*, 74, 357–371.
- Sabarish, R. and Unnikrishnan, G., 2018, Novel biopolymer templated hierarchical silicalite-1 as an adsorbent for the removal of rhodamine B, *J. Mol. Liq.*, 272, 919–929.
- Sadri Moghaddam, S., Alavi Moghaddam, M.R., and Arami, M., 2010, Coagulation/flocculation process for dye removal using sludge from water treatment plant: Optimization through response surface methodology, *J. Hazard. Mater.*, 175, 651–657.
- SafaÇelik, M., Çetinus, Ş.A., Yenidünya, A.F., Çetinkaya, S., and Tüzün, B., 2022, Biosorption of Rhodamine B dye from aqueous solution by *Rhus coriaria* L. plant: Equilibrium, kinetic, thermodynamic and DFT calculations, *J. Mol. Struct.*, 1–25.
- Saha, P., Chowdhury, S., Gupta, S., and Kumar, I., 2010, Insight into adsorption equilibrium, kinetics and thermodynamics of Malachite Green onto clayey soil of Indian origin, *Chem. Eng. J.*, 165, 874–882.

- Saha, P., Chowdhury, S., Gupta, S., Kumar, I., and Kumar, R., 2010, Assessment on the removal of malachite green using tamarind fruit shell as biosorbent, *Clean - Soil, Air, Water*, 38, 437–445.
- Sahin, H.T. and Arslan, M.B., 2008, A study on physical and chemical properties of cellulose paper immersed in various solvent mixtures, *Int. J. Mol. Sci.*, 9, 78–88.
- Sahoo, T.R. and Prelot, B., 2020, Adsorption processes for the removal of contaminants from wastewater: the perspective role of nanomaterials and nanotechnology, Elsevier, Amsterdam.
- Samiey, B. and Ashoori, F., 2012, Adsorptive removal of methylene blue by agar: effects of NaCl and ethanol, *Chem. Cent. J.*, 6, 14.
- Santhi, T., Prasad, A.L., and Manonmani, S., 2014, A comparative study of microwave and chemically treated Acacia nilotica leaf as an eco friendly adsorbent for the removal of rhodamine B dye from aqueous solution, *Arab. J. Chem.*, 7, 494–503.
- Sartape, A.S., Mandhare, A.M., Jadhav, V. V., Raut, P.D., Anuse, M.A., and Kolekar, S.S., 2017, Removal of malachite green dye from aqueous solution with adsorption technique using Limonia acidissima (wood apple) shell as low cost adsorbent, *Arab. J. Chem.*, 10, S3229–S3238.
- Shakya, A. and Agarwal, T., 2019, Removal of Cr(VI) from water using pineapple peel derived biochars: Adsorption potential and re-usability assessment, *J. Mol. Liq.*, 293, 111497.
- Shamey, R. and Zhao, X., 2014, Modelling, Simulation and Control of the Dyeing Process, Woodhead Publishing Limited, Amsterdam.
- Shen, K. and Gondal, M.A., 2017, Removal of Hazardous Rhodamine Dye from Water by Adsorption onto Exhausted Coffee Ground, *J. Saudi Chem. Soc.*, 21, 120–127.
- Da Silva, D.I.S., Nogueira, G.D.R., Duzzioni, A.G., and Barrozo, M.A.S., 2013, Changes of Antioxidant Constituents in Pineapple (Ananas Comosus) Residue During Drying Process, *Ind. Crops Prod.*, 50, 557–562.
- Singh, S., Kumar, A., and Gupta, H., 2020, Activated banana peel carbon: a potential adsorbent for Rhodamine B decontamination from aqueous system, *Appl. Water Sci.*, 10, 1–8.
- Sukruansuwan, V. and Napathorn, S.C., 2018, Use of agro-industrial residue from the canned pineapple industry for polyhydroxybutyrate production by Cupriavidus necator strain A-04, *Biotechnol. Biofuels*, 11, 1–15.
- Supriyanto, E., Holikin, A., and Suwardiyanto, S., 2014, The thermal annealing effect on Crystal Structure and Morphology of Titanium Dioxide (TiO₂) powder, *J. ILMU DASAR*, 15, 37.
- Syauqiah, I., Amalia, M., and Kartini, H.A., 2011, Analisis Variasi Waktu Dan

Kecepatan Pengaduk Pada Proses Adsorpsi Limbah Logam Berat Dengan Arang Aktif, *Info Tek.*, 12, 11–20.

Tahir, N., Bhatti, H.N., Iqbal, M., and Noreen, S., 2017, Biopolymers Composites with Peanut Hull Waste Biomass and Application for Crystal Violet Adsorption, *Int. J. Biol. Macromol.*, 94, 210–220.

Tanasale, M.F.J.D., Sutapa, I., and Topurtawy, R., 2014, Adsorption of Rhodamine B Dye by Active Carbon from Durian Shell (*Durio Zibethinus*), *Ind. J. Chem. Res.*, 2, 116–121.

Tao, P., Xu, Y., Song, C., Yin, Y., Yang, Z., Wen, S., Wang, S., Liu, H., Li, S., Li, C., Wang, T., and Shao, M., 2017, A novel strategy for the removal of rhodamine B (RhB) dye from wastewater by coal-based carbon membranes coupled with the electric field, *Sep. Purif. Technol.*, 179, 175–183.

Teodoro, F.S., Ramos, S.N. do C., Elias, M.M.C., Mageste, A.B., Ferreira, G.M.D., da Silva, L.H.M., Gil, L.F., and Gurgel, L.V.A., 2016a, Synthesis and application of a new carboxylated cellulose derivative. Part I: Removal of Co^{2+} , Cu^{2+} and Ni^{2+} from monocomponent spiked aqueous solution, *J. Colloid Interface Sci.*, 483, 185–200.

Teodoro, F.S., Ramos, S.N. do C., Elias, M.M.C., Mageste, A.B., Ferreira, G.M.D., da Silva, L.H.M., Gil, L.F., and Gurgel, L.V.A., 2016b, Synthesis and application of a new carboxylated cellulose derivative. Part I: Removal of Co^{2+} , Cu^{2+} and Ni^{2+} from monocomponent spiked aqueous solution, *J. Colloid Interface Sci.*, 483, 185–200.

Thakur, A. and Kaur, H., 2017, Response Surface Optimization of Rhodamine B Dye removal using paper industry waste as adsorbent, *Int. J. Ind. Chem.*, 8, 175–186.

Wang, D.M., 2016, Environmental protection in clothing industry, World Scientific Pub Co Pte Lt, Singapore.

Wijayanti, A., Susatyo, E.B., and Kurniawan, C., 2018, Adsorpsi Logam Cr(VI) dan Cu(II) Pada Tanah dan Pengaruh Penambahan Pupuk Organik, *Indones. J. Chem. Sci.*, 7, 242–248.

Xing, X., Qu, H., Shao, R., Wang, Q., and Xie, H., 2017, Mechanism and kinetics of dye desorption from dye-loaded carbon (XC-72) with alcohol-water system as desorbent, *Water Sci. Technol.*, 76, 1243–1250.

Yagub, M.T., Sen, T.K., Afroze, S., and Ang, H.M., 2014, Dye and its removal from aqueous solution by adsorption: A review, *Adv. Colloid Interface Sci.*, 209, 172–184.

Yousef, N.S., Farouq, R., and Hazzaa, R., 2016, Adsorption kinetics and isotherms for the removal of nickel ions from aqueous solutions by an ion-exchange resin: application of two and three parameter isotherm models, *Desalin. Water Treat.*, 57, 21925–21938.

Zhang, X. bing, Dong, W. yi, and Yang, W., 2013, Decolorization efficiency and

kinetics of typical reactive azo dye RR2 in the homogeneous Fe(II) catalyzed ozonation process, *Chem. Eng. J.*, 233, 14–23.

Zhang, Z. yang and Xu, X. cheng, 2014, Wrapping carbon nanotubes with poly (sodium 4-styrenesulfonate) for enhanced adsorption of methylene blue and its mechanism, *Chem. Eng. J.*, 256, 85–92.

Zhao, H., Kwak, J.H., Conrad Zhang, Z., Brown, H.M., Arey, B.W., and Holladay, J.E., 2007, Studying cellulose fiber structure by SEM, XRD, NMR and acid hydrolysis, *Carbohydr. Polym.*, 68, 235–241.