

DAFTAR PUSTAKA

- Afoakwa, E. O. (2016) *Chocolate Science and Technology*. 2nd Editio. John Wiley and Sons, Ltd.
- Amanah, H. Z. and Bintoro, N. (2011) 'Analisis Perpindahan Panas Dan Massa Proses Pengeringan Jagung Tongkol Pada Beberapa Metode Pengeringan Sederhana (Heat And Mass Transfer Analysis Of Corn Cobs Drying Process Using Some Simple Drying Methods)', in *PROSIDING SEMINAR NASIONAL PERTETA 2011*. Jember, pp. 21–22.
- Amin, S., Jamaluddin P, J. P. and Rais, M. (2018) 'Laju Pindah Panas Dan Massa Pada Proses Pengeringan Gabah Menggunakan Alat Pengering Tipe Bak (Batch Dryer)', *Jurnal Pendidikan Teknologi Pertanian*, 1, p. 87. doi: 10.26858/jptp.v1i0.6236.
- Anwar, C., Irmayanti, I. and Ambartiasari, G. (2021) 'Pengaruh Lama Pengeringan terhadap Rendemen, Kadar Air, dan Organoleptik Dendeng Sayat Daging Ayam', *Jurnal Peternakan Sriwijaya*, 10(2), pp. 29–32.
- Ariyanto, N. A. and Usman, M. K. (2019) 'No Title', *Mechanical Engineering*, 8(1), p. 20.
- Barletta, B. J. and Barbosa-Cánovas, G. V. (1993) 'An attrition index to assess fines formation and particle size reduction in tapped agglomerated food powders', *Powder Technology*, 77(1), pp. 89–93. doi: [https://doi.org/10.1016/0032-5910\(93\)85011-W](https://doi.org/10.1016/0032-5910(93)85011-W).
- Belščak-Cvitanović, A. *et al.* (2010) 'Physical Properties and Bioactive Constituents of Powdered Mixtures and Drinks Prepared with Cocoa and Various Sweeteners', *Journal of Agricultural and Food Chemistry*, 58(12), pp. 7187–7195. doi: <https://doi.org/10.1021/jf1005484>.
- Benkovic, M. *et al.* (2018) 'Production of cocoa and carob-based drink powders by foam mat drying', *Food Process Engineering*, 41(6), pp. 1–11.
- Berk, Z. (2018) 'Food Process Engineering and Technology', *Departement of Biotechnology and Food Engineering. Israel Institute of Technology*, 3(22), pp. 511–521.
- Cahyaningrum, N. *et al.* (2019) 'Kajian Pengeringan Biji Kakao Hasil Panen Akhir Musim di Gunungkidul Yogyakarta', *Research Fair Unisri*, 3(1), pp. 655–662. Available at: <https://ejurnal.unisri.ac.id/index.php/rsfu/article/view/2626> (Accessed: 22 April 2021).
- Cengel, Y. A. (2003) *Heat Transfer: A Practical Approach*. 2nd edn. New York: Mc Graw-Hill.
- Diasti, D. R. (2020) *Kajian Penggunaan Continuous type dan Batch-type Steam Agglomerator terhadap Karakteristik Fisik Bubuk Minuman Cokelat Instan yang Dipermanis dengan Gula Sukrosa*. Universitas Gadjah Mada.
- Ditjen Migas (2020) *Konversi Mitan ke Gas*. Jakarta. Available at: <https://migas.esdm.go.id/uploads/Konversi-Mitan-GAS.pdf> (Accessed: 16 September 2022).

- Dwi Saputro, A. *et al.* (2022) 'Application of Steam Jet Agglomerator to Improve the Properties of Instantised Cocoa Drink Powder Mixed with Maltodextrin, Coconut Sugar and Sucrose', *Sugar Tech.* doi: 10.1007/s12355-022-01188-2.
- Dyaningrum, E. F. (2020) *Kajian Matematis Penggunaan Continuous dan Batch Steam Agglomerator terhadap Karakteristik Fisik Bubuk Minuman Kakao Instan dengan Pemanis Gula Semut*. Universitas Gadjah Mada. doi: <https://doi.org/10.11693/hyhz20181000233>.
- Earle, R. . (1983) *Unit Operations in Food Processing*. United Kingdom: Pergamon Press.
- Faza, F. (2018) *Pengaruh Sirip Tipe Longitudinal dan Tipe Annular pada Alat Penukar Kalor Tipe Shell and Tube Menggunakan Metode Computational Fluid Dynamics*. Universitas Trisakti Jakarta.
- Henderson, S. M. and Perry, R. L. (1976) *Agriculture Process Engineering*. Third. Westport, Connecticut: The AVI Publishing Company, Inc.
- Herawati, F. (2002) *Pemakaian berbagai Jenis Bahan Pengisi pada Pembuatan Tepung Tape Ubi Kayu dengan Menggunakan Pengering Semprot*. IPB.
- Hermanto, D. R. *et al.* (2018) 'Analisis Konsumsi Energi Listrik Universal Milling Machine Pada Berbagai Keadaan Operasi dan Parameter Pemesinan', *Jurnal Mechanical*, 9(1), p. 28.
- Hogekamp, S. (1999) 'Steam jet agglomeration - Part 1: Production of redispersible agglomerates by steam jet agglomeration', *Chemical Engineering and Technology*, 22(5), pp. 421–424. doi: [https://doi.org/10.1002/\(SICI\)1521-4125\(199905\)22:5<421::AID-CEAT421>3.0.CO;2-0](https://doi.org/10.1002/(SICI)1521-4125(199905)22:5<421::AID-CEAT421>3.0.CO;2-0).
- Hogekamp, S., Schubert, H. and Wolf, S. (1996) 'Steam jet agglomeration of water soluble material', *Powder Technology*, 86(1), pp. 49–57. doi: [https://doi.org/10.1016/0032-5910\(95\)03037-9](https://doi.org/10.1016/0032-5910(95)03037-9).
- ICCO (2022) 'Production of Cocoa Beans', *ICCO Quarterly Bulletin of Cocoa Statistics*, XLVII(2).
- Inaba, H. (2007) *Heat and Mass Transfer Analysis of Fluidized Bed Grain Drying*.
- Jermiani (2021) *ANALISIS RENDEMEN PRODUKSI DI PT MARUKI INTERNASIONAL INDONESIA*. UNIVERSITAS MUHAMMADIYAH MAKASSAR.
- Jolliffe, I. T., dan Cadima, J. (2016) 'Principal component analysis: A review and recent developments', *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 37(2065), pp. 1–15. doi: <https://doi.org/10.1098/rsta.2015.0202>.
- Juliarti1, A. *et al.* (2020) 'Analisis Rendemen Minyak Serehwangi (*Cymbopogon nardus* L.) yang Ditanam dengan Pola Agroforestri dan Monokultur pada Lahan Revegetasi Pasca Tambang Batubara', *Jurnal Sylva Lestari*, 8(2), pp. 181–188.
- Karim, D. F. A. K., Ludong, D. P. M. and Lengkey, L. C. C. E. (2021) 'Uji Kinerja Alat Pengering Biji Kakao (*Theobroma Cacao* L.) Tipe Bak di PT. PP. London Sumatra Indonesia Tbk. Pungkol Estate', *Jurnal Universitas Sam Ratulangi*, 6(6). doi: <https://doi.org/10.35791/cocos.v6i6.35704>.

- Kemenperin (2016) *Hilirisasi Industri Olahan Kakao Berbuah Manis*. Available at: <https://kemenperin.go.id/artikel/16610/Hilirisasi-Industri-Olahan-Kakao-Berbuah-Manis> (Accessed: 14 August 2021).
- Kementrian Pertanian (2018) *Statistik Konsumsi Pangan Tahun 2018*, Kementrian Pertanian. Available at: <http://epublikasi.setjen.pertanian.go.id/arsip-perstatistikan/163-statistik/statistik-konsumsi/599-statistik-konsumsi-pangan-tahun-2018> (Accessed: 9 February 2022).
- Kowalska, J. and Lenard, A. (2005) 'The influence of ingredients distribution on properties of agglomerated cocoa product', *Journal of Food Engineering*, 68(2), pp. 155–161.
- Kyaw, H. P. and Hoge Kamp, S. (2003) 'Wetting Behavior of Instantized Cocoa Beverage Powders', *International Journal of Food Science and Technology*, 34(4), pp. 335–342.
- Kyaw Hla, P. and Hoge Kamp, S. (1999) 'Wetting behaviour of instantized cocoa beverage powders', *International Journal of Food Science and Technology*, 34(4), pp. 335–342. doi: <https://doi.org/10.1046/j.1365-2621.1999.00275.x>.
- Lengkey, G. (2020) 'Analisis Energi Pengeringan Padi menggunakan Vertical Dryer Type VRD60 di Desa Bigo Selatan Kabupaten Bolaang Mongondow Utara', *Jurnal Teknologi Pertanian. Fakultas Pertanian. Universitas Sam Ratulangi. Manado*, 11(1).
- Manfaati, R., Baskoro, H. and Rifai, M. M. (2020) 'Karakterisasi Pengeringan Bawang Merah (*Allium cepa* L.) Menggunakan Tray Dryer', *Journal of Cheesa*, 3(2), pp. 71–78.
- Martins, P. C. and Kieckbusch, T. G. (2008) 'Influence of a lipid phase on steam jet agglomeration of maltodextrin powders', *Powder Technology*, 185(3), pp. 258–266. doi: <https://doi.org/10.1016/j.powtec.2007.10.022>.
- Mazo Rivas, J. C. *et al.* (2018) 'Diversity of sensory profiles and physicochemical characteristics of commercial hot chocolate drinks from cocoa powders and block chocolates', *European Food Research and Technology*, 244(8), pp. 1407–1414. doi: <https://doi.org/10.1007/s00217-018-3054-z>.
- Meursing, E. H. (1994) 'Cocoa mass, cocoa butter, cocoa powder. In S.T. Beckett (Ed.)', in *Industrial Chocolate Manufacture and Use*. Springer, pp. 70–82. doi: https://doi.org/10.1007/978-1-4615-2111-2_6.
- Mustafa, A. (2015) 'ANALISIS PROSES PEMBUATAN PATI UBI KAYU (TAPIOKA) BERBASIS NERACA MASSA', *Agrointek*, 9(2), pp. 127–132.
- Omobuwajo, T., BUsari, O. and Osemwegie, A. (2000) 'Thermal agglomeration of chocolate drink powder', *Journal of Food Engineering*, 46(1), pp. 73–81. doi: [https://doi.org/10.1016/S0260-8774\(00\)00067-4](https://doi.org/10.1016/S0260-8774(00)00067-4).
- PUTRA, I. R. (2021) *UJI KINERJA TUNGKU PENGERING DENGAN VARIASI BAHAN BAKAR BIOMASSA*. UNIVERSITAS GADJAH MADA.
- Ramli, I. A., Jamaluddin P, J. P. and Yanto, S. (2018) 'Laju Pengeringan Gabah Menggunakan Pengering Tipe Efek Rumah Kaca (Erk)', *Jurnal Pendidikan Teknologi Pertanian*, 3(3), pp. 158–164.
- Saputra, T. W. *et al.* (2020) 'PENGEMBANGAN MODEL PREDIKSI LAJU

PENGERINGAN PADA IRISAN WORTEL (*Daucus carota*) BERBASIS REGRESI LINIER BERGANDA (RLB) DAN JARINGAN SYARAF TIRUAN (JST)', *JRBP*, 8(2), p. 209.

- Schubert, H. (1987) 'Food particle technology. Part 1: properties of particles and particles food system', *Journal of Food Engineering*, 6, pp. 1–32.
- Setiadi, P. A. (2020) *KAJIAN MATEMATIS PENGGUNAAN CONTINUOUS DAN BATCH STEAM AGGLOMERATOR TERHADAP KARAKTERISTIK BUBUK MINUMAN COKELAT INSTAN DENGAN PEMANIS GULA SEMUT DAN GULA SUKROSA*. Universitas Gadjah Mada.
- Shittu, T. A. and Lawal, M. O. (2007) 'Factors affecting instant properties of powdered cocoa beverages', *Food Chemistry*, 100, pp. 91–98.
- Singh, R., Paul and Heldman, D. R. (2009) *Introduction to Food Engineering*. Fourth Edi. ELSEVIER.
- SNI (2009) 'SNI 3747: Syarat Mutu Bubuk Kakao'. Badan Standarisasi Nasional.
- SNI (2015) 'SNI 4412: Tentang Mesin Tipe Bak Datar'. Badan Standarisasi Nasional.
- Srinivasakannan, C. and Balasubramanian, N. (2008) 'An analysis on modeling of fluidized bed drying of granular material', *Advanced Powder Technology*, 29(1), pp. 73–82.
- Syarief, R. and Halid (1993) *Teknologi Penyimpanan Pangan*. Bogor: PAU Rekayasa Proses Pangan IPB.
- Tambunan, A. H. (2021) 'Energi & Industri Pangan', in *Food Review Indonesia*. Bogor: PT Media Pangan Indonesia, pp. 32–33. Available at: https://issuu.com/pustakapangan01/docs/edisi_11_2021_1_?fr=sMThhYzQzMjI4ODY (Accessed: 4 September 2022).
- Taufiq, M. (2004) *PENGARUH TEMPERATUR TERHADAP LAJU PENGERINGAN JAGUNG PADA PENERING KONSERVASI DAN FLUIDIZED BED Skripsi Disusun dan Diajukan untuk Melengkapi Tugas dan Syarat-syarat Guna Memperoleh Derajat Sarjana Pada Fakultas Teknik Universitas Sebelas Maret Surakarta*. Universitas Sebelas Maret.
- Vissotto, F. Z. *et al.* (2010) 'Influence of the Process Parameters and Sugar Granulometry on Cocoa Beverage Powder Steam Agglomeration', *Journal of Food Engineering*, 97, pp. 283–291.
- Wahyudin, M., Wagiman and Khulsum, V. F. (2020) 'Analytical Hierarchy Process of Instant Chocolate Drink Development based-on Consumer Preference', *Agroindustrial Journal*, 7(2), pp. 492–495.
- Widodo, S. W., Saptadi, S. and Fajar TK, B. (2022) *ANALISIS PENGHEMATAN KONSUMSI ENERGI BOILER TERHADAP PENURUNAN BIAYA PRODUKSI DI PT. ICBP CABANG SURABAYA*. Universitas Diponegoro.
- Winarno, Y. H. (1997) 'Mutu dan pola citarasa beberapa klon kakao lindak', *Pelita perkebunan*, 13(3), pp. 171–187.