

## DAFTAR PUSTAKA

- Amilia, E., Joy, B., and Sunardi, S., 2016, Residu Pestisida pada Tanaman Hortikultura (Studi Kasus di Desa Cihanjuang Rahayu Kecamatan Parongpong Kabupaten Bandung Barat), *Agrikultura*, 27 .
- Anonim, 2021, Pengembangan Hortikultura Berorientasi Ekspor Tingkatkan Produktivitas, Kualitas, dan Kontinuitas Produk Hortikultura, *Kemenko Perekonomian*, <https://www.ekon.go.id/publikasi/detail/3358/pengembangan-hortikultura-berorientasi-ekspor-tingkatkan-produktivitas-kualitas-dan-kontinuitas-produk-hortikultura>, diakses 26 Juni 2022.
- Anonim, 2004, *Petunjuk Teknik Surveilans Lalat Buah*, Pusat Teknik dan Metode, Badan Karantina Pertanian, Jakarta.
- Baker, R.H.A., Sansford, C.E., Jarvis, C.H., Cannon, R.J.C., MacLeod, A., and Walters, K.F.A., 2000, The role of climatic mapping in predicting the potential geographical distribution of non-indigenous pests under current and future climates, *Agric. Ecosyst. Environ.*, 82, 57–71.
- Budimarwanti, C. and Handayani, S., 2010, Efektivitas Katalis Asam Basa Pada Sintesis 2-hidroksikalkon, Senyawa yang Berpotensi Sebagai Zat Warna., In, *Prosiding Seminar Nasional Kimia dan Pendidikan Kimia.*, pp. 2–10.
- Carey, F., and Sundberg, R.J., 2007, *Advanced Organic Chemistry, Part B: Reaction and Synthesis*, 5th edition. Springer Science, New York.
- Ekesi, S., 2016, *Baiting and male annihilation techniques for fruit fly suppression in Africa*, Springer, Cham, Switzerland.
- Finnie, S., Sam, K., Leponce, M., Basset, Y., Drew, D., Schutze, M.K., Dahl, C., Damag, M., Dilu, M., Gewa, B., Kaupa, B., Keltim, M., Koane, B., Kua, J., Lilip, R., Mogia, M., Philip, F., Ray, B., Sam, L., et al., 2021, Assemblages of fruit flies (Diptera: Tephritidae) along an elevational gradient in the rainforests of Papua New Guinea, *Insect Conserv. Divers.*, 14, 348–355.
- Handayani, S., Arianingrum, R., and Haryadi, W., 2013, Aktivitas Antioksidan dan Antikanker Turunan Benzalaseton, *J. Penelit. Saintek*, 18, 71–83.
- Hanssen, B.L., Park, S.J., Royer, J.E., Jamie, J.F., Taylor, P.W., and Jamie, I.M., 2019, Systematic Modification of Zingerone Reveals Structural Requirements for Attraction of Jarvis's Fruit Fly, *Sci. Rep.*, 9, .
- Haq, I., Vreysen, M.J.B., Cac eres, C., Shelly, T.E., and Hendrichs, J., 2014, Methyl eugenol aromatherapy enhances the mating competitiveness of male *Bactrocera carambolae* Drew & Hancock (Diptera: Tephritidae), *J. Insect Physiol.*, 68, 1–6.
- Hassan, Y., Klein, R., and Kaye, P.T., 2017, Aldol Condensation Reactions Effectively Catalysed by Lewis Acid, *Acta Chem. Iasi*, 25, 63–72.

- Hasyim, A., Muryati, and Kogel, W., 2008, Population Fluctuation Of Adult Males Of The Fruit Fly, *Bactrocera tau* Walker (Diptera: Tephritidae) In Passion Fruit Orchards In Relation To Abiotic Factors And Sanitation, *Indones. J. Agric. Sci.*, 9, 29–33.
- Iwahashi, O., Syamusdin-subahar, T.S., and Sastrodihardjo, S., 1996, Attractiveness of Methyl Eugenol to the Fruit Fly *Bactrocera carambolae* (Diptera: Tephritidae) in Indonesia, *Ann. Entomol. Soc. Am.*, 89, 653–660.
- Jaleel, W., Saeed, R., Shabbir, M.Z., Azad, R., Ali, S., Sial, M.U., Aljedani, D.M., Ghramh, H.A., Khan, K.A., Wang, D., and He, Y., 2021, Olfactory response of two different *Bactrocera* fruit flies (Diptera: Tephritidae) on banana, guava, and mango fruits, *J. King Saud Univ. - Sci.*, 33, .
- Kardinan, A., 2011, Penggunaan Pestisida Nabati Sebagai Kearifan Lokal Dalam Pengendalian Hama Tanaman Sistem Pertanian Organik, *Pengemb. Inov. Pertan.*, 4, 262–278.
- Kardinan, A., Bintoro, M.H., Syakir, M., and Amin, A., 2009, Penggunaan Selasih Dalam Pengendalian Hama Lalat Buah Pada Mangga, *J. Penelit. Tanam. Ind.*, 15, 101.
- Kardinan, A. and Syakir, A., 2007, Potensi Bahan Alami sebagai Pengendali Hama Lalat Buah (*Bactrocera* spp.), *J. Bahan Alami Indones.*, 7, 72–76.
- Kasumbogo, U., 2006, *Pengantar Pengelolaan Hama Terpadu*, 2nd ed. Gadjah Mada University Press, Yogyakarta.
- Khurana, J.M. and Sharma, P., 2004, Chemoselective Reduction of  $\alpha,\beta$ Unsaturated Aldehydes, Ketones, Carboxylic Acids, and Esters with Nickel Boride in Methanol-Water, *Bull. Chem. Soc. Jpn.*, 77, 549–552.
- Kumaran, N., Hayes, R.A., and Clarke, A.R., 2014, Cuelure but not zingerone make the sex pheromone of male *Bactrocera tryoni* (Tephritidae: Diptera) more attractive to females, *J. Insect Physiol.*, 68, 36–43.
- Liu, C. and Xiong, W., 2010, Ultrasonic synthesis of zingerone., *Zhongguo Yiyao Gongye Zazhi*, 41, 91,93.
- Liu, L. and Simon, S.A., 1996, Similarities and differences in the currents activated by capsaicin, piperine, and zingerone in rat trigeminal ganglion cells, *J. Neurophysiol.*, 76, 1858–1869.
- Manoukis, N.C. and Gayle, S.M., 2016, Attraction of wild-like and colony-reared *Bactrocera cucurbitae* (Diptera:Tephritidae) to cuelure in the field, *J. Appl. Entomol.*, 140, 241–249.
- Marikun, M. and Anshary, A., 2014, Daya Tarik Jenis Atraktan dan Warna Perangkat Yang Berbeda Terhadap Lalat Buah (Diptera: Tephritidae) Pada Tanaman Mangga (*Mangifera indica*) Di Desa Soulove, *e-J. Agrotekbis*, 2, 454–459.

- Mason, T.J. and Lorimer, J.P., 2002, *Applied Sonochemistry: Uses of Power Ultrasound in Chemistry and Processing*, Wiley-VCH Verlag GmbH & Co. KGaA.
- McMurry, J., 2008, *Organic Chemistry*, 7th edition, Thomson Brooks Cole, Singapore.
- Munandari, M., 2018, Sintesis 4-(4-Hidroksi-3-Metoksifenil)-2-Butanon dan 4-(4-Asetoksi-3-Metoksifenil)-2-Butanon serta Uji Potensinya Sebagai Atraktan Lalat Buah Hama (*Bactrocera* spp.), *Skripsi*, Departemen Kimia, FMIPA, UGM, Yogyakarta.
- Murdiah, 2018, Sintesis Turunan Senyawa Zingeron dan Uji Potensi sebagai Atraktan Lalat Buah, *Tesis*, Departemen Kimia, FMIPA, UGM, Yogyakarta.
- Murdiah, Deni, P., and Tri, J.R., 2019, Synthesis of zingerone using  $\text{NiCl}_2 \cdot 2\text{o-NaBH}_4$  as a selective hydrogenation reaction agent, *Mater. Sci. Forum*, 948, 127–132.
- Muryati, A. H.R., 2008, Preferensi Spesies Lalat Buah terhadap Atraktan Metil Eugenol dan Cue-Lure dan Populasinya di Sumatera Barat dan Riau, *Holtikultura*, 18, .
- Olivera, R., SanMartin, R., Domínguez, E., Solans, X., Urtiaga, M.K., and Arriortua, M.I., 2000, A convenient strategy for the synthesis of 4,5-bis (o-haloaryl)isoxazoles, *J. Org. Chem.*, 65, 6398–6411.
- Park, S.J., Morelli, R., Hanssen, B.L., Jamie, J.F., Jamie, I.M., Siderhurst, M.S., and Taylor, P.W., 2016, Raspberry ketone analogs: Vapour pressure measurements and attractiveness to Queensland fruit fly, *Bactrocera tryoni* (Froggatt) (Diptera: Tephritidae), *PLoS One*, 11, .
- Patt, T.J.A. and Siahay, V., 2013, Identifikasi Lalat Buah (*Bactrocera* spp) di Chili, Bitter Melon, Jambu, dan Jambu Bol di Kota Ambon, *Agrologia*, 2, 73–85.
- Paul, R., Paul, B., and Joseph, N., 1952, Catalytic Activity of Nickel Borides, *Ind. Eng.*, 44, 1006–1010.
- Pradika, Y., 2019, Sintesis Senyawa Turunan Zingeron dan Turunan Raspberry Keton serta Uji Potensi sebagai Atraktan Lalat Buah Hama, *Tesis*, Departemen Kimia, FMIPA, UGM, Yogyakarta.
- Royer, J.E., 2015, Responses of fruit flies (Tephritidae: Dacinae) to novel male attractants in north Queensland, Australia, and improved lures for some pest species, *Austral Entomol.*, 54, 411–426.
- Royer, J.E., Agovaua, S., Bocosou, J., Kurika, K., Mararuai, A., Mayer, D.G., and Niangu, B., 2018, Responses of fruit flies (Diptera: Tephritidae) to new attractants in Papua New Guinea, *Austral Entomol.*, 57.

- Royer, J.E., Khan, M., and Mayer, D.G., 2018, Methyl-isoeugenol, a highly attractive male lure for the cucurbit flower pest *zeugodacus diversus* (coquillett) (syn. *Bactrocera diversa*) (diptera: Tephritidae: Dacinae), *J. Econ. Entomol.*, 111.
- Rubenstein, L., 1925, Substitution in Derivatives of Quinol Ethers, *J. Chem. Soc.*, 127, 1998–2004.
- Sahetapy, B., Uluputty, M.R., and Naibu, L., 2019, Identifikasi Lalat Buah (*Bactrocera* spp), pada Tanaman Cabai (*Capsicum Annum* L.) dan Belimbing (*Averrhoa Carambola* L.) dikecamatan Salahutu kabupaten Maluku Tengah., *Agrikultura*, 30, 63.
- Schatz, P.F., 1996, Bromination of Acetanilide, *J. Chem. Educ.*, 73, 267.
- Setamdideh, D. and Ghahremani, S., 2012, Convenient reduction of carbonyl compounds to their corresponding alcohols with  $\text{NaBH}_4/(\text{NH}_4)_2\text{C}_2\text{O}_4$  system, *South African J. Chem.*, 65, 91–97.
- Shelly, T.E., 2017, Zingerone and the mating success and field attraction of male melon flies (Diptera: Tephritidae), *J. Asia. Pac. Entomol.*, 20, 175–178.
- Silverstein, R.M., Webster, F.X., and Kemle, D.J., 2005, Spectrometric Identification of Organic Compounds, John Wiley and Sons, Inc, USA.
- Sinamarta, J., Ningsih, Y.P., and Zahara, F., 2013, Uji Efektifitas Beberapa Jenis Atraktan untuk Mengendalikan Hama Lalat Buah (*Bactrocera Dorsalis* Hend.) Pada Tanaman Jambu Biji (*Psidium Guajava* L.), *J. Online Agroekoteknologi*, 2, 192–200.
- Siwi, S.S., Hidayat, P., and Suputa, 2006, *Taksonomi Dan Bioekologi Lalat Buah Penting Bactrocera spp. (Diptera:Tephritidae) Di Indonesia*, Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian, Bogor.
- Steiner, L. and Lee, R., 1955, Large Area Tests of a Male Annihilation Method for Oriental Fruit Fly Control, *J. Econ. Entomol.*, 48, 311–317.
- Suputa, Andi Trisyono, Y., Martono, E., and Suharni Siwi, S., 2010, Update on the Host Range of Different Species of Fruit Flies in Indonesia, *J. Perlindungan Tanam. Indones.*, 16, 62–75.
- Suputa, Cahyaniati, A.K., R, M., and M, I.U.H.W.P., 2006, *Pedoman Identifikasi Hama Lalat Buah*, Direktorat Perlindungan Tanaman Holtikultura, Jakarta.
- Susanto, A., Fathoni, F., Atami, N.I.N., and Tohidin, T., 2017, Fluktuasi Populasi Lalat Buah (*Bactrocera dorsalis* Kompleks.) (Diptera: Tephritidae) pada Pertanaman Pepaya di Desa Margaluyu, Kabupaten Garut, *Agrikultura*, 28, 32–38.
- Suslick, K.S. and Price, G.J., 1999, Applications of Ultrasound to Materials Chemistry, *Annu. Rev. Mater. Sci.*, 20, 295–326.

- Sykes, P., 1985, *Guidebook to Mechanism in Organic Chemistry*, 6th editio. John Willey and Sons, Inc, New York.
- Tan, K.H., 2009, Fruit fly pests as pollinators of wild orchids,. In, *Proceedings of the 7th International Symposium on Fruit Flies of Economic Importance*. Salvador, Brazil, pp. 195–206.
- Tan, K.H. and Nishida, R., 2000, Mutual reproductive benefits between a wild orchid, *Bulbophyllum patens*, and *Bactrocera* fruit flies via a floral synomone, *J. Chem. Ecol.*, 26, 533–546.
- Tan, K.H. and Nishida, R., 2007, Zingerone in the floral synomone of *Bulbophyllum baileyi* (Orchidaceae) attracts *Bactrocera* fruit flies during pollination, *Biochem. Syst. Ecol.*, 35, 334–341.
- Tan, K.H., Tokushima, I., Ono, H., and Nishida, R., 2011, Comparison of phenylpropanoid volatiles in male rectal pheromone gland after methyl eugenol consumption, and molecular phylogenetic relationship of four global pest fruit fly species: *Bactrocera invadens*, *B. dorsalis*, *B. correcta* and *B. zonata*, *Chemoecology*, 21, 25–33.
- Vargas, R.I., Piñero, J.C., and Leblanc, L., 2015, An overview of pest species of *Bactrocera* fruit flies (Diptera: Tephritidae) and the integration of biopesticides with other biological approaches for their management with a focus on the pacific region, *Insects*, 6, 297–318.
- White, I.M. and Elson-Harris, M.M., 1992, *Fruit flies of economic significance: their identification and bionomics.*, CAB International Wallingford UK.
- Zeynizadeh, B. and Behyar, T., 2005, Fast and efficient method for reduction of carbonyl compounds with  $\text{NaBH}_4$ /wet  $\text{SiO}_2$  under solvent free condition, *J. Braz. Chem. Soc.*, 16, 1200–1209.